R3850-1.8 U
11/86

LOS
LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, Southern Region, 1985

A Companion Volume To Length of Stay by Diagnosis, Southern Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 6
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 15
    Summary of All Patients. 16
    Operation Groups 501-764. 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups. 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP $>$ *110*			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever $> 102^{o}$*, chills*			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure INDEX TO PROCEDURES

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79549	3.1	14	<1	1	2	3	6	8	18
20-34	148186	3.3	8	1	1	3	4	6	7	13
35-49	65038	4.4	16	1	1	3	6	9	11	19
50-64	50794	5.0	19	1	1	4	7	10	13	20
65+	42790	6.0	28	1	1	5	8	12	15	24
2. MULTIPLE DX										
0-19 YRS	75653	5.8	80	1	1	3	6	12	20	61
20-34	156369	5.1	30	1	2	4	6	9	12	30
35-49	124483	6.4	40	1	2	5	8	12	16	34
50-64	154346	7.6	54	1	2	6	9	15	20	39
65+	268606	9.1	65	2	2	7	11	18	23	43
TOT. SINGLE DX	386357	4.0	15	1	1	3	5	8	11	19
" MULTIPLE DX	779457	7.3	56	1	2	5	9	14	20	40
TOTAL 0-19 YRS	155202	4.4	48	1	1	3	5	8	13	41
20-34	304555	4.2	20	1	1	3	5	7	10	23
35-49	189521	5.7	33	1	1	5	7	11	14	29
50-64	205140	7.0	46	1	2	5	9	14	18	35
65+	311396	8.7	61	2	2	7	11	17	22	41
GRAND TOTAL	**1165814**	**6.2**	**45**	**1**	**1**	**4**	**7**	**13**	**17**	**35**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	7.8	34	1	1	7	11	14	19	29
20-34	81	9.8	36	3	4	9	12	16	19	38
35-49	101	11.8	54	4	5	11	14	19	22	44
50-64	133	11.5	59	3	5	10	14	19	24	46
65+	142	12.1	84	4	5	10	14	19	28	50
2. MULTIPLE DX										
0-19 YRS	236	16.0	226	2	3	12	21	34	61	99+
20-34	135	20.1	277	4	6	15	30	53	70	99+
35-49	186	19.2	276	4	7	14	26	47	71	99+
50-64	319	18.8	237	6	8	14	22	37	57	98
65+	494	19.6	209	5	7	16	25	39	50	99
TOT. SINGLE DX	593	10.6	58	2	3	9	13	17	23	43
" MULTIPLE DX	1370	18.8	236	4	6	14	24	40	58	99+
TOTAL 0-19 YRS	372	13.0	172	1	2	10	16	29	37	99
20-34	216	16.2	211	4	5	11	20	40	56	99+
35-49	287	16.6	210	4	6	12	20	36	61	99+
50-64	452	16.7	196	5	7	12	19	31	46	97
65+	636	17.9	191	5	6	14	23	36	46	96
GRAND TOTAL	**1963**	**16.3**	**196**	**3**	**5**	**12**	**20**	**33**	**48**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	8.6	53	3	4	7	9	16	22	41
20-34	32	8.8	14	4	5	8	11	15	17	17
35-49	34	12.7	95	4	4	10	15	23	31	54
50-64	44	11.0	35	4	5	9	13	20	24	30
65+	30	11.7	55	3	5	10	14	21	24	38
2. MULTIPLE DX										
0-19 YRS	99	17.9	306	4	5	12	26	45	72	99+
20-34	71	17.9	297	4	5	12	23	45	74	99+
35-49	62	19.5	283	6	7	14	24	52	81	99+
50-64	82	20.3	315	4	6	14	26	54	62	96
65+	91	19.3	206	7	8	15	24	39	60	99+
TOT. SINGLE DX	222	10.2	53	3	4	8	12	19	24	40
" MULTIPLE DX	405	18.9	279	4	6	13	24	44	63	99+
TOTAL 0-19 YRS	181	13.7	213	3	4	8	15	38	52	99+
20-34	103	15.1	226	4	5	10	17	40	54	99+
35-49	96	17.1	226	4	6	13	20	41	56	99+
50-64	126	17.0	236	4	5	12	20	40	57	90
65+	121	17.4	179	5	7	14	22	36	49	99+
GRAND TOTAL	**627**	**15.8**	**216**	**4**	**5**	**11**	**19**	**38**	**55**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	170	5.3	10	2	2	5	7	8	9	15
20-34	43	4.7	6	1	2	4	7	8	10	10
35-49	24	6.9	9	2	3	7	8	12	12	12
50-64	4	5.5	8	2	2	5	7	9	9	9
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	137	10.5	142	3	4	7	10	23	33	99
20-34	81	12.5	167	2	3	8	16	35	47	87
35-49	41	12.8	210	2	3	8	13	35	49	65
50-64	24	10.5	215	2	3	6	11	20	37	75
65+	12	14.3	93	4	4	12	16	29	38	39
TOT. SINGLE DX	243	5.3	9	2	2	5	7	8	10	13
" MULTIPLE DX	295	11.5	162	3	3	7	13	26	39	88
TOTAL 0-19 YRS	307	7.6	76	2	3	5	8	13	22	57
20-34	124	9.8	124	2	2	6	11	22	39	68
35-49	65	10.6	143	2	3	7	11	23	40	63
50-64	28	9.8	188	2	3	6	10	19	26	75
65+	14	12.9	94	2	4	10	16	26	36	39
GRAND TOTAL	**538**	**8.7**	**102**	**2**	**3**	**6**	**9**	**16**	**31**	**61**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	6.7	29	2	3	5	7	11	15	35
20-34	9	8.6	14	4	4	8	11	14	16	16
35-49	14	7.0	8	3	3	6	10	11	12	13
50-64	18	11.3	55	6	6	9	11	24	31	33
65+	23	10.8	35	4	5	9	15	20	23	24
2. MULTIPLE DX										
0-19 YRS	271	15.6	298	3	4	8	22	45	79	99+
20-34	21	11.0	56	4	5	11	15	49	99+	99+
35-49	14	16.9	278	4	5	11	19	43	59	64
50-64	45	22.6	396	5	7	16	32	55	80	99+
65+	121	18.8	160	5	6	16	22	36	46	88
TOT. SINGLE DX	172	7.9	33	3	3	7	9	15	19	33
" MULTIPLE DX	472	17.0	266	4	4	12	22	43	68	99+
TOTAL 0-19 YRS	379	13.1	237	3	4	7	15	37	63	99+
20-34	30	10.3	44	4	5	10	14	25	93	99+
35-49	28	11.9	164	3	4	8	11	22	43	64
50-64	63	19.4	323	6	6	14	24	43	71	99+
65+	144	17.6	149	5	6	15	22	35	41	84
GRAND TOTAL	**644**	**14.5**	**220**	**3**	**4**	**9**	**18**	**36**	**57**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	271	5.2	23	2	2	4	6	10	14	26
20-34	42	8.7	54	2	3	7	9	19	27	34
35-49	22	12.3	344	2	3	7	12	21	53	91
50-64	21	6.5	16	2	2	6	8	13	15	17
65+	16	6.8	40	1	2	5	8	19	22	23
2. MULTIPLE DX										
0-19 YRS	523	11.7	201	2	3	6	14	29	45	94
20-34	93	16.5	324	3	4	10	20	53	92	99+
35-49	59	18.5	271	3	4	15	29	60	99+	99+
50-64	66	15.6	233	3	4	11	21	30	46	90
65+	64	19.6	198	4	6	15	27	40	43	73
TOT. SINGLE DX	372	6.1	49	2	2	4	7	11	17	31
" MULTIPLE DX	805	13.7	230	2	3	8	18	35	54	99+
TOTAL 0-19 YRS	794	9.5	150	2	2	5	10	23	36	82
20-34	135	14.1	252	3	3	9	16	39	69	99+
35-49	81	16.9	295	3	4	10	27	54	93	99+
50-64	87	13.4	196	3	3	9	17	26	36	84
65+	80	17.1	193	2	4	13	25	36	42	70
GRAND TOTAL	**1177**	**11.3**	**185**	**2**	**3**	**6**	**13**	**28**	**43**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	13.2	165	5	5	9	14	27	38	68
20-34	217	9.3	33	4	4	8	11	17	22	30
35-49	438	8.7	18	4	4	8	10	15	17	22
50-64	415	8.7	18	4	4	8	10	14	17	25
65+	207	10.5	27	5	6	9	13	18	20	29
2. MULTIPLE DX										
0-19 YRS	47	16.4	173	4	6	11	21	42	47	52
20-34	176	13.0	115	4	5	10	15	25	34	63
35-49	463	11.4	78	4	5	9	13	20	27	54
50-64	622	12.2	84	4	5	10	14	20	29	48
65+	662	15.7	109	5	6	13	20	28	35	58
TOT. SINGLE DX	1309	9.2	27	4	5	8	11	16	19	28
" MULTIPLE DX	1970	13.4	100	4	5	10	16	24	32	54
TOTAL 0-19 YRS	79	15.1	170	4	5	10	18	37	45	63
20-34	393	11.0	74	4	5	8	13	21	26	46
35-49	—901	10.1	52	4	4	8	12	17	22	45
50-64	1037	10.8	61	4	5	9	12	18	23	42
65+	869	14.5	95	5	6	12	18	25	33	52
GRAND TOTAL	**3279**	**11.7**	**75**	**4**	**5**	**9**	**14**	**21**	**27**	**48**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	9.7	53	2	2	9	13	20	23	35
20-34	159	5.5	40	1	1	4	8	12	16	51
35-49	231	5.2	53	1	1	3	7	11	13	24
50-64	120	5.7	26	1	1	4	8	13	16	22
65+	50	4.7	18	1	1	3	6	10	12	23
2. MULTIPLE DX										
0-19 YRS	110	13.8	165	4	5	10	15	28	44	99
20-34	140	9.3	81	1	1	7	14	21	24	65
35-49	244	8.0	47	1	2	6	11	17	21	34
50-64	199	10.2	106	1	1	8	14	22	30	59
65+	142	13.8	173	2	2	10	18	29	40	67
TOT. SINGLE DX	619	5.8	43	1	1	4	8	12	16	29
" MULTIPLE DX	835	10.5	109	1	2	8	14	22	31	60
TOTAL 0-19 YRS	169	12.4	130	3	3	10	14	23	37	88
20-34	299	7.3	63	1	1	5	10	17	22	57
35-49	475	6.6	52	1	1	5	9	15	18	32
50-64	319	8.5	81	1	1	6	11	19	26	51
65+	192	11.4	149	1	2	8	15	26	35	58
GRAND TOTAL	**1454**	**8.5**	**86**	**1**	**1**	**6**	**11**	**18**	**25**	**49**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	4.5	14	<1	1	3	7	11	12	15
20-34	86	4.2	41	<1	<1	2	4	9	11	41
35-49	155	3.3	11	<1	<1	2	4	6	10	20
50-64	141	3.3	8	<1	1	2	4	7	10	13
65+	89	3.9	18	<1	<1	2	4	9	13	24
2. MULTIPLE DX										
0-19 YRS	29	3.7	9	1	1	3	4	8	11	14
20-34	65	7.2	167	1	2	4	7	12	21	84
35-49	106	5.1	27	1	1	3	5	14	17	23
50-64	128	5.5	58	1	1	3	6	12	19	43
65+	105	6.1	49	1	1	4	7	15	26	66
TOT. SINGLE DX	506	3.6	17	<1	1	2	4	8	11	21
" MULTIPLE DX	433	5.7	62	1	1	3	6	13	19	42
TOTAL 0-19 YRS	64	4.1	12	<1	1	3	5	9	12	15
20-34	151	5.5	97	<1	1	3	6	10	14	53
35-49	261	4.0	19	<1	1	2	4	9	15	21
50-64	269	4.3	33	1	1	3	5	9	12	35
65+	194	5.1	36	<1	1	3	6	12	21	35
GRAND TOTAL	**939**	**4.6**	**39**	**<1**	**1**	**3**	**5**	**10**	**14**	**30**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	2.8	4	<1	<1	2	4	6	6	10
20-34	351	2.5	5	<1	<1	2	3	5	7	11
35-49	496	2.4	4	<1	<1	2	3	4	7	11
50-64	410	2.5	4	<1	<1	2	3	4	8	11
65+	239	2.1	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	117	3.6	47	1	1	2	4	8	11	99+
20-34	299	3.2	10	1	1	2	4	7	8	15
35-49	399	4.4	33	1	1	3	5	9	12	33
50-64	419	4.1	18	1	1	3	4	9	12	23
65+	307	4.5	33	1	1	3	5	10	13	35
TOT. SINGLE DX	1584	2.4	4	<1	<1	2	3	4	7	11
" MULTIPLE DX	1541	4.1	26	1	1	3	4	9	12	29
TOTAL 0-19 YRS	205	3.3	29	<1	1	2	4	6	9	83
20-34	650	2.8	8	<1	1	2	3	6	8	13
35-49	895	3.3	18	<1	<1	2	3	7	9	22
50-64	829	3.3	12	<1	1	2	3	8	10	18
65+	546	3.5	21	<1	1	2	3	7	11	20
GRAND TOTAL	**3125**	**3.2**	**16**	**<1**	**1**	**2**	**3**	**7**	**9**	**19**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	17	5.6	8	2	2	5	7	10	12	13
35-49	18	5.6	5	2	3	5	8	9	10	10
50-64	13	5.1	7	2	2	4	6	9	11	11
65+	10	7.4	8	4	4	7	10	11	12	12
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	19	5.7	5	2	3	5	7	9	10	10
35-49	34	9.4	71	2	3	6	13	17	22	47
50-64	55	13.5	148	5	5	9	17	31	38	70
65+	94	10.5	32	4	5	9	13	20	22	29
TOT. SINGLE DX	61	5.8	7	2	3	5	7	10	11	13
" MULTIPLE DX	203	10.6	72	3	4	8	13	20	25	44
TOTAL 0-19 YRS	4	5.3	5	3	3	5	7	8	8	8
20-34	36	5.7	6	2	2	5	7	9	10	13
35-49	52	8.1	52	2	3	6	9	15	19	46
50-64	68	11.9	132	3	4	8	14	23	36	66
65+	104	10.2	31	4	4	9	13	20	21	28
GRAND TOTAL	**264**	**9.5**	**61**	**3**	**4**	**7**	**11**	**18**	**22**	**41**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.3	1	<1	<1	3	3	4	4	4
20-34	25	4.8	22	1	1	4	5	10	14	24
35-49	37	5.1	34	<1	<1	3	5	11	17	30
50-64	23	4.3	9	<1	<1	4	6	9	11	13
65+	8	8.6	40	2	2	7	13	18	19	19
2. MULTIPLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	35	7.6	86	<1	<1	5	8	18	32	43
35-49	54	6.4	28	<1	1	5	9	11	15	28
50-64	57	7.8	39	<1	<1	6	12	18	20	26
65+	48	11.0	106	2	3	8	13	24	28	60
TOT. SINGLE DX	102	4.9	24	<1	<1	3	5	11	16	27
" MULTIPLE DX	197	8.0	63	<1	1	6	10	18	24	40
TOTAL 0-19 YRS	12	2.1	1	<1	<1	2	3	4	4	4
20-34	60	6.4	61	<1	1	4	8	13	21	42
35-49	91	5.8	31	<1	<1	4	8	11	16	29
50-64	80	6.8	33	<1	<1	5	10	15	19	24
65+	56	10.6	96	2	3	8	13	23	28	58
GRAND TOTAL	**299**	**6.9**	**52**	**<1**	**1**	**5**	**9**	**16**	**20**	**33**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	3.7	3	1	2	3	4	5	7	11
20-34	522	3.6	4	1	2	3	4	5	6	12
35-49	623	3.5	2	2	2	3	4	5	6	10
50-64	439	3.8	2	2	2	4	4	5	6	9
65+	195	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	30	6.1	40	2	3	4	6	9	17	36
20-34	202	5.0	15	2	3	4	5	8	10	27
35-49	368	4.7	11	2	2	4	5	8	11	19
50-64	366	4.9	13	2	3	4	5	8	11	23
65+	348	6.1	18	2	3	5	7	11	16	24
TOT. SINGLE DX	1861	3.7	3	2	2	3	4	5	6	10
" MULTIPLE DX	1314	5.2	15	2	3	4	6	9	12	24
TOTAL 0-19 YRS	112	4.3	14	2	2	4	5	6	9	24
20-34	724	4.0	8	2	2	3	4	6	8	17
35-49	991	3.9	6	2	2	4	4	6	8	14
50-64	805	4.3	8	2	2	4	5	6	8	18
65+	543	5.4	14	2	3	4	6	9	12	23
GRAND TOTAL	**3175**	**4.3**	**9**	**2**	**2**	**4**	**5**	**7**	**9**	**18**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	143	2.0	1	1	1	2	2	3	4	9
20-34	90	2.5	3	1	1	2	3	4	5	12
35-49	82	3.0	4	1	1	3	4	5	7	12
50-64	80	4.2	6	1	2	4	5	8	10	13
65+	37	5.4	8	2	3	5	8	10	11	13
2. MULTIPLE DX										
0-19 YRS	28	5.0	18	1	1	4	8	13	21	99+
20-34	63	6.7	31	1	2	5	9	13	16	32
35-49	111	6.7	39	2	3	5	7	14	24	32
50-64	188	7.2	50	2	3	5	8	15	21	34
65+	200	9.0	63	3	3	6	11	20	25	37
TOT. SINGLE DX	432	3.0	5	1	1	2	4	5	8	12
" MULTIPLE DX	590	7.6	50	2	3	5	9	15	22	36
TOTAL 0-19 YRS	171	2.5	5	1	1	2	3	5	8	16
20-34	153	4.2	19	1	1	3	4	10	13	22
35-49	193	5.1	28	1	2	4	6	9	15	27
50-64	268	6.3	40	2	2	4	7	12	16	31
65+	237	8.4	57	2	3	6	10	17	24	36
GRAND TOTAL	**1022**	**5.6**	**36**	**1**	**1**	**4**	**6**	**12**	**17**	**33**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	8.2	13	3	5	8	10	15	15	15
20-34	33	8.8	10	5	6	8	9	13	16	20
35-49	28	7.3	3	3	5	8	9	9	10	10
50-64	32	8.8	9	5	6	9	10	12	15	18
65+	18	9.9	46	1	1	9	12	19	25	29
2. MULTIPLE DX										
0-19 YRS	20	12.1	98	2	5	8	13	29	36	40
20-34	46	11.3	36	5	6	9	13	19	23	31
35-49	60	11.5	72	4	5	9	14	19	25	55
50-64	69	11.5	45	5	6	10	13	21	28	33
65+	57	17.1	210	4	5	13	19	32	53	75
TOT. SINGLE DX	132	8.5	14	3	5	8	10	12	16	22
MULTIPLE DX	252	12.8	96	5	6	10	16	23	31	61
TOTAL 0-19 YRS	41	10.1	57	3	5	8	11	17	29	40
20-34	79	10.3	27	5	6	9	11	17	20	31
35-49	88	10.1	54	4	5	8	11	16	22	49
50-64	101	10.6	35	5	6	9	11	18	25	32
65+	75	15.4	180	3	5	12	18	30	38	73
GRAND TOTAL	**384**	**11.3**	**72**	**5**	**5**	**9**	**13**	**20**	**28**	**51**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	1.5	5	<1	<1	<1	1	2	3	17
20-34	8	2.1	4	<1	<1	1	2	6	7	7
35-49	18	2.0	3	<1	<1	1	3	3	7	9
50-64	24	1.7		<1	<1	1	2	3	4	5
65+	42	1.8		<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	11	2.1	1	<1	<1	2	3	4	5	5
20-34	3	3.3	6	<1	<1	3	5	6	6	6
35-49	23	5.3	50	<1	1	3	6	24	50	99+
50-64	30	4.2	15	1	1	2	6	11	11	16
65+	106	4.1	20	1	1	2	5	8	13	24
TOT. SINGLE DX	176	1.7	4	<1	<1	1	2	3	3	8
" MULTIPLE DX	173	4.2	22	1	1	2	5	10	14	31
TOTAL 0-19 YRS	95	1.6	5	<1	<1	<1	1	2	3	15
20-34	11	2.5	4	<1	<1	2	3	6	7	7
35-49	41	3.9	32	<1	<1	2	3	11	26	99+
50-64	54	3.1	10	<1	1	2	3	8	11	16
65+	148	3.5	16	<1	1	2	4	8	12	18
GRAND TOTAL	**349**	**2.9**	**14**	**<1**	**<1**	**2**	**3**	**6**	**11**	**24**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	1.6		<1	<1	1	2	2	4	6
20-34	31	1.8	1	<1	<1	1	2	4	4	5
35-49	56	1.7	2	<1	<1	1	2	3	5	11
50-64	85	1.5		<1	<1	1	2	2	3	6
65+	70	1.8	1	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	155	2.9	18	<1	1	2	3	5	8	40
20-34	195	3.9	35	<1	1	2	5	8	11	25
35-49	124	3.3	15	<1	1	2	4	6	8	25
50-64	151	3.6	47	1	1	2	3	6	12	57
65+	217	5.1	51	<1	1	3	6	11	17	34
TOT. SINGLE DX	403	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	842	3.9	36	<1	1	2	4	8	12	33
TOTAL 0-19 YRS	316	2.3	10	<1	<1	2	2	4	6	19
20-34	226	3.6	31	<1	1	2	4	7	10	20
35-49	180	2.8	12	<1	<1	2	3	5	7	22
50-64	236	2.8	32	<1	1	2	2	5	7	52
65+	287	4.3	41	<1	<1	2	5	9	14	27
GRAND TOTAL	**1245**	**3.2**	**26**	**<1**	**<1**	**2**	**3**	**6**	**10**	**27**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	1.4		<1	<1	1	2	2	2	5
20-34	44	2.1	2	1	1	2	2	4	5	8
35-49	30	1.7		1	1	2	2	3	4	4
50-64	30	1.8		1	1	2	2	3	3	3
65+	42	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	21	3.7	42	<1	1	2	3	7	19	31
20-34	19	2.5	3	1	1	2	3	5	7	9
35-49	22	3.5	15	1	1	2	4	8	13	18
50-64	41	2.1	1	1	1	2	2	3	4	7
65+	68	2.5	2	1	1	2	3	5	7	10
TOT. SINGLE DX	179	1.8	1	1	1	2	2	3	4	6
" MULTIPLE DX	171	2.7	9	1	1	2	3	4	7	16
TOTAL 0-19 YRS	54	2.3	18	<1	1	1	2	3	5	30
20-34	63	2.2	3	1	1	2	3	4	6	9
35-49	52	2.5	7	1	1	2	3	4	7	18
50-64	71	2.0	1	1	1	2	2	3	3	6
65+	110	2.3	2	1	1	2	2	3	5	8
GRAND TOTAL	**350**	**2.2**	**5**	**1**	**1**	**2**	**2**	**4**	**5**	**10**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.5		<1	<1	1	2	3	3	3
20-34	4	7.5	169	<1	<1	1	14	27	27	27
35-49	4	1.0		1	1	1	1	1	1	1
50-64	5	2.0	1	<1	<1	2	3	4	4	4
65+	3	7.0	91	<1	<1	2	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	13	6.5	138	<1	<1	3	5	15	39	45
20-34	8	2.9	3	<1	<1	2	4	6	6	6
35-49	12	7.0	117	1	1	5	5	20	37	40
50-64	4	5.8	26	1	1	4	9	13	13	13
65+	12	4.3	11	1	1	3	6	9	12	13
TOT. SINGLE DX	29	2.9	31	<1	<1	1	2	4	18	27
" MULTIPLE DX	49	5.4	69	<1	1	3	5	10	15	45
TOTAL 0-19 YRS	26	4.0	73	<1	<1	2	3	7	15	45
20-34	12	4.4	54	<1	<1	2	4	12	25	27
35-49	16	5.5	93	1	1	2	5	11	32	40
50-64	9	3.7	15	<1	<1	2	4	10	13	13
65+	15	4.9	23	<1	1	3	6	13	17	18
GRAND TOTAL	**78**	**4.5**	**56**	**<1**	**<1**	**2**	**5**	**8**	**16**	**44**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.0	1	<1	<1	2	3	3	4	5
20-34	38	2.8	2	1	1	3	4	5	5	7
35-49	21	3.2	8	<1	1	2	3	8	10	12
50-64	31	2.5	1	1	1	3	3	4	6	6
65+	106	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	23	3.0	2	<1	1	3	4	5	6	7
20-34	17	4.2	5	1	1	4	6	7	9	10
35-49	17	4.4	32	<1	1	4	4	5	19	26
50-64	61	3.7	4	1	1	3	5	6	7	11
65+	247	3.5	8	1	1	3	4	6	7	16
TOT. SINGLE DX	220	2.8	3	1	1	3	4	5	6	8
" MULTIPLE DX	365	3.6	8	1	1	3	4	6	7	16
TOTAL 0-19 YRS	47	2.5	2	<1	<1	2	3	4	5	7
20-34	55	3.2	4	1	1	3	4	6	7	10
35-49	38	3.7	19	<1	1	3	4	7	11	26
50-64	92	3.3	4	1	1	3	4	6	7	10
65+	353	3.4	7	1	1	3	4	5	7	14
GRAND TOTAL	**585**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	78	2.7	3	<1	<1	2	4	5	6	10
20-34	75	2.4	2	1	1	2	3	5	5	6
35-49	56	2.2	2	<1	<1	2	3	5	6	7
50-64	17	1.9		<1	1	2	2	3	3	3
65+	29	2.2	5	<1	<1	1	2	4	8	11
2. MULTIPLE DX										
0-19 YRS	85	3.7	4	<1	1	4	5	6	9	10
20-34	63	3.4	3	1	2	3	4	6	7	12
35-49	34	3.7	7	1	1	3	6	8	9	10
50-64	28	5.0	27	1	1	3	5	10	15	27
65+	51	5.1	132	<1	1	2	5	8	12	81
TOT. SINGLE DX	255	2.4	3	<1	<1	2	3	5	6	9
" MULTIPLE DX	261	4.0	32	1	1	3	5	7	9	19
TOTAL 0-19 YRS	163	3.2	4	<1	1	3	4	6	8	10
20-34	138	2.8	3	1	1	3	4	5	6	9
35-49	90	2.8	5	<1	<1	2	4	7	8	10
50-64	45	3.8	19	1	1	3	4	6	12	27
65+	80	4.1	88	<1	<1	2	4	7	10	63
GRAND TOTAL	**516**	**3.2**	**18**	**<1**	**1**	**3**	**4**	**6**	**8**	**12**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	2.8	9	1	1	2	3	5	7	19
20-34	13	3.3	4	1	1	2	5	6	8	8
35-49	35	3.1	4	<1	1	2	5	6	7	8
50-64	57	2.6	2	1	1	2	3	5	6	7
65+	75	2.7	2	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	23	4.6	14	<1	1	2	7	11	12	13
20-34	16	5.3	15	1	2	4	6	11	14	16
35-49	21	3.6	3	1	2	3	4	6	8	10
50-64	90	3.9	9	1	1	3	5	7	10	18
65+	192	4.5	24	1	1	3	5	9	11	22
TOT. SINGLE DX	221	2.8	4	<1	1	2	3	5	7	8
" MULTIPLE DX	342	4.3	18	1	1	3	5	9	11	20
TOTAL 0-19 YRS	64	3.4	11	1	1	2	4	7	11	18
20-34	29	4.4	11	1	2	3	5	9	11	16
35-49	56	3.3	4	1	1	3	4	6	7	10
50-64	147	3.4	7	1	1	3	4	7	8	14
65+	267	4.0	19	1	1	3	5	8	10	19
GRAND TOTAL	**563**	**3.7**	**13**	**1**	**1**	**3**	**4**	**7**	**10**	**16**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	4.2	20	<1	1	3	4	9	16	20
20-34	29	3.8	12	1	1	3	4	6	9	20
35-49	13	3.1	1	1	1	3	4	5	5	5
50-64	31	2.3	4	1	1	1	3	6	7	8
65+	42	3.6	22	<1	1	2	4	8	11	29
2. MULTIPLE DX										
0-19 YRS	30	4.5	11	1	1	3	6	9	12	15
20-34	38	3.9	4	1	1	4	5	6	7	13
35-49	33	5.3	22	<1	1	4	6	11	17	22
50-64	35	4.1	15	1	1	3	5	8	11	21
65+	110	4.5	17	1	1	3	6	11	14	19
TOT. SINGLE DX	140	3.4	14	1	1	2	4	6	9	21
" MULTIPLE DX	246	4.5	15	1	1	3	6	9	13	20
TOTAL 0-19 YRS	55	4.4	15	1	1	3	5	9	14	20
20-34	67	3.9	8	1	1	4	5	6	8	19
35-49	46	4.7	17	1	2	4	5	9	14	22
50-64	66	3.3	11	1	1	2	4	7	8	20
65+	152	4.3	19	1	1	2	5	10	14	20
GRAND TOTAL	**386**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.9	1	<1	<1	2	3	4	4	4
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	32	2.2	6	<1	<1	2	2	3	3	16
50-64	168	1.7	2	<1	<1	1	2	3	3	4
65+	515	1.7		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	22	3.2	6	<1	1	2	3	7	10	10
20-34	12	4.1	4	2	2	4	6	7	8	8
35-49	19	2.6	5	1	1	2	3	6	8	10
50-64	126	2.7	6	1	1	2	3	4	7	38
65+	538	2.7	6	1	1	2	3	4	7	16
TOT. SINGLE DX	739	1.7	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	717	2.7	7	1	1	2	3	4	7	17
TOTAL 0-19 YRS	44	2.5	4	<1	1	2	3	5	7	10
20-34	14	4.1	4	2	2	4	6	7	8	8
35-49	51	2.4	6	<1	<1	2	2	4	6	16
50-64	294	2.1	4	<1	<1	2	2	3	4	17
65+	1053	2.2	4	<1	<1	2	2	3	4	11
GRAND TOTAL	**1456**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**12**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.0	1	1	1	2	2	3	5	9
20-34	20	1.9		1	1	2	3	3	3	3
35-49	127	1.6		<1	<1	1	2	2	3	5
50-64	579	1.7	2	<1	<1	2	2	2	3	5
65+	2138	1.7		<1	<1	2	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	41	2.9	4	1	1	2	3	5	7	12
20-34	17	3.5	22	1	1	2	4	6	16	21
35-49	76	2.7	3	1	1	2	3	5	6	12
50-64	576	2.5	5	1	1	2	3	4	5	17
65+	2459	2.4	5	<1	1	2	2	3	5	14
TOT. SINGLE DX	2917	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	3169	2.4	6	1	1	2	2	4	5	14
TOTAL 0-19 YRS	94	2.4	3	1	1	2	3	4	6	11
20-34	37	2.6	11	1	1	2	3	4	5	21
35-49	203	2.0	2	<1	<1	2	2	3	5	8
50-64	1155	2.1	4	<1	<1	2	2	3	4	10
65+	4597	2.0	4	<1	<1	2	2	3	4	10
GRAND TOTAL	**6086**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.6		1	1	1	2	3	3	3
20-34	5	2.4	4	1	1	2	3	6	6	6
35-49	11	1.5		<1	<1	1	2	2	2	2
50-64	52	1.7	2	<1	<1	1	2	2	3	11
65+	109	1.8	1	<1	<1	2	2	3	3	8
2. MULTIPLE DX										
0-19 YRS	6	3.2	5	2	2	2	3	7	8	8
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	14	2.1	1	<1	<1	2	3	4	4	4
50-64	64	2.0		1	1	2	2	3	4	5
65+	150	2.1	2	<1	1	2	2	3	4	11
TOT. SINGLE DX	184	1.7	2	<1	<1	2	2	2	3	9
" MULTIPLE DX	237	2.1	2	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	13	2.3	3	1	1	2	2	4	7	8
20-34	8	2.5	3	1	1	2	3	5	6	6
35-49	25	1.8	1	<1	<1	2	2	3	4	4
50-64	116	1.9	1	<1	<1	2	2	3	3	7
65+	259	2.0	2	<1	<1	2	2	3	4	11
GRAND TOTAL	**421**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	3.9	2	1	2	4	5	6	7	7
20-34	64	3.9	4	1	2	3	5	7	8	11
35-49	68	4.2	4	2	2	4	5	7	9	11
50-64	162	3.5	2	1	2	3	4	6	7	8
65+	174	3.8	3	1	2	3	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	42	4.9	18	2	2	4	5	9	12	27
20-34	87	4.7	5	1	2	4	6	8	9	12
35-49	109	4.6	4	2	2	4	6	7	9	12
50-64	270	4.4	5	2	2	4	6	8	9	12
65+	384	4.4	5	2	2	4	5	7	9	13
TOT. SINGLE DX	489	3.8	4	1	2	3	5	6	7	10
" MULTIPLE DX	892	4.5	6	2	2	4	6	7	9	12
TOTAL 0-19 YRS	63	4.6	13	1	2	4	5	7	10	25
20-34	151	4.4	5	1	2	4	6	7	8	11
35-49	177	4.5	5	2	2	4	6	7	9	12
50-64	432	4.1	5	2	2	4	5	7	8	11
65+	558	4.2	5	2	2	4	5	7	8	12
GRAND TOTAL	**1381**	**4.2**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	3.7	6	1	1	3	4	9	9	10
20-34	10	6.0	21	1	1	5	8	13	16	16
35-49	15	3.7	4	<1	1	3	6	7	7	7
50-64	36	3.3	5	1	1	3	4	6	8	11
65+	61	3.2	8	<1	1	2	3	7	10	16
2. MULTIPLE DX										
0-19 YRS	41	3.6	7	1	1	3	5	7	9	15
20-34	69	5.7	37	2	2	4	7	9	13	40
35-49	66	4.0	4	2	2	4	4	6	8	13
50-64	92	4.1	8	1	2	3	5	7	10	17
65+	230	4.4	22	2	2	3	5	8	10	19
TOT. SINGLE DX	148	3.6	8	1	1	3	4	7	9	16
" MULTIPLE DX	498	4.4	19	2	2	3	5	7	10	19
TOTAL 0-19 YRS	67	3.6	7	1	1	3	4	7	9	14
20-34	79	5.7	35	2	2	4	7	10	15	39
35-49	81	3.9	4	1	2	4	4	7	8	12
50-64	128	3.8	8	1	1	3	5	7	9	16
65+	291	4.1	20	1	2	3	4	8	10	18
GRAND TOTAL	646	4.2	16	1	2	3	5	7	10	18

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	783	1.3	1	<1	<1	1	2	2	2	2
20-34	56	1.7		<1	1	2	2	2	3	3
35-49	25	1.4		<1	<1	1	2	2	2	2
50-64	14	1.9		<1	1	2	2	2	2	2
65+	7	1.6		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	236	1.5		<1	<1	1	2	2	2	5
20-34	32	3.1	27	1	1	2	2	4	11	30
35-49	20	4.1	97	1	1	2	2	3	25	46
50-64	14	1.8		1	1	2	2	2	3	3
65+	11	2.5	2	1	1	2	3	5	7	7
TOT. SINGLE DX	885	1.4	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	313	1.9	10	<1	<1	1	2	2	3	11
TOTAL 0-19 YRS	1019	1.4	1	<1	<1	1	2	2	2	3
20-34	88	2.2	11	<1	1	2	2	3	3	23
35-49	45	2.6	44	<1	1	2	2	2	3	46
50-64	28	1.8		1	1	2	2	2	3	3
65+	18	2.1	2	<1	<1	2	2	3	6	7
GRAND TOTAL	1198	1.5	4	<1	<1	1	2	2	2	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.3	5	<1	<1	1	2	7	7	7
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	11	2.1	3	<1	<1	2	2	4	7	7
" MULTIPLE DX	5	4.6	16	2	2	2	7	11	11	11
TOTAL 0-19 YRS	7	2.3	5	<1	<1	2	2	6	7	7
20-34	4	2.8	5	1	1	2	4	6	6	6
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	16	2.9	8	<1	1	2	2	7	10	11

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23, 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	2.9	8	<1	<1	2	4	6	8	15
20-34	52	2.5	2	1	1	2	3	4	5	9
35-49	32	2.3	2	<1	1	2	3	4	7	8
50-64	43	2.5	4	<1	1	2	3	5	8	9
65+	36	2.8	3	<1	1	2	4	4	6	10
2. MULTIPLE DX										
0-19 YRS	82	5.2	39	1	1	3	6	10	18	37
20-34	87	5.0	14	1	2	4	6	10	14	19
35-49	62	3.6	7	1	1	3	4	8	9	14
50-64	79	4.6	25	1	1	3	6	10	11	30
65+	154	4.5	16	1	1	3	5	9	11	24
TOT. SINGLE DX	279	2.7	5	<1	<1	2	3	5	7	10
" MULTIPLE DX	464	4.6	21	1	1	3	6	9	12	26
TOTAL 0-19 YRS	198	3.9	22	<1	<1	2	5	8	10	26
20-34	139	4.1	11	1	1	3	5	9	11	17
35-49	94	3.2	6	1	1	2	4	7	9	13
50-64	122	3.9	19	1	1	3	4	8	11	30
65+	190	4.2	15	1	1	3	5	8	10	24
GRAND TOTAL	743	3.9	16	<1	1	3	5	8	10	23

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	1.9		1	1	2	2	3	4	4
20-34	110	1.9		1	1	2	2	3	3	6
35-49	161	1.9		1	1	2	2	3	4	6
50-64	126	1.9		1	1	2	2	3	3	4
65+	31	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	25	1.7		<1	1	2	2	2	3	4
20-34	64	2.0		1	1	2	2	3	3	5
35-49	80	2.1		1	1	2	2	3	4	5
50-64	103	2.3	1	1	1	2	3	4	5	7
65+	51	2.4	1	1	1	2	3	4	5	6
TOT. SINGLE DX	451	1.9	1	1	1	2	2	3	3	6
" MULTIPLE DX	323	2.1	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	48	1.8	1	1	1	2	2	3	3	4
20-34	174	1.9	1	1	1	2	2	3	3	6
35-49	241	2.0	1	1	1	2	2	3	4	6
50-64	229	2.1	1	1	1	2	2	3	4	7
65+	82	2.2	1	1	1	2	3	3	4	6
GRAND TOTAL	**774**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	191	2.3	5	<1	<1	2	3	4	5	12
20-34	49	2.4	2	<1	<1	2	3	5	6	6
35-49	27	2.7	6	<1	<1	1	5	8	17	99+
50-64	33	3.0	5	<1	1	2	4	6	9	11
65+	47	4.0	58	<1	<1	2	3	8	17	45
2. MULTIPLE DX										
0-19 YRS	207	3.9	54	<1	1	2	4	6	12	55
20-34	77	4.2	17	<1	1	3	5	10	13	23
35-49	54	4.8	53	1	1	3	5	9	13	44
50-64	62	5.6	28	1	1	4	7	11	18	27
65+	151	6.1	52	1	1	4	7	12	17	47
TOT. SINGLE DX	347	2.6	13	<1	<1	2	3	5	7	26
" MULTIPLE DX	551	4.9	46	1	1	3	5	10	15	31
TOTAL 0-19 YRS	398	3.1	32	<1	<1	2	3	5	7	27
20-34	126	3.5	13	<1	<1	2	4	7	11	20
35-49	81	4.1	38	<1	1	2	5	8	13	82
50-64	95	4.7	22	1	1	3	6	10	13	26
65+	198	5.6	54	<1	1	3	7	12	17	46
GRAND TOTAL	**898**	**4.0**	**34**	**<1**	**1**	**2**	**4**	**8**	**12**	**29**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	400	1.5		<1	<1	1	2	2	2	3
20-34	211	1.7	4	1	1	1	2	3	3	4
35-49	165	1.7		1	1	2	2	2	3	4
50-64	109	1.8		1	1	2	2	3	3	5
65+	31	2.0		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	304	1.7		<1	1	2	2	2	3	5
20-34	197	1.8	1	1	1	2	2	3	4	6
35-49	171	1.9	1	1	1	2	2	3	4	9
50-64	157	2.3	3	1	1	2	2	3	5	14
65+	90	2.2	3	1	1	2	2	3	4	12
TOT. SINGLE DX	916	1.7	1	<1	1	2	2	2	3	4
" MULTIPLE DX	919	1.9	2	1	1	2	2	3	4	8
TOTAL 0-19 YRS	704	1.6	1	<1	1	2	2	2	3	4
20-34	408	1.7	3	1	1	1	2	3	3	5
35-49	336	1.8	1	1	1	2	2	3	3	8
50-64	266	2.1	3	1	1	2	2	3	5	11
65+	121	2.2	2	1	1	2	2	3	4	9
GRAND TOTAL	**1835**	**1.8**	**2**	**<1**	**1**	**2**	**2**	**3**	**3**	**6**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1218	1.1		<1	<1	<1	1	1	2	4
20-34	21	1.5		<1	1	1	2	2	2	2
35-49	24	2.2	2	1	1	2	3	4	6	7
50-64	22	2.0	1	<1	<1	2	3	4	4	4
65+	9	1.9	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	1358	2.3	17	<1	<1	1	2	4	6	12
20-34	30	4.1	54	1	1	2	3	8	10	41
35-49	57	3.6	12	1	1	2	5	10	11	16
50-64	37	3.8	14	1	1	2	4	8	15	16
65+	36	6.3	82	<1	<1	3	7	13	31	41
TOT. SINGLE DX	1294	1.2	1	<1	<1	<1	1	1	2	5
" MULTIPLE DX	1518	2.5	20	<1	<1	1	2	5	7	15
TOTAL 0-19 YRS	2576	1.7	10	<1	<1	1	2	3	5	10
20-34	51	3.0	33	1	1	2	2	5	9	41
35-49	81	3.2	10	1	1	2	4	8	10	15
50-64	59	3.2	10	1	1	2	3	7	11	15
65+	45	5.4	69	<1	<1	2	5	13	24	41
GRAND TOTAL	**2812**	**1.9**	**12**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	2.0	1	1	1	2	2	3	4	5
20-34	81	1.8		1	1	2	2	3	3	6
35-49	74	2.1		1	1	2	2	3	4	4
50-64	64	2.2	1	1	1	2	3	4	4	8
65+	28	3.5	19	1	1	2	3	7	10	24
2. MULTIPLE DX										
0-19 YRS	258	2.9	13	1	1	2	3	5	8	25
20-34	174	2.5	4	1	1	2	3	4	7	13
35-49	169	2.4	4	1	1	2	3	4	5	15
50-64	161	3.1	19	1	1	2	3	4	8	27
65+	101	4.3	33	1	1	3	4	7	15	33
TOT. SINGLE DX	405	2.1	3	1	1	2	2	3	4	8
" MULTIPLE DX	863	2.9	14	1	1	2	3	4	7	25
TOTAL 0-19 YRS	416	2.6	9	1	1	2	3	4	6	16
20-34	255	2.3	4	1	1	2	3	3	5	10
35-49	243	2.3	3	1	1	2	3	4	4	14
50-64	225	2.9	15	1	1	2	3	4	6	24
65+	129	4.2	30	1	1	3	4	7	14	29
GRAND TOTAL	**1268**	**2.7**	**10**	**1**	**1**	**2**	**3**	**4**	**6**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	1.9	4	<1	<1	1	2	3	6	12
20-34	65	2.1	4	<1	1	2	2	3	5	13
35-49	65	2.5	1	1	1	2	3	4	5	7
50-64	51	2.5	3	1	1	2	3	4	7	10
65+	19	2.5	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	103	3.4	31	<1	1	2	2	9	12	36
20-34	56	1.9	1	<1	1	2	2	3	3	7
35-49	53	5.3	168	1	1	2	3	9	20	88
50-64	76	3.1	9	1	1	2	3	6	10	19
65+	41	4.9	24	1	2	3	6	12	17	23
TOT. SINGLE DX	295	2.2	3	<1	<1	2	3	4	6	11
" MULTIPLE DX	329	3.6	43	1	1	2	3	7	12	32
TOTAL 0-19 YRS	198	2.7	19	<1	<1	1	2	5	10	24
20-34	121	2.0	3	<1	1	2	2	3	4	10
35-49	118	3.8	78	1	1	2	3	5	9	51
50-64	127	2.8	7	1	1	2	3	5	8	15
65+	60	4.2	19	1	1	3	5	9	15	23
GRAND TOTAL	**624**	**2.9**	**25**	**<1**	**1**	**2**	**3**	**5**	**9**	**21**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	1.9	1	<1	1	2	3	4	4	5
20-34	117	1.9		<1	1	2	3	3	4	5
35-49	56	1.8	1	<1	1	2	3	3	3	5
50-64	30	2.1	8	<1	<1	1	2	3	5	17
65+	6	4.0	2	3	3	3	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	197	2.0	1	<1	1	2	3	3	5	7
20-34	531	2.1	1	1	1	2	3	4	5	7
35-49	439	2.1	1	1	1	2	3	4	4	6
50-64	234	2.4	3	1	1	2	3	4	5	11
65+	57	3.6	9	<1	1	3	4	9	11	16
TOT. SINGLE DX	255	2.0	2	<1	1	2	3	3	4	6
" MULTIPLE DX	1458	2.2	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	243	2.0	1	<1	1	2	3	3	4	6
20-34	648	2.1	2	1	1	2	3	3	5	6
35-49	495	2.1	2	1	1	2	3	4	4	6
50-64	264	2.3	4	<1	1	2	3	4	5	12
65+	63	3.6	9	<1	1	3	4	8	10	16
GRAND TOTAL	**1713**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	302	1.9	1	<1	1	2	2	3	4	5
20-34	532	1.7	1	<1	1	1	2	3	4	5
35-49	302	1.8		<1	1	2	2	3	4	5
50-64	145	2.1	1	1	1	2	3	3	4	7
65+	43	2.0	3	1	1	1	3	3	4	11
2. MULTIPLE DX										
0-19 YRS	619	2.1	6	<1	1	2	2	3	4	9
20-34	1454	2.2	6	1	1	2	3	4	4	9
35-49	1092	2.3	5	1	1	2	3	4	5	11
50-64	505	2.7	5	1	1	2	3	4	6	12
65+	238	3.3	10	1	1	2	4	7	10	15
TOT. SINGLE DX	1324	1.8	1	<1	1	2	2	3	4	5
" MULTIPLE DX	3908	2.3	7	1	1	2	3	4	5	11
TOTAL 0-19 YRS	921	2.0	5	<1	1	2	2	3	4	7
20-34	1986	2.1	5	1	1	2	2	3	4	8
35-49	1394	2.2	4	1	1	2	3	4	4	10
50-64	650	2.5	5	1	1	2	3	4	5	11
65+	281	3.1	10	1	1	2	3	6	10	15
GRAND TOTAL	**5232**	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**4**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	2.2	3	<1	<1	2	3	3	4	11
20-34	52	2.1	2	<1	<1	2	3	4	6	7
35-49	53	1.8	1	<1	1	1	2	3	4	7
50-64	77	2.4	2	<1	<1	2	3	5	6	7
65+	113	2.4	3	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	81	2.2	3	<1	<1	2	3	4	5	13
20-34	160	2.2	3	<1	1	2	3	4	5	11
35-49	188	2.9	12	1	1	2	3	4	8	26
50-64	203	3.5	19	1	1	2	4	6	8	27
65+	263	4.3	39	1	1	3	4	8	13	28
TOT. SINGLE DX	349	2.3	3	<1	<1	2	3	4	6	9
" MULTIPLE DX	895	3.3	20	1	1	2	3	6	8	25
TOTAL 0-19 YRS	135	2.2	4	<1	<1	2	3	4	4	12
20-34	212	2.2	3	<1	1	2	3	4	6	10
35-49	241	2.7	10	<1	1	2	3	4	6	25
50-64	280	3.2	15	<1	1	2	4	6	7	23
65+	376	3.7	29	1	1	2	4	7	11	24
GRAND TOTAL	**1244**	**3.0**	**15**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	195	1.5		<1	<1	1	2	3	3	6
20-34	170	1.9	2	<1	<1	1	2	4	5	9
35-49	89	3.3	3	1	1	3	4	6	7	9
50-64	97	3.9	4	1	1	4	5	6	7	11
65+	79	3.8	4	1	1	3	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	189	2.9	31	1	1	2	3	5	7	33
20-34	260	3.2	12	1	1	2	3	7	10	19
35-49	172	4.8	72	1	1	3	5	8	11	40
50-64	170	5.1	11	1	1	4	6	10	14	16
65+	244	5.2	23	1	2	4	6	9	14	29
TOT. SINGLE DX	630	2.6	4	<1	<1	2	3	5	6	9
" MULTIPLE DX	1035	4.2	29	1	1	3	5	8	11	23
TOTAL 0-19 YRS	384	2.2	17	<1	<1	1	2	3	5	11
20-34	430	2.7	9	<1	1	2	3	5	7	16
35-49	261	4.3	49	1	1	3	5	7	9	30
50-64	267	4.7	9	1	1	4	6	8	11	15
65+	323	4.9	19	1	2	4	6	9	12	25
GRAND TOTAL	**1665**	**3.6**	**20**	**<1**	**1**	**2**	**4**	**7**	**9**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	3.3	7	1	1	3	4	9	10	10
20-34	107	2.0	1	<1	1	2	[illegible]	3	4	6
35-49	151	2.2	1	1	1	2	3	4	4	7
50-64	95	2.7	4	1	1	2	3	5	6	13
65+	59	2.6		1	1	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	74	4.0	13	1	1	3	5	9	14	80
20-34	200	3.0	6	1	1	2	3	5	8	12
35-49	259	3.8	14	1	1	3	4	7	10	25
50-64	246	3.9	13	1	1	3	4	7	12	19
65+	154	4.7	22	1	1	3	5	9	15	26
TOT. SINGLE DX	444	2.4	2	1	1	2	3	4	5	10
" MULTIPLE DX	933	3.8	14	1	1	3	4	7	11	21
TOTAL 0-19 YRS	106	3.8	12	1	1	3	5	9	10	55
20-34	307	2.6	5	1	1	2	3	5	6	11
35-49	410	3.2	10	1	1	2	4	6	9	20
50-64	341	3.6	11	1	1	3	4	7	11	18
65+	213	4.1	17	1	1	3	4	8	11	25
GRAND TOTAL	**1377**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	3.0	7	<1	<1	2	4	7	9	14
20-34	76	2.9	4	1	1	2	4	6	7	9
35-49	103	3.0	8	1	1	2	3	6	9	17
50-64	80	2.7	6	1	1	2	3	6	7	16
65+	34	4.5	19	1	1	3	5	7	16	22
2. MULTIPLE DX										
0-19 YRS	122	5.2	39	<1	1	3	7	12	14	34
20-34	201	4.2	18	1	1	3	5	9	14	22
35-49	218	4.7	48	1	1	3	5	10	15	36
50-64	221	4.7	25	1	1	3	6	10	16	26
65+	164	7.2	79	1	1	4	8	18	26	52
TOT. SINGLE DX	362	3.1	8	<1	1	2	4	6	8	18
" MULTIPLE DX	926	5.1	42	1	1	3	6	12	16	37
TOTAL 0-19 YRS	191	4.4	29	<1	1	2	6	10	13	26
20-34	277	3.8	15	1	1	3	4	8	13	20
35-49	321	4.1	36	1	1	3	4	9	12	26
50-64	301	4.2	22	1	1	3	5	9	13	22
65+	198	6.7	70	1	1	4	8	16	23	52
GRAND TOTAL	**1288**	**4.5**	**33**	**1**	**1**	**3**	**5**	**10**	**15**	**28**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	225	1.5		<1	1	1	2	2	2	3
20-34	138	1.9	1	1	1	2	2	2	4	7
35-49	68	2.4	5	1	1	2	2	5	8	12
50-64	34	2.3	6	<1	1	2	2	3	4	16
65+	28	2.6	10	<1	<1	2	3	4	6	18
2. MULTIPLE DX										
0-19 YRS	296	3.4	31	<1	1	2	3	6	12	76
20-34	319	4.6	46	1	1	2	5	10	18	36
35-49	308	5.1	55	1	1	2	5	12	17	43
50-64	285	5.3	58	1	2	3	6	13	16	42
65+	357	6.6	102	1	2	3	7	14	18	60
TOT. SINGLE DX	493	1.8	3	<1	1	2	2	2	4	10
" MULTIPLE DX	1565	5.0	61	1	1	2	5	12	17	48
TOTAL 0-19 YRS	521	2.5	19	<1	1	2	2	4	7	41
20-34	457	3.8	34	1	1	2	3	8	14	32
35-49	376	4.6	47	1	1	2	4	11	15	42
50-64	319	4.9	54	1	1	2	5	12	15	35
65+	385	6.3	97	1	2	3	7	14	18	58
GRAND TOTAL	**2058**	**4.3**	**49**	**1**	**1**	**2**	**4**	**10**	**15**	**42**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	180	1.1		<1	<1	<1	1	1	2	3
20-34	13	2.2	2	<1	<1	1	3	5	6	6
35-49	5	1.6		1	1	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	237	1.9	42	<1	<1	1	1	2	3	56
20-34	29	2.3	7	1	1	2	2	4	5	15
35-49	10	2.9	2	<1	<1	3	5	5	5	5
50-64	12	3.9	4	1	1	3	6	7	7	7
65+	3	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	201	1.2		<1	<1	1	1	2	2	5
" MULTIPLE DX	291	2.1	36	<1	<1	1	2	3	5	36
TOTAL 0-19 YRS	417	1.6	24	<1	<1	1	1	2	2	14
20-34	42	2.2	6	<1	1	2	2	4	6	15
35-49	15	2.5	2	<1	1	2	3	5	5	5
50-64	14	3.6	5	1	1	3	6	7	7	7
65+	4	2.5	1	2	2	2	3	4	4	4
GRAND TOTAL	**492**	**1.7**	**22**	**<1**	**<1**	**1**	**1**	**2**	**3**	**14**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	2.3	2	<1	<1	2	3	4	5	9
20-34	33	2.4		1	1	2	3	4	4	5
35-49	115	2.3	1	1	1	2	3	4	4	5
50-64	103	2.5	1	1	1	2	3	4	4	5
65+	21	3.6	5	1	2	3	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	72	5.3	165	<1	1	2	4	5	22	86
20-34	79	4.2	66	1	1	2	4	6	9	52
35-49	94	4.6	48	1	1	3	4	8	22	79
50-64	137	3.1	6	1	1	3	3	5	6	19
65+	103	4.1	21	1	2	3	4	7	10	29
TOT. SINGLE DX	314	2.5	2	1	1	2	3	4	5	6
" MULTIPLE DX	485	4.1	51	1	1	3	4	6	10	49
TOTAL 0-19 YRS	114	4.2	107	<1	1	2	3	5	9	68
20-34	112	3.7	47	1	1	2	3	5	6	44
35-49	209	3.4	24	1	1	2	3	5	7	39
50-64	240	2.8	4	1	1	2	3	4	5	11
65+	124	4.0	18	1	2	3	4	7	10	24
GRAND TOTAL	**799**	**3.5**	**32**	**1**	**1**	**2**	**3**	**5**	**7**	**31**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	2.5	1	<1	1	2	3	4	5	7
20-34	163	2.4	1	1	1	2	3	4	4	8
35-49	218	2.8	2	1	1	3	3	4	5	8
50-64	224	3.0	2	1	1	3	4	5	6	7
65+	193	3.3	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	36	2.6	2	<1	1	2	4	5	6	6
20-34	67	3.5	9	1	1	3	4	7	9	21
35-49	122	4.1	10	1	2	3	4	7	10	19
50-64	203	4.2	12	1	2	3	4	8	11	21
65+	262	4.6	10	1	2	4	5	8	11	16
TOT. SINGLE DX	879	2.8	2	1	1	3	4	5	5	8
" MULTIPLE DX	690	4.2	11	1	2	3	5	8	10	19
TOTAL 0-19 YRS	117	2.5	2	<1	1	2	3	4	5	7
20-34	230	2.7	4	1	1	2	3	4	5	10
35-49	340	3.2	5	1	1	3	4	5	7	12
50-64	427	3.5	8	1	1	3	4	6	8	13
65+	455	4.0	7	1	2	3	5	7	9	15
GRAND TOTAL	**1569**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	289	3.5	2	1	2	3	4	5	6	8
20-34	11	2.6	1	1	1	3	4	5	5	5
35-49	9	4.1	8	1	1	3	6	8	10	10
50-64	7	3.6	5	1	1	2	6	6	6	6
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	295	4.0	20	2	2	3	5	6	7	10
20-34	18	4.4	16	1	2	2	6	10	14	17
35-49	22	3.5	4	1	1	3	5	6	8	10
50-64	26	8.7	96	2	2	5	12	29	33	36
65+	7	2.6		1	1	3	3	3	3	3
TOT. SINGLE DX	318	3.5	3	1	2	3	4	6	6	8
" MULTIPLE DX	368	4.3	25	2	2	3	5	6	8	28
TOTAL 0-19 YRS	584	3.8	11	1	2	3	4	6	7	9
20-34	29	3.7	12	1	1	2	4	8	10	17
35-49	31	3.7	5	1	1	3	5	6	10	10
50-64	33	7.6	81	1	2	5	7	21	32	36
65+	9	2.8	1	1	1	3	3	4	4	4
GRAND TOTAL	**686**	**4.0**	**15**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	392	2.9	3	<1	1	2	4	5	6	9
20-34	84	3.5	6	1	1	3	5	7	8	15
35-49	102	3.4	6	1	1	3	4	7	8	12
50-64	152	3.2	8	1	1	2	4	6	8	16
65+	149	4.3	30	1	1	2	5	10	16	32
2. MULTIPLE DX										
0-19 YRS	337	3.6	11	1	1	3	4	7	9	17
20-34	244	4.1	13	1	1	3	5	8	11	23
35-49	216	5.9	60	1	1	4	6	11	21	45
50-64	301	6.5	52	1	1	4	8	15	22	35
65+	447	7.0	67	1	1	4	9	15	23	49
TOT. SINGLE DX	879	3.3	10	<1	1	2	4	6	8	17
" MULTIPLE DX	1545	5.5	45	1	1	3	6	12	17	36
TOTAL 0-19 YRS	729	3.2	7	1	1	3	4	6	7	13
20-34	328	3.9	12	1	1	3	5	7	9	22
35-49	318	5.1	44	1	1	3	5	9	16	39
50-64	453	5.4	40	1	1	3	6	14	18	30
65+	596	6.3	60	1	1	3	8	15	20	45
GRAND TOTAL	**2424**	**4.7**	**33**	**1**	**1**	**3**	**5**	**10**	**15**	**32**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2814	1.5		1	1	1	2	2	3	3
20-34	1954	1.6		1	1	1	2	3	3	5
35-49	299	1.9	1	1	1	2	2	3	4	8
50-64	43	2.1	1	1	1	2	2	4	5	8
65+	12	1.9		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	778	1.8	11	1	1	1	2	3	3	6
20-34	505	2.1	3	1	1	2	2	4	5	11
35-49	134	3.1	14	1	1	2	3	6	9	27
50-64	40	3.5	16	1	1	2	3	6	16	18
65+	21	5.3	38	1	1	3	5	18	20	21
TOT. SINGLE DX	5122	1.6	1	1	1	1	2	2	3	5
" MULTIPLE DX	1478	2.1	10	1	1	2	2	3	4	12
TOTAL 0-19 YRS	3592	1.6	3	1	1	1	2	2	3	4
20-34	2459	1.7	1	1	1	1	2	3	3	7
35-49	433	2.3	6	1	1	2	2	4	6	12
50-64	83	2.7	9	1	1	2	3	5	7	18
65+	33	4.1	27	1	1	2	3	12	19	21
GRAND TOTAL	**6600**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5281	1.6		<1	1	2	2	2	2	3
20-34	265	1.8		1	1	2	2	3	3	5
35-49	25	2.1		1	1	2	3	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65+	7	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	4662	1.7	2	1	1	2	2	2	3	5
20-34	108	2.2	1	1	1	2	3	4	4	7
35-49	10	4.9	17	1	1	3	6	12	13	13
50-64	3	4.7	14	2	2	3	7	9	9	9
65+	10	1.9	1	<1	<1	2	2	3	4	4
TOT. SINGLE DX	5581	1.6		<1	1	2	2	2	2	3
" MULTIPLE DX	4793	1.7	3	1	1	2	2	2	3	6
TOTAL 0-19 YRS	9943	1.6	2	<1	1	2	2	2	3	4
20-34	373	1.9	1	1	1	2	2	3	4	6
35-49	35	2.9	7	1	1	2	3	4	10	13
50-64	6	3.0	9	1	1	2	3	8	9	9
65+	17	1.9	1	<1	1	2	2	3	4	4
GRAND TOTAL	**10374**	**1.7**	**2**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	191	1.3		<1	<1	1	1	2	2	4
20-34	6	1.8		1	1	2	2	2	2	2
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	784	1.5	3	<1	<1	1	2	2	2	9
20-34	4	1.5		1	1	1	2	2	2	2
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
TOT. SINGLE DX	198	1.3		<1	<1	1	1	2	2	4
" MULTIPLE DX	793	1.5	4	<1	<1	1	2	2	2	9
TOTAL 0-19 YRS	975	1.5	3	<1	<1	1	2	2	2	8
20-34	10	1.7		1	1	2	2	2	2	2
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64										
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**991**	**1.5**	**3**	**<1**	**<1**	**1**	**2**	**2**	**2**	**8**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	336	2.3	3	<1	1	2	3	4	6	11
20-34	242	2.2	2	<1	1	2	3	4	5	7
35-49	112	2.8	5	1	1	2	3	5	6	13
50-64	68	3.2	9	<1	1	2	4	8	11	14
65+	40	3.9	10	1	1	3	5	8	11	14
2. MULTIPLE DX										
0-19 YRS	135	3.8	26	1	1	3	4	6	9	31
20-34	133	3.5	8	1	1	3	4	6	8	16
35-49	74	4.1	16	1	1	3	5	7	14	81
50-64	122	6.1	38	1	1	4	8	16	20	29
65+	122	6.8	63	1	1	3	10	15	22	41
TOT. SINGLE DX	798	2.5	5	<1	1	2	3	5	6	12
" MULTIPLE DX	586	4.9	33	1	1	3	5	11	16	34
TOTAL 0-19 YRS	471	2.7	10	<1	1	2	3	5	6	13
20-34	375	2.7	5	<1	1	2	3	5	6	13
35-49	186	3.3	10	1	1	2	4	6	10	23
50-64	190	5.1	30	1	1	3	6	12	17	28
65+	162	6.1	52	1	1	3	7	14	18	40
GRAND TOTAL	**1384**	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.1	2	<1	<1	2	2	4	6	7
20-34	16	2.9	3	1	1	3	4	6	7	7
35-49	16	3.6	3	<1	1	3	5	6	7	7
50-64	30	3.3	4	1	1	3	5	6	6	9
65+	10	2.9	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	59	3.6	17	1	1	3	4	5	12	27
20-34	23	3.2	9	<1	1	2	4	6	11	14
35-49	22	4.8	22	1	2	4	6	8	15	24
50-64	71	4.8	25	1	1	3	6	9	11	34
65+	116	5.6	38	1	2	4	6	11	18	34
TOT. SINGLE DX	105	2.9	3	<1	1	2	4	6	6	8
" MULTIPLE DX	291	4.8	28	1	1	3	5	9	13	31
TOTAL 0-19 YRS	92	3.1	12	<1	1	2	3	5	7	23
20-34	39	3.1	7	<1	1	2	4	6	8	14
35-49	38	4.3	14	1	1	3	5	7	8	24
50-64	101	4.3	20	1	1	3	5	8	10	26
65+	126	5.4	36	1	2	4	6	10	17	33
GRAND TOTAL	**396**	**4.3**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	1.7	1	<1	1	2	2	2	4	7
20-34	84	1.4		<1	<1	1	2	2	3	3
35-49	170	1.6	1	<1	<1	1	2	2	3	7
50-64	233	1.8	1	<1	<1	2	2	2	3	9
65+	138	1.9	2	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	65	3.7	41	1	1	2	3	7	13	44
20-34	43	3.2	16	1	1	2	3	6	9	26
35-49	121	3.6	19	<1	1	2	4	8	12	24
50-64	244	3.5	21	<1	1	2	3	8	12	24
65+	251	3.6	24	1	1	2	3	9	11	22
TOT. SINGLE DX	739	1.7	2	<1	<1	1	2	2	3	8
" MULTIPLE DX	724	3.5	24	1	1	2	3	8	11	24
TOTAL 0-19 YRS	179	2.4	17	1	1	2	2	4	6	18
20-34	127	2.0	7	<1	<1	1	2	3	5	14
35-49	291	2.4	10	<1	<1	2	2	5	8	21
50-64	477	2.6	12	<1	1	2	2	5	9	20
65+	389	3.0	18	<1	1	2	3	6	10	19
GRAND TOTAL	**1463**	**2.6**	**13**	**<1**	**<1**	**2**	**2**	**5**	**9**	**20**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.6	7	2	2	2	4	9	10	10
20-34	8	2.0	1	<1	<1	2	2	4	5	5
35-49	12	6.1	28	1	1	4	10	14	17	18
50-64	22	8.6	55	<1	1	8	11	18	23	29
65+	16	10.4	66	1	1	10	16	22	26	28
2. MULTIPLE DX										
0-19 YRS	23	6.5	85	1	1	3	8	15	25	44
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	13	11.3	69	2	2	9	15	24	30	31
50-64	48	15.0	177	2	3	12	18	32	50	62
65+	56	11.6	193	1	1	7	13	27	49	63
TOT. SINGLE DX	70	7.0	46	1	1	4	10	17	18	29
" MULTIPLE DX	144	11.6	162	1	2	8	15	25	42	62
TOTAL 0-19 YRS	35	5.5	60	1	2	2	7	11	15	44
20-34	12	2.3	1	<1	1	2	3	4	5	5
35-49	25	8.8	55	1	2	7	12	18	24	31
50-64	70	13.0	147	1	2	10	16	27	36	61
65+	72	11.3	164	1	1	8	14	25	41	62
GRAND TOTAL	**214**	**10.1**	**128**	**1**	**2**	**7**	**13**	**22**	**32**	**58**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	16	12.4	39	3	8	12	14	15	27	32
50-64	28	13.0	40	6	8	12	14	20	23	39
65+	22	13.8	34	9	10	12	16	19	28	35
2. MULTIPLE DX										
0-19 YRS	2	30.0	722	11	11	30	49	49	49	49
20-34	1	16.0		16	16	16	16	16	16	16
35-49	24	21.3	138	9	10	18	25	41	49	51
50-64	86	19.6	180	9	10	16	21	34	48	82
65+	83	21.1	187	10	11	16	22	37	56	76
TOT. SINGLE DX	66	13.1	37	7	8	12	14	19	26	38
" MULTIPLE DX	196	20.5	179	9	10	16	22	36	52	80
TOTAL 0-19 YRS	2	30.0	722	11	11	30	49	49	49	49
20-34	1	16.0		16	16	16	16	16	16	16
35-49	40	17.7	116	8	9	14	20	33	44	51
50-64	114	18.0	154	8	9	15	20	28	41	79
65+	105	19.6	164	10	10	16	21	35	54	70
GRAND TOTAL	**262**	**18.7**	**154**	**9**	**10**	**15**	**21**	**34**	**47**	**74**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	7	11.1	74	3	3	8	19	22	23	23
65+	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	14	27.6	873	2	7	18	42	98	99+	99+
20-34	17	33.3	517	6	9	31	49	69	75	77
35-49	25	20.2	119	1	7	22	32	36	99+	99+
50-64	52	25.7	425	3	5	20	43	61	70	99
65+	64	33.8	655	4	6	28	53	85	99+	99+
TOT. SINGLE DX	11	9.4	51	3	3	6	15	21	23	23
" MULTIPLE DX	172	28.8	525	4	5	24	44	78	98	99+
TOTAL 0-19 YRS	15	26.3	837	3	7	17	41	97	99	99+
20-34	17	33.3	517	6	9	31	49	69	75	77
35-49	26	19.7	123	1	6	21	31	36	99+	99+
50-64	59	24.0	405	3	4	17	41	58	69	97
65+	66	33.0	660	4	6	26	51	85	99+	99+
GRAND TOTAL	**183**	**27.7**	**518**	**3**	**5**	**23**	**43**	**73**	**97**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	5.7	56	1	1	3	7	14	19	43
20-34	19	3.4	9	1	1	2	5	9	11	11
35-49	14	10.6	274	<1	1	4	9	48	50	50
50-64	23	5.0	48	1	1	2	7	11	19	32
65+	19	3.9	37	1	1	2	3	9	19	27
2. MULTIPLE DX										
0-19 YRS	124	13.1	195	2	2	9	22	47	99+	99+
20-34	62	25.5	543	3	3	20	43	52	73	98
35-49	57	16.9	264	1	2	11	31	51	79	99+
50-64	168	22.5	474	1	2	17	37	58	75	99+
65+	189	31.6	657	2	2	28	50	72	91	99+
TOT. SINGLE DX	130	5.5	70	1	1	2	6	12	19	48
" MULTIPLE DX	600	23.2	507	1	2	17	40	64	91	99+
TOTAL 0-19 YRS	179	10.8	163	1	2	6	16	40	77	99+
20-34	81	20.3	506	1	2	10	35	49	61	97
35-49	71	15.7	269	1	2	9	28	49	58	99+
50-64	191	20.4	455	1	1	13	32	55	70	99+
65+	208	29.1	664	1	2	25	48	72	91	99+
GRAND TOTAL	**730**	**20.1**	**474**	**1**	**2**	**12**	**34**	**57**	**81**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	6.5	38	1	2	5	7	13	22	28
20-34	88	4.9	39	1	1	3	6	10	10	41
35-49	119	5.5	23	<1	1	4	8	12	14	26
50-64	258	5.2	17	1	2	4	7	11	14	17
65+	267	6.4	34	1	2	4	8	13	17	34
2. MULTIPLE DX										
0-19 YRS	34	8.4	50	1	2	7	9	22	25	31
20-34	196	8.9	59	2	2	7	12	16	26	45
35-49	504	8.8	54	2	2	7	12	17	23	32
50-64	1442	9.1	52	2	2	7	12	18	22	39
65+	2647	10.3	61	2	3	8	13	20	25	41
TOT. SINGLE DX	753	5.7	28	1	1	4	7	11	14	28
" MULTIPLE DX	4823	9.7	58	2	3	8	13	19	24	40
TOTAL 0-19 YRS	55	7.7	46	1	2	6	9	17	25	31
20-34	284	7.7	57	1	2	6	10	15	22	41
35-49	623	8.2	50	1	2	7	11	17	22	32
50-64	1700	8.5	49	2	2	7	11	17	21	36
65+	2914	9.9	60	2	3	8	13	20	24	40
GRAND TOTAL	**5576**	**9.2**	**56**	**2**	**2**	**7**	**12**	**18**	**23**	**39**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	8.3	50	2	2	7	14	16	16	16
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	17.3	95	7	7	17	25	27	27	27
65+										
TOT. SINGLE DX	4	8.8	34	2	2	8	13	16	16	16
" MULTIPLE DX	7	16.0	77	6	6	13	24	26	27	27
TOTAL 0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	4	9.5	39	2	2	10	14	16	16	16
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	15.8	82	7	7	11	25	27	27	27
65+										
GRAND TOTAL	**11**	**13.4**	**70**	**2**	**4**	**11**	**22**	**25**	**27**	**27**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	8.9	15	3	5	8	10	13	15	24
20-34	58	7.8	21	1	2	7	10	15	17	22
35-49	99	8.4	33	1	3	8	10	14	20	35
50-64	219	8.3	29	1	1	8	11	16	19	23
65+	169	7.7	32	1	2	7	10	15	17	27
2. MULTIPLE DX										
0-19 YRS	54	13.6	260	3	4	7	14	42	57	99
20-34	124	11.7	65	3	5	10	15	19	27	49
35-49	267	12.2	97	2	3	10	16	23	30	53
50-64	766	12.2	82	2	3	10	16	25	31	48
65+	1002	11.7	86	1	2	10	15	23	28	44
TOT. SINGLE DX	578	8.1	29	1	2	8	10	15	19	25
" MULTIPLE DX	2213	12.0	90	2	3	10	15	24	30	49
TOTAL 0-19 YRS	87	11.8	171	3	4	8	11	29	45	93
20-34	182	10.4	54	2	3	9	13	17	23	45
35-49	366	11.2	83	2	3	9	14	20	29	49
50-64	985	11.3	73	2	3	9	14	22	28	43
65+	1171	11.1	81	1	2	9	15	22	27	42
GRAND TOTAL	**2791**	**11.2**	**80**	**2**	**2**	**9**	**14**	**22**	**28**	**45**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	11.3	22	6	6	9	16	18	18	18
20-34	7	9.4	3	6	7	9	11	12	12	12
35-49	42	11.5	25	6	7	10	13	19	21	28
50-64	122	12.4	20	7	7	11	15	18	21	26
65+	87	13.7	48	8	9	11	15	22	25	45
2. MULTIPLE DX										
0-19 YRS	12	15.1	49	6	8	14	19	24	30	31
20-34	20	15.4	60	7	8	14	25	29	63	99+
35-49	82	15.5	113	6	7	13	17	25	32	69
50-64	378	15.2	80	8	8	13	18	24	32	47
65+	508	15.7	51	8	9	14	19	24	29	37
TOT. SINGLE DX	265	12.6	30	7	8	11	15	19	23	37
" MULTIPLE DX	1000	15.5	67	8	8	14	18	24	31	47
TOTAL 0-19 YRS	19	13.7	41	6	7	13	18	21	27	31
20-34	27	13.8	52	6	7	12	17	27	39	99+
35-49	124	14.1	87	6	7	11	16	23	28	68
50-64	500	14.5	67	7	8	12	17	23	29	45
65+	595	15.4	51	8	9	14	18	24	29	38
GRAND TOTAL	**1265**	**14.9**	**61**	**7**	**8**	**13**	**18**	**24**	**29**	**44**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	241	3.1	13	<1	<1	2	3	7	11	18
20-34	129	4.0	14	<1	<1	3	6	10	12	17
35-49	132	4.7	16	1	1	3	6	9	12	19
50-64	227	5.7	19	1	1	4	8	12	14	18
65+	179	6.8	34	1	1	5	10	16	18	28
2. MULTIPLE DX										
0-19 YRS	321	10.1	174	1	1	5	13	23	39	86
20-34	270	9.5	73	1	2	7	13	19	26	44
35-49	561	9.3	77	2	2	7	11	19	25	38
50-64	1310	9.8	79	2	2	8	12	19	26	43
65+	2003	11.1	83	2	3	9	14	22	28	47
TOT. SINGLE DX	908	4.8	21	<1	1	3	7	11	14	22
" MULTIPLE DX	4465	10.3	88	2	2	8	13	21	27	48
TOTAL 0-19 YRS	562	7.1	117	<1	1	3	8	17	26	65
20-34	399	7.7	61	<1	1	6	10	17	22	41
35-49	693	8.4	69	1	2	6	10	18	23	36
50-64	1537	9.2	73	2	2	7	12	18	25	41
65+	2182	10.7	81	2	2	8	14	21	28	46
GRAND TOTAL	**5373**	**9.4**	**81**	**1**	**2**	**7**	**12**	**19**	**26**	**46**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	11.7	149	3	3	6	14	31	43	44
20-34	34	6.0	13	1	2	6	8	10	12	20
35-49	27	5.3	6	2	2	5	6	9	10	11
50-64	13	6.2	24	1	1	5	9	13	17	18
65+	12	8.2	30	3	3	6	10	18	20	20
2. MULTIPLE DX										
0-19 YRS	18	12.7	252	3	3	7	15	18	51	73
20-34	43	7.8	18	3	4	6	9	12	19	23
35-49	36	11.6	88	2	4	8	16	22	27	50
50-64	65	12.3	99	3	4	10	17	22	33	95
65+	83	12.4	78	2	3	10	16	24	31	41
TOT. SINGLE DX	97	6.8	32	2	2	6	8	12	18	34
" MULTIPLE DX	245	11.5	89	3	4	9	15	21	27	68
TOTAL 0-19 YRS	29	12.3	207	3	3	7	15	21	45	73
20-34	77	7.0	17	2	3	6	8	12	17	22
35-49	63	8.9	62	2	3	6	10	19	23	47
50-64	78	11.3	92	2	3	9	16	21	28	91
65+	95	11.9	74	2	3	10	16	24	29	41
GRAND TOTAL	**342**	**10.1**	**77**	**2**	**3**	**8**	**13**	**20**	**25**	**51**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	5.7	23	1	2	4	7	11	14	29
20-34	513	5.4	9	2	3	4	6	9	12	18
35-49	161	6.1	14	2	3	5	7	11	14	19
50-64	111	7.1	18	2	3	6	9	13	14	25
65+	93	7.9	23	2	3	7	10	15	17	24
2. MULTIPLE DX										
0-19 YRS	269	14.3	288	2	3	9	17	36	69	99+
20-34	487	9.6	82	2	3	7	11	20	27	51
35-49	393	11.0	98	3	3	8	13	21	29	53
50-64	599	11.5	70	3	4	9	14	22	28	46
65+	852	12.8	88	3	4	10	17	25	32	49
TOT. SINGLE DX	1037	5.9	15	2	3	5	7	11	14	21
" MULTIPLE DX	2600	11.8	107	3	4	9	15	24	31	58
TOTAL 0-19 YRS	428	11.1	207	2	3	7	12	24	50	99+
20-34	1000	7.4	50	2	3	5	8	14	20	36
35-49	554	9.6	79	3	3	7	11	19	25	43
50-64	710	10.8	65	3	4	9	14	21	26	45
65+	945	12.3	85	3	4	10	16	24	30	49
GRAND TOTAL	**3637**	**10.1**	**88**	**3**	**3**	**7**	**12**	**21**	**27**	**53**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	192	5.8	4	2	4	6	7	8	9	13
20-34	95	5.7	20	1	1	5	8	12	15	21
35-49	67	6.6	36	1	1	6	8	12	14	38
50-64	95	6.3	25	<1	1	5	8	13	17	26
65+	77	7.5	31	2	2	6	11	15	18	28
2. MULTIPLE DX										
0-19 YRS	62	10.0	53	2	4	7	13	19	25	39
20-34	171	10.1	94	1	2	8	13	19	28	57
35-49	201	11.1	108	2	3	9	14	21	27	82
50-64	357	10.8	89	2	3	9	14	21	29	49
65+	533	11.9	82	2	3	9	15	25	30	46
TOT. SINGLE DX	526	6.2	19	1	2	6	8	11	14	23
" MULTIPLE DX	1324	11.1	89	2	3	9	14	22	29	49
TOTAL 0-19 YRS	254	6.8	19	2	4	6	7	10	15	25
20-34	266	8.5	72	1	2	7	11	16	23	44
35-49	268	10.0	94	1	2	8	13	19	26	67
50-64	452	9.9	79	2	2	8	13	20	27	43
65+	610	11.3	78	2	3	9	15	23	29	45
GRAND TOTAL	**1850**	**9.7**	**74**	**2**	**2**	**7**	**12**	**19**	**26**	**43**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	183	8.2	10	4	5	8	10	11	13	21
20-34	25	9.7	11	6	6	9	11	14	18	19
35-49	31	10.6	9	6	6	11	12	15	16	16
50-64	35	12.6	25	7	8	11	14	20	24	25
65+	41	14.8	24	9	10	13	16	23	25	30
2. MULTIPLE DX										
0-19 YRS	441	12.9	106	5	6	10	14	24	37	99+
20-34	62	17.7	158	7	7	13	23	33	40	71
35-49	156	18.9	311	7	8	12	21	41	69	98
50-64	339	16.7	112	8	9	13	19	29	41	79
65+	384	18.2	120	9	9	15	22	30	39	74
TOT. SINGLE DX	315	9.9	19	4	6	9	12	16	19	24
" MULTIPLE DX	1382	16.2	143	6	8	13	18	29	41	87
TOTAL 0-19 YRS	624	11.5	83	4	5	9	13	20	31	86
20-34	87	15.4	128	6	7	11	18	28	35	68
35-49	187	17.5	271	7	8	12	17	34	60	95
50-64	374	16.3	105	8	9	13	18	29	40	75
65+	425	17.9	113	9	9	15	21	28	38	70
GRAND TOTAL	**1697**	**15.0**	**126**	**6**	**7**	**12**	**17**	**27**	**37**	**80**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	8.8		8	8	9	9	9	9	9
35-49	126	10.5	12	7	7	10	12	15	18	23
50-64	321	11.4	19	7	8	10	13	17	19	25
65+	146	13.3	30	8	8	12	16	19	26	37
2. MULTIPLE DX										
0-19 YRS	5	11.4	8	9	9	11	13	16	16	16
20-34	31	10.4	27	7	7	9	11	13	16	36
35-49	772	11.3	20	7	7	10	13	17	20	27
50-64	2617	12.8	42	7	8	11	14	20	24	38
65+	2003	14.9	64	8	9	13	17	23	29	51
TOT. SINGLE DX	597	11.7	22	7	8	10	14	17	20	28
" MULTIPLE DX	5428	13.4	49	7	8	11	15	21	26	40
TOTAL 0-19 YRS	5	11.4	8	9	9	11	13	16	16	16
20-34	35	10.2	24	7	7	9	11	12	16	36
35-49	898	11.2	19	7	7	10	13	17	20	27
50-64	2938	12.7	40	7	8	11	14	19	24	38
65+	2149	14.8	63	8	9	13	17	23	29	48
GRAND TOTAL	**6025**	**13.2**	**47**	**7**	**8**	**11**	**15**	**20**	**25**	**39**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	440	1.8	2	1	1	1	2	2	3	9
20-34	152	3.1	6	1	1	2	4	7	9	12
35-49	1097	3.2	6	1	1	2	3	7	9	13
50-64	1784	3.3	8	1	1	2	4	7	10	13
65+	551	3.7	10	1	2	2	5	9	11	15
2. MULTIPLE DX										
0-19 YRS	907	2.8	13	1	1	2	2	6	9	19
20-34	485	5.0	26	1	2	3	7	10	13	29
35-49	4183	4.4	17	1	2	3	6	9	12	18
50-64	9079	4.7	18	1	2	3	6	10	13	19
65+	[illegible]469	5.8	28	1	2	4	8	12	16	25
TOT. SINGLE DX	4024	3.1	8	1	1	2	3	7	9	13
" MULTIPLE DX	20123	4.9	21	1	2	3	7	10	14	21
TOTAL 0-19 YRS	1347	2.4	10	1	1	2	2	5	8	17
20-34	637	4.5	22	1	1	3	6	9	12	23
35-49	5280	4.2	15	1	2	2	5	9	11	17
50-64	10863	4.5	17	1	2	3	6	10	13	19
65+	6020	5.6	28	1	2	4	8	12	16	25
GRAND TOTAL	**24147**	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.7	3	1	1	4	5	6	6	6
20-34	12	3.6	3	1	1	3	5	6	6	6
35-49	37	4.6	10	1	2	4	6	9	12	13
50-64	110	5.7	17	1	1	5	8	12	14	20
65+	448	5.4	19	1	2	4	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	62	7.5	70	1	2	5	8	15	22	47
20-34	44	7.9	85	2	3	5	9	12	16	62
35-49	119	9.6	27	2	4	9	13	17	19	27
50-64	757	9.6	45	2	3	8	12	17	22	35
65+	4327	9.5	47	2	3	8	12	17	22	37
TOT. SINGLE DX	619	5.3	18	1	2	4	7	10	13	20
" MULTIPLE DX	5309	9.5	47	2	3	8	12	17	22	37
TOTAL 0-19 YRS	74	6.9	62	1	2	5	7	14	18	46
20-34	56	7.0	71	1	2	5	8	12	14	59
35-49	156	8.4	28	2	2	8	11	16	18	26
50-64	867	9.1	44	2	3	8	12	17	22	34
65+	4775	9.1	46	2	3	7	12	17	21	36
GRAND TOTAL	**5928**	**9.0**	**46**	**2**	**3**	**7**	**12**	**17**	**21**	**36**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	6.6	19	2	2	6	8	14	16	17
20-34	19	7.0	12	2	3	6	10	14	57	99+
35-49	93	4.5	8	2	2	3	6	9	10	14
50-64	148	4.8	10	2	2	3	6	10	12	14
65+	59	6.0	33	2	2	4	8	13	17	31
2. MULTIPLE DX										
0-19 YRS	71	10.6	72	1	2	8	16	23	29	36
20-34	84	10.0	111	2	3	8	12	17	26	69
35-49	581	6.6	23	2	3	5	8	12	15	25
50-64	1155	6.7	22	2	3	5	9	13	16	24
65+	639	8.4	55	2	3	6	11	16	20	42
TOT. SINGLE DX	343	5.2	15	2	2	4	7	10	13	18
" MULTIPLE DX	2530	7.3	36	2	3	6	9	14	18	31
TOTAL 0-19 YRS	95	9.6	61	2	2	8	14	20	28	35
20-34	103	9.4	94	2	3	8	11	16	26	91
35-49	674	6.3	22	2	2	5	8	12	15	25
50-64	1303	6.5	21	2	2	5	9	12	16	23
65+	698	8.2	54	2	3	6	11	16	20	40
GRAND TOTAL	**2873**	**7.1**	**34**	**2**	**2**	**5**	**9**	**14**	**17**	**31**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	286	3.1	28	<1	1	2	3	6	9	25
20-34	68	3.8	13	<1	1	2	5	8	9	21
35-49	95	3.8	21	<1	1	2	5	8	12	25
50-64	148	3.5	20	<1	1	2	4	10	11	23
65+	108	4.9	37	1	1	2	6	11	21	31
2. MULTIPLE DX										
0-19 YRS	403	6.8	111	1	1	4	8	13	26	97
20-34	194	9.9	69	1	2	9	13	19	26	54
35-49	369	8.3	70	1	1	6	11	18	22	49
50-64	929	8.6	61	1	2	7	11	18	24	39
65+	2110	10.7	73	2	3	8	14	21	27	42
TOT. SINGLE DX	705	3.6	26	<1	1	2	4	8	11	26
" MULTIPLE DX	4005	9.6	76	1	2	7	13	20	26	45
TOTAL 0-19 YRS	689	5.3	81	1	1	3	6	10	18	72
20-34	262	8.3	62	1	1	6	12	17	23	42
35-49	464	7.4	64	1	1	5	10	16	21	47
50-64	1077	7.9	59	1	1	6	11	17	23	37
65+	2218	10.4	73	2	2	8	14	21	26	42
GRAND TOTAL	**4710**	**8.7**	**73**	**1**	**1**	**6**	**12**	**19**	**25**	**43**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.3	1	1	1	2	3	4	4	4
20-34	236	3.1	2	1	1	3	4	5	6	8
35-49	428	3.6	3	1	2	3	4	6	6	12
50-64	306	3.9	6	1	2	3	5	6	8	13
65+	97	3.8	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	4	3.5	1	2	2	3	4	5	5	5
20-34	72	4.2	7	1	2	4	5	8	8	16
35-49	170	5.1	14	2	2	4	5	10	13	22
50-64	197	5.5	16	2	2	4	6	10	14	23
65+	145	7.1	85	2	2	5	8	14	19	35
TOT. SINGLE DX	1078	3.6	4	1	2	3	4	6	7	12
" MULTIPLE DX	588	5.6	33	2	2	4	6	11	15	23
TOTAL 0-19 YRS	15	2.6	2	1	1	2	4	4	5	5
20-34	308	3.4	4	1	1	3	4	5	7	11
35-49	598	4.0	7	1	2	3	5	6	9	17
50-64	503	4.5	11	1	2	4	5	7	11	19
65+	242	5.8	55	1	2	4	6	10	15	31
GRAND TOTAL	**1666**	**4.3**	**15**	**1**	**2**	**4**	**5**	**7**	**10**	**19**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	8.4	14	2	3	8	11	15	15	16
20-34	16	4.9	6	2	2	5	7	8	9	9
35-49	72	8.8	38	1	2	8	11	15	20	35
50-64	255	8.6	17	2	3	8	11	13	16	24
65+	201	10.1	46	3	5	9	12	16	19	31
2. MULTIPLE DX										
0-19 YRS	131	12.7	109	4	5	9	16	25	36	71
20-34	147	10.4	84	2	2	7	14	22	27	50
35-49	448	10.9	86	2	3	9	13	20	23	51
50-64	1542	12.5	104	3	4	10	15	22	31	59
65+	2196	14.2	99	4	6	11	17	26	34	56
TOT. SINGLE DX	580	9.0	31	2	3	8	11	14	17	25
" MULTIPLE DX	4464	13.1	101	3	5	10	16	24	32	58
TOTAL 0-19 YRS	167	11.7	92	3	5	9	14	23	31	64
20-34	163	9.9	79	2	2	7	13	21	27	49
35-49	520	10.6	80	2	3	9	13	19	23	49
50-64	1797	12.0	94	3	4	10	14	21	29	57
65+	2397	13.9	96	4	6	11	16	25	34	56
GRAND TOTAL	**5044**	**12.6**	**95**	**3**	**4**	**10**	**15**	**23**	**31**	**56**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	11.0	44	5	5	9	16	20	20	20
20-34										
35-49										
50-64										
65+	1	26.0		26	26	26	26	26	26	26
TOT. SINGLE DX	2	8.0	2	7	7	8	9	9	9	9
" MULTIPLE DX	5	14.0	79	5	5	12	21	26	26	26
TOTAL 0-19 YRS	6	10.0	30	5	5	8	12	19	20	20
20-34										
35-49										
50-64										
65+	1	26.0		26	26	26	26	26	26	26
GRAND TOTAL	**7**	**12.3**	**61**	**5**	**5**	**9**	**18**	**25**	**26**	**26**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	5.1	63	<1	<1	2	4	19	23	23
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	6	6.3	37	1	1	5	8	16	17	17
65+	4	17.8	589	4	4	7	31	54	54	54
2. MULTIPLE DX										
0-19 YRS	43	8.5	260	<1	1	4	7	17	38	83
20-34	419	4.1	18	<1	<1	3	6	9	12	19
35-49	482	5.8	41	1	1	4	7	11	15	34
50-64	925	5.8	26	<1	1	4	7	11	15	29
65+	834	7.0	50	1	2	5	8	13	19	36
TOT. SINGLE DX	19	8.2	157	<1	1	4	8	21	40	54
" MULTIPLE DX	2703	6.0	40	<1	1	4	7	12	15	32
TOTAL 0-19 YRS	43	8.5	261	<1	1	4	7	17	38	83
20-34	426	4.2	19	<1	<1	3	5	9	12	22
35-49	484	5.8	41	1	1	4	7	11	15	34
50-64	931	5.8	26	<1	1	4	7	11	15	29
65+	838	7.1	53	1	2	5	8	13	19	39
GRAND TOTAL	**2722**	**6.0**	**41**	**<1**	**1**	**4**	**7**	**12**	**15**	**33**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	321	7.9	44	1	2	7	10	14	20	33
20-34	201	5.2	30	<1	<1	3	7	12	16	22
35-49	283	7.3	45	1	1	5	10	15	21	30
50-64	700	6.9	30	2	2	5	9	12	15	28
65+	890	7.3	24	2	3	6	9	13	15	26
2. MULTIPLE DX										
0-19 YRS	2080	19.5	412	2	4	12	28	60	83	99+
20-34	627	9.9	150	1	1	6	12	23	34	67
35-49	945	9.5	95	1	2	7	12	21	29	60
50-64	3344	9.6	76	2	2	7	12	18	25	51
65+	6339	11.0	79	3	4	9	14	21	27	49
TOT. SINGLE DX	2395	7.1	32	1	2	6	9	13	16	28
" MULTIPLE DX	13335	11.8	146	2	3	8	14	24	37	83
TOTAL 0-19 YRS	2401	18.0	379	2	3	10	24	54	78	99+
20-34	828	8.8	126	1	1	5	10	20	27	62
35-49	1228	9.0	85	1	2	6	12	20	27	56
50-64	4044	9.1	69	2	2	7	11	17	24	49
65+	7229	10.6	74	3	3	8	13	20	27	47
GRAND TOTAL	**15730**	**11.1**	**132**	**2**	**3**	**8**	**13**	**23**	**34**	**76**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	296	2.5	3	<1	<1	2	3	5	6	9
20-34	225	3.5	8	<1	1	2	5	7	9	15
35-49	180	3.5	11	<1	1	2	4	7	9	18
50-64	169	4.9	38	1	1	3	6	9	13	29
65+	175	4.8	15	<1	1	4	7	10	11	22
2. MULTIPLE DX										
0-19 YRS	163	5.8	41	1	1	4	7	11	18	42
20-34	208	6.0	27	1	1	5	8	11	17	25
35-49	298	7.2	58	1	2	5	9	15	19	38
50-64	476	8.1	61	1	2	6	10	17	22	48
65+	696	9.0	58	2	2	7	12	18	23	38
TOT. SINGLE DX	1045	3.7	14	<1	1	2	5	8	10	16
" MULTIPLE DX	1841	7.8	56	1	2	6	10	16	21	38
TOTAL 0-19 YRS	459	3.7	19	<1	<1	2	5	7	10	23
20-34	433	4.7	19	1	1	3	6	9	12	21
35-49	478	5.8	44	1	1	4	7	13	18	34
50-64	645	7.3	58	1	2	5	9	15	20	41
65+	871	8.1	53	1	2	6	10	17	22	35
GRAND TOTAL	**2886**	**6.3**	**45**	**1**	**1**	**4**	**8**	**14**	**18**	**32**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.4	6	<1	<1	3	5	7	9	9
20-34	21	5.6	15	1	2	5	8	9	14	18
35-49	38	4.9	7	1	2	4	6	9	11	12
50-64	72	6.5	16	2	2	6	8	12	16	19
65+	79	6.6	14	2	2	6	8	13	15	19
2. MULTIPLE DX										
0-19 YRS	9	3.9	10	1	1	2	5	10	10	10
20-34	39	7.5	40	2	3	5	9	15	20	35
35-49	79	9.1	75	2	3	7	10	17	23	51
50-64	169	11.0	138	3	3	8	11	19	37	63
65+	248	11.2	112	3	4	8	12	23	32	63
TOT. SINGLE DX	220	6.1	14	2	2	5	8	11	14	18
" MULTIPLE DX	544	10.4	110	3	3	8	11	19	31	56
TOTAL 0-19 YRS	19	3.6	8	<1	1	2	5	9	10	10
20-34	60	6.9	32	2	2	5	8	13	19	34
35-49	117	7.7	57	2	2	6	8	14	19	46
50-64	241	9.6	106	2	3	7	10	16	29	55
65+	327	10.1	92	3	4	7	11	19	28	57
GRAND TOTAL	**764**	**9.2**	**86**	**2**	**3**	**7**	**10**	**17**	**26**	**53**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	17.5	421	3	3	17	32	32	32	32
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	32.0		32	32	32	32	32	32	32
TOT. SINGLE DX	4	4.3	7	2	2	3	6	8	8	8
" MULTIPLE DX	6	17.7	155	3	3	16	32	32	32	32
TOTAL 0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	2	17.5	421	3	3	17	32	32	32	32
50-64	3	6.3	44	2	2	3	11	14	14	14
65+	2	18.0	392	4	4	18	32	32	32	32
GRAND TOTAL	**10**	**12.3**	**137**	**2**	**2**	**7**	**19**	**32**	**32**	**32**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	14	45.0	233	26	29	40	53	69	74	76
20-34	7	36.4	349	2	6	42	48	57	59	59
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	21	42.1	277	14	25	40	50	67	72	76
TOTAL 0-19 YRS	14	45.0	239	26	29	40	53	69	74	76
20-34	7	36.4	350	2	6	42	48	57	59	59
35-49										
50-64										
65+										
GRAND TOTAL	**21**	**42.1**	**277**	**14**	**25**	**40**	**50**	**67**	**72**	**76**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	321	5.5	15	1	2	5	7	10	12	21
20-34	185	6.9	21	2	2	6	8	11	17	27
35-49	124	7.0	33	2	2	6	9	12	17	33
50-64	161	7.7	61	1	2	5	10	15	20	46
65+	183	7.1	34	1	2	5	9	14	17	34
2. MULTIPLE DX										
0-19 YRS	498	9.5	96	2	2	7	11	19	28	58
20-34	526	10.4	106	2	3	7	11	21	34	59
35-49	580	9.8	87	2	3	7	11	20	29	50
50-64	1129	10.6	88	2	3	8	13	21	28	49
65+	3023	10.5	69	3	3	8	13	20	27	47
TOT. SINGLE DX	974	6.6	31	1	2	5	8	12	16	31
" MULTIPLE DX	5756	10.3	81	2	3	8	12	20	28	52
TOTAL 0-19 YRS	819	7.9	69	1	2	6	9	15	22	55
20-34	711	9.5	87	2	3	7	10	18	28	56
35-49	704	9.3	79	2	3	7	11	18	27	46
50-64	1290	10.2	86	2	3	8	12	20	27	48
65+	3206	10.3	68	3	3	8	12	19	27	46
GRAND TOTAL	**6730**	**9.8**	**75**	**2**	**3**	**8**	**12**	**19**	**26**	**48**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	7.7	68	1	1	4	10	17	28	39
20-34	39	10.0	71	1	1	7	14	23	26	36
35-49	53	7.9	49	1	1	7	9	14	23	40
50-64	64	10.1	130	1	2	5	12	24	39	48
65+	45	10.7	113	1	1	7	16	24	35	45
2. MULTIPLE DX										
0-19 YRS	345	16.3	270	2	3	11	22	46	63	99+
20-34	257	15.1	157	2	3	12	21	33	44	53
35-49	424	11.5	125	2	2	8	15	25	36	65
50-64	750	12.6	170	1	2	8	16	28	41	67
65+	1002	14.6	168	2	3	11	19	31	41	67
TOT. SINGLE DX	320	8.9	85	1	1	6	12	21	29	44
" MULTIPLE DX	2778	13.9	176	2	3	10	18	31	43	71
TOTAL 0-19 YRS	464	14.0	233	1	2	9	19	38	53	99+
20-34	296	14.4	148	2	2	11	20	32	43	53
35-49	477	11.1	118	2	2	8	14	24	35	63
50-64	814	12.4	167	1	2	8	16	28	41	64
65+	1047	14.4	166	2	3	11	19	31	41	66
GRAND TOTAL	**3098**	**13.3**	**169**	**2**	**2**	**9**	**17**	**30**	**42**	**69**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	3.6	14	<1	<1	2	5	9	11	18
20-34	48	3.7	5	1	1	3	5	7	7	12
35-49	81	3.6	5	<1	1	3	5	7	8	11
50-64	106	6.8	49	1	1	5	9	15	21	36
65+	124	5.6	31	<1	1	4	8	12	15	29
2. MULTIPLE DX										
0-19 YRS	168	7.6	107	1	1	3	10	21	28	65
20-34	183	7.3	62	1	2	5	8	15	23	59
35-49	444	7.7	65	1	2	5	9	15	22	49
50-64	776	8.4	82	1	2	6	10	17	25	61
65+	1398	9.3	79	2	2	7	11	18	25	45
TOT. SINGLE DX	446	5.0	27	<1	1	3	6	11	14	30
" MULTIPLE DX	2969	8.6	79	1	2	6	10	18	25	53
TOTAL 0-19 YRS	255	6.3	79	<1	1	3	8	15	26	58
20-34	231	6.5	52	1	2	5	7	13	19	46
35-49	525	7.0	58	1	1	5	8	14	20	44
50-64	882	8.2	78	1	2	6	10	17	25	57
65+	1522	9.0	77	1	2	7	11	18	24	44
GRAND TOTAL	**3415**	**8.1**	**74**	**1**	**2**	**6**	**10**	**17**	**24**	**50**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	587	3.2	1	2	2	3	4	5	5	8
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	2	13.5	61	8	8	13	19	19	19	19
2. MULTIPLE DX										
0-19 YRS	119	5.5	30	2	2	4	6	9	12	37
20-34	5	9.8	6	6	6	10	11	13	13	13
35-49	20	16.3	191	3	5	11	18	43	44	45
50-64	17	12.3	45	4	5	12	15	19	28	32
65+	39	16.8	117	5	7	15	22	35	46	99+
TOT. SINGLE DX	596	3.3	2	2	2	3	4	5	6	8
" MULTIPLE DX	200	9.5	88	2	3	6	12	21	33	48
TOTAL 0-19 YRS	706	3.6	7	2	2	3	4	5	7	12
20-34	8	8.1	10	3	4	8	10	12	13	13
35-49	22	15.5	180	3	5	9	18	43	44	45
50-64	19	12.1	42	4	5	12	15	18	27	32
65+	41	16.6	113	6	7	15	22	35	45	99+
GRAND TOTAL	**796**	**4.8**	**31**	**2**	**2**	**3**	**5**	**8**	**15**	**36**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	14.7	116	<1	2	13	27	28	28	28
20-34										
35-49	5	27.6	1172	6	6	14	38	88	88	88
50-64	6	18.0	168	7	7	11	33	36	36	36
65+	22	13.0	197	3	4	9	14	25	45	69
2. MULTIPLE DX										
0-19 YRS	94	17.6	354	2	4	13	24	66	99+	99+
20-34	22	19.9	325	3	4	17	31	61	75	99+
35-49	49	16.8	194	3	4	13	30	60	99+	99+
50-64	123	17.5	268	4	5	12	20	47	66	99+
65+	720	17.7	185	4	5	14	23	37	50	85
TOT. SINGLE DX	42	15.8	281	3	5	10	20	34	76	99+
" MULTIPLE DX	1008	17.7	214	3	5	14	23	41	57	99+
TOTAL 0-19 YRS	103	17.4	333	2	4	13	25	58	99+	99+
20-34	22	19.9	326	3	4	17	36	66	99+	99+
35-49	54	17.8	275	3	4	13	30	75	99+	99+
50-64	129	17.5	263	4	5	12	20	47	66	99+
65+	742	17.6	186	4	5	14	23	37	50	84
GRAND TOTAL	**1050**	**17.6**	**216**	**3**	**5**	**14**	**23**	**40**	**57**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	4.9	6	1	2	5	7	8	9	9
20-34	52	4.1	6	1	2	3	5	8	9	13
35-49	112	5.4	8	2	2	5	7	9	11	14
50-64	117	5.4	13	1	1	5	7	10	12	18
65+	124	5.8	18	1	2	5	7	10	13	24
2. MULTIPLE DX										
0-19 YRS	34	5.1	16	1	2	4	6	9	12	23
20-34	339	5.5	16	2	2	4	7	10	13	22
35-49	712	6.3	24	2	2	5	8	11	15	31
50-64	1124	7.7	53	2	3	6	9	14	19	38
65+	2432	8.5	41	2	3	7	10	15	20	36
TOT. SINGLE DX	419	5.4	13	1	2	5	7	9	12	17
" MULTIPLE DX	4641	7.7	41	2	3	6	9	14	19	35
TOTAL 0-19 YRS	48	5.1	13	1	2	5	6	9	10	23
20-34	391	5.3	15	2	2	4	7	9	12	21
35-49	824	6.2	22	2	2	5	8	11	14	25
50-64	1241	7.5	50	2	3	6	9	13	18	37
65+	2556	8.4	41	2	3	7	10	15	20	36
GRAND TOTAL	**5060**	**7.5**	**39**	**2**	**3**	**6**	**9**	**14**	**18**	**34**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	36	8.6	8	5	6	8	9	13	15	18
35-49	92	10.6	14	7	7	10	12	16	20	24
50-64	72	11.7	18	7	7	11	14	17	21	25
65+	65	13.4	35	8	8	12	15	19	28	38
2. MULTIPLE DX										
0-19 YRS	7	9.9	19	4	5	10	12	17	18	18
20-34	62	14.3	120	6	7	10	16	26	36	62
35-49	218	14.1	84	6	7	11	17	24	29	48
50-64	306	15.9	115	7	8	13	18	26	35	85
65+	521	19.4	139	8	9	16	23	34	43	89
TOT. SINGLE DX	267	11.3	22	7	7	10	13	17	20	29
" MULTIPLE DX	1114	17.0	125	7	8	14	20	31	39	84
TOTAL 0-19 YRS	9	9.2	16	4	5	8	11	16	18	18
20-34	98	12.2	87	6	6	9	13	20	29	60
35-49	310	13.0	66	7	7	11	15	22	26	42
50-64	378	15.1	100	7	8	13	17	25	33	75
65+	586	18.7	131	8	9	15	22	34	42	88
GRAND TOTAL	**1381**	**15.9**	**110**	**7**	**8**	**13**	**19**	**28**	**36**	**71**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	11.3	17	8	8	10	14	16	16	16
35-49	5	14.2	14	10	10	14	18	18	18	18
50-64	8	13.0	26	9	9	11	13	22	25	25
65+	16	16.3	58	9	10	13	21	30	32	33
2. MULTIPLE DX										
0-19 YRS										
20-34	5	13.0	85	7	7	8	17	29	29	29
35-49	18	18.4	151	8	9	16	20	51	82	99+
50-64	52	19.9	164	10	10	16	22	31	42	84
65+	67	22.0	135	10	12	20	26	35	46	97
TOT. SINGLE DX	32	14.7	41	9	9	12	17	25	30	33
" MULTIPLE DX	142	20.5	147	9	10	17	24	32	47	99+
TOTAL 0-19 YRS										
20-34	8	12.4	55	7	7	9	14	25	29	29
35-49	23	17.5	123	9	10	15	19	38	73	99+
50-64	60	19.0	151	9	10	15	21	31	38	82
65+	83	20.9	125	10	11	19	25	33	39	94
GRAND TOTAL	**174**	**19.4**	**132**	**9**	**10**	**16**	**23**	**32**	**41**	**96**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	8.7	1	8	8	8	10	10	10	10
20-34	47	7.8	6	5	5	7	9	12	13	15
35-49	60	9.5	9	5	6	9	11	14	16	19
50-64	45	10.6	21	6	7	10	12	15	19	29
65+	12	12.3	14	9	9	11	14	18	21	22
2. MULTIPLE DX										
0-19 YRS										
20-34	54	10.4	29	5	6	9	12	16	20	31
35-49	136	11.3	55	5	6	10	13	16	20	54
50-64	130	13.7	46	7	7	12	17	23	26	38
65+	154	17.5	133	7	8	14	22	32	41	80
TOT. SINGLE DX	167	9.5	13	5	6	9	11	15	15	24
" MULTIPLE DX	474	13.9	82	6	7	11	16	24	31	57
TOTAL 0-19 YRS	3	8.7	1	8	8	8	10	10	10	10
20-34	101	9.2	20	5	5	8	10	14	17	30
35-49	196	10.7	42	5	6	9	12	16	19	41
50-64	175	12.9	41	7	7	11	15	21	25	35
65+	166	17.1	126	7	8	14	22	32	40	78
GRAND TOTAL	**641**	**12.7**	**68**	**6**	**7**	**10**	**14**	**22**	**28**	**51**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	7.5	27	2	2	7	8	12	20	29
20-34	289	6.9	5	4	5	7	8	9	11	16
35-49	253	7.6	9	4	5	7	8	10	13	22
50-64	109	9.4	37	4	5	8	10	14	19	38
65+	80	10.9	50	4	6	9	12	17	22	49
2. MULTIPLE DX										
0-19 YRS	307	19.2	310	4	5	14	26	55	81	99+
20-34	508	8.7	48	4	5	7	9	13	21	49
35-49	772	9.1	40	4	5	7	10	14	19	41
50-64	503	13.0	98	5	6	10	14	22	30	57
65+	596	16.7	119	7	8	14	19	29	38	69
TOT. SINGLE DX	801	7.9	19	4	5	7	9	11	14	23
" MULTIPLE DX	2686	12.6	116	5	5	9	14	24	34	78
TOTAL 0-19 YRS	377	17.0	278	3	4	11	23	49	68	99+
20-34	797	8.0	34	4	5	7	8	11	16	45
35-49	1025	8.7	34	4	5	7	9	13	18	37
50-64	612	12.3	89	5	6	10	14	21	29	57
65+	676	16.0	114	6	8	13	19	27	37	67
GRAND TOTAL	**3487**	**11.5**	**98**	**5**	**5**	**8**	**13**	**21**	**30**	**68**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	135	4.4	15	1	1	3	5	8	13	20
20-34	196	5.0	12	1	2	5	7	9	10	16
35-49	200	4.2	9	1	1	3	6	8	10	14
50-64	268	4.3	22	1	1	3	6	9	12	21
65+	290	4.2	15	1	1	2	7	9	11	20
2. MULTIPLE DX										
0-19 YRS	222	6.8	56	1	2	4	8	15	25	67
20-34	566	6.2	26	2	2	5	7	12	16	26
35-49	848	6.3	28	1	2	5	8	12	15	26
50-64	1613	6.7	35	1	2	5	8	13	17	32
65+	3146	7.8	48	1	2	6	10	15	20	36
TOT. SINGLE DX	1089	4.4	15	1	1	3	6	9	11	19
" MULTIPLE DX	6395	7.2	41	1	2	6	9	14	19	34
TOTAL 0-19 YRS	357	5.9	42	1	1	4	7	12	19	42
20-34	762	5.9	23	1	2	5	7	11	14	23
35-49	1048	5.9	25	1	2	5	7	11	14	25
50-64	1881	6.4	34	1	1	5	8	13	17	32
65+	3436	7.5	47	1	2	6	10	15	20	35
GRAND TOTAL	**7484**	**6.8**	**38**	**1**	**2**	**5**	**9**	**13**	**18**	**33**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	11.5	46	5	6	9	13	23	30	32
20-34	79	10.3	32	5	6	9	11	15	20	40
35-49	188	10.9	15	6	7	10	13	15	19	26
50-64	488	10.8	16	6	7	10	12	16	19	25
65+	538	11.3	20	7	8	10	12	15	19	31
2. MULTIPLE DX										
0-19 YRS	68	18.4	351	5	6	12	29	88	99+	99+
20-34	221	13.6	77	6	7	11	15	21	33	48
35-49	555	13.3	65	6	7	11	15	21	27	57
50-64	1602	14.1	70	7	8	12	16	22	29	51
65+	4091	15.9	79	8	9	13	18	25	33	53
TOT. SINGLE DX	1319	11.0	20	6	7	10	12	16	19	28
" MULTIPLE DX	6537	15.2	80	7	8	13	17	24	32	55
TOTAL 0-19 YRS	94	16.5	275	5	6	11	19	70	99+	99+
20-34	300	12.8	67	6	7	10	14	21	30	46
35-49	743	12.7	54	6	7	11	14	20	25	46
50-64	2090	13.3	60	7	8	11	15	20	26	48
65+	4629	15.3	75	8	9	13	18	25	32	53
GRAND TOTAL	**7856**	**14.5**	**72**	**7**	**8**	**12**	**16**	**23**	**30**	**53**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	11.3	67	5	5	9	10	21	29	43
20-34	41	9.6	19	5	6	8	11	15	20	26
35-49	32	10.8	22	5	6	10	13	16	22	25
50-64	34	10.6	11	5	7	10	12	15	18	18
65+	43	13.4	64	6	6	11	15	23	25	52
2. MULTIPLE DX										
0-19 YRS	79	19.6	361	5	6	14	44	99+	99+	99+
20-34	127	15.1	173	6	7	11	15	28	43	88
35-49	138	15.2	127	6	7	11	17	29	39	62
50-64	266	18.5	196	7	8	14	21	36	52	74
65+	582	18.7	151	8	8	15	22	33	42	72
TOT. SINGLE DX	175	11.2	38	5	6	10	13	18	23	39
" MULTIPLE DX	1192	17.9	177	7	8	14	21	35	53	99+
TOTAL 0-19 YRS	104	17.6	302	5	6	11	24	82	99+	99+
20-34	168	13.8	141	6	7	10	14	25	37	82
35-49	170	14.3	110	6	7	11	16	26	38	60
50-64	300	17.6	182	6	8	13	19	34	51	73
65+	625	18.3	148	8	8	15	22	33	41	71
GRAND TOTAL	**1367**	**17.1**	**164**	**6**	**7**	**13**	**20**	**33**	**49**	**94**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	8.8	53	3	4	6	10	20	28	32
20-34	14	7.7	18	1	2	8	11	12	15	16
35-49	11	7.3	18	1	2	8	11	13	14	14
50-64	19	10.4	19	5	6	9	13	18	20	21
65+	24	12.5	60	6	7	10	15	22	30	41
2. MULTIPLE DX										
0-19 YRS	22	17.0	220	4	6	10	25	52	70	99+
20-34	28	13.3	116	3	4	11	16	36	51	99+
35-49	57	14.6	173	4	6	11	16	24	36	84
50-64	89	16.9	169	6	7	13	18	33	50	66
65+	235	16.9	86	7	9	14	20	31	35	61
TOT. SINGLE DX	90	9.8	41	2	4	9	11	17	22	37
" MULTIPLE DX	431	16.4	124	6	7	13	19	31	44	73
TOTAL 0-19 YRS	44	12.9	151	3	4	8	17	37	52	99+
20-34	42	11.4	89	2	3	10	15	19	47	99+
35-49	68	13.4	155	3	4	10	14	23	31	81
50-64	108	15.8	149	6	7	12	17	30	48	63
65+	259	16.5	85	7	8	14	20	29	35	59
GRAND TOTAL	**521**	**15.2**	**116**	**5**	**6**	**12**	**18**	**29**	**38**	**68**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	149	6.6	24	2	2	6	8	10	13	25
20-34	107	8.3	15	4	4	8	10	12	13	26
35-49	125	8.7	12	4	5	8	10	12	14	22
50-64	131	9.3	42	3	5	9	10	14	15	31
65+	149	9.9	26	3	5	9	12	16	19	31
2. MULTIPLE DX										
0-19 YRS	236	12.5	159	4	5	9	13	25	38	91
20-34	224	10.9	69	5	5	9	12	17	25	46
35-49	238	13.4	150	5	6	10	14	26	38	72
50-64	374	12.6	91	5	6	10	14	23	28	69
65+	665	13.6	85	5	6	11	16	23	33	57
TOT. SINGLE DX	661	8.6	26	3	4	8	10	13	16	27
" MULTIPLE DX	1737	12.9	104	5	6	10	14	23	33	69
TOTAL 0-19 YRS	385	10.2	115	2	3	8	10	18	30	83
20-34	331	10.1	53	4	5	9	11	15	20	38
35-49	363	11.8	107	4	5	10	12	19	31	50
50-64	505	11.8	81	4	6	10	13	19	26	68
65+	814	13.0	77	5	6	11	15	22	31	54
GRAND TOTAL	**2398**	**11.7**	**86**	**4**	**5**	**9**	**13**	**20**	**28**	**59**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	8.5	9	5	5	8	10	12	15	16
20-34	8	10.5	11	5	6	10	12	15	17	17
35-49	13	19.3	361	7	8	11	17	60	62	63
50-64	23	16.6	87	6	7	15	19	28	38	44
65+	21	12.2	38	2	4	11	17	21	23	25
2. MULTIPLE DX										
0-19 YRS	50	22.5	355	5	5	13	39	56	72	99+
20-34	31	16.3	263	4	5	11	20	32	42	86
35-49	85	18.7	222	5	7	14	22	37	51	86
50-64	176	17.7	179	6	7	14	21	33	44	71
65+	370	19.1	168	7	8	15	22	36	49	71
TOT. SINGLE DX	77	14.0	109	5	6	11	16	25	32	62
" MULTIPLE DX	712	18.8	195	5	7	14	22	38	50	76
TOTAL 0-19 YRS	62	19.8	318	5	5	11	31	53	67	99+
20-34	39	15.1	216	4	5	11	18	27	41	86
35-49	98	18.8	237	5	7	14	22	37	55	83
50-64	199	17.6	169	6	7	14	20	33	43	71
65+	391	18.7	163	6	8	15	22	35	48	70
GRAND TOTAL	**789**	**18.3**	**188**	**5**	**7**	**14**	**22**	**37**	**50**	**74**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4739	3.7	5	2	2	3	4	6	8	13
20-34	3147	3.7	3	2	2	3	4	6	7	11
35-49	1087	4.4	5	2	2	4	5	7	9	14
50-64	492	5.5	10	2	3	5	7	9	11	19
65+	192	6.1	7	3	3	6	8	10	11	16
2. MULTIPLE DX										
0-19 YRS	1265	5.8	19	2	2	4	7	11	13	25
20-34	1061	5.7	17	2	3	5	7	10	12	21
35-49	542	7.4	27	3	3	6	9	13	16	28
50-64	435	9.2	33	3	4	8	11	16	20	31
65+	409	10.5	52	4	4	9	13	17	21	38
TOT. SINGLE DX	9657	3.9	5	2	2	3	5	7	8	12
" MULTIPLE DX	3712	6.9	28	2	3	5	9	13	16	27
TOTAL 0-19 YRS	6004	4.1	9	2	2	3	5	7	10	16
20-34	4208	4.2	8	2	2	4	5	7	9	14
35-49	1629	5.4	15	2	2	4	6	10	12	20
50-64	927	7.2	25	2	3	6	9	13	17	27
65+	601	9.1	42	3	4	8	11	16	19	33
GRAND TOTAL	**13369**	**4.7**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**18**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	3.8	6	2	2	3	4	7	11	12
20-34	30	3.9	6	2	2	3	4	6	7	15
35-49	9	4.3	2	2	2	4	5	6	7	7
50-64	5	7.8	21	<1	<1	8	11	13	13	13
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	18	6.8	28	2	3	5	8	15	18	20
20-34	22	5.7	6	3	3	5	6	10	11	12
35-49	11	9.1	39	4	4	6	14	20	20	20
50-64	7	8.6	5	6	6	8	10	12	13	13
65+	3	18.7	44	13	13	17	24	26	26	26
TOT. SINGLE DX	82	4.2	7	2	2	3	5	8	11	14
" MULTIPLE DX	61	7.6	27	3	3	6	9	16	20	25
TOTAL 0-19 YRS	55	4.8	15	2	2	3	5	11	14	20
20-34	52	4.7	7	2	2	4	6	8	11	15
35-49	20	7.0	28	2	3	5	7	18	20	20
50-64	12	8.3	11	1	4	8	10	13	13	13
65+	4	16.3	53	9	9	15	21	26	26	26
GRAND TOTAL	**143**	**5.7**	**19**	**2**	**2**	**4**	**6**	**12**	**15**	**21**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	7.0	9	3	3	7	9	12	13	14
20-34	8	6.8	23	2	3	6	7	15	18	18
35-49	8	8.1	10	4	4	8	11	12	12	12
50-64	5	6.0	5	3	3	7	8	8	8	8
65+	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	10	7.7	7	5	5	8	9	11	12	12
20-34	5	12.8	68	4	4	10	21	23	23	23
35-49	11	9.1	8	5	5	9	11	13	14	14
50-64	6	14.0	53	6	6	13	17	25	26	26
65+	16	14.2	59	5	7	12	17	26	31	33
TOT. SINGLE DX	44	7.1	11	3	4	7	9	11	13	18
" MULTIPLE DX	48	11.5	41	5	5	10	14	21	26	33
TOTAL 0-19 YRS	31	7.2	9	3	4	7	9	12	13	14
20-34	13	9.1	46	2	3	6	12	21	23	23
35-49	19	8.7	9	4	5	9	11	13	14	14
50-64	11	10.4	46	3	4	8	15	21	26	26
65+	18	13.4	58	4	5	11	17	25	31	33
GRAND TOTAL	**92**	**9.4**	**32**	**4**	**4**	**8**	**11**	**17**	**21**	**30**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	3.0	10	<1	1	2	4	6	9	20
20-34	64	3.7	14	1	1	3	4	8	10	23
35-49	76	3.6	7	<1	1	3	5	8	10	12
50-64	101	3.3	8	<1	1	2	4	7	9	16
65+	158	3.6	6	1	1	3	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	68	6.2	44	2	2	4	8	13	15	39
20-34	83	5.7	33	1	2	4	6	10	15	33
35-49	131	5.6	25	1	1	4	7	11	16	24
50-64	238	6.3	45	1	2	5	7	12	17	43
65+	596	7.7	39	2	2	6	10	15	21	32
TOT. SINGLE DX	493	3.4	9	1	1	3	4	7	9	14
" MULTIPLE DX	1116	6.9	40	1	2	5	9	14	19	34
TOTAL 0-19 YRS	162	4.4	27	<1	1	3	5	9	14	33
20-34	147	4.8	26	1	1	4	6	9	12	33
35-49	207	4.9	20	1	1	4	6	10	14	20
50-64	339	5.5	36	1	1	4	7	11	14	38
65+	754	6.9	35	1	2	5	9	14	19	30
GRAND TOTAL	**1609**	**5.9**	**33**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	3.7	9	1	1	3	5	8	10	15
20-34	265	2.7	2	1	1	2	3	5	6	9
35-49	185	2.9	4	1	1	3	3	5	7	10
50-64	92	3.3	5	1	1	3	4	6	9	13
65+	26	3.3	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	37	5.8	31	1	2	4	8	11	16	31
20-34	165	5.0	33	1	1	3	5	9	16	34
35-49	175	5.6	53	1	1	4	6	10	16	49
50-64	166	5.8	29	1	2	4	7	12	15	34
65+	98	7.3	38	2	2	5	8	17	20	29
TOT. SINGLE DX	623	3.0	4	1	1	3	3	5	8	11
" MULTIPLE DX	641	5.8	39	1	2	4	7	12	17	36
TOTAL 0-19 YRS	92	4.6	19	1	1	3	6	10	11	25
20-34	430	3.6	16	1	1	3	4	7	9	19
35-49	360	4.2	30	1	1	3	5	8	10	23
50-64	258	4.9	22	1	1	3	6	10	14	22
65+	124	6.5	34	1	2	5	7	15	19	26
GRAND TOTAL	**1264**	**4.4**	**24**	**1**	**1**	**3**	**5**	**8**	**13**	**22**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	12.1	165	2	5	10	12	16	19	77
20-34	11	15.1	73	4	5	13	23	27	29	29
35-49	37	12.3	18	7	8	12	14	18	21	24
50-64	106	12.2	28	3	8	12	15	19	21	33
65+	127	12.7	19	7	8	12	15	19	21	25
2. MULTIPLE DX										
0-19 YRS	43	11.2	43	6	7	9	11	26	31	99+
20-34	44	11.9	76	3	4	10	13	21	27	55
35-49	81	14.1	73	6	8	12	16	20	27	57
50-64	318	15.7	88	7	9	13	17	26	32	62
65+	645	17.6	94	9	10	15	20	28	33	63
TOT. SINGLE DX	311	12.5	38	5	8	12	15	19	21	27
" MULTIPLE DX	1131	16.3	92	8	9	14	19	27	33	62
TOTAL 0-19 YRS	73	11.6	93	3	7	9	12	17	28	94
20-34	55	12.6	76	3	4	11	14	25	27	54
35-49	118	13.5	57	7	8	12	16	20	25	51
50-64	424	14.8	76	7	8	13	16	24	29	57
65+	772	16.8	86	8	9	15	20	27	32	61
GRAND TOTAL	**1442**	**15.5**	**83**	**7**	**8**	**13**	**18**	**25**	**31**	**61**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	377	3.8	12	1	1	3	4	7	10	16
20-34	821	4.2	10	1	1	3	5	7	10	17
35-49	770	4.4	8	1	1	4	5	8	9	17
50-64	652	4.6	11	1	1	4	6	8	10	17
65+	476	5.2	17	1	2	4	6	9	10	27
2. MULTIPLE DX										
0-19 YRS	628	5.5	44	1	2	4	7	10	15	72
20-34	2561	5.7	31	2	2	4	7	10	14	30
35-49	3926	6.2	28	2	2	5	7	11	15	29
50-64	5110	6.8	33	2	2	5	8	12	16	28
65+	8509	8.1	49	2	3	6	10	15	20	37
TOT. SINGLE DX	3096	4.4	12	1	1	4	6	8	10	17
" MULTIPLE DX	20734	7.1	40	2	2	5	8	13	17	33
TOTAL 0-19 YRS	1005	4.9	33	1	1	4	6	9	13	36
20-34	3382	5.4	26	1	2	4	6	10	13	27
35-49	4696	5.9	25	2	2	5	7	11	14	27
50-64	5762	6.5	32	2	2	5	8	12	16	28
65+	8985	8.0	48	2	3	6	9	14	20	36
GRAND TOTAL	**23830**	**6.7**	**37**	**2**	**2**	**5**	**8**	**12**	**17**	**32**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	2.2	1	<1	<1	2	3	5	5	5
20-34	227	2.9	3	1	1	3	4	5	6	8
35-49	314	2.7	2	<1	1	3	3	4	5	8
50-64	138	2.9	2	1	1	3	3	4	6	10
65+	50	3.2	3	1	1	3	4	6	6	10
2. MULTIPLE DX										
0-19 YRS	23	3.0	2	1	1	2	4	5	6	7
20-34	195	3.8	7	1	1	3	4	6	8	17
35-49	313	4.0	11	1	2	3	5	6	8	18
50-64	226	3.9	5	1	2	3	5	6	7	14
65+	146	4.9	16	1	2	4	5	8	12	26
TOT. SINGLE DX	761	2.8	3	1	1	3	4	5	6	8
" MULTIPLE DX	903	4.0	10	1	2	3	5	6	9	17
TOTAL 0-19 YRS	55	2.5	2	<1	1	2	3	5	5	7
20-34	422	3.3	5	1	1	3	4	5	7	15
35-49	627	3.3	7	1	1	3	4	5	6	13
50-64	364	3.5	4	1	2	3	4	6	7	13
65+	196	4.4	14	1	2	4	5	7	11	22
GRAND TOTAL	**1664**	**3.5**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**15**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.4	2	<1	1	2	3	5	5	8
20-34	235	2.7	1	<1	1	3	4	5	5	7
35-49	169	2.7	2	<1	1	3	3	4	6	7
50-64	90	3.3	6	1	1	3	4	6	7	16
65+	41	3.6	3	1	1	3	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	26	5.3	24	<1	2	4	5	9	20	21
20-34	276	3.9	7	1	2	4	4	6	7	14
35-49	408	3.9	5	1	2	4	4	6	8	10
50-64	282	4.4	8	2	2	4	5	7	9	20
65+	174	5.1	20	2	2	4	5	8	11	24
TOT. SINGLE DX	569	2.9	3	<1	1	3	4	5	6	8
" MULTIPLE DX	1166	4.2	10	1	2	4	5	7	8	18
TOTAL 0-19 YRS	60	3.7	14	<1	1	3	4	6	9	21
20-34	511	3.4	5	1	1	3	4	5	6	9
35-49	577	3.6	5	1	1	3	4	6	7	10
50-64	372	4.1	8	1	2	4	5	7	8	19
65+	215	4.9	18	1	2	4	5	7	11	21
GRAND TOTAL	**1735**	**3.8**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**16**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	2.8	3	<1	<1	3	4	5	6	6
20-34	377	3.8	2	1	2	4	5	6	7	9
35-49	452	4.0	3	1	2	4	5	6	7	10
50-64	276	4.1	4	1	2	4	5	7	8	11
65+	85	4.1	4	1	2	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	47	3.8	2	1	2	4	4	6	7	7
20-34	1226	4.5	7	2	2	4	5	7	8	15
35-49	2171	4.7	5	2	2	4	6	7	9	13
50-64	1628	5.0	8	2	3	4	6	8	10	15
65+	896	5.4	14	2	3	5	6	9	12	18
TOT. SINGLE DX	1204	4.0	4	1	2	4	5	6	7	10
" MULTIPLE DX	5968	4.9	8	2	2	4	6	8	9	15
TOTAL 0-19 YRS	61	3.6	3	<1	1	4	4	6	7	7
20-34	1603	4.4	7	2	2	4	5	7	8	13
35-49	2623	4.6	5	2	2	4	5	7	9	13
50-64	1904	4.9	8	2	3	4	6	8	9	14
65+	981	5.3	14	2	2	5	6	9	12	18
GRAND TOTAL	**7172**	**4.7**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	2.8	3	<1	<1	2	3	5	7	10
20-34	225	2.6	2	1	1	2	3	5	6	9
35-49	194	3.2	3	1	1	3	4	5	7	10
50-64	106	3.4	7	1	1	3	4	6	8	16
65+	59	3.5	2	<1	1	3	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	78	5.5	24	1	1	4	7	10	16	28
20-34	221	4.6	35	1	2	4	5	7	8	35
35-49	258	4.6	23	1	1	3	5	9	11	27
50-64	213	5.1	19	1	2	4	6	10	13	18
65+	224	6.3	41	2	2	5	7	11	16	40
TOT. SINGLE DX	672	3.0	4	1	1	3	4	5	7	10
" MULTIPLE DX	994	5.2	30	1	2	4	6	9	13	28
TOTAL 0-19 YRS	166	4.1	15	<1	1	3	5	8	10	23
20-34	446	3.6	20	1	1	3	4	6	8	13
35-49	452	4.0	15	1	1	3	5	7	9	20
50-64	319	4.5	16	1	2	3	5	9	12	18
65+	283	5.7	34	1	2	4	7	10	15	38
GRAND TOTAL	**1666**	**4.3**	**20**	**1**	**1**	**3**	**5**	**8**	**10**	**24**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	12	10.2	36	2	4	8	14	20	21	21
35-49	3	7.0	52	1	1	5	12	15	15	15
50-64	4	10.0	170	1	1	5	18	29	29	29
65+	4	14.8	101	6	6	12	21	29	29	29
2. MULTIPLE DX										
0-19 YRS	10	13.2	41	3	5	13	17	22	26	26
20-34	20	13.6	96	3	4	10	19	31	34	35
35-49	19	15.8	153	2	4	11	19	39	42	43
50-64	28	17.5	319	2	4	16	21	27	36	99
65+	51	19.1	231	2	2	17	28	40	48	64
TOT. SINGLE DX	25	10.4	60	1	2	8	14	21	29	29
" MULTIPLE DX	128	16.9	204	2	3	14	22	34	42	72
TOTAL 0-19 YRS	12	12.5	37	3	6	12	15	21	25	26
20-34	32	12.3	75	3	4	9	16	24	33	35
35-49	22	14.6	146	1	2	11	18	38	42	43
50-64	32	16.6	301	2	2	14	21	28	29	99
65+	55	18.8	221	2	2	15	28	39	48	64
GRAND TOTAL	**153**	**15.9**	**185**	**2**	**3**	**12**	**21**	**31**	**41**	**64**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	5.6	37	1	1	4	8	11	12	38
20-34	118	3.0	11	1	1	2	3	7	9	18
35-49	148	3.4	20	1	1	2	3	8	11	22
50-64	167	4.3	25	1	1	2	6	11	15	21
65+	90	5.6	73	1	1	3	7	13	16	52
2. MULTIPLE DX										
0-19 YRS	141	12.0	190	1	2	7	16	30	46	76
20-34	276	9.6	111	1	2	7	11	19	29	62
35-49	443	8.6	114	1	1	6	10	17	25	70
50-64	721	8.7	72	1	2	7	11	18	26	39
65+	876	10.1	67	1	2	8	13	19	26	42
TOT. SINGLE DX	604	4.2	31	1	1	2	6	10	13	25
" MULTIPLE DX	2457	9.5	90	1	2	7	12	19	27	53
TOTAL 0-19 YRS	222	9.7	144	1	1	6	11	24	34	67
20-34	394	7.6	91	1	1	5	10	16	25	56
35-49	591	7.3	96	1	1	4	9	15	23	62
50-64	888	7.9	66	1	1	6	10	17	24	37
65+	966	9.7	70	1	2	8	13	19	26	43
GRAND TOTAL	**3061**	**8.4**	**83**	**1**	**1**	**6**	**11**	**18**	**25**	**49**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	253	5.4	5	3	3	5	6	8	9	14
20-34	2943	5.6	5	3	3	5	7	8	9	13
35-49	2665	5.9	5	3	4	6	7	8	10	13
50-64	2297	6.5	7	4	4	6	8	10	11	15
65+	1244	7.8	11	4	5	7	9	12	13	18
2. MULTIPLE DX										
0-19 YRS	258	8.1	57	3	4	7	9	13	15	85
20-34	2452	7.3	19	3	4	6	8	11	14	23
35-49	3466	8.1	28	4	4	7	9	13	16	27
50-64	4289	9.0	28	4	5	8	10	14	18	31
65+	5947	11.6	53	5	6	10	13	19	24	42
TOT. SINGLE DX	9402	6.2	7	3	4	6	7	9	11	15
" MULTIPLE DX	16412	9.5	39	4	5	8	11	15	20	34
TOTAL 0-19 YRS	511	6.8	33	3	3	6	8	11	13	25
20-34	5395	6.4	13	3	4	6	7	10	12	19
35-49	6131	7.2	20	3	4	6	8	11	13	23
50-64	6586	8.1	23	4	4	7	9	13	16	27
65+	7191	10.9	48	5	5	9	13	18	23	39
GRAND TOTAL	**25814**	**8.3**	**30**	**4**	**4**	**7**	**10**	**13**	**17**	**30**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	12.5	88	2	3	6	20	25	27	27
20-34	42	6.4	24	1	2	5	8	13	17	24
35-49	52	7.1	32	2	2	6	9	16	19	25
50-64	55	8.6	20	2	3	8	12	14	15	22
65+	80	9.0	46	1	1	8	13	18	24	28
2. MULTIPLE DX										
0-19 YRS	24	13.8	152	2	3	12	19	27	69	99+
20-34	53	11.4	147	2	3	8	11	22	26	72
35-49	107	11.5	47	3	3	10	15	21	23	37
50-64	257	14.7	123	3	5	12	18	26	31	75
65+	595	16.2	102	4	7	14	21	28	35	54
TOT. SINGLE DX	242	8.2	37	1	2	7	12	16	21	27
" MULTIPLE DX	1036	15.0	108	3	5	13	19	27	34	60
TOTAL 0-19 YRS	37	13.4	127	2	3	12	20	27	46	99+
20-34	95	9.2	99	2	2	7	11	17	24	66
35-49	159	10.1	47	2	3	9	13	20	22	35
50-64	312	13.6	110	3	4	11	17	24	30	65
65+	675	15.4	101	2	5	14	20	27	34	51
GRAND TOTAL	**1278**	**13.8**	**101**	**2**	**3**	**12**	**18**	**25**	**31**	**58**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	13.1	432	1	1	6	12	45	70	70
20-34	85	6.2	46	1	1	4	8	12	14	43
35-49	133	7.8	70	1	1	6	10	17	22	42
50-64	100	6.3	32	1	1	5	10	14	16	29
65+	69	6.9	67	1	1	4	9	14	18	42
2. MULTIPLE DX										
0-19 YRS	18	15.3	160	1	1	12	27	34	36	37
20-34	161	11.8	172	1	2	8	15	28	35	67
35-49	347	12.8	204	1	2	8	16	31	41	75
50-64	421	11.7	157	2	2	8	15	24	37	65
65+	621	11.5	124	1	2	8	15	25	34	58
TOT. SINGLE DX	397	7.1	64	1	1	5	9	14	19	41
" MULTIPLE DX	1568	12.0	156	1	2	8	15	27	37	66
TOTAL 0-19 YRS	28	14.5	246	1	1	8	23	34	40	70
20-34	246	9.9	136	1	2	6	12	23	34	64
35-49	480	11.4	172	1	2	7	14	28	37	73
50-64	521	10.7	138	1	2	7	14	23	33	63
65+	690	11.1	120	1	2	8	14	24	34	56
GRAND TOTAL	**1965**	**11.0**	**142**	**1**	**2**	**7**	**14**	**24**	**35**	**62**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	276	3.4	9	<1	1	3	4	7	9	15
20-34	464	4.2	13	1	1	3	5	7	10	22
35-49	547	4.0	8	1	1	3	5	7	9	15
50-64	521	4.1	12	1	1	3	5	8	10	20
65+	461	4.8	24	1	1	3	6	9	12	28
2. MULTIPLE DX										
0-19 YRS	318	5.1	26	1	2	4	6	10	13	28
20-34	1093	5.8	38	1	2	4	6	10	14	34
35-49	1937	5.7	22	2	2	4	7	10	14	28
50-64	3154	5.8	24	1	2	5	7	11	14	25
65+	6401	7.2	33	2	2	6	9	13	17	30
TOT. SINGLE DX	2269	4.2	14	1	1	3	5	8	10	20
" MULTIPLE DX	12903	6.4	31	2	2	5	8	12	16	28
TOTAL 0-19 YRS	594	4.3	19	1	1	3	5	9	11	21
20-34	1557	5.3	31	1	2	4	6	9	13	29
35-49	2484	5.3	20	1	2	4	7	9	13	25
50-64	3675	5.6	23	1	2	4	7	11	14	25
65+	6862	7.0	34	2	2	6	8	13	17	30
GRAND TOTAL	**15172**	**6.1**	**29**	**1**	**2**	**5**	**7**	**12**	**15**	**28**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1584	1.7		<1	<1	1	2	3	3	5
20-34	2042	2.6	1	1	1	2	3	4	5	6
35-49	1977	2.8	1	1	1	3	4	4	5	7
50-64	2571	3.0	2	1	1	3	4	5	5	7
65+	1976	3.5	5	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	948	2.3	5	<1	<1	2	2	4	6	11
20-34	694	3.5	10	1	1	3	4	5	7	15
35-49	1061	3.8	10	1	2	3	4	6	8	14
50-64	2010	4.2	12	1	2	3	5	7	9	16
65+	3230	5.0	16	2	2	4	6	9	12	22
TOT. SINGLE DX	10150	2.8	3	1	1	3	4	5	5	7
" MULTIPLE DX	7943	4.2	14	1	1	3	5	7	10	18
TOTAL 0-19 YRS	2532	1.9	3	<1	<1	2	2	3	4	8
20-34	2736	2.8	4	1	1	3	4	4	5	9
35-49	3038	3.1	5	1	1	3	4	5	6	10
50-64	4581	3.5	7	1	1	3	4	6	7	12
65+	5206	4.4	13	1	2	4	5	8	10	19
GRAND TOTAL	**18093**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	757	1.5	1	<1	<1	1	2	2	3	5
20-34	184	3.2	1	1	2	3	4	5	6	7
35-49	329	3.6	9	1	1	3	4	5	6	12
50-64	416	3.8	2	1	2	4	5	6	7	9
65+	284	4.2	2	2	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	582	4.0	122	<1	<1	2	2	5	12	93
20-34	89	3.9	3	2	2	4	4	5	8	13
35-49	213	4.1	4	2	2	4	5	6	7	11
50-64	381	4.5	6	1	2	4	5	7	8	16
65+	466	5.6	12	2	2	5	7	10	12	20
TOT. SINGLE DX	1970	2.9	5	<1	<1	3	4	5	6	8
" MULTIPLE DX	1731	4.5	47	1	1	3	5	7	11	49
TOTAL 0-19 YRS	1339	2.6	56	<1	<1	1	2	3	5	57
20-34	273	3.4	3	1	2	3	4	5	6	10
35-49	542	3.8	7	1	2	3	5	6	7	11
50-64	797	4.1	5	1	2	4	5	6	7	12
65+	750	5.0	9	2	2	4	6	8	11	18
GRAND TOTAL	**3701**	**3.7**	**25**	**<1**	**1**	**3**	**4**	**6**	**8**	**19**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.6		<1	<1	1	2	3	3	3
20-34	32	2.9	1	1	1	3	4	5	5	6
35-49	74	3.2	4	1	1	3	4	5	8	11
50-64	89	3.5	2	1	1	3	4	5	7	9
65+	123	4.6	7	1	2	4	6	7	9	15
2. MULTIPLE DX										
0-19 YRS	7	3.7	13	<1	<1	2	5	10	11	11
20-34	20	3.8	9	1	1	3	4	6	11	15
35-49	45	4.1	5	1	1	4	6	7	9	10
50-64	86	5.5	18	1	2	4	7	9	14	25
65+	231	7.4	51	2	3	5	9	14	16	52
TOT. SINGLE DX	328	3.7	5	1	1	3	5	6	8	14
" MULTIPLE DX	389	6.3	38	2	2	5	8	12	15	44
TOTAL 0-19 YRS	17	2.5	6	<1	<1	2	2	5	9	11
20-34	52	3.3	5	1	1	3	4	5	6	15
35-49	119	3.6	5	1	1	3	4	7	8	11
50-64	175	4.5	11	1	2	4	5	8	10	21
65+	354	6.4	38	2	2	5	8	12	15	49
GRAND TOTAL	**717**	**5.1**	**24**	**1**	**2**	**4**	**6**	**9**	**13**	**27**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	467	1.8	1	<1	<1	2	2	3	3	4
20-34	178	2.7	1	1	1	2	3	5	5	6
35-49	222	2.8	2	1	1	3	4	5	6	8
50-64	148	3.3	3	1	1	3	4	6	7	10
65+	74	3.6	3	1	1	3	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	140	3.4	19	<1	1	2	3	7	9	26
20-34	87	4.4	8	1	1	4	5	8	9	17
35-49	213	4.1	8	1	1	3	5	7	8	16
50-64	232	5.3	27	1	2	4	6	9	13	20
65+	185	7.0	34	2	2	5	9	13	16	32
TOT. SINGLE DX	1089	2.5	2	<1	1	2	3	4	5	8
" MULTIPLE DX	857	5.0	22	1	1	4	6	9	13	23
TOTAL 0-19 YRS	607	2.1	6	<1	<1	2	2	3	4	11
20-34	265	3.2	5	1	1	3	4	5	7	12
35-49	435	3.4	6	1	1	3	4	6	7	12
50-64	380	4.5	19	1	2	4	5	8	11	17
65+	259	6.0	28	1	2	4	7	12	15	31
GRAND TOTAL	**1946**	**3.6**	**13**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	2.3	2	<1	<1	2	2	4	6	8
20-34	283	3.4	3	1	1	3	4	6	7	11
35-49	484	4.3	5	1	2	4	6	7	8	12
50-64	541	4.8	5	2	2	5	6	8	9	12
65+	392	5.4	6	2	2	5	7	9	10	13
2. MULTIPLE DX										
0-19 YRS	33	3.8	5	<1	1	4	5	7	9	10
20-34	189	5.6	20	2	2	5	7	9	11	30
35-49	548	6.3	21	2	3	6	7	11	14	24
50-64	789	6.9	23	2	3	6	8	11	14	26
65+	882	8.3	34	3	3	7	10	14	17	31
TOT. SINGLE DX	1772	4.5	6	1	2	4	6	8	9	12
" MULTIPLE DX	2441	7.1	27	2	3	6	8	12	15	28
TOTAL 0-19 YRS	105	2.8	4	<1	<1	2	4	5	7	9
20-34	472	4.3	12	1	1	4	5	7	9	14
35-49	1032	5.4	15	1	2	5	7	9	11	19
50-64	1330	6.0	17	2	2	5	7	10	12	23
65+	1274	7.4	27	2	3	6	9	13	16	26
GRAND TOTAL	**4213**	**6.0**	**20**	**2**	**2**	**5**	**7**	**10**	**13**	**23**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	4.1	11	<1	<1	3	6	8	12	14
20-34	13	6.9	10	<1	2	8	9	11	12	12
35-49	26	5.8	9	1	2	6	8	9	11	13
50-64	21	6.1	14	1	2	5	8	12	13	15
65+	15	6.7	12	1	3	7	8	9	14	16
2. MULTIPLE DX										
0-19 YRS	27	11.8	82	1	2	9	15	25	32	35
20-34	51	8.2	21	3	4	8	9	11	14	31
35-49	90	9.3	21	5	5	8	11	16	19	25
50-64	125	11.2	97	5	6	9	12	17	21	58
65+	134	12.6	83	4	6	10	15	20	26	50
TOT. SINGLE DX	100	5.7	12	<1	1	6	8	10	12	15
" MULTIPLE DX	427	10.9	69	4	5	9	12	18	23	43
TOTAL 0-19 YRS	52	8.1	62	<1	1	6	11	20	25	35
20-34	64	7.9	19	2	4	8	9	11	13	30
35-49	116	8.5	21	3	4	7	10	15	19	24
50-64	146	10.4	89	4	5	8	12	16	20	48
65+	149	12.0	80	4	6	10	15	19	25	44
GRAND TOTAL	**527**	**9.9**	**62**	**2**	**4**	**8**	**12**	**17**	**21**	**41**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	158	3.6	11	<1	1	3	5	8	9	21
20-34	204	4.1	7	1	1	3	6	7	9	15
35-49	159	5.8	24	1	2	5	7	11	17	24
50-64	156	7.3	46	1	1	5	9	16	20	34
65+	119	6.7	28	1	1	5	9	14	17	26
2. MULTIPLE DX										
0-19 YRS	172	7.5	105	1	1	5	9	13	20	63
20-34	319	7.0	51	1	2	5	8	13	21	42
35-49	482	10.3	96	2	3	8	12	20	31	53
50-64	779	10.7	85	2	3	9	13	21	26	53
65+	1070	11.3	82	2	3	9	14	23	29	46
TOT. SINGLE DX	796	5.4	24	1	1	4	7	11	15	24
" MULTIPLE DX	2822	10.2	85	2	2	8	13	21	28	52
TOTAL 0-19 YRS	330	5.7	64	1	1	3	7	11	16	55
20-34	523	5.9	37	1	2	5	7	11	15	30
35-49	641	9.2	82	2	2	6	11	18	26	52
50-64	935	10.2	80	1	2	8	13	21	26	52
65+	1189	10.8	79	2	2	9	14	22	29	43
GRAND TOTAL	**3618**	**9.2**	**76**	**1**	**2**	**7**	**12**	**19**	**25**	**48**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	210	5.2	9	2	2	4	7	9	10	18
20-34	395	5.3	7	2	3	5	6	9	10	16
35-49	185	6.8	20	2	3	6	8	12	17	24
50-64	128	9.8	35	3	5	8	13	16	19	34
65+	89	11.3	61	4	5	9	14	22	26	44
2. MULTIPLE DX										
0-19 YRS	287	9.3	69	3	3	7	11	18	24	59
20-34	715	7.9	50	2	3	6	9	14	21	40
35-49	473	10.2	63	4	5	8	12	17	22	53
50-64	467	13.9	108	5	6	11	16	26	33	73
65+	609	16.4	116	6	7	14	20	29	39	61
TOT. SINGLE DX	1007	6.7	23	2	3	5	8	12	16	25
" MULTIPLE DX	2551	11.6	93	3	4	9	14	22	30	58
TOTAL 0-19 YRS	497	7.5	48	2	3	6	9	14	20	38
20-34	1110	7.0	37	2	3	5	8	12	16	29
35-49	658	9.3	53	3	4	7	11	16	21	46
50-64	595	13.0	95	5	6	11	15	23	31	67
65+	698	15.8	113	5	7	13	19	28	38	60
GRAND TOTAL	**3558**	**10.2**	**78**	**3**	**4**	**8**	**13**	**20**	**26**	**51**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	200	3.3	4	1	1	3	5	6	8	9
20-34	827	2.8	4	<1	1	2	4	6	7	9
35-49	128	2.9	9	<1	<1	2	3	6	7	21
50-64	42	3.5	17	<1	1	2	5	7	8	26
65+	17	4.6	8	1	2	4	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	270	4.0	8	1	1	3	5	8	9	15
20-34	1278	3.3	7	<1	1	2	5	7	8	12
35-49	295	4.3	17	<1	1	3	6	9	12	20
50-64	68	6.0	31	1	1	4	9	13	16	29
65+	57	8.2	58	2	2	6	10	18	32	95
TOT. SINGLE DX	1214	2.9	5	<1	1	2	4	6	7	9
" MULTIPLE DX	1968	3.8	12	<1	1	3	5	8	10	17
TOTAL 0-19 YRS	470	3.7	7	1	1	3	5	7	9	13
20-34	2105	3.1	6	<1	1	2	4	6	8	11
35-49	423	3.9	16	<1	1	2	5	8	11	21
50-64	110	5.1	27	<1	1	3	7	12	13	28
65+	74	7.4	49	2	2	6	8	16	26	84
GRAND TOTAL	**3182**	**3.4**	**10**	**<1**	**1**	**2**	**5**	**7**	**9**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	6.3	17	1	2	6	8	11	13	24
20-34	292	6.1	22	1	2	6	8	10	11	18
35-49	278	7.5	19	2	3	7	9	13	17	24
50-64	205	8.8	20	2	4	8	10	14	18	24
65+	162	10.1	22	4	5	10	12	16	19	37
2. MULTIPLE DX										
0-19 YRS	236	11.0	118	2	3	8	14	24	38	99+
20-34	928	6.6	35	1	2	5	8	12	17	30
35-49	703	9.5	83	2	3	7	11	16	25	49
50-64	743	12.1	94	3	4	10	15	21	28	55
65+	1019	14.5	98	4	6	12	17	26	35	55
TOT. SINGLE DX	1031	7.7	23	2	2	7	10	13	17	23
" MULTIPLE DX	3629	10.8	89	2	3	8	13	21	28	52
TOTAL 0-19 YRS	330	9.7	94	1	3	7	11	21	36	76
20-34	1220	6.5	32	1	2	5	8	11	15	30
35-49	981	8.9	66	2	3	7	11	16	21	41
50-64	948	11.4	80	2	4	9	14	20	26	53
65+	1181	13.9	90	4	6	11	16	25	33	54
GRAND TOTAL	**4660**	**10.1**	**76**	**2**	**3**	**8**	**12**	**19**	**26**	**49**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	7.3	14	3	3	7	9	11	12	24
20-34	62	7.6	6	5	5	8	8	10	11	20
35-49	65	8.8	7	5	6	8	10	14	14	17
50-64	89	9.8	21	6	7	9	11	14	15	34
65+	87	10.2	10	6	7	10	11	15	16	21
2. MULTIPLE DX										
0-19 YRS	108	11.3	132	4	4	8	13	23	28	93
20-34	110	11.6	87	5	6	9	12	20	33	74
35-49	144	12.4	67	6	6	10	14	22	27	54
50-64	310	12.7	48	6	7	10	15	21	26	37
65+	460	14.6	70	7	8	12	17	26	33	48
TOT. SINGLE DX	355	9.0	14	4	6	8	10	13	15	21
" MULTIPLE DX	1132	13.2	73	6	7	11	15	23	30	54
TOTAL 0-19 YRS	160	10.0	97	3	4	7	11	17	26	86
20-34	172	10.2	62	5	5	8	10	15	26	58
35-49	209	11.3	52	6	6	9	13	17	25	43
50-64	399	12.0	43	6	7	10	14	20	24	38
65+	547	13.9	64	7	7	12	16	25	31	48
GRAND TOTAL	**1487**	**12.2**	**62**	**5**	**6**	**10**	**14**	**21**	**27**	**48**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	243	5.3	19	2	2	4	7	10	13	22
20-34	317	6.3	21	2	2	6	8	11	14	18
35-49	378	6.3	11	2	3	6	8	11	12	19
50-64	299	6.8	14	2	2	6	9	12	15	19
65+	160	6.9	14	2	3	7	9	12	14	20
2. MULTIPLE DX										
0-19 YRS	310	10.2	106	2	2	7	12	23	30	61
20-34	450	10.1	65	2	2	8	13	21	28	40
35-49	512	10.7	77	2	3	8	14	21	27	54
50-64	543	11.7	115	2	3	9	14	22	34	61
65+	609	11.1	72	2	3	9	14	21	28	46
TOT. SINGLE DX	1397	6.3	16	2	2	6	8	11	14	20
" MULTIPLE DX	2424	10.8	86	2	3	9	13	22	29	51
TOTAL 0-19 YRS	553	8.0	74	2	2	6	9	18	25	50
20-34	767	8.5	51	2	2	7	10	17	23	39
35-49	890	8.8	54	2	3	7	11	17	22	45
50-64	842	9.9	85	2	3	8	12	18	26	52
65+	769	10.2	64	2	3	8	13	19	25	44
GRAND TOTAL	**3821**	**9.2**	**66**	**2**	**2**	**7**	**11**	**18**	**24**	**45**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	5.5	8	1	2	5	8	10	11	12
20-34	187	6.1	9	2	2	6	8	10	12	16
35-49	330	6.4	9	2	3	6	8	10	12	15
50-64	225	7.2	13	2	3	7	9	12	14	20
65+	127	7.5	18	1	2	7	9	12	16	22
2. MULTIPLE DX										
0-19 YRS	17	7.2	36	2	2	5	9	17	21	23
20-34	120	7.0	17	1	2	6	9	12	15	21
35-49	234	8.2	23	2	3	7	10	14	17	30
50-64	332	8.5	27	2	3	8	11	14	18	29
65+	357	10.7	52	2	3	9	13	18	24	50
TOT. SINGLE DX	886	6.7	12	2	3	6	8	11	13	19
" MULTIPLE DX	1060	9.0	36	2	3	8	11	16	19	34
TOTAL 0-19 YRS	34	6.4	22	2	2	5	8	12	17	23
20-34	307	6.5	13	1	2	6	8	11	12	19
35-49	564	7.1	16	2	3	7	9	12	14	21
50-64	557	8.0	22	2	3	7	10	13	17	25
65+	484	9.8	46	2	3	9	12	17	22	36
GRAND TOTAL	**1946**	**7.9**	**26**	**2**	**3**	**7**	**10**	**14**	**17**	**28**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	144	7.2	4	4	5	7	8	10	11	13
20-34	15	7.7	4	4	5	8	9	10	11	11
35-49	13	10.0	11	3	7	10	11	15	16	16
50-64	10	11.9	23	3	5	12	14	19	19	19
65+	4	10.5	29	4	4	11	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	176	9.9	44	5	5	8	11	16	22	45
20-34	38	11.9	51	7	7	9	13	18	29	42
35-49	34	13.3	55	6	7	11	16	24	28	38
50-64	26	13.7	47	5	7	12	17	22	26	36
65+	80	16.6	113	6	7	14	20	30	40	57
TOT. SINGLE DX	186	7.8	8	4	5	8	9	11	13	18
" MULTIPLE DX	354	12.2	69	5	6	9	15	22	29	44
TOTAL 0-19 YRS	320	8.7	28	5	5	8	9	12	17	36
20-34	53	10.7	42	5	6	9	12	16	24	42
35-49	47	12.4	45	5	7	10	14	23	26	38
50-64	36	13.2	40	4	7	12	16	20	23	36
65+	84	16.3	111	5	7	14	20	30	40	57
GRAND TOTAL	**540**	**10.7**	**52**	**5**	**5**	**8**	**12**	**18**	**24**	**42**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	4.1	7	1	2	4	5	7	9	17
20-34	775	3.5	4	1	1	3	4	6	7	11
35-49	1126	3.7	4	1	2	3	5	6	8	12
50-64	660	3.7	5	1	1	3	5	7	8	12
65+	246	4.2	7	1	1	4	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	65	7.1	34	1	1	6	9	13	21	29
20-34	326	4.3	7	1	2	4	5	8	10	15
35-49	546	4.8	9	1	2	4	6	8	11	16
50-64	571	5.3	11	2	2	5	7	9	12	16
65+	468	6.5	25	2	2	5	8	13	17	25
TOT. SINGLE DX	2899	3.7	5	1	2	3	5	7	8	12
" MULTIPLE DX	1976	5.3	15	1	2	4	7	10	13	20
TOTAL 0-19 YRS	157	5.3	21	1	2	4	6	10	13	28
20-34	1101	3.8	5	1	2	3	5	7	8	12
35-49	1672	4.1	7	1	2	3	5	7	9	14
50-64	1231	4.5	9	1	2	4	6	8	10	15
65+	714	5.7	20	1	2	5	7	11	16	24
GRAND TOTAL	**4875**	**4.4**	**10**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31: 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	400	2.5	4	<1	<1	2	3	5	7	11
20-34	657	3.7	8	1	1	3	5	7	9	13
35-49	737	3.8	8	1	1	3	5	7	9	14
50-64	619	3.8	8	<1	1	3	5	8	9	14
65+	498	4.2	14	<1	1	3	5	9	12	21
2. MULTIPLE DX										
0-19 YRS	657	4.3	39	<1	<1	2	5	8	11	34
20-34	1017	5.2	25	1	1	4	7	9	12	25
35-49	1417	6.0	39	1	2	4	7	11	16	29
50-64	2140	6.4	40	1	1	5	8	13	17	31
65+	4103	7.9	48	1	2	6	10	16	21	35
TOT. SINGLE DX	2911	3.6	9	<1	1	3	5	7	9	14
" MULTIPLE DX	9334	6.7	44	1	1	5	8	13	18	33
TOTAL 0-19 YRS	1057	3.6	27	<1	<1	2	4	7	10	27
20-34	1674	4.6	19	1	1	4	6	8	11	20
35-49	2154	5.2	30	1	1	4	6	10	13	26
50-64	2759	5.8	34	1	1	4	7	11	16	29
65+	4601	7.5	46	1	2	6	9	15	20	33
GRAND TOTAL	**12245**	**6.0**	**37**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	3.4	4	1	1	3	4	7	8	8
20-34	56	3.0	7	<1	1	2	4	6	6	16
35-49	129	2.6	4	1	1	2	3	4	6	13
50-64	511	3.2	5	1	1	3	4	6	7	14
65+	872	3.5	5	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	18	4.7	18	1	1	3	5	12	16	17
20-34	106	3.9	10	1	1	3	5	8	10	17
35-49	213	4.8	37	1	1	3	5	9	12	39
50-64	727	4.6	17	1	1	3	5	8	11	25
65+	2559	5.7	24	1	2	4	7	11	15	27
TOT. SINGLE DX	1579	3.3	6	1	1	3	4	6	7	13
" MULTIPLE DX	3623	5.4	24	1	2	4	6	10	14	27
TOTAL 0-19 YRS	29	4.2	13	1	1	3	5	8	14	17
20-34	162	3.6	10	1	1	3	4	7	10	16
35-49	342	4.0	26	1	1	3	4	7	10	22
50-64	1238	4.0	13	1	1	3	5	7	10	19
65+	3431	5.2	21	1	2	4	6	10	14	25
GRAND TOTAL	**5202**	**4.8**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	4.8	12	1	1	4	7	9	13	88
20-34	80	5.2	13	1	2	4	7	9	13	17
35-49	94	5.6	16	1	2	5	8	10	14	21
50-64	162	6.1	22	1	1	4	9	14	16	19
65+	243	6.3	28	1	1	4	9	15	17	24
2. MULTIPLE DX										
0-19 YRS	167	10.4	117	2	2	7	13	24	31	99+
20-34	142	9.3	106	1	1	6	11	21	33	64
35-49	190	8.6	80	1	2	6	9	16	26	51
50-64	380	8.8	65	1	2	7	11	18	25	47
65+	1082	9.6	71	2	2	7	13	19	25	48
TOT. SINGLE DX	642	5.9	22	1	1	4	8	13	16	20
" MULTIPLE DX	1961	9.4	78	2	2	7	12	19	26	55
TOTAL 0-19 YRS	230	8.8	95	1	2	7	11	20	28	99+
20-34	222	7.8	77	1	2	6	9	17	23	60
35-49	284	7.6	61	1	2	6	9	14	20	47
50-64	542	8.0	54	1	2	6	10	17	20	44
65+	1325	9.0	66	1	2	7	12	18	23	44
GRAND TOTAL	**2603**	**8.5**	**66**	**1**	**2**	**6**	**11**	**17**	**23**	**48**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	1.2		<1	<1	<1	1	2	2	4
20-34	8	2.1	4	<1	<1	1	2	6	7	7
35-49	5	3.0	20	<1	<1	<1	3	11	11	11
50-64	4	3.8	13	<1	<1	2	6	9	9	9
65+	5	2.2	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	48	2.1	2	<1	<1	2	2	4	5	9
20-34	14	4.8	13	<1	1	4	7	9	12	13
35-49	14	4.6	21	<1	<1	2	7	13	14	14
50-64	24	4.6	18	<1	2	4	5	6	12	23
65+	29	8.2	111	1	2	5	8	16	29	55
TOT. SINGLE DX	103	1.5	2	<1	<1	1	1	2	4	10
" MULTIPLE DX	129	4.5	37	<1	<1	3	5	8	13	34
TOTAL 0-19 YRS	129	1.5	1	<1	<1	1	2	3	4	7
20-34	22	3.8	11	<1	<1	2	7	8	11	13
35-49	19	4.2	21	<1	<1	2	7	12	14	14
50-64	28	4.5	17	<1	1	3	5	7	10	23
65+	34	7.3	100	<1	1	5	8	12	26	55
GRAND TOTAL	**232**	**3.2**	**24**	**<1**	**<1**	**2**	**3**	**7**	**9**	**24**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	607	4.8	13	<1	1	4	7	9	12	17
20-34	92	3.7	6	<1	1	3	5	7	8	13
35-49	69	3.4	5	<1	1	3	5	7	8	10
50-64	66	4.3	6	1	1	4	6	8	9	12
65+	64	3.9	5	1	2	3	5	6	8	14
2. MULTIPLE DX										
0-19 YRS	293	5.7	28	1	1	4	7	12	15	21
20-34	70	5.3	23	1	1	4	7	12	16	26
35-49	70	6.8	67	1	2	5	7	12	14	52
50-64	100	5.7	44	1	1	4	7	11	17	39
65+	187	6.0	45	1	2	4	7	13	20	32
TOT. SINGLE DX	898	4.5	12	<1	1	4	6	9	11	16
" MULTIPLE DX	720	5.9	38	1	1	4	7	12	15	31
TOTAL 0-19 YRS	900	5.1	19	<1	1	4	7	10	13	18
20-34	162	4.3	15	<1	1	3	5	8	12	18
35-49	139	5.1	39	1	1	4	6	9	12	47
50-64	166	5.2	30	1	1	4	7	9	13	30
65+	251	5.5	36	1	2	4	6	11	15	31
GRAND TOTAL	**1618**	**5.1**	**24**	**1**	**1**	**4**	**7**	**10**	**13**	**23**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	1.9	1	<1	<1	1	2	3	4	6
20-34	53	3.3	6	<1	<1	2	4	7	9	10
35-49	66	3.8	9	<1	<1	3	5	8	11	15
50-64	41	2.6	4	<1	<1	2	3	6	7	9
65+	34	4.2	17	<1	<1	2	6	11	13	18
2. MULTIPLE DX										
0-19 YRS	165	2.9	16	<1	1	2	4	6	7	14
20-34	214	5.8	48	1	2	4	7	11	16	34
35-49	263	6.4	41	1	1	5	8	11	17	36
50-64	335	6.0	42	1	1	4	7	11	17	38
65+	788	8.3	55	2	2	6	11	16	21	36
TOT. SINGLE DX	280	3.0	7	<1	<1	2	4	7	9	13
" MULTIPLE DX	1765	6.8	49	1	1	5	8	14	19	36
TOTAL 0-19 YRS	251	2.5	11	<1	<1	2	3	5	7	12
20-34	267	5.3	41	1	1	4	6	10	15	30
35-49	329	5.9	36	<1	1	4	7	11	15	34
50-64	376	5.6	40	1	1	4	7	10	16	36
65+	822	8.1	55	1	2	6	10	16	21	36
GRAND TOTAL	**2045**	**6.2**	**45**	**1**	**1**	**4**	**8**	**13**	**18**	**33**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	1.8	2	<1	<1	1	2	3	4	9
20-34	103	2.4	3	1	1	2	3	4	6	11
35-49	91	2.7	3	<1	1	2	4	5	6	10
50-64	64	3.2	7	1	1	2	4	7	9	14
65+	78	3.6	5	1	1	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	90	2.5	4	<1	1	2	3	5	8	11
20-34	112	3.8	28	1	1	3	4	7	9	31
35-49	130	4.3	21	1	1	3	5	9	14	25
50-64	190	4.8	14	1	2	4	6	9	12	21
65+	465	6.4	31	1	2	4	8	13	17	30
TOT. SINGLE DX	412	2.7	5	<1	1	2	3	5	7	11
" MULTIPLE DX	987	5.1	26	1	1	4	6	11	15	27
TOTAL 0-19 YRS	166	2.2	4	<1	<1	2	3	4	7	10
20-34	215	3.1	17	1	1	2	3	6	9	17
35-49	221	3.7	15	1	1	2	4	8	10	21
50-64	254	4.4	13	1	1	3	6	9	12	15
65+	543	6.0	29	1	2	4	7	12	16	30
GRAND TOTAL	**1399**	**4.4**	**21**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	55	6.3	2	3	4	6	8	8	8	9
35-49	184	6.7	4	4	4	7	8	8	10	15
50-64	179	7.2	4	4	5	7	8	10	11	13
65+	72	7.4	5	4	5	7	8	11	12	15
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	59	6.5	2	4	4	7	7	9	10	11
35-49	291	7.6	9	5	5	7	8	10	12	20
50-64	318	8.2	10	4	5	8	9	12	14	19
65+	235	9.3	21	5	6	8	10	15	17	25
TOT. SINGLE DX	490	6.9	4	4	5	7	8	9	11	13
MULTIPLE DX	904	8.2	13	4	5	7	9	12	15	24
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	114	6.4	3	4	4	6	7	8	9	11
35-49	475	7.2	8	4	5	7	8	10	11	18
50-64	497	7.8	8	4	5	7	9	11	13	18
65+	307	8.9	19	5	5	8	10	14	17	25
GRAND TOTAL	**1394**	**7.7**	**10**	**4**	**5**	**7**	**9**	**11**	**13**	**20**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	23	5.3	3	3	3	5	6	8	9	10
35-49	97	6.0	5	3	4	5	7	3	10	15
50-64	109	6.3	5	3	4	6	8	9	11	13
65+	58	6.4	5	3	4	6	8	9	11	13
2. MULTIPLE DX										
0-19 YRS	4	5.0		4	4	5	6	6	6	6
20-34	21	5.5	5	2	3	5	7	8	10	12
35-49	137	7.7	25	3	4	7	8	11	16	28
50-64	157	7.8	22	3	4	7	9	12	15	27
65+	139	7.6	15	3	4	7	9	13	15	25
TOT. SINGLE DX	289	6.1	5	3	4	6	8	9	10	13
" MULTIPLE DX	458	7.6	20	3	4	7	8	11	15	25
TOTAL 0-19 YRS	6	4.5	2	2	2	5	5	6	6	6
20-34	44	5.4	4	3	3	5	7	8	9	12
35-49	234	7.0	18	3	4	6	8	10	13	23
50-64	266	7.2	16	3	4	7	8	11	13	17
65+	197	7.2	13	3	4	6	9	11	14	21
GRAND TOTAL	**747**	**7.0**	**15**	**3**	**4**	**6**	**8**	**11**	**13**	**20**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	3.6	6	<1	<1	3	6	7	7	7
20-34	36	3.7	5	<1	1	3	5	8	9	9
35-49	40	3.6	4	1	2	3	4	6	8	11
50-64	36	4.3	12	<1	1	3	6	8	12	15
65+	21	4.8	7	1	2	4	6	9	10	11
2. MULTIPLE DX										
0-19 YRS	8	5.8	32	1	1	4	7	16	18	18
20-34	50	6.1	17	2	2	5	8	11	15	22
35-49	46	6.5	16	2	2	5	9	11	16	19
50-64	66	5.8	20	1	1	4	8	13	14	22
65+	87	7.9	39	1	2	6	10	17	21	31
TOT. SINGLE DX	140	4.0	7	1	1	3	5	8	9	13
" MULTIPLE DX	257	6.7	27	1	2	5	9	13	17	23
TOTAL 0-19 YRS	15	4.7	20	<1	1	4	6	10	16	18
20-34	86	5.1	14	1	1	4	7	9	12	20
35-49	86	5.1	13	2	2	4	7	10	11	19
50-64	102	5.3	18	1	1	4	8	12	14	19
65+	108	7.3	35	1	2	6	9	16	19	30
GRAND TOTAL	**397**	**5.7**	**21**	**1**	**2**	**4**	**8**	**11**	**15**	**23**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	4.6	15	2	2	3	5	11	14	15
20-34	110	3.7	7	2	2	3	5	7	9	14
35-49	250	3.5	7	2	2	3	4	6	7	12
50-64	213	3.4	5	2	2	3	4	6	8	14
65+	88	4.7	9	2	2	4	6	9	10	17
2. MULTIPLE DX										
0-19 YRS	11	9.3	83	1	1	6	15	25	27	27
20-34	42	5.8	43	1	2	4	6	11	21	37
35-49	73	7.1	54	2	2	4	8	18	21	38
50-64	106	6.6	32	2	2	5	9	15	18	29
65+	97	7.5	30	2	2	6	10	17	19	24
TOT. SINGLE DX	675	3.7	7	2	2	3	4	7	9	15
" MULTIPLE DX	329	7.0	40	2	2	5	8	17	20	32
TOTAL 0-19 YRS	25	6.6	49	1	2	4	7	17	25	27
20-34	152	4.3	18	2	2	3	5	8	11	22
35-49	323	4.3	20	2	2	3	5	7	11	29
50-64	319	4.5	17	2	2	3	5	9	13	20
65+	185	6.2	23	2	2	5	8	13	17	22
GRAND TOTAL	**1004**	**4.8**	**20**	**2**	**2**	**3**	**6**	**9**	**14**	**23**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.2	4	1	1	4	5	7	7	7
20-34	5	4.0		3	3	4	4	5	5	5
35-49	53	4.9	4	2	3	5	5	8	9	14
50-64	1071	5.0	3	3	3	5	6	7	8	12
65+	2301	5.4	5	3	3	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	16	5.9	3	3	3	6	7	8	8	8
20-34	10	22.1	762	4	4	9	23	73	81	81
35-49	118	7.2	48	3	3	5	7	12	17	46
50-64	2610	6.4	17	3	4	5	7	10	13	23
65+	10161	7.6	29	3	4	6	9	13	17	30
TOT. SINGLE DX	3435	5.3	5	3	3	5	6	7	9	13
" MULTIPLE DX	12915	7.3	28	3	4	6	8	12	16	29
TOTAL 0-19 YRS	21	5.5	4	2	3	6	7	8	8	8
20-34	15	16.1	568	3	4	6	11	65	77	81
35-49	171	6.5	36	3	3	5	7	10	16	40
50-64	3681	6.0	14	3	3	5	7	9	12	20
65+	12462	7.2	26	3	4	6	8	12	16	28
GRAND TOTAL	**16350**	**6.9**	**24**	**3**	**4**	**6**	**8**	**11**	**15**	**27**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	1	10.0		10	10	10	10	10	10	10
35-49	10	10.0	38	1	2	9	13	19	23	23
50-64	124	10.1	17	5	6	9	12	15	17	26
65+	185	9.9	14	5	6	9	12	15	17	23
2. MULTIPLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	13.6	138	3	4	9	17	33	40	40
50-64	203	9.8	24	4	5	9	12	16	18	29
65+	765	11.6	38	5	6	10	14	19	23	36
TOT. SINGLE DX	322	10.0	16	5	6	9	12	15	17	23
" MULTIPLE DX	979	11.2	37	5	5	10	13	18	22	35
TOTAL 0-19 YRS	4	5.5	10	3	3	4	7	10	10	10
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	18	11.6	81	2	3	9	16	21	33	40
50-64	327	9.9	22	4	5	9	12	16	18	27
65+	950	11.2	35	5	6	10	13	17	22	34
GRAND TOTAL	**1301**	**10.9**	**32**	**5**	**5**	**10**	**13**	**17**	**21**	**34**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49	30	2.2	1	<1	<1	2	3	4	5	5
50-64	281	2.1	2	<1	1	2	2	4	4	9
65+	419	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	3	20.0	367	7	7	11	34	42	42	42
20-34	7	5.1	41	1	1	3	6	16	19	19
35-49	43	4.2	16	1	1	3	5	11	14	17
50-64	340	4.0	13	1	1	3	5	9	11	19
65+	837	5.5	39	1	1	3	7	12	16	26
TOT. SINGLE DX	733	2.2	3	<1	1	2	3	4	5	8
" MULTIPLE DX	1230	5.1	33	1	1	3	6	11	15	25
TOTAL 0-19 YRS	3	20.0	367	7	7	11	34	42	42	42
20-34	10	4.3	30	1	1	2	5	12	19	19
35-49	73	3.4	12	<1	1	2	4	7	12	17
50-64	621	3.1	9	1	1	2	4	7	9	15
65+	1256	4.4	29	1	1	3	5	10	14	24
GRAND TOTAL	**1963**	**4.0**	**23**	**1**	**1**	**2**	**4**	**9**	**12**	**22**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	88	2.1	5	<1	1	1	2	4	5	14
20-34	65	2.5	2	<1	1	2	3	4	5	9
35-49	68	2.5	2	1	1	2	3	5	5	7
50-64	46	3.2	3	<1	1	3	4	5	7	10
65+	34	2.6	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	68	3.4	22	1	1	2	4	7	9	32
20-34	55	6.0	49	2	2	4	7	10	15	40
35-49	85	6.7	39	1	2	5	9	12	22	35
50-64	87	5.9	44	1	2	3	7	14	18	38
65+	83	7.7	121	1	2	4	8	18	29	67
TOT. SINGLE DX	301	2.5	3	<1	1	2	3	5	5	11
" MULTIPLE DX	378	6.0	59	1	1	4	7	12	20	38
TOTAL 0-19 YRS	156	2.7	13	<1	1	2	3	5	9	15
20-34	120	4.1	27	1	1	3	4	8	10	37
35-49	153	4.8	27	1	1	3	6	10	13	29
50-64	133	5.0	32	1	1	3	5	10	15	31
65+	117	6.2	92	1	1	3	6	12	25	51
GRAND TOTAL	**679**	**4.5**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	153	2.1	1	<1	1	2	3	3	4	6
20-34	133	3.0	3	1	1	3	4	5	7	11
35-49	72	3.6	10	1	1	3	4	8	9	19
50-64	51	4.2	16	1	1	3	5	9	10	26
65+	156	3.6	11	1	1	3	4	7	10	17
2. MULTIPLE DX										
0-19 YRS	151	2.5	2	1	1	2	3	4	5	11
20-34	101	3.7	15	1	1	3	4	7	11	21
35-49	66	4.6	16	1	1	3	7	10	13	21
50-64	121	6.6	44	1	1	4	9	13	18	37
65+	682	7.3	62	1	2	5	9	15	20	35
TOT. SINGLE DX	565	3.1	8	1	1	2	3	6	8	16
" MULTIPLE DX	1121	6.1	49	1	1	4	8	13	18	32
TOTAL 0-19 YRS	304	2.3	2	<1	1	2	3	4	5	8
20-34	234	3.3	9	1	1	3	4	6	8	20
35-49	138	4.1	13	1	1	3	5	9	10	22
50-64	172	5.9	37	1	1	4	8	12	17	30
65+	838	6.6	55	1	2	4	8	14	19	34
GRAND TOTAL	**1686**	**5.1**	**37**	**1**	**1**	**3**	**6**	**11**	**16**	**29**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	598	1.6		<1	<1	1	2	3	3	4
20-34	88	1.7	1	<1	1	1	2	3	4	6
35-49	8	1.3		1	1	1	2	2	2	2
50-64	2	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	367	2.2	2	<1	1	2	3	4	5	10
20-34	20	2.6	2	<1	1	2	4	5	5	5
35-49	7	4.1	20	1	1	2	4	12	14	14
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	4.5	13	2	2	4	7	7	7	7
TOT. SINGLE DX	696	1.7	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	398	2.3	3	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	965	1.9	2	<1	<1	2	2	3	4	7
20-34	108	1.9	1	<1	1	1	2	4	5	6
35-49	15	2.6	11	1	1	2	2	5	12	14
50-64	4	2.5		2	2	2	3	3	3	3
65+	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	**1094**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	129	1.7	1	<1	<1	1	2	3	4	6
20-34	69	2.0	1	<1	<1	2	2	4	5	7
35-49	22	1.9		<1	<1	2	2	3	4	4
50-64	20	1.7		<1	1	2	2	3	4	4
65+	7	2.0	2	<1	<1	2	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	47	1.6	1	<1	<1	1	2	2	4	6
20-34	26	3.0	7	<1	1	2	3	7	10	13
35-49	18	3.6	8	<1	<1	3	4	6	10	13
50-64	17	5.1	14	1	2	3	7	11	13	14
65+	2	8.0	50	3	3	8	13	13	13	13
TOT. SINGLE DX	247	1.8	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	110	2.9	8	<1	1	2	3	6	11	14
TOTAL 0-19 YRS	176	1.7	1	<1	<1	1	2	3	4	6
20-34	95	2.3	4	<1	1	2	3	4	6	11
35-49	40	2.7	5	<1	<1	2	4	5	6	13
50-64	37	3.3	10	<1	1	2	3	8	11	14
65+	9	3.3	15	<1	<1	2	3	10	13	13
GRAND TOTAL	**357**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**5**	**13**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	34	1.0		<1	<1	<1	<1	1	1	2
35-49	27	1.2		<1	<1	<1	1	2	3	3
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	23	3.4	10	<1	<1	2	5	8	10	13
35-49	23	4.1	11	<1	1	2	6	8	11	15
50-64	5	7.6	8	3	3	8	10	10	10	10
55+	6	8.0	26	2	2	7	14	14	14	14
TOT. SINGLE DX	66	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	57	4.5	14	<1	<1	3	7	10	13	15
TOTAL 0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	57	2.0	5	<1	<1	<1	1	5	7	13
35-49	50	2.6	8	<1	<1	1	3	7	8	15
50-64	8	5.6	13	<1	1	5	9	10	10	10
65+	6	8.0	27	2	2	7	14	14	14	14
GRAND TOTAL	**123**	**2.7**	**10**	**<1**	**<1**	**1**	**3**	**8**	**9**	**14**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	285	1.6		<1	<1	1	2	3	3	4
20-34	269	1.8	1	<1	1	2	2	3	4	6
35-49	257	1.8	1	<1	<1	2	2	3	4	6
50-64	185	2.5	1	1	1	2	3	4	5	8
65+	85	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	145	2.5	7	<1	1	2	3	4	5	21
20-34	164	2.3	2	<1	1	2	3	4	6	10
35-49	149	2.8	5	1	1	2	3	6	7	11
50-64	187	3.8	15	1	1	3	4	8	9	19
65+	187	3.9	7	1	1	3	5	7	9	13
TOT. SINGLE DX	1081	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	832	3.1	9	1	1	2	3	6	8	14
TOTAL 0-19 YRS	430	1.9	3	<1	<1	1	2	3	4	8
20-34	433	2.0	2	<1	1	2	2	3	4	7
35-49	406	2.2	3	<1	<1	2	3	4	5	9
50-64	372	3.2	9	1	1	3	4	5	8	15
65+	272	3.6	7	1	1	3	4	7	8	13
GRAND TOTAL	**1913**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	572	1.3		<1	<1	1	2	2	2	3
20-34	123	1.5		<1	<1	1	2	2	3	4
35-49	77	1.5		<1	<1	1	2	2	3	3
50-64	36	2.0	2	<1	1	2	2	3	3	11
65+	24	1.6		<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	210	2.5	23	<1	<1	1	2	4	7	30
20-34	128	2.4	4	<1	<1	2	3	5	8	11
35-49	181	2.9	8	<1	<1	2	3	7	9	15
50-64	126	3.8	17	<1	1	2	4	8	13	23
65+	122	4.6	21	1	1	3	5	9	14	25
TOT. SINGLE DX	832	1.4	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	767	3.1	16	<1	<1	2	3	7	10	20
TOTAL 0-19 YRS	782	1.6	7	<1	<1	1	2	2	3	13
20-34	251	2.0	3	<1	<1	1	2	3	5	10
35-49	258	2.5	6	<1	<1	2	3	5	8	13
50-64	162	3.4	15	<1	1	2	4	7	11	22
65+	146	4.1	20	1	1	3	5	8	13	22
GRAND TOTAL	**1599**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**7**	**15**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	3.2	7	<1	<1	2	4	7	9	12
20-34	57	3.2	12	<1	<1	2	4	7	8	24
35-49	106	3.5	5	1	1	3	4	5	6	14
50-64	259	3.9	5	1	2	3	5	6	7	16
65+	119	3.8	3	1	2	3	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	60	4.4	10	<1	1	4	5	8	11	17
20-34	85	6.9	97	1	1	4	7	11	33	51
35-49	186	4.3	6	2	2	4	5	7	9	16
50-64	395	4.6	12	2	2	4	5	7	9	19
65+	296	5.0	19	2	2	4	6	8	11	29
TOT. SINGLE DX	631	3.7	6	1	1	3	4	6	8	12
" MULTIPLE DX	1022	4.9	21	1	2	4	5	8	11	27
TOTAL 0-19 YRS	150	3.7	9	<1	<1	3	5	8	9	12
20-34	142	5.4	66	<1	1	3	6	9	18	49
35-49	292	4.0	7	1	2	3	5	6	9	16
50-64	654	4.3	10	1	2	4	5	7	9	18
65+	415	4.7	15	2	2	4	5	8	10	25
GRAND TOTAL	**1653**	**4.4**	**15**	**1**	**2**	**4**	**5**	**7**	**9**	**20**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	199	4.5	2	2	2	4	5	6	7	11
20-34	487	4.8	3	2	3	5	5	6	7	11
35-49	86	4.9	6	2	2	5	6	7	9	16
50-64	12	7.7	13	2	4	7	9	13	16	17
65+	11	5.6	6	1	2	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	161	5.7	15	2	3	5	7	9	11	23
20-34	1037	5.2	6	1	3	5	6	8	9	14
35-49	213	6.3	14	1	3	6	8	10	13	19
50-64	35	8.3	21	2	2	8	11	14	17	19
65+	35	12.7	77	5	6	10	15	20	24	53
TOT. SINGLE DX	795	4.8	4	2	3	5	6	7	8	12
" MULTIPLE DX	1481	5.7	12	2	3	5	6	9	11	18
TOTAL 0-19 YRS	360	5.0	9	2	3	5	6	7	9	14
20-34	1524	5.1	5	2	3	5	6	7	8	13
35-49	299	5.9	13	1	2	5	7	9	13	18
50-64	47	8.2	19	2	2	8	11	14	17	19
65+	46	11.0	69	3	5	9	14	19	23	53
GRAND TOTAL	**2276**	**5.4**	**9**	**2**	**3**	**5**	**6**	**8**	**10**	**16**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	5.2	2	3	4	5	6	7	8	9
20-34	568	5.2	2	3	4	5	6	7	8	10
35-49	244	5.5	3	3	4	5	6	8	9	11
50-64	43	6.5	9	4	4	6	7	10	13	20
65+	20	7.1	6	5	5	6	8	11	13	15
2. MULTIPLE DX										
0-19 YRS	154	6.6	21	3	4	6	7	10	12	27
20-34	1493	5.9	5	3	4	5	7	8	10	14
35-49	726	6.8	16	4	4	6	8	10	13	21
50-64	116	9.5	35	4	5	7	11	16	21	33
65+	77	11.6	53	5	5	10	14	19	25	45
TOT. SINGLE DX	962	5.3	3	3	4	5	6	7	9	11
" MULTIPLE DX	2566	6.5	14	3	4	6	7	10	12	21
TOTAL 0-19 YRS	241	6.0	15	3	4	5	7	9	10	22
20-34	2061	5.7	5	3	4	5	6	8	9	13
35-49	970	6.5	13	3	4	6	7	10	11	20
50-64	159	8.7	30	4	4	7	10	16	20	27
65+	97	10.6	47	5	5	9	12	18	23	42
GRAND TOTAL	**3528**	**6.2**	**11**	**3**	**4**	**5**	**7**	**9**	**11**	**19**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	79	5.3	2	3	4	5	6	7	9	10
35-49	188	5.8	3	4	4	6	6	8	9	11
50-64	66	7.5	9	4	5	7	8	11	14	21
65+	30	7.8	6	4	4	8	10	12	12	14
2. MULTIPLE DX										
0-19 YRS	7	5.7	2	4	4	5	6	8	9	9
20-34	499	6.1	6	4	4	6	7	8	10	17
35-49	812	6.9	10	4	5	6	8	10	12	17
50-64	279	9.0	30	5	5	7	10	15	19	36
65+	176	10.7	34	5	6	9	13	18	22	34
TOT. SINGLE DX	364	6.2	5	4	4	6	7	9	10	16
" MULTIPLE DX	1773	7.4	17	4	4	6	8	11	15	23
TOTAL 0-19 YRS	8	5.9	2	4	4	6	7	8	9	9
20-34	578	6.0	6	4	4	6	7	8	10	16
35-49	1000	6.7	9	4	4	6	7	9	12	17
50-64	345	8.8	27	5	5	7	10	14	19	36
65+	206	10.3	31	5	5	8	12	17	20	33
GRAND TOTAL	**2137**	**7.2**	**15**	**4**	**4**	**6**	**8**	**11**	**14**	**22**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	3.3	2	1	1	3	4	5	6	8
20-34	143	3.3	4	<1	1	3	5	6	6	11
35-49	26	3.2	5	<1	<1	2	6	7	7	8
50-64	3	8.0	27	5	5	5	12	14	14	14
65+										
2. MULTIPLE DX										
0-19 YRS	64	4.7	8	1	2	4	6	8	10	15
20-34	440	4.3	8	1	1	4	6	7	9	15
35-49	99	4.6	9	<1	1	4	7	8	10	16
50-64	6	12.5	324	2	2	6	8	45	49	49
65+	7	7.7	9	3	3	8	10	12	12	12
TOT. SINGLE DX	222	3.3	5	<1	1	3	5	6	7	12
" MULTIPLE DX	616	4.5	12	1	1	4	6	8	10	15
TOTAL 0-19 YRS	114	4.1	6	1	1	4	5	7	9	14
20-34	583	4.1	8	1	1	4	5	7	9	15
35-49	125	4.3	9	<1	1	4	6	7	9	15
50-64	9	11.0	215	2	3	5	9	35	49	49
65+	7	7.7	9	3	3	8	10	12	12	12
GRAND TOTAL	**838**	**4.2**	**10**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	618	1.3		<1	<1	1	2	2	2	3
35-49	232	1.2		<1	<1	<1	1	2	2	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	15	2.3	1	<1	1	2	3	4	4	4
20-34	608	2.2	5	<1	<1	2	3	4	5	8
35-49	287	1.8	6	<1	<1	1	2	3	4	11
50-64	3	1.3		1	1	1	2	2	2	2
65+										
TOT. SINGLE DX	857	1.3		<1	<1	1	1	2	2	3
" MULTIPLE DX	913	2.1	6	<1	<1	1	3	4	5	8
TOTAL 0-19 YRS	21	2.0	1	<1	<1	2	3	4	4	4
20-34	1226	1.8	3	<1	<1	1	2	3	4	7
35-49	519	1.5	4	<1	<1	1	2	2	3	7
50-64	4	1.3		<1	<1	1	2	2	2	2
65+										
GRAND TOTAL	**1770**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	3.2	8	<1	<1	3	4	6	10	13
20-34	1018	2.4	1	<1	<1	2	3	4	5	6
35-49	266	2.1	1	<1	<1	2	3	4	5	8
50-64	2	4.0	8	2	2	4	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	68	3.2	2	2	2	3	4	5	6	83
20-34	2428	3.1	4	1	2	3	4	5	6	8
35-49	491	3.2	5	1	1	3	4	5	7	13
50-64	4	5.8		5	5	6	6	6	6	6
65+										
TOT. SINGLE DX	1306	2.3	2	<1	<1	2	3	4	5	7
" MULTIPLE DX	2991	3.1	5	1	1	3	4	5	6	10
TOTAL 0-19 YRS	88	3.2	4	1	1	3	4	5	7	66
20-34	3446	2.9	4	1	1	3	3	5	5	8
35-49	757	2.8	4	<1	1	2	4	5	6	11
50-64	6	5.2	3	2	2	6	6	6	6	6
65+										
GRAND TOTAL	**4297**	**2.9**	**4**	**1**	**1**	**3**	**3**	**5**	**5**	**9**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	4.2	1	2	3	4	5	6	6	8
20-34	1186	4.3	1	2	3	4	5	6	6	8
35-49	172	4.4	2	2	3	4	5	6	7	9
50-64	5	6.6	2	6	6	6	7	9	9	9
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	120	5.0	4	2	3	5	6	7	10	13
20-34	1567	4.7	2	3	3	5	5	7	8	10
35-49	253	4.8	3	2	3	5	6	7	7	14
50-64	3	11.3	34	7	7	9	16	18	18	18
65+	3	12.7	86	5	5	10	20	23	23	23
TOT. SINGLE DX	1459	4.3	2	2	3	4	5	6	6	8
" MULTIPLE DX	1946	4.8	3	2	3	5	5	7	8	12
TOTAL 0-19 YRS	215	4.6	3	2	3	4	5	7	8	12
20-34	2753	4.5	2	2	3	4	5	6	7	10
35-49	425	4.6	3	2	3	5	5	6	7	10
50-64	8	8.4	17	6	6	7	9	15	18	18
65+	4	11.5	63	5	5	9	16	23	23	23
GRAND TOTAL	**3405**	**4.6**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.7		<1	<1	2	2	2	3	3
20-34	462	1.9	1	<1	<1	2	2	3	4	7
35-49	166	2.0	1	<1	<1	2	3	4	5	6
50-64	49	2.5	3	<1	1	2	3	4	7	10
65+	21	2.0		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	20	2.1		<1	1	2	3	3	4	4
20-34	339	2.4	4	<1	1	2	3	5	5	10
35-49	139	2.5	3	<1	1	2	3	5	7	10
50-64	78	2.9	8	<1	1	2	3	4	7	20
65+	62	3.6	9	1	1	2	4	8	10	16
TOT. SINGLE DX	713	2.0	2	<1	1	2	2	3	5	7
" MULTIPLE DX	638	2.6	5	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	35	1.9	1	<1	1	2	2	3	3	4
20-34	801	2.1	3	<1	1	2	3	4	5	8
35-49	305	2.2	3	<1	1	2	3	4	6	8
50-64	127	2.7	7	<1	1	2	3	4	7	14
65+	83	3.2	8	1	1	2	3	7	9	16
GRAND TOTAL	**1351**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	2.3	7	<1	<1	2	2	3	9	12
20-34	122	1.7	1	<1	<1	1	2	3	3	7
35-49	64	3.5	131	<1	<1	2	3	4	6	81
50-64	47	3.3	11	<1	<1	2	4	8	11	15
65+	44	3.4	6	<1	1	2	5	8	8	10
2. MULTIPLE DX										
0-19 YRS	21	4.0	46	<1	<1	1	3	12	21	30
20-34	171	3.1	21	<1	<1	2	3	5	8	25
35-49	161	3.2	11	<1	<1	2	4	7	10	18
50-64	115	4.6	38	<1	<1	3	5	9	13	39
65+	216	6.8	101	1	2	5	7	12	17	67
TOT. SINGLE DX	293	2.6	33	<1	<1	2	3	5	7	13
" MULTIPLE DX	684	4.6	50	<1	1	3	5	9	12	35
TOTAL 0-19 YRS	37	3.2	30	<1	<1	1	3	9	13	30
20-34	293	2.5	14	<1	<1	2	3	4	6	14
35-49	225	3.2	45	<1	<1	2	3	6	9	20
50-64	162	4.2	31	<1	<1	3	5	9	12	31
65+	260	6.2	87	1	1	4	7	11	15	60
GRAND TOTAL	**977**	**4.0**	**46**	**<1**	**<1**	**2**	**4**	**8**	**11**	**29**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	2.9	1	1	1	3	3	5	6	7
20-34	495	2.5	2	1	1	2	3	4	5	8
35-49	61	2.5	1	<1	1	2	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	4.3	19	1	1	3	3	12	14	14
20-34	173	3.7	13	1	1	3	4	7	9	16
35-49	24	3.3	10	1	1	2	4	7	12	13
50-64	3	4.7	21	2	2	2	8	10	10	10
65+	1	9.0		9	9	9	9	9	9	9
TOT. SINGLE DX	585	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	208	3.7	13	1	1	3	4	7	10	15
TOTAL 0-19 YRS	36	3.2	5	1	1	3	3	5	7	14
20-34	668	2.8	5	1	1	2	3	5	6	11
35-49	85	2.7	4	1	1	2	3	5	6	13
50-64	3	4.7	21	2	2	2		10	10	10
65+	1	9.0		9	9	9		9	9	9
GRAND TOTAL	**793**	**2.8**	**5**	**1**	**1**	**2**		**5**	**6**	**12**

670: Hysterotomy and excision of lesion of utarus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	4.5	1	2	2	5	5	5	5	5
20-34	215	5.0	4	1	2	5	6	7	7	11
35-49	70	5.0	14	1	1	5	6	7	9	27
50-64	6	2.2	1	<1	<1	2	3	4	4	4
65+	9	3.6	8	<1	<1	3	6	8	9	9
2. MULTIPLE DX										
0-19 YRS	14	3.6	4	1	1	3	5	6	8	8
20-34	385	5.1	5	1	2	5	6	7	9	13
35-49	179	6.0	26	1	2	5	7	10	15	31
50-64	36	7.6	49	1	1	6	12	18	28	99+
65+	42	7.2	56	1	2	5	9	14	25	37
TOT. SINGLE DX	306	4.9	7	1	2	5	6	7	8	11
" MULTIPLE DX	656	5.6	17	1	2	5	6	9	12	28
TOTAL 0-19 YRS	20	3.9	4	1	1	5	5	6	7	8
20-34	600	5.1	5	1	2	5	6	7	8	12
35-49	249	5.7	23	1	1	5	7	9	12	31
50-64	42	6.8	46	<1	1	4	10	17	28	99+
65+	51	6.5	50	<1	1	5	8	13	20	37
GRAND TOTAL	**962**	**5.4**	**14**	**1**	**2**	**5**	**6**	**8**	**10**	**20**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	6.4	2	4	4	7	7	8	9	9
20-34	1033	5.9	2	4	4	6	7	8	9	11
35-49	1609	6.1	2	4	5	6	7	8	9	11
50-64	401	6.9	5	5	5	6	7	9	11	18
65+	206	7.9	6	5	5	7	8	11	14	17
2. MULTIPLE DX										
0-19 YRS	78	6.8	7	4	5	6	8	10	12	19
20-34	7178	6.4	4	4	5	6	7	8	10	15
35-49	13423	6.6	5	5	5	6	7	9	10	15
50-64	2733	7.7	15	5	5	7	8	11	14	22
65+	1412	9.6	26	5	6	8	10	15	19	31
TOT. SINGLE DX	3263	6.3	3	4	5	6	7	8	9	13
" MULTIPLE DX	24824	6.8	8	4	5	6	7	9	11	18
TOTAL 0-19 YRS	92	6.7	7	4	4	6	7	10	12	18
20-34	8211	6.3	4	4	5	6	7	8	10	14
35-49	15032	6.6	5	5	5	6	7	8	10	15
50-64	3134	7.6	14	5	5	7	8	11	13	21
65+	1618	9.3	25	5	6	8	10	14	19	31
GRAND TOTAL	**28067**	**6.8**	**7**	**4**	**5**	**6**	**7**	**9**	**11**	**17**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.3	1	4	4	5	6	6	6	6
20-34	741	5.0	2	3	4	5	6	7	7	10
35-49	605	5.3	1	4	4	5	6	7	8	10
50-64	208	6.7	4	4	5	6	8	9	10	14
65+	208	6.9	3	4	5	7	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	17	5.4	5	3	3	5	6	8	11	13
20-34	2949	5.5	3	4	4	5	6	7	8	12
35-49	4195	5.8	3	4	4	5	6	8	9	12
50-64	1067	6.9	5	4	5	7	8	9	11	15
65+	901	7.9	13	5	5	7	9	11	13	18
TOT. SINGLE DX	1766	5.5	3	4	4	5	6	8	9	12
" MULTIPLE DX	9129	6.0	5	4	4	6	7	8	10	14
TOTAL 0-19 YRS	21	5.4	5	3	3	5	6	7	10	13
20-34	3690	5.4	4	4	4	5	6	7	8	12
35-49	4800	5.7	3	4	4	5	6	8	9	12
50-64	1275	6.9	5	4	5	6	8	9	11	15
65+	1109	7.7	11	5	5	7	9	11	13	18
GRAND TOTAL	**10895**	**5.9**	**5**	**4**	**4**	**6**	**7**	**8**	**9**	**14**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	19	10.2	7	6	7	10	12	14	15	16
35-49	29	10.1	7	7	7	9	11	14	16	19
50-64	11	11.1	9	8	8	10	12	16	18	18
65+	2	10.5	5	9	9	10	12	12	12	12
2. MULTIPLE DX										
0-19 YRS										
20-34	26	10.5	6	7	8	10	12	14	15	16
35-49	46	11.3	36	6	7	10	11	20	24	36
50-64	32	12.7	53	6	6	10	16	21	30	38
65+	30	16.9	111	6	7	14	19	31	38	54
TOT. SINGLE DX	61	10.3	8	7	7	10	11	14	16	19
" MULTIPLE DX	134	12.7	56	6	7	10	14	22	.9	41
TOTAL 0-19 YRS										
20-34	45	10.4	7	7	7	10	12	14	15	16
35-49	75	10.8	26	6	7	9	11	17	22	33
50-64	43	12.3	43	6	7	10	15	20	25	38
65+	32	16.5	107	6	7	13	19	30	37	54
GRAND TOTAL	**195**	**12.0**	**42**	**6**	**7**	**10**	**13**	**19**	**23**	**38**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	1.5		<1	<1	1	2	2	3	5
20-34	145	1.4		<1	<1	1	1	2	4	5
35-49	20	1.3		<1	<1	<1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	21	5.8	49	<1	<1	2	7	20	22	22
20-34	138	3.4	16	<1	<1	2	4	7	10	17
35-49	45	2.5	7	<1	<1	1	3	6	7	15
50-64										
65+										
TOT. SINGLE DX	209	1.4	1	<1	<1	1	2	2	4	5
" MULTIPLE DX	204	3.5	18	<1	<1	2	4	7	12	22
TOTAL 0-19 YRS	65	2.9	20	<1	<1	1	2	6	14	22
20-34	283	2.4	10	<1	<1	1	2	5	7	14
35-49	65	2.1	5	<1	<1	1	2	4	7	14
50-64										
65+										
GRAND TOTAL	**413**	**2.4**	**10**	**<1**	**<1**	**1**	**2**	**5**	**7**	**16**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1159	1.6	1	<1	<1	1	2	3	3	6
20-34	6061	1.5	1	<1	<1	1	2	3	3	6
35-49	1585	1.5	1	<1	<1	1	2	2	3	6
50-64	435	1.8	2	<1	<1	1	2	3	5	9
65+	234	2.0	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	502	2.8	7	1	1	2	4	5	7	15
20-34	3260	2.7	8	<1	1	2	3	5	7	12
35-49	2065	2.8	11	<1	<1	2	3	6	8	14
50-64	878	3.3	14	<1	1	2	3	7	10	20
65+	804	4.2	29	1	1	2	4	9	13	25
TOT. SINGLE DX	9474	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	7509	3.0	12	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	1661	1.9	3	<1	<1	1	2	4	5	9
20-34	9321	2.0	4	<1	<1	1	2	4	5	9
35-49	3650	2.2	7	<1	<1	1	2	5	6	11
50-64	1313	2.8	11	<1	<1	2	3	6	9	17
65+	1038	3.7	24	<1	1	2	4	8	12	23
GRAND TOTAL	**16983**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	1.4		<1	<1	1	1	3	3	4
20-34	197	1.2		<1	<1	<1	1	1	2	5
35-49	60	1.1		<1	<1	<1	<1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	16	3.8	29	<1	<1	2	4	7	18	23
20-34	102	4.2	44	<1	<1	2	5	7	17	41
35-49	26	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
TOT. SINGLE DX	286	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	144	3.6	36	<1	<1	2	4	7	13	34
TOTAL 0-19 YRS	45	2.2	12	<1	<1	1	2	4	6	23
20-34	299	2.2	17	<1	<1	<1	2	4	7	21
35-49	86	1.1		<1	<1	<1	1	2	2	3
50-64										
65+										
GRAND TOTAL	**430**	**2.0**	**14**	**<1**	**<1**	**<1**	**1**	**4**	**6**	**19**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	179	1.3		<1	<1	1	1	2	3	4
20-34	962	1.3		<1	<1	1	1	2	3	4
35-49	117	1.2		<1	<1	1	1	2	2	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	40	2.3	5	<1	1	2	3	4	7	13
20-34	235	2.2	3	<1	<1	2	2	4	6	11
35-49	54	2.6	12	<1	<1	1	2	6	9	19
50-64	3	3.7	5	1	1	5	5	5	5	5
65+	6	6.7	22	2	2	5	9	14	15	15
TOT. SINGLE DX	1260	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	338	2.3	6	<1	<1	2	2	5	7	13
TOTAL 0-19 YRS	219	1.5	2	<1	<1	1	2	2	3	7
20-34	1197	1.5	2	<1	<1	1	2	2	3	7
35-49	171	1.6	5	<1	<1	1	1	2	5	15
50-64	4	3.3	4	1	1	3	5	5	5	5
65+	7	6.0	21	2	2	5	8	14	15	15
GRAND TOTAL	**1598**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	25	4.4	4	1	1	4	5	6	8	11
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64	3	5.7	2	4	4	6	7	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	4	4.8	14	1	1	4	7	10	10	10
20-34	120	4.9	4	2	3	5	6	7	8	12
35-49	10	5.6	10	2	2	5	7	10	13	13
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	4	7.5	3	6	6	7	9	10	10	10
TOT. SINGLE DX	35	4.4	4	1	1	5	6	6	7	11
" MULTIPLE DX	140	5.0	5	2	3	5	6	8	9	13
TOTAL 0-19 YRS	7	4.3	10	1	1	4	6	9	10	10
20-34	145	4.8	4	2	3	5	6	7	8	11
35-49	13	5.2	9	2	2	5	6	9	12	13
50-64	5	6.2	2	4	4	6	7	8	8	8
65+	5	7.2	3	6	6	7	8	10	10	10
GRAND TOTAL	**175**	**4.9**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**13**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.8	4	<1	1	2	4	7	7	7
20-34	95	3.0	3	<1	1	2	5	5	6	9
35-49	18	2.6	2	<1	<1	2	4	5	5	5
50-64	15	4.0	3	2	2	4	5	7	8	8
65+	12	4.1	2	2	2	4	5	6	8	8
2. MULTIPLE DX										
0-19 YRS	18	3.6	3	1	1	3	5	6	7	7
20-34	150	3.5	6	1	1	3	5	6	7	11
35-49	46	3.7	7	1	1	3	5	7	9	12
50-64	14	3.8	3	<1	1	4	5	6	8	8
65+	48	5.3	10	2	2	4	7	10	13	16
TOT. SINGLE DX	153	3.1	4	<1	1	3	5	5	7	8
" MULTIPLE DX	276	3.9	7	1	1	4	5	7	9	14
TOTAL 0-19 YRS	31	3.3	4	1	1	3	5	6	7	7
20-34	245	3.3	5	<1	1	3	5	6	7	11
35-49	64	3.4	6	<1	1	3	5	6	8	12
50-64	29	3.9	3	1	2	4	5	7	8	8
65+	60	5.1	9	2	2	4	6	9	12	16
GRAND TOTAL	**429**	**3.6**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	57	4.8	5	1	2	5	6	7	10	11
35-49	186	5.5	3	3	3	5	7	8	9	11
50-64	401	5.9	3	3	4	6	7	8	9	12
65+	249	6.2	5	3	4	6	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	98	6.1	16	2	2	6	7	10	12	26
35-49	444	6.9	8	3	4	6	8	10	12	18
50-64	636	7.2	9	4	4	7	8	10	13	19
65+	580	7.1	7	4	4	7	8	11	13	16
TOT. SINGLE DX	893	5.8	4	3	3	6	7	8	9	12
" MULTIPLE DX	1760	7.0	9	3	4	7	8	10	12	17
TOTAL 0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	155	5.6	13	2	2	5	7	9	11	17
35-49	630	6.5	8	3	4	6	7	10	11	17
50-64	1037	6.7	8	3	4	6	8	9	11	17
65+	829	6.9	7	4	4	6	8	10	12	16
GRAND TOTAL	**2653**	**6.6**	**8**	**3**	**4**	**6**	**8**	**10**	**11**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	2.4	4	<1	<1	1	3	5	7	10
20-34	108	3.8	7	<1	1	3	5	6	8	17
35-49	56	3.8	3	1	1	4	5	6	7	8
50-64	32	4.6	4	1	2	5	6	7	8	9
65+	18	5.9	15	<1	1	5	8	12	14	15
2. MULTIPLE DX										
0-19 YRS	36	3.6	25	<1	<1	2	4	6	11	29
20-34	92	4.0	18	1	1	3	5	6	8	28
35-49	65	5.2	22	1	1	4	7	10	12	30
50-64	50	7.7	20	2	3	7	10	12	14	29
65+	67	10.1	142	2	3	8	11	18	23	84
TOT. SINGLE DX	258	3.8	7	<1	1	4	5	7	8	14
" MULTIPLE DX	310	6.1	53	1	1	5	7	11	16	32
TOTAL 0-19 YRS	80	3.0	14	<1	<1	2	4	6	8	24
20-34	200	3.9	13	1	1	3	5	6	8	22
35-49	121	4.5	14	1	1	4	6	8	10	20
50-64	82	6.5	16	1	2	6	8	11	12	25
65+	85	9.2	118	1	2	7	10	16	20	73
GRAND TOTAL	**568**	**5.1**	**33**	**1**	**1**	**4**	**6**	**9**	**12**	**28**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	2.5	4	<1	<1	2	3	5	6	12
20-34	185	3.5	8	<1	<1	2	5	8	10	13
35-49	80	3.4	9	<1	<1	2	4	8	9	18
50-64	62	3.5	7	<1	1	3	5	7	8	16
65+	72	4.2	5	1	1	4	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	58	3.3	5	1	1	3	5	7	8	11
20-34	274	4.3	35	1	1	3	5	8	11	28
35-49	127	6.6	23	1	2	6	9	12	16	24
50-64	168	6.6	24	2	2	6	8	12	17	24
65+	243	6.9	63	1	2	6	8	11	17	38
TOT. SINGLE DX	476	3.4	8	<1	<1	3	5	7	9	13
" MULTIPLE DX	870	5.7	39	1	1	5	7	10	15	30
TOTAL 0-19 YRS	135	2.8	5	<1	<1	2	4	6	7	11
20-34	459	4.0	25	<1	1	3	5	8	10	22
35-49	207	5.3	21	<1	1	4	8	11	13	22
50-64	230	5.8	22	1	2	5	7	11	16	23
65+	315	6.3	51	1	2	5	7	10	14	35
GRAND TOTAL	**1346**	**4.9**	**29**	**<1**	**1**	**4**	**6**	**9**	**12**	**23**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	2.1	1	<1	1	2	3	4	5	6
20-34	306	2.1	2	<1	<1	2	3	4	4	8
35-49	168	2.0	1	<1	<1	2	2	3	4	8
50-64	82	3.0	13	<1	<1	2	3	5	7	25
65+	42	3.3	11	<1	1	2	3	7	10	19
2. MULTIPLE DX										
0-19 YRS	65	3.5	9	1	1	3	4	5	8	20
20-34	174	4.1	29	<1	1	3	5	7	9	39
35-49	124	4.3	24	1	1	3	4	10	14	26
50-64	94	6.3	61	1	1	4	8	14	18	46
65+	110	6.5	53	1	2	4	9	13	15	44
TOT. SINGLE DX	679	2.3	4	<1	<1	2	3	4	5	9
" MULTIPLE DX	567	4.9	37	1	1	3	6	10	14	36
TOTAL 0-19 YRS	146	2.7	5	<1	1	2	3	5	5	13
20-34	480	2.8	13	<1	1	2	3	5	7	13
35-49	292	3.0	13	<1	<1	2	3	6	10	21
50-64	176	4.8	42	<1	1	3	5	9	15	41
65+	152	5.6	44	1	1	3	7	13	15	33
GRAND TOTAL	**1246**	**3.5**	**21**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	10	4.3	8	1	1	4	6	9	11	11
35-49	16	6.0	31	1	1	4	8	13	19	22
50-64	18	6.6	44	1	2	5	7	11	23	31
65+	29	8.1	60	2	2	5	9	21	24	36
2. MULTIPLE DX										
0-19 YRS										
20-34	14	5.5	52	1	1	4	4	10	26	30
35-49	21	8.6	79	<1	1	6	11	26	30	31
50-64	41	14.0	341	1	2	8	16	27	54	99
65+	57	13.4	160	3	4	10	17	24	31	81
TOT. SINGLE DX	73	6.8	43	1	2	5	7	13	22	35
" MULTIPLE DX	133	12.0	197	1	2	7	15	25	31	87
TOTAL 0-19 YRS										
20-34	24	5.0	34	1	1	4	5	8	17	30
35-49	37	7.5	59	1	1	4	10	20	28	31
50-64	59	11.7	260	1	2	6	13	26	40	96
65+	86	11.6	132	2	3	8	15	23	30	67
GRAND TOTAL	**206**	**10.1**	**148**	**1**	**2**	**6**	**12**	**23**	**30**	**71**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.7		1	1	1	2	3	4	4
20-34	37	3.0	2	1	1	3	4	5	6	7
35-49	15	2.6	2	<1	1	2	4	5	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	20	2.7	8	1	1	2	3	5	9	14
20-34	33	4.8	32	1	1	4	5	8	13	33
35-49	8	11.0	216	2	3	7	8	35	47	47
50-64	6	5.8	27	1	1	5	8	14	15	15
65+	6	7.2	19	2	2	7	10	14	14	14
TOT. SINGLE DX	81	2.6	3	1	1	2	3	5	6	10
" MULTIPLE DX	73	5.2	47	1	1	3	6	10	14	44
TOTAL 0-19 YRS	47	2.1	4	1	1	2	2	4	4	14
20-34	70	3.9	17	1	1	3	5	6	7	29
35-49	23	5.5	87	<1	1	4	6	8	22	47
50-64	7	5.4	24	1	1	4	7	14	15	15
65+	7	7.9	20	2	2	7	11	14	14	14
GRAND TOTAL	**154**	**3.8**	**25**	**1**	**1**	**3**	**4**	**7**	**10**	**32**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
20-34	6	5.3	26	<1	<1	3	7	14	15	15
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	15	8.9	413	<1	1	3	5	17	65	81
35-49	3	8.3	17	5	5	7	11	13	13	13
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	11	5.4	11	1	1	6	7	10	11	11
TOT. SINGLE DX	13	3.9	17	<1	<1	2	5	10	14	15
" MULTIPLE DX	35	6.8	181	<1	1	3	7	11	16	81
TOTAL 0-19 YRS	5	3.4	11	<1	<1	2	5	9	9	9
20-34	21	7.9	299	<1	<1	3	6	16	46	81
35-49	6	4.7	23	<1	<1	3	7	12	13	13
50-64	5	3.6	4	2	2	3	5	7	7	7
65+	11	5.4	11	1	1	6	7	10	11	11
GRAND TOTAL	**48**	**6.0**	**137**	**<1**	**<1**	**3**	**7**	**11**	**15**	**81**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2101	2.7		1	2	3	3	4	4	6
20-34	9574	2.9	1	2	2	3	3	4	4	6
35-49	395	3.0	1	1	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1412	3.2	4	2	2	3	3	4	6	9
20-34	7786	3.2	2	2	2	3	4	4	5	8
35-49	589	3.5	1	2	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	12070	2.8	1	2	2	3	3	4	4	6
" MULTIPLE DX	9787	3.2	2	2	2	3	4	4	5	8
TOTAL 0-19 YRS	3513	2.9	2	2	2	3	3	4	5	7
20-34	17360	3.0	2	2	2	3	3	4	5	7
35-49	984	3.3	2	2	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**21857**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	2.2	1	1	1	2	3	4	4	4
20-34	128	2.4	1	1	1	2	3	3	4	7
35-49	8	2.3		1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	74	2.9	6	1	1	2	3	5	9	16
20-34	283	3.5	25	1	1	3	4	5	7	16
35-49	31	3.6	2	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	161	2.3	1	1	1	2	3	3	4	6
" MULTIPLE DX	388	3.4	20	1	1	3	4	5	7	15
TOTAL 0-19 YRS	99	2.8	5	1	1	2	3	4	6	14
20-34	411	3.2	18	1	1	3	3	5	6	13
35-49	39	3.3	3	1	1	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**549**	**3.1**	**15**	**1**	**1**	**3**	**3**	**5**	**6**	**13**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	421	2.8	3	1	2	3	3	4	4	5
20-34	2101	2.8	1	1	2	3	3	4	4	6
35-49	101	2.8	1	1	2	3	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	601	3.2	4	2	2	3	3	5	5	12
20-34	2745	3.3	4	2	2	3	4	5	6	10
35-49	183	3.7	11	1	2	3	4	5	7	13
50-64										
65+										
TOT. SINGLE DX	2623	2.8	2	1	2	3	3	4	4	6
" MULTIPLE DX	3529	3.3	5	2	2	3	4	5	6	10
TOTAL 0-19 YRS	1022	3.0	4	1	2	3	3	4	5	9
20-34	4846	3.1	3	2	2	3	3	4	5	8
35-49	284	3.4	8	1	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**6152**	**3.1**	**4**	**2**	**2**	**3**	**3**	**4**	**5**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10715	2.4	1	1	1	2	3	3	4	5
20-34	43199	2.5	1	1	1	2	3	4	4	5
35-49	2158	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4098	3.1	7	1	2	3	3	5	6	13
20-34	20608	3.1	4	1	2	3	3	4	5	10
35-49	1720	3.2	4	1	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	56072	2.5	2	1	1	2	3	4	4	5
" MULTIPLE DX	26426	3.1	5	1	2	3	3	4	5	10
TOTAL 0-19 YRS	14813	2.6	3	1	1	2	3	4	4	8
20-34	63807	2.7	3	1	1	3	3	4	4	7
35-49	3878	2.9	3	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**82498**	**2.7**	**3**	**1**	**1**	**3**	**3**	**4**	**4**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1431	4.8	4	3	3	5	5	6	7	9
20-34	9661	4.8	2	3	4	5	5	6	7	9
35-49	547	5.1	2	3	4	5	6	7	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3193	5.7	7	4	4	5	6	8	10	16
20-34	21820	5.5	10	3	4	5	6	7	9	17
35-49	2014	5.9	16	4	4	5	6	8	10	19
50-64										
65+										
TOT. SINGLE DX	11639	4.8	3	3	4	5	5	6	7	9
" MULTIPLE DX	27027	5.5	11	3	4	5	6	7	9	17
TOTAL 0-19 YRS	4624	5.4	7	3	4	5	6	7	9	14
20-34	31481	5.3	8	3	4	5	6	7	8	15
35-49	2561	5.7	13	4	4	5	6	7	9	18
50-64										
65+										
GRAND TOTAL	**38666**	**5.3**	**9**	**3**	**4**	**5**	**6**	**7**	**8**	**15**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	139	4.7	1	3	3	5	5	7	7	9
20-34	584	4.7	2	3	3	5	5	6	7	10
35-49	19	4.8	1	3	4	5	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	182	5.5	4	3	4	5	6	8	9	14
20-34	1128	6.0	30	3	4	5	6	8	11	34
35-49	130	5.8	13	4	4	5	6	8	10	20
50-64										
65+										
TOT. SINGLE DX	742	4.7	2	3	3	5	5	6	7	9
" MULTIPLE DX	1440	5.9	26	3	4	5	6	8	11	31
TOTAL 0-19 YRS	321	5.2	4	3	3	5	6	7	9	13
20-34	1712	5.6	22	3	3	5	6	7	9	24
35-49	149	5.7	12	4	4	5	6	8	9	15
50-64										
65+										
GRAND TOTAL	**2182**	**5.5**	**18**	**3**	**3**	**5**	**6**	**7**	**9**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	6.8	24	3	3	5	10	14	14	14
20-34	49	4.1	2	1	2	4	5	6	6	7
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	6.3	21	3	3	4	8	14	15	15
20-34	73	5.0	9	2	3	5	5	8	9	22
35-49	7	5.3	3	3	3	6	6	8	8	8
50-64										
65+										
TOT. SINGLE DX	56	4.2	4	1	2	4	5	6	7	14
" MULTIPLE DX	86	5.1	10	2	3	5	6	8	9	22
TOTAL 0-19 YRS	10	6.5	20	3	3	5	8	14	15	15
20-34	122	4.6	7	2	3	4	5	7	8	14
35-49	10	4.5	4	2	2	4	6	7	8	8
50-64										
65+										
GRAND TOTAL	**142**	**4.8**	**8**	**2**	**3**	**4**	**5**	**7**	**9**	**16**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	1.7	1	1	1	2	2	3	3	8
20-34	182	1.7		1	1	2	2	3	3	4
35-49	10	1.6		1	1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	26	2.3	2	1	1	2	2	4	6	8
20-34	74	2.7	6	1	1	2	3	5	8	15
35-49	11	1.9		1	1	2	3	3	3	3
50-64										
65+										
TOT. SINGLE DX	302	1.7	1	1	1	2	2	3	3	4
" MULTIPLE DX	111	2.5	5	1	1	2	3	5	7	13
TOTAL 0-19 YRS	136	1.9	2	1	1	2	2	3	3	9
20-34	256	2.0	2	1	1	2	2	3	4	8
35-49	21	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
GRAND TOTAL	**413**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	3.9	24	<1	1	3	5	6	10	30
20-34	115	4.3	13	<1	1	3	6	9	12	19
35-49	6	3.7	12	1	1	2	5	9	10	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	31	6.1	65	1	1	3	6	16	22	39
20-34	121	6.7	55	1	2	4	8	16	20	42
35-49	12	9.1	51	1	1	7	14	20	21	21
50-64										
65+										
TOT. SINGLE DX	158	4.2	16	<1	1	3	5	9	12	20
" MULTIPLE DX	164	6.8	57	1	1	4	8	16	21	39
TOTAL 0-19 YRS	68	4.9	44	<1	1	3	5	9	22	37
20-34	236	5.5	37	1	1	3	7	12	17	30
35-49	18	7.3	44	1	1	5	13	18	20	21
50-64										
65+										
GRAND TOTAL	**322**	**5.5**	**39**	**1**	**1**	**3**	**6**	**12**	**18**	**32**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	291	2.0	1	<1	<1	2	3	3	4	6
20-34	1276	2.2	6	<1	<1	2	3	3	4	7
35-49	64	2.6	2	1	2	2	3	4	4	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	109	2.6	4	<1	1	2	3	4	5	14
20-34	626	3.0	12	<1	1	3	3	4	6	13
35-49	40	3.1	4	<1	1	3	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	1631	2.2	5	<1	<1	2	3	3	4	7
" MULTIPLE DX	775	3.0	11	<1	1	3	3	4	6	13
TOTAL 0-19 YRS	400	2.1	2	<1	<1	2	3	3	4	7
20-34	1902	2.5	8	<1	<1	2	3	4	5	9
35-49	104	2.8	3	1	1	2	3	4	5	12
50-64										
65+										
GRAND TOTAL	**2406**	**2.5**	**7**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1267	2.5	1	1	2	2	3	3	4	5
20-34	5116	2.4	1	1	1	2	3	3	4	5
35-49	307	2.5	1	1	1	2	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1152	3.0	7	1	2	3	3	4	5	10
20-34	5221	2.9	5	1	2	3	3	4	5	9
35-49	421	3.1	2	1	2	3	3	5	5	10
50-64										
65+										
TOT. SINGLE DX	6690	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	6794	2.9	6	1	2	3	3	4	5	9
TOTAL 0-19 YRS	2419	2.7	4	1	2	3	3	4	4	8
20-34	10337	2.7	3	1	1	2	3	4	4	7
35-49	728	2.8	2	1	2	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**13484**	**2.7**	**3**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.6	2	<1	<1	2	3	5	6	6
20-34	37	3.9	11	1	2	3	5	8	11	18
35-49	29	3.6	6	<1	1	3	4	8	8	11
50-64	21	4.1	8	1	1	3	5	9	10	11
65+	24	4.3	13	1	2	3	5	9	12	18
2. MULTIPLE DX										
0-19 YRS	19	4.8	15	1	1	4	7	11	13	14
20-34	29	8.0	103	1	1	4	6	24	33	43
35-49	43	9.0	136	1	1	5	10	32	45	99+
50-64	62	7.9	158	1	2	4	6	19	40	68
65+	73	8.7	135	1	2	4	12	16	24	75
TOT. SINGLE DX	128	3.8	9	1	1	3	4	8	10	18
" MULTIPLE DX	226	8.1	127	1	1	4	9	17	34	74
TOTAL 0-19 YRS	36	3.8	10	<1	1	3	5	9	11	14
20-34	66	5.7	55	1	2	3	5	13	23	41
35-49	72	6.8	90	1	1	3	7	16	33	89
50-64	83	7.0	122	1	2	3	6	12	35	62
65+	97	7.6	109	1	2	4	11	15	19	63
GRAND TOTAL	**354**	**6.6**	**89**	**1**	**1**	**3**	**7**	**13**	**25**	**51**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	278	3.7	3	2	2	3	4	5	6	11
20-34	537	3.3	1	2	2	3	4	5	5	8
35-49	317	3.6	1	2	2	3	4	5	6	9
50-64	82	3.6	3	1	2	3	4	5	8	11
65+	19	3.6	4	1	1	3	4	5	8	11
2. MULTIPLE DX										
0-19 YRS	323	3.9	8	2	2	3	4	5	6	11
20-34	447	3.9	4	2	2	4	4	5	6	14
35-49	274	3.7	1	2	2	4	4	5	6	10
50-64	85	4.2	21	1	2	4	4	6	10	32
65+	28	8.0	104	1	2	5	8	32	44	99+
TOT. SINGLE DX	1233	3.5	2	2	2	3	4	5	6	9
" MULTIPLE DX	1157	4.0	9	2	2	4	4	5	6	14
TOTAL 0-19 YRS	601	3.8	6	2	2	3	4	5	6	11
20-34	984	3.6	3	2	2	3	4	5	6	9
35-49	591	3.7	2	2	2	3	4	5	6	9
50-64	167	3.9	12	1	2	4	4	5	8	14
65+	47	6.2	68	1	2	4	5	15	35	99+
GRAND TOTAL	**2390**	**3.7**	**5**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	2.1	1	1	1	2	3	4	4	7
20-34	98	2.2	1	1	1	2	3	4	5	7
35-49	30	2.6	2	1	1	2	3	5	6	7
50-64	8	4.0	6	1	1	4	5	8	9	9
65+	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	145	4.2	16	1	1	3	5	8	12	21
20-34	194	4.4	17	1	2	3	5	8	10	22
35-49	75	5.5	30	1	2	4	7	12	16	31
50-64	24	7.8	62	1	2	5	9	21	26	33
65+	18	8.8	91	2	2	5	12	17	33	42
TOT. SINGLE DX	230	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	456	4.9	25	1	2	3	6	9	13	29
TOTAL 0-19 YRS	236	3.4	12	1	1	2	4	6	9	18
20-34	292	3.7	13	1	1	3	4	7	9	13
35-49	105	4.6	24	1	1	3	6	9	14	30
50-64	32	6.8	50	1	2	4	8	17	23	33
65+	21	8.1	80	2	2	5	10	16	29	42
GRAND TOTAL	**686**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**26**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	2.8	5	1	1	2	3	5	7	14
20-34	302	3.2	11	1	1	3	4	5	7	13
35-49	114	3.3	8	1	1	3	4	5	10	17
50-64	34	2.6	2	1	1	2	4	5	5	8
65+	13	2.6	1	<1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	214	5.9	47	1	2	4	7	11	15	32
20-34	495	6.0	37	1	2	4	7	11	15	28
35-49	191	6.7	41	1	2	5	8	13	18	40
50-64	93	7.8	78	1	2	5	8	16	24	53
65+	69	8.8	48	1	2	7	12	18	21	36
TOT. SINGLE DX	575	3.1	9	1	1	2	4	5	7	14
" MULTIPLE DX	1062	6.4	45	1	2	5	8	13	18	35
TOTAL 0-19 YRS	326	4.8	35	1	1	3	6	10	12	30
20-34	797	4.9	29	1	1	4	6	10	13	25
35-49	305	5.4	32	1	1	4	6	12	15	32
50-64	127	6.5	63	1	1	4	7	15	20	47
65+	82	7.8	46	1	2	6	11	17	20	35
GRAND TOTAL	**1637**	**5.3**	**35**	**1**	**1**	**4**	**6**	**11**	**15**	**30**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.5	1	<1	1	2	3	4	5	5
20-34	26	2.9	4	<1	1	2	4	7	8	9
35-49	27	3.5	15	1	1	3	3	6	9	22
50-64	26	3.1	2	1	1	3	4	5	6	6
65+	6	8.0	29	3	3	6	10	17	18	18
2. MULTIPLE DX										
0-19 YRS	25	5.2	47	<1	1	3	5	9	24	32
20-34	28	5.3	18	1	2	4	6	9	13	23
35-49	28	6.4	121	1	1	3	5	8	32	56
50-64	27	6.4	44	1	1	3	8	17	22	28
65+	22	4.0	8	1	2	3	4	7	12	14
TOT. SINGLE DX	106	3.3	8	1	1	3	4	6	7	20
" MULTIPLE DX	130	5.5	49	1	1	3	6	10	21	37
TOTAL 0-19 YRS	46	4.0	28	1	1	3	4	6	11	32
20-34	54	4.2	13	1	1	3	6	7	9	23
35-49	55	5.0	70	1	1	3	4	7	18	55
50-64	53	4.8	26	1	1	3	5	9	17	28
65+	28	4.9	15	2	2	4	5	10	14	18
GRAND TOTAL	**236**	**4.5**	**32**	**1**	**1**	**3**	**5**	**7**	**13**	**29**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	349	5.0	18	1	2	4	6	9	13	24
20-34	179	4.3	16	1	1	3	5	9	11	15
35-49	138	5.7	38	1	1	4	6	11	17	36
50-64	129	5.9	22	2	3	5	7	9	12	32
65+	55	6.2	16	1	2	5	9	11	12	20
2. MULTIPLE DX										
0-19 YRS	365	8.3	86	2	3	6	9	17	21	68
20-34	168	8.6	110	1	2	5	9	19	34	64
35-49	153	8.3	109	1	2	5	9	15	35	70
50-64	241	7.6	79	2	2	5	8	14	21	47
65+	133	9.6	56	2	3	7	12	20	29	47
TOT. SINGLE DX	850	5.2	22	1	1	4	6	9	13	28
" MULTIPLE DX	1060	8.4	88	2	2	6	9	16	28	64
TOTAL 0-19 YRS	714	6.7	56	1	2	5	8	13	19	41
20-34	347	6.4	66	1	1	4	7	12	19	51
35-49	291	7.1	77	1	1	5	7	15	26	49
50-64	370	7.0	60	2	2	5	7	12	18	44
65+	188	8.6	47	2	2	7	11	17	27	36
GRAND TOTAL	**1910**	**6.9**	**61**	**1**	**2**	**5**	**8**	**13**	**19**	**46**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	2.8	1	1	1	3	4	4	5	7
20-34	166	3.1	2	1	1	3	4	5	6	7
35-49	223	2.9	2	1	1	3	4	5	6	10
50-64	233	3.3	3	1	1	3	4	5	6	10
65+	109	4.0	11	1	1	3	5	6	7	20
2. MULTIPLE DX										
0-19 YRS	91	3.0	2	1	1	3	4	5	6	62
20-34	239	3.4	12	1	1	3	4	5	6	11
35-49	456	3.8	6	1	2	3	5	6	7	11
50-64	675	4.0	5	1	2	4	5	6	8	12
65+	586	4.6	11	1	2	4	5	8	10	19
TOT. SINGLE DX	814	3.2	4	1	1	3	4	5	6	9
" MULTIPLE DX	2047	4.0	8	1	2	4	5	6	8	15
TOTAL 0-19 YRS	174	2.9	2	1	1	3	4	4	5	9
20-34	405	3.3	8	1	1	3	4	5	6	9
35-49	679	3.5	5	1	1	3	4	6	7	10
50-64	908	3.8	5	1	2	3	5	6	8	12
65+	695	4.5	11	1	2	4	5	7	9	19
GRAND TOTAL	**2861**	**3.8**	**7**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	748	3.8	25	1	1	2	4	7	10	30
20-34	785	3.9	20	1	1	3	4	7	10	23
35-49	674	4.4	31	1	1	3	5	8	12	31
50-64	468	4.5	22	1	1	3	5	8	13	26
65+	254	5.7	32	1	1	4	7	11	15	33
2. MULTIPLE DX										
0-19 YRS	433	8.2	113	1	1	4	10	22	32	58
20-34	792	7.7	114	1	1	4	8	17	29	60
35-49	749	8.0	116	1	1	4	8	19	31	61
50-64	840	8.2	90	1	2	5	10	19	27	47
65+	745	10.8	143	1	2	7	13	24	33	66
TOT. SINGLE DX	2929	4.2	26	1	1	3	5	8	11	28
" MULTIPLE DX	3559	8.6	116	1	2	5	10	20	31	58
TOTAL 0-19 YRS	1181	5.4	62	1	1	3	5	12	20	46
20-34	1577	5.8	71	1	1	3	6	12	19	45
35-49	1423	6.3	79	1	1	3	6	13	24	53
50-64	1308	6.8	69	1	1	4	8	16	23	44
65+	999	9.5	120	1	2	6	12	21	31	58
GRAND TOTAL	**6488**	**6.6**	**80**	**1**	**1**	**4**	**7**	**15**	**24**	**48**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	390	5.2	29	1	1	4	6	9	14	30
20-34	244	4.9	31	1	1	3	6	9	12	39
35-49	119	5.7	20	1	1	5	7	10	12	26
50-64	104	6.6	39	1	2	5	9	12	15	36
65+	152	10.5	50	3	4	10	13	17	21	27
2. MULTIPLE DX										
0-19 YRS	301	9.7	197	1	2	5	9	26	48	85
20-34	191	10.2	126	1	2	7	13	21	25	58
35-49	144	10.6	140	2	3	6	12	25	40	72
50-64	151	9.9	60	2	2	8	13	21	25	33
65+	459	13.1	88	4	5	11	16	22	31	56
TOT. SINGLE DX	1009	6.1	36	1	2	4	8	12	16	30
" MULTIPLE DX	1246	11.2	125	2	3	8	14	22	33	68
TOTAL 0-19 YRS	691	7.2	108	1	2	4	7	14	28	59
20-34	435	7.2	80	1	1	4	9	16	22	52
35-49	263	8.4	92	1	2	6	9	16	26	66
50-64	255	8.6	54	1	2	7	11	19	23	33
65+	611	12.4	80	3	5	11	15	21	27	55
GRAND TOTAL	**2255**	**8.9**	**92**	**1**	**2**	**6**	**11**	**18**	**25**	**54**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	473	2.4	5	<1	<1	2	3	4	5	11
20-34	614	2.7	4	<1	1	2	3	5	6	12
35-49	280	2.9	4	<1	1	2	4	6	8	11
50-64	243	3.6	20	<1	1	2	4	7	11	21
65+	203	4.6	23	<1	1	3	5	10	15	25
2. MULTIPLE DX										
0-19 YRS	320	4.8	43	<1	1	3	5	9	15	42
20-34	265	6.4	120	1	1	3	6	13	19	91
35-49	191	6.9	76	1	1	4	8	15	21	51
50-64	177	7.7	80	1	1	5	9	17	26	44
65+	346	10.5	166	2	2	6	12	24	37	90
TOT. SINGLE DX	1813	3.0	10	<1	1	2	3	5	8	16
" MULTIPLE DX	1299	7.3	106	1	1	4	8	16	25	59
TOTAL 0-19 YRS	793	3.4	22	<1	<1	2	3	6	9	29
20-34	879	3.8	43	<1	1	2	4	7	10	33
35-49	471	4.5	38	1	1	3	5	9	12	31
50-64	420	5.3	50	1	1	3	6	11	17	43
65+	549	8.3	121	1	1	5	10	19	27	69
GRAND TOTAL	**3112**	**4.8**	**54**	**<1**	**1**	**3**	**5**	**10**	**16**	**42**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	12.4	140	2	2	8	19	28	41	51
20-34	46	11.7	94	4	5	10	13	18	26	66
35-49	22	9.5	40	5	5	8	9	14	26	34
50-64	46	9.2	20	4	5	8	11	14	15	27
65+	140	11.8	33	5	6	11	14	17	20	32
2. MULTIPLE DX										
0-19 YRS	69	15.6	107	6	6	14	19	25	30	67
20-34	92	16.8	144	5	7	13	20	35	43	63
35-49	28	19.4	170	5	7	16	22	47	53	99+
50-64	53	18.9	167	8	9	14	23	39	50	53
65+	484	15.6	86	6	8	14	18	25	34	63
TOT. SINGLE DX	346	11.5	69	3	4	9	14	20	27	45
" MULTIPLE DX	726	16.1	106	6	7	14	18	27	39	67
TOTAL 0-19 YRS	161	13.8	128	2	3	11	19	27	38	55
20-34	138	15.1	133	4	6	12	17	28	41	67
35-49	50	15.0	136	5	6	11	20	38	50	99+
50-64	99	14.4	121	5	5	11	15	32	42	53
65+	624	14.7	77	6	7	13	17	23	30	55
GRAND TOTAL	**1072**	**14.6**	**99**	**4**	**6**	**13**	**17**	**25**	**36**	**56**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	9.0	29	2	4	8	11	17	20	24
20-34	135	10.1	34	4	4	8	13	18	22	32
35-49	112	10.3	47	4	4	8	12	18	21	40
50-64	235	10.4	38	4	5	9	12	16	18	32
65+	1178	12.3	25	6	7	12	15	18	20	31
2. MULTIPLE DX										
0-19 YRS	162	15.7	159	4	5	13	19	31	49	98
20-34	306	15.9	119	5	6	13	19	30	40	65
35-49	210	16.5	151	5	6	13	20	32	50	83
50-64	484	15.5	117	5	7	13	18	27	34	72
65+	4313	15.7	72	7	8	14	18	24	31	53
TOT. SINGLE DX	1774	11.5	30	4	6	11	14	18	21	31
" MULTIPLE DX	5475	15.7	85	6	8	14	18	25	33	57
TOTAL 0-19 YRS	276	12.9	117	3	4	10	16	26	35	81
20-34	441	14.1	100	4	5	12	17	25	36	55
35-49	322	14.3	124	4	5	11	17	27	42	65
50-64	719	13.8	97	5	6	12	16	24	32	68
65+	5491	14.9	65	7	8	13	17	23	29	51
GRAND TOTAL	**7249**	**14.7**	**75**	**6**	**7**	**13**	**17**	**23**	**30**	**54**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	230	8.5	129	1	1	4	9	23	30	53
20-34	14	18.6	425	1	1	10	44	48	56	58
35-49	8	6.4	27	1	1	5	9	15	16	16
50-64	12	11.1	148	<1	1	8	12	25	44	47
65+	26	9.4	99	2	2	7	11	16	26	52
2. MULTIPLE DX										
0-19 YRS	95	12.2	133	1	2	8	19	29	36	50
20-34	50	20.9	344	2	4	15	33	45	55	80
35-49	18	19.9	227	1	3	16	25	47	50	51
50-64	27	20.4	433	3	4	12	23	45	78	85
65+	93	16.3	161	3	5	13	19	33	45	65
TOT. SINGLE DX	290	9.1	142	1	1	5	10	23	34	56
" MULTIPLE DX	283	16.4	223	2	3	12	22	38	47	75
TOTAL 0-19 YRS	325	9.6	134	1	1	5	12	25	33	49
20-34	64	20.4	356	2	3	12	34	47	56	78
35-49	26	15.7	203	1	1	12	24	41	49	51
50-64	39	17.5	358	2	3	11	18	44	63	85
65+	119	14.8	156	2	4	11	16	31	44	61
GRAND TOTAL	**573**	**12.7**	**195**	**1**	**2**	**8**	**16**	**30**	**43**	**71**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	307	3.4	16	1	1	2	4	7	15	19
20-34	188	3.4	10	<1	1	2	5	7	9	17
35-49	130	4.1	22	<1	1	3	5	8	9	22
50-64	118	3.2	6	1	1	2	4	6	8	13
65+	87	4.2	17	1	1	3	5	10	14	19
2. MULTIPLE DX										
0-19 YRS	113	7.1	80	1	1	4	8	18	24	46
20-34	113	6.2	48	1	1	4	8	12	19	39
35-49	81	7.2	99	1	2	5	8	12	17	67
50-64	89	9.4	116	1	2	5	12	24	32	58
65+	156	8.6	128	1	2	5	9	17	25	68
TOT. SINGLE DX	830	3.6	15	1	1	2	4	7	11	18
" MULTIPLE DX	552	7.7	97	1	1	5	9	17	24	57
TOTAL 0-19 YRS	420	4.4	37	1	1	2	4	11	17	26
20-34	301	4.4	26	<1	1	3	6	9	12	24
35-49	211	5.3	54	1	1	4	7	9	12	37
50-64	207	5.8	63	1	1	3	6	13	22	40
65+	243	7.0	93	1	1	4	8	14	19	58
GRAND TOTAL	**1382**	**5.2**	**52**	**1**	**1**	**3**	**6**	**11**	**17**	**32**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1344	3.0	5	1	1	2	4	5	7	11
20-34	1677	3.8	7	1	1	3	5	7	8	14
35-49	1075	4.5	11	1	1	4	5	8	10	18
50-64	819	5.0	12	1	2	4	6	9	11	20
65+	526	5.9	19	1	2	5	7	10	14	21
2. MULTIPLE DX										
0-19 YRS	583	6.0	55	1	1	4	7	12	18	44
20-34	1287	7.6	85	1	2	5	8	16	24	48
35-49	837	7.5	63	1	2	5	9	14	21	44
50-64	802	8.3	71	2	2	6	10	16	22	50
65+	997	9.6	55	2	3	8	12	18	23	39
TOT. SINGLE DX	5441	4.1	11	1	1	3	5	7	10	16
" MULTIPLE DX	4506	7.9	70	1	2	5	10	16	22	44
TOTAL 0-19 YRS	1927	3.9	22	1	1	3	4	7	10	24
20-34	2964	5.4	45	1	1	4	6	10	15	35
35-49	1912	5.8	36	1	2	4	7	11	15	33
50-64	1621	6.6	44	1	2	5	8	13	17	32
65+	1523	8.3	46	2	3	7	10	15	21	36
GRAND TOTAL	**9947**	**5.8**	**41**	**1**	**1**	**4**	**7**	**11**	**16**	**33**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2022	2.1	5	<1	1	1	2	4	6	14
20-34	468	3.4	12	1	1	2	4	7	8	16
35-49	380	3.2	6	1	1	2	4	7	9	13
50-64	378	3.3	8	1	1	2	4	6	8	16
65+	371	3.3	6	1	1	3	4	7	8	12
2. MULTIPLE DX										
0-19 YRS	548	4.9	63	1	1	2	5	11	15	41
20-34	500	6.9	84	1	1	4	8	14	23	53
35-49	375	6.1	50	1	2	4	7	12	17	41
50-64	356	6.8	75	1	1	4	8	13	20	49
65+	764	7.0	42	1	2	5	9	14	20	35
TOT. SINGLE DX	3619	2.6	7	<1	1	2	3	5	7	14
" MULTIPLE DX	2543	6.4	62	1	1	4	8	13	19	42
TOTAL 0-19 YRS	2570	2.7	19	<1	1	1	3	5	8	20
20-34	968	5.2	53	1	1	3	6	10	16	37
35-49	755	4.7	31	1	1	3	6	9	13	29
50-64	734	5.0	44	1	1	3	6	10	16	39
65+	1135	5.8	34	1	1	4	7	12	17	28
GRAND TOTAL	**6162**	**4.2**	**33**	**1**	**1**	**2**	**5**	**9**	**13**	**29**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	4.8	52	<1	1	2	5	13	19	30
20-34	121	2.7	10	<1	1	2	3	6	8	20
35-49	67	2.3	5	<1	<1	1	3	5	8	13
50-64	88	4.4	48	1	1	3	5	9	10	47
65+	106	5.0	33	1	1	3	6	11	19	29
2. MULTIPLE DX										
0-19 YRS	77	8.1	153	1	1	5	11	15	23	80
20-34	113	7.6	135	<1	1	4	8	16	23	65
35-49	74	6.7	47	1	1	4	9	16	22	34
50-64	72	7.4	97	1	1	4	8	21	22	48
65+	165	8.1	72	1	1	5	11	18	26	43
TOT. SINGLE DX	548	4.0	34	<1	1	2	4	9	14	25
" MULTIPLE DX	501	7.7	99	1	1	5	9	17	23	48
TOTAL 0-19 YRS	243	5.8	87	<1	1	3	6	14	20	40
20-34	234	5.1	77	<1	1	3	5	11	18	47
35-49	141	4.6	32	<1	1	2	6	11	16	25
50-64	160	5.7	72	1	1	3	7	10	22	48
65+	271	6.9	59	1	1	4	9	17	23	37
GRAND TOTAL	**1049**	**5.8**	**68**	**1**	**1**	**3**	**7**	**14**	**21**	**43**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	3.5	15	1	1	3	4	5	7	25
20-34	201	3.0	2	1	1	3	3	4	6	8
35-49	66	3.3	4	1	1	3	4	6	7	12
50-64	29	4.4	8	1	1	4	6	8	11	12
65+	23	8.8	130	1	1	6	9	17	32	56
2. MULTIPLE DX										
0-19 YRS	42	6.8	34	1	2	5	9	14	20	28
20-34	68	5.5	29	1	1	3	7	13	17	25
35-49	44	7.0	94	1	1	5	8	12	17	64
50-64	32	5.8	25	1	1	4	7	12	16	25
65+	51	9.2	31	3	3	8	11	18	20	23
TOT. SINGLE DX	423	3.6	15	1	1	3	4	6	8	18
" MULTIPLE DX	237	6.8	43	1	1	5	9	15	19	26
TOTAL 0-19 YRS	146	4.4	24	1	1	3	5	9	14	28
20-34	269	3.6	10	1	1	3	4	7	10	19
35-49	110	4.8	43	1	1	3	5	8	12	37
50-64	61	5.1	17	1	1	4	6	10	13	24
65+	74	9.1	61	1	2	7	11	18	20	48
GRAND TOTAL	**660**	**4.7**	**27**	**1**	**1**	**3**	**5**	**9**	**14**	**25**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	400	4.4	23	<1	1	3	5	10	15	25
20-34	314	3.2	6	<1	1	2	4	6	8	13
35-49	186	3.6	8	1	1	3	4	7	9	17
50-64	112	4.6	15	<1	1	3	6	10	13	19
65+	81	9.7	87	1	2	7	13	20	31	43
2. MULTIPLE DX										
0-19 YRS	376	8.0	84	1	1	4	10	21	29	41
20-34	368	4.5	23	1	1	3	5	9	13	28
35-49	253	5.9	52	1	1	3	7	13	21	38
50-64	195	10.7	137	1	2	7	14	24	41	59
65+	258	14.9	179	2	3	11	19	34	44	58
TOT. SINGLE DX	1093	4.3	23	<1	1	3	5	9	13	25
" MULTIPLE DX	1450	8.3	100	1	1	4	10	20	30	52
TOTAL 0-19 YRS	776	6.1	56	<1	1	3	7	15	23	37
20-34	682	3.9	16	<1	1	3	5	8	11	24
35-49	439	5.0	35	1	1	3	6	10	15	31
50-64	307	8.4	102	1	1	5	11	19	31	53
65+	339	13.6	163	2	2	9	17	33	43	54
GRAND TOTAL	**2543**	**5.6**	**71**	**1**	**1**	**4**	**8**	**15**	**24**	**44**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	6.9	17	3	3	6	8	12	15	23
20-34	2256	7.6	19	3	3	7	9	13	16	23
35-49	3905	7.8	16	3	4	7	9	13	16	22
50-64	1619	8.4	20	3	4	8	10	14	16	24
65+	350	9.8	23	4	5	9	13	16	18	23
2. MULTIPLE DX										
0-19 YRS	32	13.5	79	5	6	10	18	32	34	99+
20-34	756	10.0	52	3	4	8	12	17	22	43
35-49	1772	9.9	38	4	4	9	12	17	21	33
50-64	1555	11.1	48	4	5	10	13	19	24	36
65+	762	12.7	54	5	6	11	16	22	27	37
TOT. SINGLE DX	8216	7.9	19	3	4	7	10	13	16	23
" MULTIPLE DX	4877	10.8	48	4	5	9	13	19	23	37
TOTAL 0-19 YRS	118	8.7	42	3	4	7	10	18	26	55
20-34	3012	8.2	29	3	4	7	10	14	17	28
35-49	5677	8.4	25	3	4	7	10	14	18	25
50-64	3174	9.7	36	4	4	8	12	16	20	32
65+	1112	11.8	46	4	5	10	14	20	24	36
GRAND TOTAL	**13093**	**9.0**	**31**	**3**	**4**	**8**	**11**	**15**	**19**	**30**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	247	2.1	2	<1	<1	2	3	4	5	6
20-34	710	2.1	2	<1	<1	2	3	4	5	7
35-49	485	2.1	2	<1	<1	2	3	4	5	8
50-64	262	2.4	3	<1	<1	2	3	5	6	9
65+	116	2.5	6	<1	<1	2	3	4	6	16
2. MULTIPLE DX										
0-19 YRS	291	2.8	5	<1	<1	2	4	5	7	14
20-34	792	2.6	5	<1	<1	2	3	5	7	13
35-49	605	2.4	4	<1	<1	2	3	5	6	12
50-64	693	3.0	7	<1	1	2	4	6	7	14
65+	463	3.1	7	1	1	2	4	6	8	14
TOT. SINGLE DX	1820	2.2	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	2844	2.8	6	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	538	2.5	5	<1	<1	2	3	5	6	12
20-34	1502	2.4	4	<1	<1	2	3	4	6	9
35-49	1090	2.3	3	<1	<1	2	3	4	5	10
50-64	955	2.8	6	<1	<1	2	3	5	7	13
65+	579	3.0	7	<1	1	2	4	5	8	14
GRAND TOTAL	**4664**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	503	2.4	10	<1	<1	2	2	4	6	21
20-34	831	2.2	3	<1	<1	2	2	4	5	10
35-49	516	2.7	8	<1	<1	2	3	5	7	15
50-64	325	3.1	10	<1	1	2	3	5	9	16
65+	116	4.4	20	<1	1	3	5	9	14	24
2. MULTIPLE DX										
0-19 YRS	331	3.4	28	<1	1	2	3	6	10	29
20-34	725	3.3	18	<1	1	2	3	6	11	27
35-49	631	3.8	24	<1	1	2	4	8	11	25
50-64	570	4.8	47	1	1	3	5	10	15	32
65+	354	8.1	93	1	1	4	10	22	28	47
TOT. SINGLE DX	2291	2.6	8	<1	<1	2	3	5	7	17
" MULTIPLE DX	2611	4.4	40	1	1	2	4	9	16	33
TOTAL 0-19 YRS	834	2.8	18	<1	<1	2	3	5	8	24
20-34	1556	2.7	11	<1	<1	2	3	5	7	19
35-49	1147	3.3	18	<1	1	2	3	6	10	23
50-64	895	4.2	34	1	1	3	4	8	14	28
65+	470	7.2	78	1	1	4	8	18	25	46
GRAND TOTAL	**4902**	**3.6**	**26**	**<1**	**1**	**2**	**3**	**7**	**12**	**27**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	330	9.3	8	5	6	9	11	12	15	20
20-34	208	9.2	20	4	5	8	11	15	19	26
35-49	275	8.5	20	4	5	7	10	14	17	23
50-64	135	8.8	17	3	4	8	11	14	16	27
65+	17	13.9	37	4	5	15	19	21	23	24
2. MULTIPLE DX										
0-19 YRS	300	15.2	133	7	8	12	16	26	35	82
20-34	209	14.0	129	5	6	10	16	28	36	92
35-49	274	11.9	54	5	6	10	14	23	27	39
50-64	208	12.8	79	5	6	11	15	23	34	86
65+	68	14.7	122	5	5	11	17	27	39	58
TOT. SINGLE DX	965	9.1	17	4	5	8	11	14	17	24
" MULTIPLE DX	1059	13.6	102	5	6	11	15	25	33	76
TOTAL 0-19 YRS	630	12.1	77	6	7	10	13	18	26	65
20-34	417	11.6	81	5	5	9	13	21	28	62
35-49	549	10.2	41	4	5	9	12	17	23	38
50-64	343	11.2	59	4	5	9	13	19	27	49
65+	85	14.5	105	4	5	12	18	25	38	56
GRAND TOTAL	**2024**	**11.4**	**67**	**5**	**5**	**9**	**13**	**19**	**26**	**54**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	4.6	15	1	1	4	6	8	9	26
20-34	166	4.4	10	1	1	4	6	8	9	16
35-49	158	4.4	8	1	1	4	6	8	10	15
50-64	135	4.1	6	1	1	4	5	7	9	12
65+	68	4.0	5	1	1	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	89	5.3	13	2	2	5	6	9	11	22
20-34	165	5.7	28	1	2	5	7	10	13	28
35-49	144	5.8	24	1	2	5	7	11	14	27
50-64	167	6.0	37	1	2	4	7	11	16	28
65+	136	7.1	27	2	2	6	9	14	19	24
TOT. SINGLE DX	606	4.3	9	1	1	4	5	8	9	14
" MULTIPLE DX	701	6.0	28	1	2	5	7	11	15	26
TOTAL 0-19 YRS	168	5.0	15	1	2	4	6	8	11	23
20-34	331	5.0	20	1	1	4	6	9	11	25
35-49	302	5.1	17	1	1	4	6	9	12	23
50-64	302	5.2	24	1	1	4	6	9	11	26
65+	204	6.1	22	1	2	5	8	12	16	24
GRAND TOTAL	**1307**	**5.2**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**24**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	18.3	45	12	12	17	23	27	27	27
20-34	45	10.6	10	7	7	9	12	15	17	21
35-49	153	10.2	12	6	7	10	12	14	16	26
50-64	472	11.2	12	7	8	11	13	16	17	24
65+	866	12.5	16	8	8	12	15	18	20	25
2. MULTIPLE DX										
0-19 YRS	4	14.5	21	10	10	18	39	99+	99+	99+
20-34	90	13.5	44	7	8	11	16	24	30	33
35-49	211	13.8	55	7	8	11	15	22	29	41
50-64	650	14.2	59	7	8	12	16	22	30	46
65+	2094	14.9	50	8	9	13	17	22	27	42
TOT. SINGLE DX	1540	11.8	15	7	8	11	14	17	19	25
" MULTIPLE DX	3049	14.6	53	7	8	13	16	22	28	44
TOTAL 0-19 YRS	8	16.4	33	10	10	18	22	71	99+	99+
20-34	135	12.5	35	7	8	11	14	21	28	32
35-49	364	12.3	41	7	7	11	14	18	25	37
50-64	1122	12.9	42	7	8	11	14	18	24	40
65+	2960	14.2	42	8	9	13	16	21	25	38
GRAND TOTAL	**4589**	**13.7**	**42**	**7**	**8**	**12**	**16**	**20**	**25**	**38**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	9.6	139	2	3	7	9	25	42	44
20-34	19	11.2	77	3	4	11	13	17	32	43
35-49	34	10.7	34	5	6	10	12	18	32	99+
50-64	107	11.1	22	6	6	10	13	17	20	29
65+	719	12.8	30	7	8	12	15	18	21	38
2. MULTIPLE DX										
0-19 YRS	12	9.3	64	2	3	6	10	25	27	27
20-34	20	14.6	176	4	6	12	15	22	46	67
35-49	52	15.5	90	6	7	14	18	26	32	57
50-64	217	14.8	66	6	8	13	17	23	31	99+
65+	2541	15.8	73	7	9	14	18	25	31	53
TOT. SINGLE DX	890	12.5	32	6	7	12	15	18	21	40
" MULTIPLE DX	2842	15.7	74	7	8	14	18	25	31	55
TOTAL 0-19 YRS	23	9.4	95	2	3	6	10	25	33	44
20-34	39	12.9	128	3	5	11	14	18	35	67
35-49	86	13.6	73	5	6	11	17	25	32	84
50-64	324	13.6	55	6	7	12	16	21	26	81
65+	3260	15.2	65	7	8	13	17	23	29	50
GRAND TOTAL	**3732**	**15.0**	**66**	**7**	**8**	**13**	**17**	**23**	**29**	**51**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	315	3.4	3	1	1	3	4	6	7	10
20-34	415	3.7	6	<1	1	3	5	7	8	16
35-49	224	5.7	21	1	1	4	8	11	15	23
50-64	382	10.8	32	2	3	11	14	17	18	26
65+	768	12.3	20	5	8	12	15	18	20	25
2. MULTIPLE DX										
0-19 YRS	292	4.1	5	1	2	4	5	7	8	13
20-34	569	4.6	11	1	1	4	6	8	10	18
35-49	320	5.9	23	<1	1	5	8	12	15	24
50-64	594	11.8	40	2	3	11	15	19	24	32
65+	1732	14.1	48	6	8	13	17	22	25	40
TOT. SINGLE DX	2104	8.3	33	1	2	8	12	16	18	24
" MULTIPLE DX	3507	10.6	53	2	2	10	15	19	23	36
TOTAL 0-19 YRS	607	3.7	5	1	1	3	5	6	7	13
20-34	984	4.2	10	1	1	4	5	7	9	16
35-49	544	5.8	22	<1	1	4	8	12	15	23
50-64	976	11.4	38	2	3	11	14	17	21	31
65+	2500	13.5	41	6	8	13	16	20	24	38
GRAND TOTAL	**5611**	**9.7**	**47**	**1**	**2**	**9**	**14**	**17**	**21**	**31**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	396	2.7	1	1	1	3	4	4	5	6
20-34	757	3.0	2	1	1	3	4	5	5	8
35-49	338	3.3	4	1	1	3	4	5	7	11
50-64	268	3.8	7	1	1	3	5	7	9	16
65+	156	5.2	12	2	2	4	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	98	3.2	2	1	1	3	4	5	7	9
20-34	274	4.3	35	1	1	3	4	7	9	38
35-49	298	4.9	19	1	2	3	5	9	15	26
50-64	348	5.1	20	1	2	4	6	11	16	23
65+	291	6.4	23	2	2	5	8	12	15	26
TOT. SINGLE DX	1915	3.3	4	1	1	3	4	5	7	12
" MULTIPLE DX	1309	5.0	24	1	2	4	6	10	14	25
TOTAL 0-19 YRS	494	2.8	2	1	1	3	4	5	5	7
20-34	1031	3.3	12	1	1	3	4	5	6	14
35-49	636	4.0	12	1	2	3	4	7	10	19
50-64	616	4.6	15	1	2	3	5	9	12	20
65+	447	5.9	20	2	2	4	8	12	14	23
GRAND TOTAL	**3224**	**4.0**	**13**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	220	3.4	9	<1	1	2	4	7	9	17
20-34	201	3.1	6	<1	1	3	4	7	9	14
35-49	190	3.1	18	<1	<1	2	3	6	9	20
50-64	115	2.7	8	<1	<1	2	4	5	6	16
65+	58	3.5	12	<1	<1	2	4	8	9	21
2. MULTIPLE DX										
0-19 YRS	373	6.0	61	1	2	4	6	11	16	39
20-34	183	7.1	100	1	1	4	7	15	22	60
35-49	145	6.4	56	1	1	4	8	13	21	40
50-64	163	6.6	53	1	1	4	8	17	22	37
65+	111	9.3	47	1	2	8	13	19	24	32
TOT. SINGLE DX	784	3.2	11	<1	<1	2	4	7	9	19
" MULTIPLE DX	975	6.7	66	1	1	4	8	15	21	37
TOTAL 0-19 YRS	593	5.1	44	1	1	3	6	10	14	32
20-34	384	5.0	55	<1	1	3	6	10	15	35
35-49	335	4.5	37	<1	<1	3	5	9	15	37
50-64	278	5.0	39	<1	1	3	5	12	18	34
65+	169	7.3	43	<1	<1	5	10	16	21	30
GRAND TOTAL	**1759**	**5.2**	**45**	**<1**	**1**	**3**	**6**	**11**	**16**	**34**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	2.3	5	<1	<1	2	2	4	7	11
20-34	317	2.1	2	<1	<1	2	2	4	6	9
35-49	278	2.3	10	<1	<1	2	3	4	6	9
50-64	218	2.8	10	<1	<1	2	3	5	8	19
65+	102	4.4	15	<1	1	3	6	9	11	21
2. MULTIPLE DX										
0-19 YRS	116	5.5	61	<1	1	3	7	11	18	44
20-34	139	6.0	127	<1	<1	3	6	12	25	88
35-49	215	6.8	141	1	1	3	6	14	24	83
50-64	253	7.0	72	1	2	4	8	15	19	51
65+	256	7.8	60	1	2	6	10	16	21	42
TOT. SINGLE DX	1205	2.5	8	<1	<1	2	3	5	7	12
" MULTIPLE DX	979	6.8	91	1	1	4	8	15	21	51
TOTAL 0-19 YRS	406	3.2	23	<1	<1	2	3	7	10	22
20-34	456	3.3	44	<1	<1	2	3	6	9	38
35-49	493	4.2	73	<1	<1	2	4	8	13	44
50-64	471	5.0	48	<1	1	3	5	11	16	40
65+	358	6.8	50	1	1	5	9	14	20	38
GRAND TOTAL	**2184**	**4.5**	**50**	**<1**	**<1**	**2**	**5**	**9**	**14**	**37**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.8		<1	<1	2	2	3	3	3
20-34	26	2.0	1	<1	<1	2	3	4	5	5
35-49	31	2.2	4	<1	<1	2	2	4	4	12
50-64	106	2.0	1	<1	1	2	2	3	4	7
65+	83	2.0		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	12	6.2	43	<1	1	3	9	18	19	19
20-34	25	7.0	107	1	2	4	6	18	28	51
35-49	32	2.8	6	1	1	2	3	4	11	12
50-64	91	3.8	45	1	1	2	3	5	10	42
65+	90	3.6	49	1	1	2	3	5	9	45
TOT. SINGLE DX	258	2.0	1	<1	1	2	2	3	4	5
" MULTIPLE DX	250	4.0	49	1	1	2	3	7	12	47
TOTAL 0-19 YRS	24	4.0	26	<1	<1	2	3	12	18	19
20-34	51	4.5	59	<1	1	3	4	7	18	51
35-49	63	2.5	6	<1	1	2	3	4	7	12
50-64	197	2.8	22	1	1	2	3	4	5	34
65+	173	2.8	27	1	1	2	3	4	5	14
GRAND TOTAL	**508**	**3.0**	**26**	**<1**	**1**	**2**	**3**	**4**	**7**	**26**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	242	2.0	3	<1	1	2	2	3	4	10
20-34	269	2.0	2	<1	1	2	2	4	4	9
35-49	127	2.2	5	<1	1	1	2	4	5	13
50-64	61	1.9	1	<1	1	2	2	4	4	6
65+	25	2.0	1	1	1	2	2	4	4	5
2. MULTIPLE DX										
0-19 YRS	175	2.1	3	1	1	2	2	4	6	8
20-34	329	2.5	8	1	1	2	3	4	6	12
35-49	140	2.9	10	1	1	2	3	6	8	18
50-64	67	3.8	16	1	1	3	5	7	12	23
65+	42	2.9	6	<1	1	2	3	6	9	12
TOT. SINGLE DX	724	2.0	3	<1	1	2	2	4	4	10
" MULTIPLE DX	753	2.6	8	1	1	2	3	5	7	13
TOTAL 0-19 YRS	417	2.0	3	<1	1	2	2	3	5	9
20-34	598	2.3	6	1	1	2	3	4	5	11
35-49	267	2.5	8	1	1	2	3	5	7	16
50-64	128	2.9	10	1	1	2	3	6	8	18
65+	67	2.5	5	<1	1	2	3	5	7	12
GRAND TOTAL	**1477**	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	163	2.3	3	<1	1	2	3	5	6	8
20-34	280	2.8	5	<1	1	2	3	5	6	14
35-49	265	3.1	7	<1	1	3	4	5	7	10
50-64	300	3.9	14	1	1	3	4	6	8	17
65+	144	4.3	7	1	2	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	118	4.8	57	1	1	3	5	8	18	44
20-34	201	4.1	30	1	1	3	5	7	10	36
35-49	243	4.4	13	1	1	3	5	8	12	18
50-64	291	5.5	34	2	2	4	6	10	12	33
65+	169	6.5	49	2	2	5	7	14	18	45
TOT. SINGLE DX	1152	3.3	9	1	1	3	4	6	7	12
" MULTIPLE DX	1022	5.0	34	1	1	4	6	9	14	34
TOTAL 0-19 YRS	281	3.4	27	1	1	2	3	6	8	33
20-34	481	3.3	17	<1	1	2	4	6	8	21
35-49	508	3.7	11	1	1	3	4	7	8	16
50-64	591	4.7	25	1	2	4	5	8	11	23
65+	313	5.5	32	1	2	4	7	10	15	28
GRAND TOTAL	**2174**	**4.1**	**22**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	415	3.3	6	1	1	3	4	6	8	13
20-34	225	3.5	10	1	1	3	4	6	8	22
35-49	187	3.3	9	1	1	3	4	5	7	18
50-64	90	4.0	17	1	1	3	5	7	9	28
65+	49	4.9	6	2	2	5	6	9	9	12
2. MULTIPLE DX										
0-19 YRS	475	3.7	11	1	1	3	4	6	8	20
20-34	130	8.1	149	1	1	4	9	21	34	99+
35-49	91	5.6	34	1	2	4	6	12	17	74
50-64	71	5.6	43	1	2	4	6	13	15	44
65+	54	7.6	40	1	2	6	10	17	27	96
TOT. SINGLE DX	966	3.5	9	1	1	3	4	6	8	16
" MULTIPLE DX	821	5.0	43	1	1	3	5	10	15	44
TOTAL 0-19 YRS	890	3.5	9	1	1	3	4	6	8	16
20-34	355	5.2	66	1	1	3	5	10	18	70
35-49	278	4.1	19	1	1	3	4	8	11	30
50-64	161	4.7	29	1	1	4	5	8	13	35
65+	103	6.3	26	1	2	5	8	12	17	61
GRAND TOTAL	**1787**	**4.2**	**25**	**1**	**1**	**3**	**5**	**7**	**11**	**28**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	2.3	5	<1	1	2	2	3	6	15
20-34	96	2.4	3	<1	1	2	3	4	7	9
35-49	51	2.4	7	<1	1	2	2	4	6	17
50-64	46	2.5	4	<1	1	2	3	5	7	10
65+	28	3.1	6	1	1	2	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	34	2.8	4	1	1	2	4	5	8	11
20-34	102	5.7	38	1	1	3	8	14	20	30
35-49	85	5.4	63	1	1	3	7	13	19	48
50-64	65	7.3	103	1	1	3	9	17	29	51
65+	78	6.3	37	1	1	4	8	16	22	79
TOT. SINGLE DX	265	2.5	5	<1	1	2	3	5	7	11
" MULTIPLE DX	364	5.8	54	1	1	3	7	14	20	44
TOTAL 0-19 YRS	78	2.5	5	<1	1	2	3	5	7	14
20-34	198	4.1	24	<1	1	2	4	9	14	25
35-49	136	4.3	44	1	1	2	4	10	16	33
50-64	111	5.3	68	<1	1	2	5	13	17	48
65+	106	5.4	31	1	1	3	7	15	19	59
GRAND TOTAL	**629**	**4.4**	**36**	**1**	**1**	**2**	**4**	**10**	**15**	**30**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.5	4	1	1	4	5	6	6	6
20-34	10	7.2	18	1	2	6	11	13	15	15
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	4	9.3	9	5	5	10	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	12	19.0	394	3	3	18	20	51	67	70
35-49	3	18.0	403	4	4	9	33	41	41	41
50-64	10	11.2	173	2	2	6	11	35	38	38
65+	18	18.1	229	2	3	13	27	35	52	62
TOT. SINGLE DX	23	6.3	16	1	1	5	10	12	13	15
" MULTIPLE DX	44	16.8	257	2	3	11	21	38	49	70
TOTAL 0-19 YRS	7	6.1	52	1	1	4	6	19	22	22
20-34	22	13.6	251	2	3	7	19	28	54	70
35-49	4	14.0	333	2	2	6	25	41	41	41
50-64	12	10.5	148	2	2	6	11	34	37	38
65+	22	16.5	199	3	4	11	20	33	47	62
GRAND TOTAL	**67**	**13.2**	**198**	**2**	**2**	**8**	**19**	**33**	**41**	**69**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	3.4	3	1	1	3	5	6	7	8
20-34	32	3.8	10	<1	1	3	5	8	13	14
35-49	27	5.9	26	1	2	4	7	12	18	24
50-64	42	7.4	40	1	2	5	11	18	21	24
65+	59	7.1	45	<1	1	6	8	14	19	39
2. MULTIPLE DX										
0-19 YRS	28	7.3	84	1	1	3	7	27	30	31
20-34	58	11.6	113	2	2	8	16	26	35	50
35-49	179	13.6	144	2	3	10	17	28	34	68
50-64	397	14.3	138	3	4	11	19	29	37	74
65+	594	14.0	127	2	3	11	19	28	37	62
TOT. SINGLE DX	193	5.8	31	1	1	4	7	13	17	26
" MULTIPLE DX	1256	13.8	133	2	3	11	18	28	36	66
TOTAL 0-19 YRS	61	5.2	44	1	1	3	6	9	26	31
20-34	90	8.8	91	1	2	5	12	21	29	48
35-49	206	12.6	136	2	2	10	17	26	33	67
50-64	439	13.6	133	2	3	11	18	28	35	69
65+	653	13.4	124	2	3	10	18	28	36	59
GRAND TOTAL	**1449**	**12.7**	**126**	**2**	**2**	**10**	**17**	**27**	**34**	**59**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	12.4	127	4	4	9	16	32	32	32
20-34	10	7.6	5	3	4	8	9	10	11	11
35-49	9	11.4	42	5	5	10	14	22	23	23
50-64	21	13.5	35	5	7	13	18	21	25	29
65+	40	12.6	31	6	7	12	15	22	24	26
2. MULTIPLE DX										
0-19 YRS	8	24.6	738	3	3	21	25	70	88	88
20-34	38	22.7	255	6	7	18	27	51	58	63
35-49	97	21.0	282	5	7	16	27	59	70	99+
50-64	319	19.5	211	5	7	15	25	40	50	79
65+	870	18.6	158	6	7	15	23	35	47	74
TOT. SINGLE DX	85	12.1	37	5	6	11	14	21	24	31
" MULTIPLE DX	1332	19.1	187	6	7	15	24	37	50	79
TOTAL 0-19 YRS	13	19.9	512	3	3	11	23	43	80	88
20-34	48	19.5	240	5	6	13	24	45	57	63
35-49	106	20.2	269	5	7	15	26	57	66	99+
50-64	340	19.1	202	5	7	15	24	39	47	79
65+	910	18.3	155	6	7	15	23	35	46	72
GRAND TOTAL	**1417**	**18.7**	**180**	**6**	**7**	**15**	**23**	**36**	**48**	**78**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	9.4	14	5	5	9	11	15	17	17
20-34	3	11.0	19	8	8	9	14	16	16	16
35-49	4	6.3	15	1	1	7	9	10	10	10
50-64	18	11.8	26	4	5	12	15	18	21	23
65+	42	13.0	97	4	5	11	14	23	48	99+
2. MULTIPLE DX										
0-19 YRS	11	16.6	248	3	4	12	21	39	57	59
20-34	20	28.4	562	7	9	18	40	66	78	89
35-49	36	25.7	418	7	9	18	36	66	81	99+
50-64	187	19.4	251	6	7	14	23	43	51	92
65+	1094	16.3	149	5	6	13	20	33	41	73
TOT. SINGLE DX	81	11.7	62	4	5	10	14	18	25	87
" MULTIPLE DX	1348	17.2	181	5	6	13	21	34	47	86
TOTAL 0-19 YRS	25	12.6	125	4	5	10	13	22	34	59
20-34	23	26.1	523	7	8	16	32	65	75	89
35-49	40	23.7	411	6	7	17	34	63	79	99+
50-64	205	18.8	236	6	7	14	22	39	50	92
65+	1136	16.2	147	5	6	13	20	32	42	73
GRAND TOTAL	**1429**	**16.9**	**176**	**5**	**6**	**13**	**21**	**34**	**46**	**86**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	4.5	9	1	1	4	5	9	10	10
20-34	9	8.8	24	1	2	8	13	15	15	15
35-49	9	16.2	41	6	8	17	18	25	29	29
50-64	10	10.2	52	2	3	9	10	23	24	24
65+	8	24.0	289	5	7	22	30	50	59	59
2. MULTIPLE DX										
0-19 YRS	8	7.6	54	3	3	4	9	21	24	24
20-34	15	24.3	345	5	7	20	27	42	72	82
35-49	47	22.4	342	4	5	18	29	50	61	89
50-64	98	19.9	152	6	8	17	25	37	44	63
65+	177	18.0	167	5		14	23	34	49	66
TOT. SINGLE DX	42	13.0	117	2	3	10	17	28	30	59
" MULTIPLE DX	345	19.2	197	5	6	16	24	36	50	71
TOTAL 0-19 YRS	14	6.3	35	1	2	4	5	14	22	24
20-34	24	18.5	278	3	4	15	22	32	54	82
35-49	56	21.4	298	5	6	18	27	48	56	88
50-64	108	19.0	151	5	7	17	24	36	44	62
65+	185	18.2	173	5	6	14	24	34	50	65
GRAND TOTAL	**387**	**18.5**	**191**	**4**	**5**	**15**	**24**	**34**	**50**	**70**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	3.4	7	<1	1	3	4	7	10	10
20-34	20	6.6	37	1	1	6	8	15	21	24
35-49	11	6.0	18	<1	<1	6	8	13	14	14
50-64	3	3.0	3	2	2	2	4	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	9	5.8	24	1	1	7	8	13	15	15
20-34	15	10.3	130	3	3	6	9	21	40	47
35-49	12	5.3	6	2	2	6	7	8	9	9
50-64	9	4.1	6	2	2	3	6	8	9	9
65+	3	5.0	7	2	2	6	7	7	7	7
TOT. SINGLE DX	59	4.9	21	1	1	4	7	11	14	23
" MULTIPLE DX	48	6.7	52	1	2	6	7	10	18	47
TOTAL 0-19 YRS	33	4.1	13	1	1	3	7	10	10	15
20-34	35	8.1	78	1	1	6	8	18	23	47
35-49	23	5.6	12	<1	1	6	7	10	13	14
50-64	12	3.8	5	2	2	3	5	7	9	9
65+	4	4.0	9	1	1	4	6	7	7	7
GRAND TOTAL	**107**	**5.7**	**35**	**1**	**1**	**5**	**7**	**10**	**15**	**34**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.3	5	<1	<1	1	3	6	8	10
20-34	35	4.2	21	<1	1	3	5	8	16	22
35-49	16	3.8	9	<1	1	3	5	10	11	11
50-64	26	6.5	37	1	1	5	9	12	21	28
65+	28	7.0	52	1	2	5	8	12	18	39
2. MULTIPLE DX										
0-19 YRS	14	5.3	55	1	1	3	4	15	26	29
20-34	31	5.7	25	1	1	4	8	11	20	22
35-49	46	9.2	136	2	2	6	10	16	31	72
50-64	69	11.6	161	2	3	9	16	23	41	99+
65+	131	13.0	159	3	3	9	17	28	38	73
TOT. SINGLE DX	124	5.0	30	<1	1	3	6	10	14	31
" MULTIPLE DX	291	10.9	143	2	2	8	13	22	35	98
TOTAL 0-19 YRS	33	3.6	28	<1	1	2	3	7	13	29
20-34	66	4.9	23	1	1	3	6	10	19	22
35-49	62	7.8	109	1	2	5	10	14	22	68
50-64	95	10.2	132	1	2	8	14	20	28	99+
65+	159	11.9	146	2	3	8	15	23	38	67
GRAND TOTAL	**415**	**9.1**	**116**	**1**	**2**	**6**	**11**	**20**	**29**	**80**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	8.3	41	1	1	11	12	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	9.0		9	9	9	9	9	9	9
65+	7	21.0	443	4	4	17	25	57	65	65
TOT. SINGLE DX	8	4.9	20	1	1	3	7	12	13	13
" MULTIPLE DX	11	15.4	330	2	3	8	20	42	63	65
TOTAL 0-19 YRS										
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	5	3.0	1	2	2	3	4	4	4	4
50-64	4	8.5	28	1	1	10	12	13	13	13
65+	7	21.0	443	4	4	17	25	57	65	65
GRAND TOTAL	**19**	**10.9**	**220**	**1**	**2**	**6**	**12**	**24**	**47**	**65**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	174	1.7	1	<1	<1	1	2	3	4	5
20-34	563	1.9	1	<1	<1	2	2	3	4	7
35-49	1430	2.0	2	<1	<1	2	2	3	4	8
50-64	1070	2.3	2	<1	<1	2	2	4	5	10
65+	602	2.6	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	43	2.5	3	<1	<1	2	2	6	8	8
20-34	318	3.2	12	<1	1	2	4	6	8	22
35-49	1104	3.1	10	<1	1	2	3	6	8	16
50-64	1148	4.2	26	1	1	2	5	9	13	23
65+	1100	5.1	27	1	1	3	7	11	15	28
TOT. SINGLE DX	3839	2.2	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	3713	4.0	21	1	1	2	5	9	12	23
TOTAL 0-19 YRS	217	1.8	2	<1	<1	2	2	3	4	8
20-34	881	2.4	6	<1	<1	2	3	4	6	13
35-49	2534	2.5	6	<1	<1	2	3	5	7	11
50-64	2218	3.3	16	<1	1	2	3	7	10	18
65+	1702	4.2	21	<1	1	2	5	9	13	26
GRAND TOTAL	7552	3.1	13	<1	<1	2	3	6	9	18

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.9	1	<1	1	2	2	4	4	5
20-34	25	3.0	2	<1	1	3	4	6	6	6
35-49	54	5.3	18	1	1	5	7	9	11	28
50-64	57	4.9	6	1	2	5	6	8	10	13
65+	95	5.5	7	1	2	5	7	8	12	14
2. MULTIPLE DX										
0-19 YRS	6	2.2	3	<1	<1	1	2	6	6	6
20-34	14	6.0	38	1	2	5	6	11	23	26
35-49	85	6.8	26	2	3	5	7	15	20	27
50-64	145	5.7	10	2	2	5	7	10	12	17
65+	231	8.0	42	2	3	6	9	14	18	40
TOT. SINGLE DX	258	4.7	10	1	1	4	6	8	10	13
" MULTIPLE DX	481	7.0	30	2	3	6	8	13	17	27
TOTAL 0-19 YRS	33	2.0	2	<1	<1	2	2	4	5	6
20-34	39	4.1	17	1	1	3	5	6	8	26
35-49	139	6.2	24	1	2	5	7	11	17	28
50-64	202	5.4	10	2	2	5	6	10	12	16
65+	326	7.3	33	2	3	6	8	13	16	34
GRAND TOTAL	739	6.2	24	1	2	5	7	11	15	26

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	78	5.9	4	3	3	6	7	9	10	11
35-49	462	5.9	5	3	3	6	7	9	10	12
50-64	731	6.0	5	3	4	6	7	9	10	12
65+	737	6.5	6	3	4	6	8	9	11	14
2. MULTIPLE DX										
0-19 YRS	5	7.2	6	3	3	8	9	10	10	10
20-34	77	6.6	6	3	4	6	8	10	11	15
35-49	534	6.6	8	3	4	6	8	10	11	16
50-64	1059	7.6	16	3	4	7	9	12	15	24
65+	1559	8.0	18	4	4	7	9	12	15	23
TOT. SINGLE DX	2010	6.2	6	3	4	6	7	9	10	13
" MULTIPLE DX	3234	7.6	16	3	4	7	9	11	14	23
TOTAL 0-19 YRS	7	6.3	8	2	2	7	8	10	10	10
20-34	155	6.3	6	3	4	6	7	10	10	14
35-49	996	6.3	7	3	4	6	8	9	11	14
50-64	1790	6.9	13	3	4	6	8	10	13	22
65+	2296	7.5	15	3	4	7	9	11	14	22
GRAND TOTAL	5244	7.0	13	3	4	6	8	10	13	21

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	198	2.7	1	1	1	3	3	4	5	6
20-34	532	2.9	2	<1	1	3	4	5	6	7
35-49	492	3.5	4	1	1	3	4	6	7	10
50-64	234	3.5	3	1	1	3	4	6	7	10
65+	57	3.1	3	1	1	3	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	100	3.2	4	1	1	3	4	5	9	11
20-34	373	3.6	5	1	1	3	4	6	8	13
35-49	733	3.9	6	1	1	3	5	6	7	14
50-64	429	4.3	11	1	2	4	5	8	10	16
65+	114	4.6	12	1	2	4	5	9	12	20
TOT. SINGLE DX	1513	3.2	3	1	1	3	4	5	6	9
" MULTIPLE DX	1749	3.9	8	1	1	3	5	7	9	14
TOTAL 0-19 YRS	298	2.9	3	1	1	3	4	4	5	10
20-34	905	3.2	4	<1	1	3	4	5	6	10
35-49	1225	3.7	5	1	1	3	5	6	7	12
50-64	663	4.0	9	1	1	4	5	7	9	14
65+	171	4.1	10	1	1	3	5	8	10	18
GRAND TOTAL	**3262**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	490	2.8	3	1	1	2	3	5	5	9
20-34	827	2.8	2	1	1	2	3	5	6	8
35-49	145	2.8	2	1	1	2	4	5	5	9
50-64	22	2.8	1	<1	1	3	3	5	6	6
65+	5	3.0	2	<1	<1	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	76	4.0	8	1	2	3	5	8	10	16
20-34	141	4.8	35	1	1	3	5	8	12	31
35-49	59	4.0	4	1	1	4	5	7	9	11
50-64	24	3.8	13	1	1	3	5	9	12	16
65+	18	7.9	143	1	2	4	7	13	38	54
TOT. SINGLE DX	1489	2.8	3	1	1	2	4	5	5	8
" MULTIPLE DX	318	4.6	28	1	1	3	5	8	11	28
TOTAL 0-19 YRS	566	3.0	4	1	1	3	4	5	6	11
20-34	968	3.1	8	1	1	3	4	5	6	11
35-49	204	3.1	3	1	1	3	4	5	6	10
50-64	46	3.3	8	1	1	3	4	6	9	16
65+	23	6.9	115	1	2	4	6	12	28	54
GRAND TOTAL	**1807**	**3.1**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	611	2.6	12	<1	<1	2	3	5	7	17
20-34	462	3.1	16	<1	<1	2	3	6	8	25
35-49	444	3.0	12	<1	<1	2	3	6	8	20
50-64	372	2.9	6	<1	<1	2	4	6	7	13
65+	282	4.0	21	<1	<1	2	5	9	11	29
2. MULTIPLE DX										
0-19 YRS	358	5.8	66	<1	1	3	6	14	24	56
20-34	518	7.8	96	1	1	4	10	18	28	56
35-49	725	7.6	84	1	1	4	9	17	27	47
50-64	935	7.6	66	1	2	5	9	18	24	41
65+	1427	8.4	70	1	2	6	10	17	24	45
TOT. SINGLE DX	2171	3.0	14	<1	<1	2	3	6	8	20
" MULTIPLE DX	3963	7.8	75	1	2	5	9	17	25	46
TOTAL 0-19 YRS	969	3.8	35	<1	<1	2	4	8	14	35
20-34	980	5.6	64	<1	1	3	6	13	22	42
35-49	1169	5.9	62	<1	1	3	7	13	20	42
50-64	1307	6.3	54	<1	1	4	7	13	21	38
65+	1709	7.7	65	1	2	6	9	16	23	43
GRAND TOTAL	**6134**	**6.1**	**59**	**<1**	**1**	**3**	**7**	**14**	**21**	**40**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1199	3.9	24	<1	1	2	5	8	11	23
20-34	1229	4.5	25	<1	1	3	6	9	12	22
35-49	711	5.2	38	1	1	3	6	10	14	31
50-64	522	5.4	33	<1	1	4	7	11	16	30
65+	451	6.3	42	1	1	4	8	13	20	33
2. MULTIPLE DX										
0-19 YRS	1984	6.3	94	1	1	3	7	14	22	62
20-34	2981	6.5	72	1	1	4	7	15	23	46
35-49	2073	9.0	113	1	1	6	11	21	30	60
50-64	2112	10.8	128	1	2	8	14	23	32	68
65+	3677	12.9	174	2	2	9	16	28	42	83
TOT. SINGLE DX	4112	4.7	31	1	1	3	6	10	14	27
" MULTIPLE DX	12827	9.4	128	1	1	6	12	22	32	65
TOTAL 0-19 YRS	3183	5.4	69	1	1	3	6	11	18	48
20-34	4210	5.9	59	1	1	4	7	13	20	43
35-49	2784	8.0	97	1	1	5	10	18	27	57
50-64	2634	9.7	114	1	2	7	12	21	30	63
65+	4128	12.2	165	1	2	8	15	27	40	78
GRAND TOTAL	**16939**	**8.3**	**109**	**1**	**1**	**5**	**10**	**19**	**28**	**59**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	181	6.6	45	1	1	4	9	15	20	34
20-34	208	6.8	49	1	1	5	9	15	19	36
35-49	116	7.1	54	1	2	5	8	12	19	42
50-64	111	8.2	80	1	1	6	10	19	23	48
65+	114	9.1	59	1	2	7	13	21	27	32
2. MULTIPLE DX										
0-19 YRS	207	13.5	195	1	2	9	19	32	42	82
20-34	219	14.7	235	1	2	10	19	33	49	78
35-49	208	15.9	247	2	3	11	20	37	54	69
50-64	286	14.9	179	2	3	11	20	32	42	68
65+	535	16.8	209	2	3	13	22	34	47	88
TOT. SINGLE DX	730	7.4	56	1	1	5	9	16	21	36
" MULTIPLE DX	1455	15.5	212	2	3	11	21	34	46	77
TOTAL 0-19 YRS	388	10.3	137	1	1	7	14	23	34	66
20-34	427	10.8	160	1	2	7	14	24	35	67
35-49	324	12.7	196	2	2	8	15	32	44	61
50-64	397	13.0	161	1	2	9	18	30	37	63
65+	649	15.5	191	2	3	12	21	32	44	86
GRAND TOTAL	**2185**	**12.8**	**174**	**1**	**2**	**9**	**17**	**30**	**39**	**71**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	3.6	10	<1	<1	2	5	9	10	14
20-34	74	5.7	63	1	1	3	6	14	23	41
35-49	37	5.4	14	1	2	4	7	11	12	15
50-64	28	5.9	36	1	1	4	8	15	19	25
65+	15	13.7	529	2	2	6	10	37	77	91
2. MULTIPLE DX										
0-19 YRS	40	9.2	195	1	2	4	11	21	30	82
20-34	76	15.9	362	1	2	10	20	33	63	94
35-49	61	21.9	513	1	2	16	31	58	74	99+
50-64	69	14.6	329	1	1	7	20	42	69	97
65+	78	12.9	196	2	2	8	18	36	51	99+
TOT. SINGLE DX	197	5.8	77	1	1	3	7	12	16	40
" MULTIPLE DX	324	15.2	334	1	2	9	21	42	65	99+
TOTAL 0-19 YRS	83	6.3	106	<1	1	3	8	13	19	65
20-34	150	10.9	240	1	1	5	14	25	41	83
35-49	98	15.7	387	1	2	7	24	49	63	99
50-64	97	12.1	259	1	1	6	16	35	51	92
65+	93	13.0	246	2	2	7	17	37	52	99+
GRAND TOTAL	**521**	**11.7**	**257**	**1**	**1**	**5**	**15**	**31**	**51**	**98**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	267	2.3	3	<1	<1	2	2	4	6	10
20-34	144	2.9	5	<1	<1	2	4	5	7	12
35-49	139	2.7	6	<1	1	2	3	6	7	14
50-64	176	2.5	7	<1	1	2	3	4	5	14
65+	75	3.2	73	1	1	2	3	5	6	58
2. MULTIPLE DX										
0-19 YRS	208	5.1	120	1	1	2	4	9	30	99+
20-34	203	4.9	57	1	1	3	5	8	12	45
35-49	284	4.7	24	1	1	3	6	9	13	26
50-64	349	4.5	35	1	1	3	5	10	15	41
65+	309	8.6	85	1	1	6	10	16	27	49
TOT. SINGLE DX	801	2.6	12	<1	1	2	3	5	6	12
" MULTIPLE DX	1353	5.6	63	1	1	3	6	12	18	51
TOTAL 0-19 YRS	475	3.5	56	<1	1	2	3	6	10	86
20-34	347	4.0	37	<1	1	3	5	7	9	33
35-49	423	4.0	19	1	1	3	5	8	12	20
50-64	525	3.8	27	1	1	2	4	8	12	32
65+	384	7.5	87	1	1	5	9	15	23	50
GRAND TOTAL	**2154**	**4.5**	**46**	**1**	**1**	**3**	**5**	**9**	**14**	**42**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.2	9	1	1	2	4	8	11	11
20-34	13	3.5	11	1	1	3	4	8	12	13
35-49	10	3.3	6	1	1	2	3	8	8	8
50-64	11	3.5	4	1	1	4	5	6	6	6
65+	12	8.6	151	3	3	5	8	21	43	47
2. MULTIPLE DX										
0-19 YRS	31	4.7	26	1	2	3	6	9	13	28
20-34	28	10.6	306	1	1	4	8	43	60	62
35-49	27	5.0	7	1	2	5	7	10	11	11
50-64	42	9.5	95	2	2	6	12	19	35	43
65+	162	8.3	43	2	2	7	10	16	23	34
TOT. SINGLE DX	55	4.5	41	1	1	3	5	8	11	45
" MULTIPLE DX	290	8.0	73	2	2	6	9	15	27	45
TOTAL 0-19 YRS	40	4.4	23	1	1	3	5	9	12	28
20-34	41	8.4	221	1	1	3	6	23	52	62
35-49	37	4.5	8	1	1	4	6	8	10	11
50-64	53	8.2	82	1	2	5	10	15	30	43
65+	174	8.4	50	2	3	6	10	16	23	38
GRAND TOTAL	**345**	**7.5**	**69**	**1**	**2**	**5**	**9**	**14**	**24**	**46**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	243	3.1	5	1	1	2	3	6	8	12
20-34	2755	4.0	13	1	1	3	5	9	11	17
35-49	3576	4.0	12	1	1	3	5	9	11	17
50-64	1651	3.8	11	1	1	3	5	8	11	17
65+	420	4.3	25	1	1	3	5	9	13	20
2. MULTIPLE DX										
0-19 YRS	229	4.5	24	1	2	2	5	10	14	20
20-34	1802	5.4	26	1	1	4	7	11	14	24
35-49	2810	5.5	28	1	2	4	7	11	15	27
50-64	2172	5.7	27	1	2	4	8	12	15	24
65+	1222	7.2	44	1	2	5	9	15	20	32
TOT. SINGLE DX	8645	4.0	13	1	1	3	5	9	11	17
" MULTIPLE DX	8235	5.8	30	1	2	4	8	12	15	27
TOTAL 0-19 YRS	472	3.8	15	1	1	2	4	8	11	18
20-34	4557	4.6	19	1	1	3	6	10	13	21
35-49	6386	4.7	20	1	1	3	6	10	13	22
50-64	3823	4.9	21	1	1	3	6	11	14	21
65+	1642	6.5	41	1	1	4	8	14	18	31
GRAND TOTAL	**16880**	**4.9**	**22**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	3.9	18	1	1	2	5	7	12	27
20-34	167	3.4	10	1	1	2	4	6	8	16
35-49	241	4.0	16	1	1	3	5	8	10	22
50-64	444	4.2	22	1	1	3	5	9	11	29
65+	463	3.9	11	1	1	3	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	91	6.4	44	1	2	4	7	13	21	37
20-34	257	6.1	49	1	2	4	7	11	17	37
35-49	577	6.4	40	1	2	5	8	13	16	32
50-64	1593	6.2	37	1	2	4	8	12	16	29
65+	2822	6.2	26	1	2	5	8	12	15	25
TOT. SINGLE DX	1377	3.9	16	1	1	3	5	8	11	22
" MULTIPLE DX	5340	6.2	33	1	2	5	8	12	16	28
TOTAL 0-19 YRS	153	5.3	35	1	1	4	6	11	17	33
20-34	424	5.0	36	1	1	3	6	10	15	30
35-49	818	5.7	34	1	2	4	7	11	15	28
50-64	2037	5.7	35	1	2	4	7	11	15	29
65+	3285	5.9	25	1	2	4	8	12	15	24
GRAND TOTAL	**6717**	**5.7**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	3.4	4	2	2	2	5	6	6	6
35-49	27	5.0	11	1	2	4	7	10	11	15
50-64	39	4.1	7	2	2	3	6	8	10	12
65+	13	4.7	11	2	2	3	8	10	11	11
2. MULTIPLE DX										
0-19 YRS										
20-34	8	5.9	4	4	4	5	7	9	10	10
35-49	72	5.7	14	2	2	5	8	11	11	20
50-64	180	6.0	21	2	2	5	8	12	14	20
65+	127	5.7	24	2	2	4	8	13	15	24
TOT. SINGLE DX	84	4.4	9	2	2	3	6	9	10	14
" MULTIPLE DX	387	5.9	20	2	2	5	8	12	14	21
TOTAL 0-19 YRS										
20-34	13	4.9	5	2	2	5	6	8	10	10
35-49	99	5.5	13	2	2	5	7	10	11	19
50-64	219	5.6	19	2	2	5	8	12	14	19
65+	140	5.6	23	2	2	4	8	12	15	22
GRAND TOTAL	**471**	**5.6**	**19**	**2**	**2**	**4**	**8**	**11**	**14**	**20**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	109	4.2	18	1	1	3	5	9	13	24
20-34	464	4.0	11	1	1	3	5	9	11	15
35-49	530	4.8	14	1	1	4	7	10	12	15
50-64	551	4.5	13	1	1	3	7	10	13	16
65+	526	5.0	16	1	1	3	7	11	13	18
2. MULTIPLE DX										
0-19 YRS	128	6.8	108	1	1	4	8	14	17	63
20-34	533	6.4	35	1	2	5	9	12	17	33
35-49	1023	6.3	34	1	2	5	8	12	16	30
50-64	2119	6.4	36	1	2	5	8	13	16	28
65+	3539	7.1	36	1	2	6	9	14	17	30
TOT. SINGLE DX	2180	4.6	15	1	1	3	7	10	12	16
" MULTIPLE DX	7342	6.7	37	1	2	5	9	13	17	29
TOTAL 0-19 YRS	237	5.6	69	1	1	3	7	11	15	49
20-34	997	5.3	26	1	1	4	7	11	14	26
35-49	1553	5.8	28	1	1	4	8	11	15	27
50-64	2670	6.0	32	1	2	4	8	12	15	26
65+	4065	6.8	34	1	2	5	9	13	17	28
GRAND TOTAL	**9522**	**6.2**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**27**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6959	3.5	22	1	1	2	4	6	8	23
20-34	9676	3.9	18	1	1	3	5	7	10	21
35-49	7323	4.2	17	1	1	3	5	8	11	21
50-64	5258	4.8	18	1	1	4	6	9	12	20
65+	4319	6.0	25	1	2	5	8	11	14	25
2. MULTIPLE DX										
0-19 YRS	11209	5.3	54	1	1	3	6	10	15	44
20-34	15136	5.1	31	1	1	4	6	9	13	31
35-49	18660	5.7	27	1	2	4	7	11	14	27
50-64	28037	6.5	31	2	2	5	8	12	16	30
65+	60177	7.9	41	2	3	6	10	15	19	34
TOT. SINGLE DX	33535	4.3	21	1	1	3	5	8	11	22
" MULTIPLE DX	133219	6.8	39	2	2	5	8	13	17	32
TOTAL 0-19 YRS	18168	4.6	43	1	1	3	5	8	12	37
20-34	24812	4.7	27	1	1	3	5	9	12	28
35-49	25983	5.3	25	1	2	4	7	10	13	26
50-64	33295	6.3	30	1	2	5	8	12	15	29
65+	64496	7.8	41	2	3	6	10	14	19	33
GRAND TOTAL	**166754**	**6.3**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2348	6.1	74	1	1	3	6	16	24	46
20-34	1342	6.6	48	1	1	4	8	13	19	36
35-49	1349	6.7	42	1	2	5	8	13	18	32
50-64	953	6.6	36	1	2	5	8	12	17	30
65+	786	7.6	49	2	2	6	9	14	20	37
2. MULTIPLE DX										
0-19 YRS	3434	7.2	120	1	2	4	6	15	28	68
20-34	1956	8.4	101	1	2	5	9	17	28	58
35-49	2579	7.8	60	2	2	6	9	15	22	42
50-64	4411	8.2	59	2	3	6	10	15	21	44
65+	9935	9.2	55	2	3	7	11	17	23	45
TOT. SINGLE DX	6778	6.5	55	1	1	4	8	14	21	38
" MULTIPLE DX	22315	8.5	76	2	2	6	10	16	24	50
TOTAL 0-19 YRS	5782	6.7	102	1	1	4	6	15	26	59
20-34	3298	7.6	81	1	2	5	9	15	24	51
35-49	3928	7.5	54	1	2	5	9	14	21	41
50-64	5364	7.9	55	2	2	6	9	14	20	42
65+	10721	9.1	64	2	3	7	11	17	23	45
GRAND TOTAL	**29093**	**8.0**	**72**	**1**	**2**	**6**	**9**	**16**	**23**	**48**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9, 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4102	3.8	30	1	1	3	4	6	9	27
20-34	2314	4.2	31	1	1	3	5	8	11	29
35-49	1996	4.5	26	1	1	3	5	9	11	25
50-64	1928	5.2	26	1	1	4	7	10	12	25
65+	1883	6.0	32	1	2	4	7	11	14	30
2. MULTIPLE DX										
0-19 YRS	7739	5.7	68	1	1	4	6	10	18	53
20-34	4744	5.3	40	1	1	4	6	10	15	32
35-49	7048	5.7	32	1	2	4	7	11	15	30
50-64	13901	6.4	30	2	2	5	8	12	15	29
65+	32386	7.7	41	2	3	6	9	14	19	34
TOT. SINGLE DX	12223	4.5	30	1	1	3	5	9	12	27
" MULTIPLE DX	65818	6.8	42	2	2	5	8	13	17	34
TOTAL 0-19 YRS	11841	5.0	56	1	1	3	5	9	14	47
20-34	7058	4.9	38	1	1	3	6	9	14	31
35-49	9044	5.4	31	1	2	4	7	10	14	30
50-64	15829	6.3	30	1	2	5	8	12	15	28
65+	34269	7.6	42	2	3	6	9	14	18	34
GRAND TOTAL	**78041**	**6.4**	**41**	**1**	**2**	**5**	**8**	**12**	**17**	**33**

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

R 3850-1.9 U

11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis, Western Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 5
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 17
    Summary of All Patients. 18
    Summary of All Patients Except Newborn 19
    Diagnosis Groups 1-398 20
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening — Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167710	2.3	8	<1	1	2	3	4	5	10
20-34	93536	2.6	16	<1	1	2	3	4	7	21
35-49	28963	3.8	25	<1	1	2	4	8	11	29
50-64	18371	4.0	21	1	1	3	5	8	11	26
65+	17555	4.4	24	1	1	3	5	8	11	25
B. *Operated*										
0-19 YRS	50601	2.4	7	<1	<1	2	3	5	6	12
20-34	121035	2.6	5	<1	1	2	3	5	6	11
35-49	51579	3.3	9	<1	1	2	4	7	9	14
50-64	39447	3.8	12	<1	1	3	5	8	10	15
65+	32361	4.8	18	<1	1	3	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148534	4.0	44	1	1	3	4	6	11	43
20-34	81714	5.2	59	1	1	3	5	12	22	43
35-49	68625	5.5	48	1	1	3	6	12	20	35
50-64	102394	5.5	34	1	1	4	7	11	15	30
65+	246420	6.1	31	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	48586	5.3	86	<1	1	3	5	11	20	61
20-34	157246	4.2	25	1	1	3	5	7	10	27
35-49	96586	5.6	40	1	1	4	6	10	15	34
50-64	106746	6.9	58	1	1	5	9	14	20	40
65+	170624	8.6	69	1	1	7	11	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326135	2.7	14	<1	1	2	3	5	7	18
B. *Operated*	295023	3.1	9	<1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	647687	5.4	40	1	1	4	6	11	16	34
B. *Operated*	579788	6.3	55	1	1	4	8	13	19	40
1. SINGLE DX	621158	2.9	12	<1	1	2	3	6	8	16
2. MULTIPLE DX	1227475	5.8	47	1	1	4	7	12	17	37
A. NOT OPERATED	973822	4.5	33	1	1	3	5	9	13	30
B. OPERATED	874811	5.2	42	1	1	3	6	11	16	33
TOTAL 0-19 YRS	415431	3.3	31	<1	1	2	3	5	8	32
20-34	453531	3.6	25	<1	1	2	4	6	10	28
35-49	245753	4.9	35	1	1	3	6	9	14	31
50-64	266958	5.7	41	1	1	4	7	12	16	33
65+	466960	6.9	46	1	1	5	9	14	18	35
GRAND TOTAL	**1848633**	**4.8**	**37**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

360 Hospitals, Western Region, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47078	2.9	24	<1	1	2	3	5	7	28
20-34	93536	2.6	16	<1	1	2	3	4	7	21
35-49	28963	3.8	25	<1	1	2	4	8	11	29
50-64	18371	4.0	21	1	1	3	5	8	11	26
65+	17555	4.4	24	1	1	3	5	8	11	25
B. *Operated*										
0-19 YRS	50566	2.4	7	<1	<1	2	3	5	6	12
20-34	121035	2.6	5	<1	1	2	3	5	6	11
35-49	51579	3.3	9	<1	1	2	4	7	9	14
50-64	39447	3.8	12	<1	1	3	5	8	10	15
65+	32361	4.8	18	<1	1	3	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62510	5.2	88	1	1	3	4	10	23	56
20-34	81714	5.2	59	1	1	3	5	12	22	43
35-49	68625	5.5	48	1	1	3	6	12	20	35
50-64	102394	5.5	34	1	1	4	7	11	15	30
65+	246420	6.1	31	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	44842	4.3	46	<1	1	2	5	9	14	38
20-34	157246	4.2	25	1	1	3	5	7	10	27
35-49	96586	5.6	40	1	1	4	6	10	15	34
50-64	106746	6.9	58	1	1	5	9	14	20	40
65+	170624	8.6	69	1	1	7	11	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205503	3.1	21	<1	1	2	3	6	9	25
B. *Operated*	294988	3.1	9	<1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	561663	5.7	44	1	1	4	7	11	17	36
B. *Operated*	576044	6.2	52	1	1	4	8	13	18	38
1. SINGLE DX	500491	3.1	14	<1	1	2	4	6	9	17
2. MULTIPLE DX	1137707	6.0	48	1	1	4	7	12	18	37
A. NOT OPERATED	767166	5.0	39	1	1	3	6	10	15	33
B. OPERATED	871032	5.2	39	<1	1	3	6	11	15	32
TOTAL 0-19 YRS	204996	3.8	45	<1	1	2	4	7	12	42
20-34	453531	3.6	25	<1	1	2	4	6	10	28
35-49	245753	4.9	35	1	1	3	6	9	14	31
50-64	266958	5.7	41	1	1	4	7	12	16	33
65+	466960	6.9	46	1	1	5	9	14	18	35
GRAND TOTAL	**1638198**	**5.1**	**39**	**1**	**1**	**3**	**6**	**11**	**15**	**32**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	4.1	8	1	1	3	5	8	11	13
20-34	14	3.8	10	1	1	3	5	7	12	13
35-49	13	4.6	4	2	2	4	6	7	8	8
50-64	16	4.7	13	1	1	4	6	11	12	12
65+	33	5.9	16	1	2	5	7	10	15	21
B. *Operated*										
0-19 YRS	4	8.8	7	5	5	9	10	11	11	11
20-34	2	25.0	578	8	8	25	42	42	42	42
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	515	5.5	17	1	2	4	7	11	14	19
20-34	216	7.2	24	2	3	6	9	13	16	28
35-49	260	8.4	47	2	3	7	10	15	20	33
50-64	562	8.9	45	3	4	7	11	15	19	30
65+	2665	9.4	38	3	4	8	11	16	20	32
B. *Operated*										
0-19 YRS	59	13.0	111	2	3	10	17	26	32	60
20-34	91	14.2	192	3	4	10	18	31	45	99+
35-49	128	15.2	173	3	4	13	19	36	53	99+
50-64	236	16.2	190	3	5	12	20	34	44	78
65+	673	17.7	155	6	7	14	22	33	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	4.3	9	1	1	3	6	8	11	14
B. *Operated*	9	12.0	132	5	5	9	11	30	42	42
2. MULTIPLE DX										
A. *Not Operated*	4218	8.7	38	2	3	7	11	15	19	30
B. *Operated*	1187	16.6	166	4	5	13	21	33	44	92
1. SINGLE DX	319	4.5	14	1	1	4	6	9	11	15
2. MULTIPLE DX	5405	10.4	76	3	3	8	12	19	27	48
A. NOT OPERATED	4528	8.4	37	2	3	7	10	15	19	30
B. OPERATED	1196	16.6	166	4	5	13	21	33	44	91
TOTAL 0-19 YRS	812	5.6	25	1	2	4	7	11	14	26
20-34	323	9.1	85	2	3	7	10	19	28	77
35-49	402	10.5	96	2	3	7	13	21	31	68
50-64	814	10.9	98	3	4	8	12	20	28	58
65+	3373	11.0	72	3	4	9	13	20	27	46
GRAND TOTAL	**5724**	**10.1**	**75**	**2**	**3**	**8**	**12**	**19**	**26**	**46**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	5.4	22	1	1	4	8	10	11	16
20-34	43	4.5	11	1	2	3	6	9	12	14
35-49	29	6.4	20	2	2	5	8	15	16	16
50-64	12	4.7	19	1	1	3	6	11	15	16
65+	13	5.2	4	2	2	6	6	7	8	8
B. *Operated*										
0-19 YRS	13	7.6	89	<1	<1	6	9	16	33	37
20-34	9	4.8	9	2	2	4	6	10	10	10
35-49	7	5.9	7	3	3	7	7	9	10	10
50-64	7	9.6	49	1	2	8	16	20	20	20
65+	4	11.0	134	2	2	7	18	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	7.3	30	2	2	6	10	13	15	31
20-34	92	4.7	14	2	2	3	6	9	14	20
35-49	38	6.5	36	2	2	4	8	15	19	29
50-64	70	7.9	37	2	2	6	9	16	20	33
65+	162	7.4	36	2	3	6	9	14	17	22
B. *Operated*										
0-19 YRS	20	9.2	159	<1	<1	5	10	25	43	52
20-34	27	8.9	33	1	3	8	13	17	22	23
35-49	33	11.4	191	1	1	7	13	26	45	66
50-64	38	17.4	216	3	4	12	25	34	49	68
65+	64	14.6	144	3	5	12	19	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	5.3	19	1	1	4	7	10	12	16
B. *Operated*	40	7.4	52	<1	1	6	9	14	24	37
2. MULTIPLE DX										
A. *Not Operated*	526	6.9	31	2	2	5	9	14	16	27
B. *Operated*	182	13.2	159	1	3	9	17	28	35	65
1. SINGLE DX	301	5.6	23	1	1	4	8	10	12	24
2. MULTIPLE DX	708	8.5	72	2	2	6	10	16	23	50
A. NOT OPERATED	787	6.4	28	1	2	5	9	12	15	25
B. OPERATED	222	12.1	145	1	2	8	15	26	34	65
TOTAL 0-19 YRS	361	6.6	36	1	2	5	9	11	14	37
20-34	171	5.3	18	1	2	4	7	11	14	22
35-49	107	7.9	81	2	2	5	9	16	23	56
50-64	127	10.5	109	2	2	7	12	24	32	60
65+	243	9.2	74	2	3	7	12	18	23	58
GRAND TOTAL	**1009**	**7.6**	**59**	**1**	**2**	**6**	**10**	**15**	**21**	**42**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	815	2.5	7	1	1	2	3	5	6	13
20-34	488	2.5	3	1	1	2	3	4	6	10
35-49	202	2.8	4	1	1	2	3	5	7	10
50-64	131	2.6	3	<1	1	2	3	4	6	9
65+	79	2.9	3	1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	21	4.7	10	1	2	4	5	8	13	16
20-34	36	5.2	21	1	2	4	6	10	17	23
35-49	18	6.1	22	1	2	5	9	13	16	18
50-64	8	5.9	12	2	2	5	8	11	11	11
65+	5	4.4	3	2	2	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1671	3.0	11	1	1	2	3	5	7	13
20-34	864	2.7	4	1	1	2	3	5	6	11
35-49	576	3.3	6	1	1	3	4	6	8	12
50-64	523	3.7	14	1	1	3	4	7	9	14
65+	1074	4.6	13	1	2	4	6	8	11	19
B. *Operated*										
0-19 YRS	54	8.4	91	2	3	5	10	17	31	44
20-34	88	5.6	22	1	2	4	7	14	19	70
35-49	51	10.2	106	2	3	7	10	20	35	51
50-64	53	6.9	31	2	2	5	9	13	21	26
65+	95	8.4	57	2	3	6	10	16	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1715	2.6	5	1	1	2	3	5	6	10
B. *Operated*	88	5.3	17	2	2	4	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	4708	3.4	10	1	1	3	4	6	8	14
B. *Operated*	341	7.7	58	2	2	6	9	15	24	47
1. SINGLE DX	1803	2.7	6	1	1	2	3	5	7	12
2. MULTIPLE DX	5049	3.7	15	1	1	3	4	7	9	18
A. NOT OPERATED	6423	3.2	9	1	1	2	4	6	8	14
B. OPERATED	429	7.2	51	2	2	5	8	14	21	45
TOTAL 0-19 YRS	2561	3.0	12	1	1	2	3	5	7	15
20-34	1476	2.8	6	1	1	2	3	5	7	14
35-49	847	3.6	14	1	1	3	4	7	9	17
50-64	715	3.8	14	1	1	3	4	7	9	16
65+	1253	4.8	17	1	2	4	6	9	12	23
GRAND TOTAL	**6852**	**3.4**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**16**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.6	8	1	1	3	4	8	10	11
20-34	12	10.8	52	2	3	10	13	21	27	28
35-49	8	11.4	123	3	3	7	14	31	36	36
50-64	7	6.0	17	2	2	5	7	13	14	14
65+	9	5.3	12	1	1	6	7	10	12	12
B. *Operated*										
0-19 YRS	3	10.0	49	2	2	13	14	15	15	15
20-34	12	6.7	15	2	3	7	7	11	16	17
35-49	4	5.5	6	2	2	6	7	7	7	7
50-64	5	4.6	21	1	1	2	7	12	12	12
65+	6	10.3	57	5	5	7	12	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.9	21	1	1	8	10	13	13	13
20-34	35	10.6	78	2	2	7	16	21	31	39
35-49	28	10.5	150	2	3	7	13	25	36	60
50-64	34	9.1	74	3	4	7	11	17	18	51
65+	77	12.0	77	2	3	10	15	22	30	42
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	15	15.4	162	1	2	14	20	28	44	50
35-49	25	12.3	154	3	4	9	13	20	40	64
50-64	33	10.7	49	3	4	8	15	23	25	27
65+	68	13.2	62	4	4	11	17	25	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	7.2	46	1	2	5	9	14	19	36
B. *Operated*	30	7.2	27	2	2	7	7	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	181	10.7	86	2	3	8	13	21	30	49
B. *Operated*	143	12.5	85	3	4	10	16	25	29	51
1. SINGLE DX	80	7.2	38	1	2	6	9	14	18	34
2. MULTIPLE DX	324	11.5	86	3	3	9	15	22	29	50
A. NOT OPERATED	231	10.0	79	2	3	7	13	19	29	45
B. OPERATED	173	11.6	79	2	4	9	15	24	28	47
TOTAL 0-19 YRS	26	5.2	18	1	1	3	8	13	14	15
20-34	74	10.9	85	2	2	8	16	21	28	47
35-49	65	11.0	137	2	3	7	13	20	34	63
50-64	79	9.2	57	2	3	7	12	18	24	44
65+	160	12.1	68	3	3	10	16	24	29	38
GRAND TOTAL	**404**	**10.7**	**79**	**2**	**3**	**8**	**14**	**21**	**28**	**46**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	27.0		27	27	27	27	27	27	27
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS										
20-34	4	2.8	12	1	1	1	5	8	8	8
35-49	6	13.7	231	1	1	6	31	35	35	35
50-64										
65+	4	6.0	13	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	4	15.8	341	3	3	8	27	43	43	43
35-49	6	12.7	24	8	8	11	17	20	20	20
50-64	8	8.5	55	3	3	6	10	21	25	25
65+	10	10.3	58	<1	1	10	18	19	20	20
B. *Operated*										
0-19 YRS	6	7.8	86	<1	<1	3	14	23	24	24
20-34	7	10.9	76	1	1	9	15	25	27	27
35-49	8	19.9	604	<1	1	9	27	63	73	73
50-64	12	15.9	68	2	5	17	23	27	27	27
65+	21	19.2	230	3	3	19	27	55	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	15.7	177	1	1	19	25	27	27	27
B. *Operated*	14	8.4	119	1	1	4	8	31	34	35
2. MULTIPLE DX										
A. *Not Operated*	31	10.3	80	2	3	7	15	20	25	43
B. *Operated*	54	16.2	215	1	3	12	25	30	56	99
1. SINGLE DX	17	9.6	127	1	1	4	12	30	34	35
2. MULTIPLE DX	85	14.1	172	1	3	10	20	27	45	90
A. NOT OPERATED	34	10.8	85	1	3	8	17	21	27	43
B. OPERATED	68	14.6	203	1	1	10	23	31	54	95
TOTAL 0-19 YRS	9	6.2	60	<1	<1	3	6	20	24	24
20-34	16	9.4	129	1	1	7	11	26	38	43
35-49	20	15.9	301	<1	2	9	18	37	56	73
50-64	21	13.6	79	2	3	12	22	27	27	27
65+	36	15.3	174	2	3	14	21	30	56	99+
GRAND TOTAL	**102**	**13.3**	**166**	**1**	**1**	**9**	**19**	**28**	**41**	**86**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	2.5	5	1	1	2	3	4	5	16
20-34	49	2.2	1	1	1	2	3	4	4	5
35-49	17	2.9	1	2	2	2	4	4	5	6
50-64	4	3.0	5	1	1	2	4	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	25	1.3	1	<1	<1	1	1	2	3	5
20-34	11	1.5	1	1	1	1	2	3	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	2.4	2	1	1	2	3	4	6	7
20-34	135	2.8	2	1	1	3	4	5	6	7
35-49	47	3.1	4	1	1	3	4	6	7	11
50-64	27	3.6	5	2	2	3	3	6	9	12
65+	22	4.8	7	2	2	4	6	9	10	12
B. *Operated*										
0-19 YRS	17	2.2	11	1	1	1	1	5	11	14
20-34	7	1.6	1	1	1	1	2	3	3	3
35-49	3	5.0	12	1	1	7	7	7	7	7
50-64	2	3.0	8	<1	<1	2	5	5	5	5
65+	2	5.5	1	5	5	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.5	4	1	1	2	3	4	5	10
B. *Operated*	38	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	485	2.8	3	1	1	2	3	5	6	9
B. *Operated*	31	2.6	8	1	1	1	4	6	7	14
1. SINGLE DX	191	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	516	2.8	3	1	1	2	3	5	6	9
A. NOT OPERATED	638	2.7	3	1	1	2	3	4	6	9
B. OPERATED	69	1.9	4	<1	1	1	2	5	6	13
TOTAL 0-19 YRS	378	2.4	3	1	1	2	3	4	5	9
20-34	202	2.6	2	1	1	2	3	4	5	7
35-49	69	3.1	4	1	1	3	4	6	7	10
50-64	33	3.5	5	1	2	3	4	6	8	12
65+	25	4.8	6	2	3	4	6	8	10	12
GRAND TOTAL	**707**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	542	3.0	3	1	1	3	4	5	6	9
20-34	328	3.1	3	1	1	3	4	5	6	10
35-49	82	3.2	5	1	1	3	4	5	7	13
50-64	11	3.4	3	1	1	3	5	6	6	6
65+	3	5.0	1	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	6	6	6
20-34	8	4.9	7	3	3	4	6	9	10	10
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	265	3.7	9	1	2	3	4	6	9	13
20-34	187	4.4	12	1	1	4	6	8	9	22
35-49	83	4.6	11	1	2	4	6	8	11	18
50-64	33	6.6	21	1	2	6	9	13	14	22
65+	19	5.5	14	2	3	4	7	10	14	17
B. *Operated*										
0-19 YRS	10	17.9	593	1	1	12	16	57	81	81
20-34	9	9.8	69	3	3	8	9	23	31	31
35-49	2	18.0	18	15	15	18	21	21	21	21
50-64	5	12.4	78	7	7	8	15	28	28	28
65+	3	7.7	6	5	5	8	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	966	3.1	3	1	1	3	4	5	6	10
B. *Operated*	13	4.2	6	1	2	3	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	587	4.3	11	1	2	3	5	8	10	19
B. *Operated*	29	13.4	239	2	2	8	15	30	36	81
1. SINGLE DX	979	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX	616	4.7	26	1	2	3	6	8	12	25
A. NOT OPERATED	1553	3.5	7	1	1	3	4	6	8	13
B. OPERATED	42	10.5	184	1	2	7	11	23	32	81
TOTAL 0-19 YRS	821	3.4	14	1	1	3	4	5	7	13
20-34	532	3.7	8	1	1	3	5	7	8	14
35-49	167	4.1	11	1	1	3	5	8	11	19
50-64	50	6.4	27	1	2	5	8	12	14	28
65+	25	5.7	11	2	3	5	7	10	12	17
GRAND TOTAL	**1595**	**3.7**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.2	7	1	1	2	3	7	8	14
20-34	70	4.2	6	1	1	4	6	8	9	13
35-49	24	4.1	4	1	2	4	5	7	8	8
50-64	31	3.9	3	1	2	4	5	6	7	8
65+	62	4.5	9	1	1	4	6	8	10	16
B. *Operated*										
0-19 YRS	3	5.3	34	1	1	3	10	12	12	12
20-34	3	5.0	4	3	3	5	6	7	7	7
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	7	4.0	11	1	1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	3.7	7	1	1	3	4	7	9	13
20-34	122	5.6	82	1	2	4	6	9	12	45
35-49	78	6.3	43	2	2	5	7	10	14	44
50-64	163	6.9	19	2	3	6	9	12	15	22
65+	589	7.0	28	2	2	6	8	14	18	29
B. *Operated*										
0-19 YRS	9	13.8	227	3	3	6	18	40	49	49
20-34	20	11.0	199	1	1	6	11	25	44	62
35-49	15	7.1	21	2	3	6	10	19	76	99+
50-64	30	11.3	140	1	2	8	14	27	37	54
65+	66	11.6	116	1	2	9	16	25	29	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	3.9	7	1	1	3	5	8	8	13
B. *Operated*	22	3.5	9	1	1	3	4	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	1264	6.0	30	1	2	5	7	11	15	24
B. *Operated*	140	11.1	128	1	2	8	14	25	33	71
1. SINGLE DX	312	3.8	7	1	1	3	5	8	9	13
2. MULTIPLE DX	1404	6.5	42	1	2	5	8	12	18	32
A. NOT OPERATED	1554	5.6	26	1	2	4	7	10	14	23
B. OPERATED	162	10.1	119	1	1	7	13	24	30	67
TOTAL 0-19 YRS	427	3.8	14	1	1	3	4	7	10	15
20-34	215	5.6	70	1	2	4	6	9	13	39
35-49	122	5.8	32	2	2	4	7	10	13	63
50-64	228	7.0	36	1	2	6	8	13	16	32
65+	724	7.2	37	2	2	6	9	15	19	32
GRAND TOTAL	**1716**	**6.0**	**37**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	3.6	5	1	1	3	5	6	8	10
20-34	172	4.5	10	1	2	4	6	8	9	18
35-49	43	5.7	14	1	2	5	8	10	13	19
50-64	28	6.8	31	2	3	5	8	12	15	31
65+	9	5.2	8	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	1.2		<1	<1	1	1	2	2	2
35-49	13	2.1	9	1	1	1	2	5	11	12
50-64	4	3.5	19	1	1	2	6	10	10	10
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.5	8	1	2	4	6	8	10	14
20-34	256	4.9	28	1	2	4	6	8	10	37
35-49	104	5.2	14	1	2	4	6	10	13	20
50-64	89	5.6	21	1	2	5	7	10	13	28
65+	81	7.2	23	2	3	6	8	14	19	23
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	18	7.5	41	1	2	6	11	14	22	28
35-49	10	11.9	125	1	1	10	16	28	39	39
50-64	16	16.0	533	1	1	8	15	45	78	91
65+	14	19.0	609	1	3	9	10	64	69	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	4.7	12	1	2	4	6	8	10	18
B. *Operated*	29	1.9	7	<1	<1	1	2	3	10	12
2. MULTIPLE DX										
A. *Not Operated*	592	5.3	22	1	2	4	7	9	13	20
B. *Operated*	60	13.2	323	1	1	7	12	33	60	89
1. SINGLE DX	349	4.5	12	1	1	4	6	8	10	18
2. MULTIPLE DX	652	6.0	55	1	2	4	7	10	14	44
A. NOT OPERATED	912	5.1	19	1	2	4	6	9	12	20
B. OPERATED	89	9.5	247	1	1	5	10	19	48	83
TOTAL 0-19 YRS	133	4.0	7	1	1	3	6	7	9	12
20-34	456	4.7	22	1	1	4	6	8	10	23
35-49	170	5.5	23	1	1	4	7	12	14	20
50-64	137	7.0	90	1	2	5	8	12	16	54
65+	105	8.6	112	2	2	6	9	14	20	67
GRAND TOTAL	**1001**	**5.5**	**40**	**1**	**1**	**4**	**6**	**9**	**13**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.2	4	1	1	3	4	5	6	13
20-34	31	2.9	3	1	1	2	3	6	7	7
35-49	13	5.2	6	2	2	5	7	8	10	10
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	282	3.0	3	1	1	3	4	5	6	9
20-34	77	4.4	11	2	2	3	5	9	12	17
35-49	23	4.8	11	1	1	4	7	10	11	11
50-64	6	4.8	8	2	2	4	7	9	9	9
65+	3	6.0	16	2	2	6	9	10	10	10
B. *Operated*										
0-19 YRS	6	7.8	12	3	3	8	11	12	12	12
20-34	7	9.6	25	4	4	9	11	17	19	19
35-49	3	19.0	243	10	10	10	30	37	37	37
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	3.3	4	1	1	3	4	5	7	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	391	3.5	5	1	1	3	4	6	8	12
B. *Operated*	20	9.6	57	2	3	9	11	15	28	37
1. SINGLE DX	160	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX	411	3.8	9	1	1	3	4	7	9	14
A. NOT OPERATED	551	3.4	5	1	1	3	4	6	8	11
B. OPERATED	20	9.6	57	2	3	9	11	15	28	37
TOTAL 0-19 YRS	402	3.2	3	1	1	3	4	5	6	10
20-34	115	4.3	11	1	2	3	5	9	11	18
35-49	39	6.0	35	1	1	5	8	10	11	37
50-64	11	4.2	7	1	1	3	6	8	9	9
65+	4	6.5	12	2	2	7	9	10	10	10
GRAND TOTAL	**571**	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	35	1.4	1	<1	<1	1	1	2	3	7
20-34	109	1.3		<1	<1	1	1	2	2	5
35-49	30	1.2		<1	<1	1	1	2	3	3
50-64	20	1.4	1	<1	<1	1	2	2	3	4
65+	4	2.5	6	<1	<1	1	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	9	1.8	1	1	1	1	3	4	4	4
20-34	50	2.6	6	<1	1	2	3	5	7	14
35-49	19	2.4	2	<1	1	2	3	5	5	5
50-64	9	3.8	8	<1	<1	3	5	8	10	10
65+	10	2.5	2	1	1	2	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*	198	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	6	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	97	2.6	4	<1	1	2	3	5	6	12
1. SINGLE DX	201	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	103	2.5	4	<1	1	2	3	5	6	12
A. NOT OPERATED	9	1.7	1	<1	<1	2	2	3	3	3
B. OPERATED	295	1.7	2	<1	<1	1	2	4	4	8
TOTAL 0-19 YRS	47	1.5	1	<1	<1	1	1	3	3	7
20-34	164	1.7	2	<1	<1	1	2	3	4	8
35-49	49	1.7	1	<1	<1	1	2	3	4	5
50-64	29	2.1	4	<1	<1	1	2	4	6	10
65+	15	2.4	3	<1	<1	2	4	5	6	6
GRAND TOTAL	**304**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	737	2.5	2	1	1	2	3	4	5	7
20-34	203	2.6	3	1	1	2	3	4	6	8
35-49	102	3.2	5	1	1	3	4	6	8	10
50-64	55	3.4	6	1	1	3	4	7	8	12
65+	45	4.5	90	1	1	2	4	7	9	65
B. *Operated*										
0-19 YRS	23	3.6	11	<1	1	3	4	9	12	14
20-34	11	5.1	17	1	1	5	9	11	11	11
35-49	10	3.7	9	<1	<1	3	5	8	10	10
50-64	6	6.8	52	<1	<1	4	7	20	21	21
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1115	2.8	9	1	1	2	3	4	6	11
20-34	419	3.1	15	1	1	2	4	5	7	14
35-49	328	3.2	8	1	1	3	4	6	8	19
50-64	272	3.7	7	1	1	3	5	6	8	14
65+	508	4.3	11	1	2	3	5	8	11	16
B. *Operated*										
0-19 YRS	27	10.8	196	1	2	6	11	30	45	61
20-34	30	6.6	15	1	2	6	8	12	16	16
35-49	42	10.2	153	1	2	6	12	24	41	62
50-64	35	10.0	81	1	2	7	13	29	33	99+
65+	31	10.7	57	2	3	8	15	24	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1142	2.7	6	1	1	2	3	4	6	9
B. *Operated*	51	4.4	16	<1	1	3	6	10	11	21
2. MULTIPLE DX										
A. *Not Operated*	2642	3.3	10	1	1	3	4	6	8	15
B. *Operated*	165	9.7	101	1	2	7	12	24	31	62
1. SINGLE DX	1193	2.8	7	1	1	2	3	4	6	10
2. MULTIPLE DX	2807	3.7	18	1	1	3	4	7	9	22
A. NOT OPERATED	3784	3.1	9	1	1	3	4	5	7	13
B. OPERATED	216	8.5	86	1	1	6	10	19	28	61
TOTAL 0-19 YRS	1902	2.8	10	1	1	2	3	4	6	12
20-34	663	3.1	12	1	1	2	4	6	7	14
35-49	482	3.8	24	1	1	3	4	7	10	23
50-64	368	4.3	18	1	1	3	5	8	12	28
65+	585	4.7	21	1	2	3	6	9	12	24
GRAND TOTAL	**4000**	**3.4**	**15**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	4	1	1	1	4	6	6	6
20-34	26	2.7	3	<1	1	2	3	5	6	8
35-49	17	4.4	6	1	2	3	6	9	10	10
50-64	6	5.5	9	2	2	5	7	10	10	10
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	6.0		5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.1	4	1	1	3	4	5	7	9
20-34	18	3.3	2	1	2	3	4	5	6	7
35-49	13	4.0	3	2	2	4	5	6	8	8
50-64	8	5.0	9	1	2	5	6	10	11	11
65+	7	4.0	10	1	1	3	5	9	10	10
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	59.0		59	59	59	59	59	59	59
65+	2	10.0	162	1	1	10	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.4	5	1	1	3	4	7	8	10
B. *Operated*	7	6.9	9	3	3	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	65	3.7	4	1	1	3	5	6	8	11
B. *Operated*	5	17.2	598	1	1	5	29	59	59	59
1. SINGLE DX	67	3.8	7	1	1	3	5	8	9	11
2. MULTIPLE DX	70	4.6	51	1	1	3	5	7	10	51
A. NOT OPERATED	125	3.6	5	1	1	3	4	7	8	10
B. OPERATED	12	11.2	251	1	2	6	10	31	55	59
TOTAL 0-19 YRS	31	3.2	5	1	1	3	4	6	9	9
20-34	46	3.1	3	1	1	3	4	5	7	9
35-49	31	4.4	6	2	2	4	5	8	10	11
50-64	16	8.5	189	1	2	5	7	11	45	59
65+	13	5.0	25	1	1	4	6	12	18	19
GRAND TOTAL	**137**	**4.2**	**29**	**1**	**1**	**3**	**5**	**7**	**10**	**24**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	4.0	3	2	2	4	5	6	7	11
20-34	109	3.9	4	1	2	3	5	7	8	11
35-49	8	3.3	1	2	2	3	4	5	5	5
50-64	6	6.2	22	1	1	6	10	12	12	12
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	5	3.2	5	<1	<1	2	5	6	6	6
20-34	21	2.9	8	<1	<1	2	4	5	9	13
35-49	6	2.3	4	1	1	2	3	6	6	6
50-64	3	5.3	56	<1	<1	1	11	14	14	14
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.3	6	1	2	4	6	8	9	13
20-34	106	4.0	4	1	2	4	5	7	8	10
35-49	23	6.5	21	1	2	5	9	15	16	16
50-64	15	8.3	12	1	3	10	10	12	12	12
65+	17	8.5	94	<1	1	5	15	19	31	37
B. *Operated*										
0-19 YRS	9	5.9	24	2	2	4	6	14	18	18
20-34	38	6.4	21	1	2	6	8	13	16	22
35-49	13	7.1	24	<1	2	5	10	15	17	17
50-64	16	5.0	9	<1	1	5	7	9	10	11
65+	7	12.0	52	1	2	12	14	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	4.0	5	1	2	4	5	7	9	12
B. *Operated*	36	3.0	9	<1	<1	2	4	6	11	14
2. MULTIPLE DX										
A. *Not Operated*	224	5.0	16	1	2	4	6	10	11	18
B. *Operated*	83	6.7	24	1	2	5	8	13	17	24
1. SINGLE DX	234	3.9	6	1	2	3	5	6	9	13
2. MULTIPLE DX	307	5.5	18	1	2	4	7	10	14	20
A. NOT OPERATED	422	4.6	11	1	2	4	5	8	10	16
B. OPERATED	119	5.6	22	<1	1	4	8	13	15	23
TOTAL 0-19 YRS	151	4.2	6	1	2	4	5	7	8	13
20-34	274	4.2	8	1	2	4	5	7	9	15
35-49	50	5.6	19	1	1	4	7	13	16	17
50-64	40	6.5	16	<1	1	7	10	11	12	14
65+	26	9.5	79	<1	1	8	14	19	27	37
GRAND TOTAL	**541**	**4.8**	**13**	**1**	**2**	**4**	**6**	**9**	**12**	**17**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	5	<1	<1	2	3	7	8	8
20-34	9	4.9	29	1	1	3	4	13	19	19
35-49	7	11.4	269	1	1	4	13	41	47	47
50-64	3	4.7	14	2	2	3	7	9	9	9
65+	6	8.0	25	2	2	7	9	16	17	17
B. *Operated*										
0-19 YRS	3	6.0	21	<1	<1	7	9	10	10	10
20-34	6	7.3	13	4	4	6	11	12	12	12
35-49	13	7.2	38	1	1	6	8	17	22	23
50-64	23	8.1	100	1	2	6	9	11	26	52
65+	16	6.1	4	2	3	6	8	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.0	19	1	1	3	7	11	12	20
20-34	51	8.1	103	1	2	5	11	15	22	66
35-49	45	8.7	184	<1	1	5	8	21	32	80
50-64	31	6.2	7	2	2	6	8	10	10	11
65+	102	9.3	63	2	3	7	11	20	29	38
B. *Operated*										
0-19 YRS	4	21.0	388	4	4	20	38	40	40	40
20-34	54	20.4	428	2	4	13	28	67	76	99+
35-49	53	15.8	276	2	4	9	19	38	56	82
50-64	56	13.4	180	2	2	8	16	36	45	56
65+	75	13.9	135	1	3	10	22	28	40	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	6.3	74	1	1	3	8	15	19	47
B. *Operated*	61	7.2	48	1	2	6	8	11	14	49
2. MULTIPLE DX										
A. *Not Operated*	258	8.1	81	1	2	6	10	15	25	43
B. *Operated*	242	15.8	248	2	3	10	22	36	51	84
1. SINGLE DX	94	6.9	56	1	2	6	8	11	17	50
2. MULTIPLE DX	500	11.8	176	1	2	7	14	28	38	74
A. NOT OPERATED	291	7.9	81	1	2	5	10	15	24	46
B. OPERATED	303	14.0	219	2	3	8	17	32	45	80
TOTAL 0-19 YRS	44	6.1	64	<1	1	3	7	11	25	40
20-34	120	13.3	278	1	2	7	16	31	66	96
35-49	118	11.9	223	1	1	7	15	31	44	81
50-64	113	10.1	121	2	2	7	10	21	40	55
65+	199	10.8	90	2	3	8	13	24	30	48
GRAND TOTAL	**594**	**11.0**	**161**	**1**	**2**	**7**	**12**	**27**	**36**	**69**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	9.3	29	3	3	9	13	16	16	16
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	8	2.5	3	<1	<1	2	3	5	6	6
20-34	7	4.7	15	<1	<1	3	7	11	12	12
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	2	11.5	61	6	6	11	17	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.8	104	1	1	6	7	25	32	32
20-34	11	3.8	10	1	1	2	5	9	10	10
35-49	9	3.8	4	1	1	4	4	7	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	9	12.4	198	3	3	6	15	37	46	46
35-49	4	7.0	21	2	2	6	10	13	13	13
50-64	5	10.0	24	4	4	9	15	15	15	15
65+	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	6.2	21	<1	1	5	8	14	16	16
B. *Operated*	19	4.6	17	<1	<1	3	6	10	15	17
2. MULTIPLE DX										
A. *Not Operated*	30	5.1	35	1	1	3	7	9	13	32
B. *Operated*	22	10.3	108	2	3	6	13	24	35	46
1. SINGLE DX	28	5.1	18	<1	<1	4	6	11	16	17
2. MULTIPLE DX	52	7.3	71	1	1	4	8	15	27	46
A. NOT OPERATED	39	5.3	32	1	1	4	7	10	15	32
B. OPERATED	41	7.6	72	<1	2	5	8	16	25	46
TOTAL 0-19 YRS	20	4.9	46	<1	<1	3	6	7	20	32
20-34	31	7.2	76	1	2	5	9	14	23	46
35-49	18	4.7	8	1	2	4	6	8	11	13
50-64	8	9.3	34	1	2	8	15	16	17	17
65+	3	13.7	169	<1	<1	13	23	27	27	27
GRAND TOTAL	**80**	**6.5**	**53**	**<1**	**1**	**4**	**7**	**14**	**20**	**42**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	5	5	5
20-34	9	4.9	16	1	1	5	6	11	14	14
35-49	8	5.4	22	1	1	4	6	13	16	16
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	35	2.6	9	<1	1	1	3	7	8	15
35-49	22	3.5	7	<1	1	3	5	7	10	12
50-64	14	4.0	14	1	1	3	5	11	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.1	3	1	1	3	5	6	6	6
20-34	59	7.4	43	1	2	5	10	16	22	32
35-49	72	6.9	31	1	2	6	9	13	17	30
50-64	37	8.8	34	1	2	7	11	18	21	24
65+	36	5.9	11	1	2	5	8	10	13	13
B. *Operated*										
0-19 YRS	8	16.8	133	4	5	13	22	36	40	40
20-34	124	13.6	95	1	2	13	19	25	31	46
35-49	133	13.9	87	2	3	13	20	25	29	47
50-64	57	13.6	100	1	2	11	19	27	31	48
65+	19	9.9	57	1	2	8	13	19	28	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.3	14	1	1	3	6	7	14	16
B. *Operated*	71	3.2	10	<1	1	2	5	7	11	15
2. MULTIPLE DX										
A. *Not Operated*	220	6.9	31	1	2	6	9	13	18	28
B. *Operated*	341	13.6	92	1	2	12	19	25	31	46
1. SINGLE DX	98	3.5	11	1	1	2	5	7	12	16
2. MULTIPLE DX	561	11.0	78	1	2	9	16	22	27	44
A. NOT OPERATED	247	6.6	30	1	2	5	9	13	17	27
B. OPERATED	412	11.8	93	1	1	9	17	24	29	45
TOTAL 0-19 YRS	29	6.8	74	1	1	4	7	17	27	40
20-34	227	10.0	83	1	1	7	15	22	27	44
35-49	235	10.5	76	1	2	8	15	21	26	40
50-64	111	10.5	77	1	1	8	16	23	27	41
65+	57	7.1	30	1	2	7	10	13	14	31
GRAND TOTAL	**659**	**9.9**	**75**	**1**	**1**	**7**	**14**	**21**	**26**	**43**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	11.0	50	6	6	11	16	16	16	16
35-49	1	13.0		13	13	13	13	13	13	13
50-64	5	10.6	29	4	4	13	14	17	17	17
65+	2	6.5	61	1	1	6	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*	5	4.8	35	1	1	2	7	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	10	10.1	29	1	2	12	13	16	17	17
1. SINGLE DX	6	6.0	37	1	1	3	12	15	15	15
2. MULTIPLE DX	12	8.9	32	1	1	9	13	16	17	17
A. NOT OPERATED	3	6.0	31	1	1	5	10	12	12	12
B. OPERATED	15	8.3	36	1	1	6	13	16	17	17
TOTAL 0-19 YRS										
20-34	3	12.3	30	6	6	15	16	16	16	16
35-49	3	5.3	44	1	1	2	10	13	13	13
50-64	8	7.5	37	1	1	5	13	16	17	17
65+	4	7.5	30	1	1	8	12	12	12	12
GRAND TOTAL	**18**	**7.9**	**34**	**1**	**1**	**6**	**13**	**16**	**17**	**17**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	5.0	17	2	2	3	7	11	11	11
50-64	9	4.6	11	1	1	4	6	10	12	12
65+	6	2.8	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	10	3.1	4	1	1	3	3	6	7	7
20-34	25	4.5	14	1	1	3	7	10	12	14
35-49	62	2.9	6	<1	1	2	4	7	8	10
50-64	147	3.8	18	<1	1	2	4	9	13	20
65+	132	3.3	11	<1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	6	3.8	10	<1	<1	3	5	9	9	9
35-49	14	6.1	33	<1	1	5	7	12	21	23
50-64	61	6.3	36	<1	1	5	8	11	15	38
65+	72	7.2	46	1	1	5	8	15	22	37
B. *Operated*										
0-19 YRS	7	7.6	56	1	1	4	11	20	22	22
20-34	14	7.6	49	<1	1	5	9	19	22	23
35-49	76	8.8	109	1	1	6	12	19	27	60
50-64	359	9.2	102	1	1	6	13	20	29	61
65+	468	9.7	131	1	1	6	13	22	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.1	9	1	1	3	5	9	12	12
B. *Operated*	376	3.5	13	<1	1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	156	6.6	39	1	1	5	8	11	17	38
B. *Operated*	924	9.4	116	1	1	6	13	21	29	61
1. SINGLE DX	395	3.5	13	<1	1	2	4	8	11	17
2. MULTIPLE DX	1080	9.0	106	1	1	6	12	20	28	58
A. NOT OPERATED	175	6.3	36	1	1	5	8	11	16	37
B. OPERATED	1300	7.7	93	1	1	4	10	18	24	52
TOTAL 0-19 YRS	20	4.9	25	1	1	3	6	10	16	22
20-34	45	5.4	25	<1	1	4	7	11	18	23
35-49	156	6.1	66	1	1	3	8	15	20	36
50-64	576	7.4	77	<1	1	5	10	16	23	48
65+	678	8.1	104	1	1	5	10	19	27	56
GRAND TOTAL	**1475**	**7.5**	**87**	**1**	**1**	**4**	**9**	**17**	**24**	**51**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	2.8	3	<1	<1	3	4	5	5	5
65+	4	3.3	4	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	23	5.1	13	1	1	4	9	10	11	11
65+	16	5.2	20	<1	1	3	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	6.4	58	2	2	3	8	20	20	20
50-64	36	6.3	21	1	2	5	9	13	16	20
65+	47	6.6	51	1	2	4	7	16	20	41
B. *Operated*										
0-19 YRS										
20-34	2	11.5	221	1	1	11	22	22	22	22
35-49	16	12.8	91	1	1	12	15	28	35	38
50-64	104	13.9	164	1	2	12	17	29	39	70
65+	170	13.4	142	1	2	11	17	30	39	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.0	3	<1	<1	3	5	5	5	5
B. *Operated*	41	5.0	15	1	1	4	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	89	6.4	38	1	2	4	8	15	19	34
B. *Operated*	292	13.5	146	1	2	11	17	30	38	75
1. SINGLE DX	51	4.6	13	1	1	4	7	10	11	14
2. MULTIPLE DX	381	11.8	130	1	2	10	15	26	36	68
A. NOT OPERATED	99	6.1	36	1	2	4	7	14	18	33
B. OPERATED	333	12.5	138	1	2	10	16	28	38	72
TOTAL 0-19 YRS										
20-34	3	8.0	147	<1	<1	1	17	22	22	22
35-49	23	10.6	86	1	1	11	14	22	32	38
50-64	169	10.7	124	1	1	8	13	21	33	60
65+	237	11.3	124	1	2	9	15	26	35	74
GRAND TOTAL	**432**	**11.0**	**121**	**1**	**2**	**9**	**14**	**24**	**35**	**64**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	3	8.7	2	7	7	9	10	10	10	10
65+	5	3.6	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	10.2	11	6	6	10	13	14	14	14
50-64	33	8.3	26	<1	<1	9	10	14	18	22
65+	43	10.2	42	2	4	9	13	17	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	8.0	22	5	5	6	11	15	15	15
35-49	13	4.7	10	1	2	3	7	9	11	11
50-64	40	6.0	32	<1	1	4	7	12	15	31
65+	102	6.0	32	1	1	4	8	13	17	29
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	9	12.3	18	7	7	11	15	18	20	20
35-49	63	11.4	43	3	4	9	15	21	24	33
50-64	234	13.1	96	2	4	11	16	22	36	59
65+	630	14.0	98	3	5	12	18	26	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.4	8	2	2	5	7	9	10	10
B. *Operated*	84	9.4	33	<1	1	9	12	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	159	5.9	30	1	1	4	8	13	17	31
B. *Operated*	937	13.6	93	3	4	11	17	24	31	56
1. SINGLE DX	94	8.9	32	<1	2	9	11	15	19	31
2. MULTIPLE DX	1096	12.5	91	2	3	11	16	23	29	53
A. NOT OPERATED	169	5.9	28	1	1	4	8	12	16	30
B. OPERATED	1021	13.2	90	3	4	11	16	24	30	54
TOTAL 0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34	14	10.4	26	3	5	10	15	16	19	20
35-49	84	10.1	40	2	3	9	13	19	22	31
50-64	310	11.6	86	1	2	10	14	21	31	53
65+	780	12.7	94	2	3	11	16	24	30	53
GRAND TOTAL	**1190**	**12.2**	**87**	**2**	**3**	**10**	**15**	**23**	**29**	**51**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	3	10.7	4	9	9	10	12	13	13	13
65+	6	9.2	30	1	1	9	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	4.2	7	<1	<1	3	7	8	8	8
65+	10	5.7	22	2	2	5	6	12	18	18
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	14.5	5	13	13	14	16	16	16	16
35-49	17	17.9	481	1	3	11	22	30	73	96
50-64	40	10.9	25	5	6	9	12	19	21	29
65+	74	16.2	88	6	8	14	19	25	43	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	9.5	17	1	4	9	12	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	17	4.9	16	1	2	3	6	8	14	18
B. *Operated*	134	14.8	121	5	6	12	17	24	31	54
1. SINGLE DX	11	9.5	17	1	4	9	12	15	17	17
2. MULTIPLE DX	151	13.6	118	3	5	11	17	23	31	46
A. NOT OPERATED	17	4.9	16	1	2	3	6	8	14	18
B. OPERATED	145	14.4	114	5	6	12	17	23	31	49
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	14.5	5	13	13	14	16	16	16	16
35-49	20	16.2	425	1	2	9	19	29	63	96
50-64	49	10.1	26	3	5	9	12	18	20	29
65+	90	14.5	89	3	6	13	17	24	40	46
GRAND TOTAL	**162**	**13.4**	**112**	**3**	**5**	**11**	**16**	**23**	**30**	**46**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	5.3	27	1	1	4	6	14	15	15
65+	9	2.3	2	<1	<1	2	4	4	4	4
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	7.2	2	6	6	7	8	9	9	9
35-49	44	8.3	11	3	5	8	10	11	13	21
50-64	202	8.6	9	5	6	8	10	12	13	19
65+	296	9.1	12	6	6	9	10	13	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	15	6.5	62	1	2	4	8	11	27	33
50-64	64	6.1	33	1	1	5	8	10	14	34
65+	233	6.5	32	1	2	5	8	13	17	31
B. Operated										
0-19 YRS	3	6.3	14	2	2	8	9	9	9	9
20-34	30	8.6	17	2	2	8	11	14	15	16
35-49	182	11.2	74	5	6	9	12	16	22	61
50-64	991	11.4	53	5	6	9	13	19	24	44
65+	3011	12.6	53	6	7	11	15	21	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.4	13	<1	<1	2	4	6	12	15
B. Operated	548	8.9	11	5	6	8	10	12	14	21
2. MULTIPLE DX										
A. Not Operated	315	6.4	33	1	2	5	8	13	17	33
B. Operated	4217	12.2	54	6	7	10	14	20	25	43
1. SINGLE DX	564	8.7	12	3	6	8	10	12	14	21
2. MULTIPLE DX	4532	11.8	55	4	6	10	14	20	25	42
A. NOT OPERATED	331	6.2	32	1	1	5	8	13	17	33
B. OPERATED	4765	11.9	50	6	7	10	14	19	24	42
TOTAL 0-19 YRS	4	6.3	10	2	2	7	8	9	9	9
20-34	38	8.0	16	1	2	8	11	14	15	16
35-49	242	10.4	64	3	5	9	11	15	20	50
50-64	1263	10.6	47	4	6	9	12	17	23	41
65+	3549	11.9	51	4	6	10	14	20	24	42
GRAND TOTAL	**5096**	**11.5**	**51**	**4**	**6**	**10**	**13**	**19**	**24**	**42**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	4	10.3	68	4	4	7	16	22	22	22
50-64	11	3.9	8	1	1	4	5	8	11	11
65+	10	5.1	14	<1	1	4	5	10	15	15
B. Operated										
0-19 YRS	2	14.0	18	11	11	14	17	17	17	17
20-34	7	8.0	19	2	2	9	11	13	14	14
35-49	40	8.0	16	1	2	8	10	13	14	18
50-64	170	7.6	14	1	2	8	10	12	14	16
65+	217	8.2	19	2	2	9	10	13	14	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	18	8.6	42	2	2	6	11	21	23	23
50-64	39	7.0	48	1	1	5	9	16	18	37
65+	146	6.6	58	1	1	5	8	13	18	54
B. Operated										
0-19 YRS	3	8.0	19	3	3	10	11	11	11	11
20-34	21	9.9	26	2	4	10	11	18	21	22
35-49	89	12.2	58	5	6	10	13	19	32	42
50-64	544	11.9	62	3	5	10	14	20	24	46
65+	1239	12.3	65	2	4	11	15	21	25	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	5.4	22	1	1	4	5	11	17	22
B. Operated	436	8.0	17	1	2	8	10	13	14	18
2. MULTIPLE DX										
A. Not Operated	204	6.8	54	1	1	5	9	15	19	45
B. Operated	1896	12.2	64	3	4	11	14	20	25	42
1. SINGLE DX	461	7.9	17	1	2	8	10	13	14	19
2. MULTIPLE DX	2100	11.7	65	2	3	10	14	20	25	42
A. NOT OPERATED	229	6.7	51	1	1	5	8	14	18	41
B. OPERATED	2332	11.4	58	2	4	10	14	19	24	40
TOTAL 0-19 YRS	5	10.4	25	3	3	11	13	17	17	17
20-34	29	9.2	25	2	3	9	11	16	20	22
35-49	151	10.6	48	2	4	10	12	18	22	42
50-64	764	10.6	54	2	3	10	12	17	23	37
65+	1612	11.2	62	2	3	10	14	19	24	40
GRAND TOTAL	**2561**	**11.0**	**59**	**2**	**3**	**10**	**13**	**19**	**24**	**40**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	7	<1	<1	3	5	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	4	2.3	1	<1	<1	2	3	3	3	3
65+	6	4.7	2	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS	14	6.5	16	1	1	6	8	12	14	14
20-34	4	5.8	10	1	1	7	8	8	8	8
35-49	22	6.6	29	1	1	6	9	13	19	22
50-64	25	6.4	30	1	1	5	9	17	18	21
65+	31	9.2	173	1	1	6	12	15	21	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	14	1	1	2	5	10	12	12
20-34	6	3.8	7	1	1	3	5	8	8	8
35-49	18	6.1	22	1	1	5	8	12	16	18
50-64	53	6.2	28	<1	1	5	8	14	17	26
65+	112	8.2	44	1	2	6	11	18	22	31
B. *Operated*										
0-19 YRS	11	16.5	251	5	5	9	34	41	41	41
20-34	18	11.4	54	4	6	9	12	25	30	31
35-49	59	14.2	127	2	5	11	18	26	41	60
50-64	139	13.6	150	2	3	10	16	24	44	61
65+	344	13.5	109	2	4	11	16	26	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.4	3	<1	1	3	5	6	7	7
B. *Operated*	96	7.4	73	1	1	6	9	14	17	50
2. MULTIPLE DX										
A. *Not Operated*	198	7.2	36	1	1	5	10	16	19	27
B. *Operated*	571	13.6	121	2	4	11	16	26	38	61
1. SINGLE DX	115	6.7	63	1	1	5	8	13	17	40
2. MULTIPLE DX	769	12.0	107	2	2	10	15	23	33	60
A. NOT OPERATED	217	6.8	35	1	1	5	9	16	19	26
B. OPERATED	667	12.7	119	2	3	10	15	24	37	61
TOTAL 0-19 YRS	38	8.4	105	1	1	6	9	15	40	41
20-34	29	8.8	47	1	2	8	10	16	28	31
35-49	103	10.7	99	1	2	9	13	20	30	53
50-64	221	10.8	117	1	2	8	14	21	26	59
65+	493	12.0	103	2	3	10	15	23	32	62
GRAND TOTAL	**884**	**11.3**	**105**	**1**	**2**	**9**	**14**	**22**	**31**	**60**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
50-64	7	2.9	1	2	2	3	4	4	4	4
65+	16	5.3	57	<1	1	3	5	10	25	32
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	6	14.3	59	7	7	13	20	25	26	26
50-64	23	8.5	20	1	2	10	11	13	16	19
65+	33	9.0	37	1	1	9	13	16	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	28	5.4	25	1	1	4	8	12	16	22
50-64	77	5.7	24	1	2	4	7	10	15	29
65+	223	6.8	36	1	2	5	8	14	20	29
B. *Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	2	13.0	32	9	9	13	17	17	17	17
35-49	54	14.6	97	5	6	13	17	27	36	55
50-64	241	13.5	115	3	4	11	16	27	37	56
65+	529	14.1	94	3	4	12	18	26	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.3	37	<1	1	3	4	6	15	32
B. *Operated*	63	9.3	34	1	1	9	12	16	21	26
2. MULTIPLE DX										
A. *Not Operated*	328	6.4	32	1	2	5	8	13	17	29
B. *Operated*	828	14.0	100	3	5	12	17	26	33	53
1. SINGLE DX	88	7.9	39	1	1	7	11	16	20	30
2. MULTIPLE DX	1156	11.8	92	2	3	10	15	23	30	49
A. NOT OPERATED	353	6.3	33	1	2	5	8	12	16	30
B. OPERATED	891	13.7	97	2	4	11	17	26	32	52
TOTAL 0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	3	11.7	21	9	9	9	15	17	17	17
35-49	90	11.5	89	1	2	9	15	23	30	50
50-64	348	11.3	99	2	3	9	14	22	34	51
65+	801	11.7	86	2	3	10	15	23	29	47
GRAND TOTAL	**1244**	**11.6**	**90**	**2**	**3**	**10**	**15**	**23**	**29**	**49**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	3.5	10	1	1	3	4	8	11	12
50-64	50	4.8	26	<1	1	3	6	11	13	30
65+	44	4.8	13	<1	1	4	7	10	11	18
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	8.9	6	7	7	8	10	13	14	14
35-49	65	5.6	13	<1	1	5	8	11	13	14
50-64	273	5.6	19	<1	1	5	8	11	12	22
65+	243	6.8	20	1	1	7	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	8	5.4	13	1	2	4	7	11	13	13
35-49	140	5.8	26	1	1	4	7	13	18	23
50-64	710	6.5	34	1	1	5	8	13	18	29
65+	1034	6.6	34	1	2	5	8	13	18	32
B. *Operated*										
0-19 YRS	7	11.6	202	2	3	7	27	83	99+	99+
20-34	26	9.7	54	3	3	8	12	17	29	32
35-49	289	9.3	73	1	2	7	11	17	25	45
50-64	1594	9.3	63	1	2	8	11	17	22	39
65+	2344	10.1	68	2	2	8	13	18	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.6	19	<1	1	3	7	10	12	23
B. *Operated*	589	6.2	19	<1	1	6	9	12	13	19
2. MULTIPLE DX										
A. *Not Operated*	1894	6.5	33	1	2	5	8	13	18	29
B. *Operated*	4260	9.8	67	1	2	8	12	18	24	43
1. SINGLE DX	697	5.9	19	<1	1	6	8	11	13	19
2. MULTIPLE DX	6154	8.7	59	1	2	7	11	17	22	40
A. NOT OPERATED	2002	6.4	33	1	2	5	8	13	17	29
B. OPERATED	4849	9.3	62	1	2	8	12	17	23	41
TOTAL 0-19 YRS	10	8.9	155	1	1	6	11	66	97	99+
20-34	41	8.7	40	3	3	8	11	15	22	32
35-49	508	7.7	54	1	1	6	9	14	21	39
50-64	2627	8.1	52	1	2	7	10	16	20	34
65+	3665	8.8	57	1	2	7	11	17	22	40
GRAND TOTAL	**6851**	**8.5**	**55**	**1**	**2**	**7**	**11**	**16**	**21**	**38**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	4.6	1	4	4	4	5	6	6	6
50-64	11	3.7	60	<1	<1	1	2	13	26	27
65+	7	2.9	6	<1	<1	1	5	7	7	7
B. *Operated*										
0-19 YRS	5	6.0	13	1	1	7	8	10	10	10
20-34	8	3.9	10	<1	<1	3	6	9	9	9
35-49	29	4.5	17	<1	<1	3	6	11	14	15
50-64	106	5.3	33	<1	<1	2	9	14	16	24
65+	61	5.3	33	<1	<1	2	9	13	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	4	5.3	28	1	1	3	8	13	13	13
35-49	8	5.1	4	3	3	5	6	8	9	9
50-64	39	5.8	34	<1	<1	4	8	14	18	27
65+	32	4.7	13	<1	1	4	7	10	11	14
B. *Operated*										
0-19 YRS	11	6.2	8	<1	1	7	8	9	11	11
20-34	11	17.9	148	4	6	14	28	37	40	40
35-49	49	9.4	44	1	2	9	12	16	25	30
50-64	190	11.8	112	1	1	9	16	27	33	57
65+	280	12.1	132	1	1	10	16	27	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.4	28	<1	<1	1	4	6	12	27
B. *Operated*	209	5.1	29	<1	<1	2	8	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	86	5.2	22	<1	1	4	7	12	14	24
B. *Operated*	541	11.7	116	1	1	9	15	26	34	54
1. SINGLE DX	234	4.9	29	<1	<1	2	8	12	15	27
2. MULTIPLE DX	627	10.9	108	1	1	8	15	23	33	52
A. NOT OPERATED	111	4.8	23	<1	<1	4	6	11	14	27
B. OPERATED	750	9.9	100	<1	1	8	14	21	30	50
TOTAL 0-19 YRS	20	5.4	10	<1	1	6	8	9	10	11
20-34	24	10.4	121	<1	1	7	13	30	36	40
35-49	91	7.2	35	<1	1	5	10	14	17	28
50-64	346	8.8	87	<1	1	6	14	20	29	48
65+	380	10.2	113	1	1	8	14	22	32	53
GRAND TOTAL	**861**	**9.2**	**93**	**<1**	**1**	**7**	**13**	**20**	**29**	**48**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	7	1	1	3	4	7	9	9
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	3.2	3	<1	<1	3	5	5	5	5
65+	3	7.0	28	3	3	5	11	13	13	13
B. *Operated*										
0-19 YRS	70	4.6	16	<1	1	3	6	11	12	19
20-34	39	6.0	184	1	1	3	5	10	15	86
35-49	45	5.1	20	1	1	3	8	12	14	16
50-64	43	4.8	17	<1	1	4	6	10	13	21
65+	41	4.1	11	<1	<1	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.8	12	<1	<1	4	8	9	11	12
20-34	14	5.9	16	1	2	4	9	12	13	13
35-49	16	4.5	23	1	1	3	6	8	16	20
50-64	18	6.1	39	1	2	4	6	12	22	28
65+	26	6.1	23	1	2	5	7	13	19	21
B. *Operated*										
0-19 YRS	48	9.2	55	2	2	8	12	19	27	34
20-34	31	12.1	203	2	2	7	14	36	47	59
35-49	42	11.4	235	<1	<1	8	12	23	42	86
50-64	67	9.7	73	1	1	8	13	23	29	37
65+	145	10.4	149	1	2	7	13	24	32	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.9	9	<1	<1	3	5	7	11	13
B. *Operated*	238	4.9	43	1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	92	5.5	22	1	1	4	7	11	14	25
B. *Operated*	333	10.4	135	1	2	7	13	23	33	68
1. SINGLE DX	258	4.8	41	<1	1	3	6	10	13	20
2. MULTIPLE DX	425	9.3	114	1	2	6	11	21	28	62
A. NOT OPERATED	112	5.2	20	<1	1	4	7	10	13	24
B. OPERATED	571	8.1	104	1	1	5	10	17	25	61
TOTAL 0-19 YRS	145	6.0	32	<1	1	4	8	12	18	28
20-34	86	8.1	166	1	1	4	8	14	35	76
35-49	104	7.5	116	<1	1	5	10	15	22	67
50-64	133	7.3	53	1	1	5	9	16	24	37
65+	215	8.6	112	1	1	6	10	20	27	72
GRAND TOTAL	**683**	**7.6**	**91**	**1**	**1**	**5**	**9**	**15**	**23**	**57**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	66	3.2	5	<1	1	3	5	7	7	8
35-49	106	3.1	6	<1	<1	2	4	6	9	12
50-64	106	3.0	5	<1	<1	2	4	6	7	9
65+	76	3.3	9	<1	<1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.5	181	2	2	11	21	21	21	21
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	19	4.8	17	<1	1	3	7	10	14	17
50-64	9	8.1	18	4	4	7	12	15	15	15
65+	11	3.7	5	<1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	41	4.8	12	1	1	5	6	8	12	18
35-49	53	4.9	16	1	1	4	6	9	11	22
50-64	74	4.1	16	1	1	3	6	9	10	23
65+	109	5.3	22	1	1	4	7	12	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	358	3.1	6	<1	1	2	4	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	46	5.1	20	<1	1	4	7	11	15	21
B. *Operated*	279	4.8	18	1	1	4	6	10	14	22
1. SINGLE DX	366	3.1	6	<1	<1	2	4	7	7	11
2. MULTIPLE DX	325	4.8	18	1	1	4	7	10	14	22
A. NOT OPERATED	54	4.6	19	<1	<1	3	6	10	15	21
B. OPERATED	637	3.8	12	<1	1	3	5	7	10	18
TOTAL 0-19 YRS	8	4.3	47	<1	<1	2	3	16	21	21
20-34	112	3.7	8	1	1	3	5	7	7	16
35-49	182	3.8	11	<1	1	3	5	8	10	18
50-64	192	3.6	11	<1	1	3	5	8	9	15
65+	197	4.4	17	<1	1	3	6	9	14	21
GRAND TOTAL	**691**	**3.9**	**12**	**<1**	**1**	**3**	**5**	**8**	**10**	**18**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	21	1.7	3	<1	<1	<1	1	4	6	7
35-49	47	2.1	3	<1	<1	1	3	4	7	7
50-64	105	2.0	7	<1	<1	1	2	4	5	15
65+	187	2.2	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.0	10	2	2	5	7	9	9	9
35-49	6	4.3	5	2	2	4	5	8	8	8
50-64	1	19.0		19	19	19	19	19	19	19
65+	8	5.4	26	<1	<1	3	9	13	14	14
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	17	10.6	91	<1	<1	8	17	23	29	33
35-49	42	3.8	23	<1	<1	2	5	9	13	26
50-64	91	3.6	22	<1	<1	2	3	9	14	24
65+	327	4.3	29	<1	1	2	5	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	5	1	1	2	4	6	6	6
B. *Operated*	365	2.1	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	20	5.7	23	<1	1	4	8	13	16	19
B. *Operated*	480	4.3	30	<1	1	2	5	11	15	27
1. SINGLE DX	370	2.1	5	<1	<1	1	2	4	6	10
2. MULTIPLE DX	500	4.4	30	<1	1	2	5	11	15	27
A. NOT OPERATED	25	5.1	20	<1	1	4	7	12	15	19
B. OPERATED	845	3.4	21	<1	<1	2	4	7	12	23
TOTAL 0-19 YRS	8	2.1	2	<1	<1	1	3	5	5	5
20-34	43	5.6	55	<1	<1	2	7	17	22	33
35-49	96	3.0	13	<1	<1	2	4	7	8	21
50-64	198	2.9	16	<1	<1	1	3	6	10	22
65+	525	3.5	21	<1	<1	2	4	8	12	20
GRAND TOTAL	**870**	**3.4**	**21**	**<1**	**<1**	**2**	**4**	**7**	**13**	**23**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	14	3.8	5	1	1	3	5	7	8	9
50-64	16	3.1	5	<1	1	2	4	7	8	8
65+	5	4.4	4	2	2	5	6	7	7	7
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	113	3.0	3	<1	1	3	4	5	6	7
35-49	743	3.5	3	1	1	3	5	6	7	9
50-64	1131	3.6	3	1	1	3	5	6	7	9
65+	989	4.1	4	1	2	4	5	7	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	16	6.6	36	<1	<1	5	7	13	21	25
35-49	46	6.0	34	1	1	3	10	16	19	22
50-64	122	7.1	66	<1	1	5	9	15	18	50
65+	122	6.7	44	1	1	4	8	16	21	32
B. *Operated*										
0-19 YRS	8	4.8	7	<1	<1	6	7	8	8	8
20-34	140	4.0	4	1	2	3	5	7	8	11
35-49	845	4.6	17	1	2	4	5	7	9	15
50-64	1656	4.9	14	1	2	4	6	8	10	19
65+	2425	5.4	17	2	2	5	6	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.5	4	1	1	3	5	7	8	9
B. *Operated*	2978	3.7	4	1	1	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	308	6.7	50	<1	1	4	9	15	20	35
B. *Operated*	5074	5.1	16	1	2	4	6	8	10	18
1. SINGLE DX	3015	3.7	4	1	1	4	5	6	7	9
2. MULTIPLE DX	5382	5.2	18	1	2	4	6	8	11	21
A. NOT OPERATED	345	6.4	46	1	1	4	8	15	19	34
B. OPERATED	8052	4.6	12	1	2	4	6	7	9	16
TOTAL 0-19 YRS	12	4.7	6	<1	1	5	7	7	8	8
20-34	271	3.7	6	<1	1	3	5	6	7	13
35-49	1648	4.2	11	1	2	4	5	7	8	14
50-64	2925	4.5	13	1	2	4	5	7	9	17
65+	3541	5.1	15	1	2	5	6	8	10	19
GRAND TOTAL	**8397**	**4.7**	**13**	**1**	**2**	**4**	**6**	**8**	**9**	**17**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49	16	2.6	3	<1	1	2	3	5	7	8
50-64	20	3.0	3	1	1	3	4	5	7	9
65+	11	3.8	8	2	2	3	4	7	12	12
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	52	5.1	11	<1	<1	5	8	9	10	12
35-49	76	4.6	11	<1	1	4	7	10	11	15
50-64	45	3.0	4	<1	<1	2	4	6	7	10
65+	28	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	6.0	31	<1	1	4	7	16	18	18
35-49	30	6.4	48	1	1	4	9	14	22	32
50-64	35	5.2	24	<1	1	3	6	15	16	19
65+	34	5.3	15	1	2	4	6	12	14	18
B. *Operated*										
0-19 YRS										
20-34	73	6.8	21	1	1	6	9	15	17	19
35-49	127	8.4	80	2	2	6	10	13	32	49
50-64	101	7.9	56	1	2	5	9	16	23	38
65+	108	6.5	42	1	1	5	8	14	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.0	4	1	1	3	4	5	8	12
B. *Operated*	202	4.1	9	<1	1	3	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	108	5.6	28	1	1	4	6	13	16	26
B. *Operated*	409	7.5	54	1	2	5	9	14	20	42
1. SINGLE DX	255	3.9	9	<1	1	3	5	9	10	13
2. MULTIPLE DX	517	7.1	49	1	2	5	9	14	18	41
A. NOT OPERATED	161	4.8	22	1	1	3	5	12	15	22
B. OPERATED	611	6.4	42	1	1	5	8	12	17	40
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	140	6.0	18	<1	1	5	8	11	15	18
35-49	249	6.7	54	1	1	5	8	11	16	43
50-64	201	5.8	38	<1	1	4	7	12	18	35
65+	181	5.5	31	1	1	4	7	12	16	34
GRAND TOTAL	**772**	**6.0**	**38**	**1**	**1**	**4**	**8**	**12**	**16**	**36**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65+	10	2.9	2	1	1	3	3	5	6	6
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	5.5	2	4	4	5	6	8	8	8
35-49	30	5.2	3	1	4	5	6	7	8	8
50-64	155	5.1	4	1	2	5	6	7	7	9
65+	186	5.3	5	1	1	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	22	4.9	23	<1	1	4	4	11	15	21
65+	52	6.3	35	1	2	4	8	15	16	33
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	14	6.7	9	3	3	6	10	13	78	99+
35-49	126	6.0	11	2	3	5	7	9	12	21
50-64	473	6.5	27	2	4	6	7	9	12	34
65+	865	6.7	12	2	3	6	8	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.0	2	1	1	3	3	5	6	6
B. *Operated*	378	5.2	5	1	2	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	76	5.9	31	1	1	4	7	14	16	30
B. *Operated*	1479	6.6	16	2	3	6	7	10	13	22
1. SINGLE DX	393	5.1	5	1	2	5	6	7	8	11
2. MULTIPLE DX	1555	6.5	17	2	3	6	7	10	13	22
A. NOT OPERATED	91	5.4	27	1	1	4	6	12	16	28
B. OPERATED	1857	6.3	14	2	3	6	7	9	12	21
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	21	6.4	7	3	3	6	8	11	48	99+
35-49	159	5.8	10	2	3	5	7	8	11	19
50-64	653	6.1	22	1	3	6	7	9	12	28
65+	1113	6.4	12	1	3	6	7	10	13	20
GRAND TOTAL	**1948**	**6.2**	**15**	**1**	**3**	**6**	**7**	**10**	**12**	**21**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	9	2.9	8	<1	<1	1	5	8	8	8
50-64	18	2.2	6	<1	<1	1	3	5	8	10
65+	7	1.6		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	7.1	8	4	4	7	9	11	12	12
20-34	22	5.7	6	3	3	5	7	9	11	12
35-49	24	5.8	5	2	3	5	7	9	10	11
50-64	42	6.8	13	2	3	6	8	10	15	20
65+	34	7.3	11	1	3	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	3	6.3	56	2	2	2	12	15	15	15
35-49	31	5.0	25	1	1	3	7	9	18	23
50-64	63	4.5	26	1	1	3	6	8	15	28
65+	85	6.1	27	1	1	5	8	13	17	24
B. *Operated*										
0-19 YRS	10	7.3	6	4	4	7	8	11	12	12
20-34	49	6.6	13	3	3	6	8	10	15	19
35-49	147	7.8	25	4	4	7	9	13	15	32
50-64	326	10.0	35	4	5	9	12	18	22	33
65+	342	12.0	75	4	5	10	14	21	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.2	5	<1	1	1	3	5	8	10
B. *Operated*	129	6.6	10	2	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	184	5.4	26	1	1	4	7	13	17	24
B. *Operated*	874	10.2	51	4	4	8	12	18	23	39
1. SINGLE DX	168	5.6	12	1	1	5	8	9	11	18
2. MULTIPLE DX	1058	9.4	50	2	3	8	12	17	22	36
A. NOT OPERATED	223	4.8	24	1	1	3	6	12	16	24
B. OPERATED	1003	9.7	47	4	4	8	11	17	22	37
TOTAL 0-19 YRS	20	6.6	8	1	3	6	8	11	12	12
20-34	78	6.1	13	1	3	5	8	10	14	18
35-49	211	6.9	24	1	3	6	8	12	15	32
50-64	449	8.6	36	1	2	8	11	15	20	31
65+	468	10.5	68	2	3	8	13	19	24	42
GRAND TOTAL	**1226**	**8.8**	**46**	**1**	**3**	**7**	**11**	**16**	**21**	**34**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	6	3.3	5	2	2	3	3	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	6.7	8	5	5	5	9	10	10	10
35-49	6	3.3	3	2	2	3	5	6	6	6
50-64	14	7.1	19	<1	<1	7	9	15	15	15
65+	15	4.2	9	<1	1	3	7	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49										
50-64	6	5.5	9	2	2	5	7	10	10	10
65+	24	5.1	17	1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	1	46.0		46	46	73	99+	99+	99+	99+
20-34	4	13.8	68	3	3	14	19	23	23	23
35-49	19	5.9	18	1	2	4	8	12	15	17
50-64	36	10.6	86	2	2	8	14	18	27	52
65+	70	11.5	86	2	3	9	17	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	4	2	2	3	4	7	8	8
B. *Operated*	38	5.3	13	<1	1	5	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	34	4.9	14	1	2	4	6	10	10	20
B. *Operated*	130	10.8	87	2	2	8	14	21	30	61
1. SINGLE DX	47	5.0	12	<1	1	5	7	10	12	15
2. MULTIPLE DX	164	9.5	77	1	2	7	13	20	24	52
A. NOT OPERATED	43	4.6	12	1	2	4	6	9	10	20
B. OPERATED	168	9.5	75	1	2	7	13	19	23	51
TOTAL 0-19 YRS	2	24.5	925	3	3	46	86	99+	99+	99+
20-34	11	8.0	45	2	2	5	13	18	23	23
35-49	25	5.3	15	1	2	4	7	9	14	17
50-64	58	9.0	63	1	2	7	11	15	19	50
65+	115	8.8	68	1	2	6	11	20	22	47
GRAND TOTAL	**211**	**8.5**	**66**	**1**	**2**	**7**	**11**	**18**	**22**	**50**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	15	3.1	7	<1	<1	2	4	7	9	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	10	4.3	7	1	1	4	7	8	8	8
50-64	303	5.2	13	1	1	5	7	9	12	18
65+	743	4.4	9	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64	76	5.4	19	<1	1	4	7	11	15	21
65+	398	5.7	33	1	1	4	7	11	15	35
B. *Operated*										
0-19 YRS	3	5.7	6	3	3	6	7	8	8	8
20-34	1	15.0		15	15	15	15	15	15	15
35-49	28	6.7	27	1	2	5	8	14	16	25
50-64	680	6.0	22	1	2	5	8	11	15	22
65+	3674	5.9	21	1	2	5	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.1	6	<1	<1	2	4	6	9	10
B. *Operated*	1057	4.7	10	1	1	4	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	475	5.7	31	1	1	4	7	11	15	30
B. *Operated*	4386	6.0	21	1	2	5	7	11	15	23
1. SINGLE DX	1076	4.6	10	1	1	4	6	9	10	14
2. MULTIPLE DX	4861	5.9	22	1	2	5	7	11	15	23
A. NOT OPERATED	494	5.6	30	1	1	4	7	11	15	28
B. OPERATED	5443	5.7	19	1	1	5	7	11	14	22
TOTAL 0-19 YRS	4	4.5	10	1	1	4	7	8	8	8
20-34	1	15.0		15	15	15	15	15	15	15
35-49	39	6.3	23	1	1	5	8	13	15	25
50-64	1063	5.7	19	1	1	5	8	11	14	21
65+	4830	5.7	21	1	2	5	7	11	14	23
GRAND TOTAL	**5937**	**5.7**	**20**	**1**	**1**	**5**	**7**	**11**	**14**	**22**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.8	2	1	1	4	5	5	5	5
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.4	4	<1	<1	2	3	6	7	7
20-34	140	2.3	5	1	1	1	2	6	8	10
35-49	51	1.8	1	<1	1	1	2	3	4	7
50-64	16	1.8	1	<1	<1	1	2	4	4	4
65+	11	4.3	8	1	1	4	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	4.4	13	<1	1	4	6	10	12	13
35-49	4	5.8	8	4	4	5	7	10	10	10
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	9	5.0	10	1	1	5	7	10	10	10
20-34	66	6.0	31	1	1	5	8	15	19	21
35-49	22	3.4	10	1	1	2	4	8	11	13
50-64	13	5.2	46	1	1	3	6	13	24	26
65+	16	2.8	5	1	1	2	3	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	2	1	2	4	5	5	5	5
B. *Operated*	226	2.3	4	<1	1	1	3	5	8	10
2. MULTIPLE DX										
A. *Not Operated*	28	4.5	12	1	1	4	6	10	12	13
B. *Operated*	126	5.0	25	1	1	3	7	12	15	22
1. SINGLE DX	236	2.3	4	1	1	2	3	5	8	10
2. MULTIPLE DX	154	4.9	23	1	1	3	7	12	15	21
A. NOT OPERATED	38	4.3	9	1	1	4	5	9	11	13
B. OPERATED	352	3.2	13	1	1	2	4	8	10	20
TOTAL 0-19 YRS	17	3.8	9	<1	1	3	6	9	10	10
20-34	237	3.6	16	1	1	2	5	9	12	20
35-49	79	2.5	5	<1	1	2	3	5	7	12
50-64	30	3.3	23	<1	1	2	4	6	10	26
65+	27	3.4	6	1	1	2	4	8	9	11
GRAND TOTAL	**390**	**3.3**	**13**	**1**	**1**	**2**	**4**	**8**	**10**	**20**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	7	6.1	24	2	2	3	11	13	13	13
B. *Operated*										
0-19 YRS										
20-34	15	2.0	5	<1	<1	1	2	3	8	10
35-49	88	2.7	8	<1	<1	2	3	6	10	15
50-64	345	3.0	12	1	1	2	3	6	11	18
65+	725	3.0	9	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.7	40	<1	<1	1	9	12	12	12
50-64	32	3.4	6	<1	1	3	5	6	8	11
65+	123	5.8	32	1	1	4	7	12	17	31
B. *Operated*										
0-19 YRS										
20-34	10	5.1	29	1	1	3	5	15	15	15
35-49	77	6.4	90	1	1	3	7	15	19	60
50-64	559	5.5	50	1	1	3	6	13	17	42
65+	2361	5.5	39	1	1	4	6	12	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.1	18	<1	1	2	5	11	13	13
B. *Operated*	1173	3.0	10	1	1	2	3	6	10	15
2. MULTIPLE DX										
A. *Not Operated*	158	5.3	28	1	1	4	7	11	15	28
B. *Operated*	3007	5.5	42	1	1	3	6	13	17	33
1. SINGLE DX	1186	3.0	10	1	1	2	3	6	10	15
2. MULTIPLE DX	3165	5.5	41	1	1	3	6	13	17	33
A. NOT OPERATED	171	5.2	27	1	1	4	7	11	14	27
B. OPERATED	4180	4.8	34	1	1	3	5	11	15	29
TOTAL 0-19 YRS										
20-34	25	3.2	17	<1	<1	1	3	10	15	15
35-49	169	4.4	49	<1	1	2	4	11	15	29
50-64	941	4.5	36	1	1	2	5	11	15	34
65+	3216	5.0	33	1	1	3	6	11	15	28
GRAND TOTAL	**4351**	**4.8**	**34**	**1**	**1**	**3**	**5**	**11**	**15**	**28**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	2.7	2	<1	<1	3	4	4	4	4
65+	3	5.3	14	<1	<1	7	8	8	8	8
B. *Operated*										
0-19 YRS	18	7.3	22	1	2	7	8	11	18	22
20-34	6	7.3	3	6	6	7	7	11	11	11
35-49	46	6.4	6	1	3	7	8	9	10	14
50-64	84	6.4	21	1	1	6	7	9	14	28
65+	65	6.6	17	1	1	7	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.7	5	<1	<1	2	4	6	7	7
20-34										
35-49	11	5.8	22	1	1	5	9	13	15	15
50-64	40	7.7	42	1	2	6	9	17	21	31
65+	75	6.4	27	1	1	6	8	13	16	30
B. *Operated*										
0-19 YRS	22	7.8	10	2	4	8	10	12	13	13
20-34	8	11.0	73	4	5	8	12	26	31	31
35-49	92	8.0	12	2	4	8	10	12	14	19
50-64	304	9.1	38	2	3	8	11	15	18	40
65+	530	10.4	60	2	3	9	13	20	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.0	6	<1	<1	2	4	7	8	8
B. *Operated*	219	6.5	16	1	1	7	8	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	139	6.4	30	1	1	5	9	14	16	31
B. *Operated*	956	9.7	48	2	3	8	11	17	22	35
1. SINGLE DX	231	6.4	16	1	1	7	8	10	12	21
2. MULTIPLE DX	1095	9.3	47	1	2	8	11	16	22	34
A. NOT OPERATED	151	6.1	29	1	1	5	8	13	16	31
B. OPERATED	1175	9.1	43	1	3	8	11	16	21	33
TOTAL 0-19 YRS	56	6.2	16	<1	1	7	8	11	13	21
20-34	14	9.4	44	4	5	7	11	15	27	31
35-49	152	7.2	12	1	3	7	9	11	14	18
50-64	431	8.4	36	1	2	8	10	14	18	34
65+	673	9.6	54	1	2	8	11	18	23	34
GRAND TOTAL	**1326**	**8.8**	**43**	**1**	**2**	**8**	**11**	**16**	**21**	**32**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.3	5	<1	<1	1	3	5	8	10
20-34	5	2.6	3	<1	<1	3	4	5	5	5
35-49	7	2.3	2	1	1	2	3	5	5	5
50-64	8	3.5	2	<1	1	4	4	5	5	5
65+	16	3.2	8	1	1	3	3	4	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	7	2.0	2	<1	<1	2	2	4	5	5
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	3	3.0		3	3	3	3	3	3	3
50-64	7	1.6	1	1	1	1	2	3	3	3
65+	22	4.5	18	1	1	3	6	10	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.0		<1	<1	<1	<1	<1	1	1
B. *Operated*	53	2.8	5	<1	<1	2	3	5	5	13
2. MULTIPLE DX										
A. *Not Operated*	3	6.3	4	4	4	7	8	8	8	8
B. *Operated*	42	3.4	11	1	1	2	4	7	11	17
1. SINGLE DX	70	2.3	4	<1	<1	2	3	4	5	12
2. MULTIPLE DX	45	3.6	11	1	1	2	5	7	10	17
A. NOT OPERATED	20	1.8	4	<1	<1	<1	<1	5	7	8
B. OPERATED	95	3.0	8	<1	1	2	3	5	8	16
TOTAL 0-19 YRS	40	1.7	3	<1	<1	<1	2	3	5	10
20-34	10	2.7	3	<1	<1	2	4	5	6	6
35-49	11	3.0	4	1	1	3	3	6	8	8
50-64	15	2.6	2	<1	1	3	4	5	5	5
65+	39	4.0	13	1	1	3	5	8	14	17
GRAND TOTAL	**115**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**8**	**15**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	4	1	1	3	5	6	8	8
20-34	11	4.0	12	1	1	4	5	10	12	12
35-49	19	3.3	6	1	1	2	5	7	9	10
50-64	20	7.2	42	1	1	5	9	18	22	25
65+	15	6.7	31	2	3	4	8	16	20	21
B. *Operated*										
0-19 YRS	31	10.5	56	1	2	9	13	20	28	34
20-34	41	8.0	20	2	3	8	10	14	16	22
35-49	93	7.4	12	2	3	7	10	12	14	18
50-64	91	8.9	35	3	4	7	11	16	21	33
65+	55	9.9	43	2	2	9	12	17	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.5	8	<1	1	3	5	9	10	11
20-34	37	5.6	46	1	1	3	5	14	24	31
35-49	85	6.3	40	1	2	4	8	14	20	33
50-64	85	6.6	35	1	2	5	8	12	19	33
65+	117	8.3	42	1	3	6	11	17	22	56
B. *Operated*										
0-19 YRS	87	10.2	62	2	3	8	14	22	28	99+
20-34	73	10.6	68	1	2	9	13	20	25	48
35-49	128	10.7	101	2	3	8	12	19	27	60
50-64	155	14.4	190	3	4	10	17	31	38	82
65+	161	14.8	107	3	4	13	19	28	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.1	23	1	1	4	6	11	17	24
B. *Operated*	311	8.7	31	2	3	8	11	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	358	6.7	39	1	2	5	8	14	20	34
B. *Operated*	604	12.7	120	2	3	10	15	26	36	59
1. SINGLE DX	387	8.0	31	1	2	7	10	14	18	29
2. MULTIPLE DX	962	10.4	98	1	2	8	13	22	29	56
A. NOT OPERATED	434	6.4	36	1	1	4	8	14	20	34
B. OPERATED	915	11.3	93	2	3	9	14	22	29	55
TOTAL 0-19 YRS	163	8.4	54	1	2	7	12	18	25	91
20-34	162	8.4	51	1	1	7	11	17	22	31
35-49	325	8.2	59	1	2	7	10	14	20	41
50-64	351	10.7	115	2	3	8	13	22	31	51
65+	348	11.5	82	2	3	10	15	23	30	45
GRAND TOTAL	**1349**	**9.7**	**80**	**1**	**2**	**8**	**12**	**19**	**26**	**47**

43: Malignant neoplasm of other parts of nervous [illegible] 192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	8	6.1	5	1	2	6	7	8	9	9
20-34	3	9.0	3	7	7	10	10	10	10	10
35-49	6	5.8	11	1	1	6	8	10	10	10
50-64	3	11.0	7	8	8	12	13	13	13	13
65+	3	12.0	19	7	7	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	32	1	1	4	10	12	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	6	6.5	60	1	1	4	6	20	22	22
65+	9	12.3	259	3	3	7	12	38	54	54
B. *Operated*										
0-19 YRS	8	18.4	203	2	3	14	31	39	40	40
20-34	8	17.1	240	1	2	14	19	43	52	52
35-49	17	7.6	25	1	1	9	10	13	16	18
50-64	18	15.0	234	2	4	11	14	30	54	69
65+	15	9.9	44	1	1	10	15	18	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.3	4	4	4	6	8	8	8	8
B. *Operated*	23	7.8	13	1	3	7	10	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	21	8.4	135	1	2	4	10	17	36	54
B. *Operated*	66	12.6	141	1	1	10	15	25	38	66
1. SINGLE DX	27	7.6	12	1	3	7	9	13	14	15
2. MULTIPLE DX	87	11.6	141	1	1	10	14	22	37	63
A. NOT OPERATED	25	8.0	114	1	2	4	9	13	30	54
B. OPERATED	89	11.4	112	1	1	10	14	20	31	62
TOTAL 0-19 YRS	19	11.2	124	1	2	7	13	32	39	40
20-34	12	13.9	178	1	2	11	16	30	49	52
35-49	26	6.7	21	1	1	7	10	11	14	18
50-64	29	12.2	168	2	3	9	13	25	33	69
65+	28	10.8	103	1	2	9	14	18	25	54
GRAND TOTAL	**114**	**10.6**	**113**	**1**	**1**	**8**	**12**	**19**	**30**	**59**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	3	1	1	2	2	5	6	6
20-34	16	2.1	1	<1	1	2	3	4	5	5
35-49	13	2.6	7	1	1	2	3	6	9	10
50-64	8	1.5		1	1	1	2	2	2	2
65+	5	3.2	3	2	2	2	4	6	6	6
B. *Operated*										
0-19 YRS	14	3.6	5	1	1	3	5	6	8	9
20-34	102	2.7	2	1	1	2	3	5	5	7
35-49	99	3.1	4	1	1	3	4	4	6	13
50-64	55	3.6	12	1	1	3	4	6	6	21
65+	27	3.3	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	17	<1	1	3	5	9	15	17
20-34	10	2.9	2	2	2	3	3	5	6	6
35-49	22	2.9	3	<1	1	3	4	5	6	7
50-64	19	5.9	45	1	1	4	8	12	22	30
65+	21	6.3	33	1	1	4	7	17	20	21
B. *Operated*										
0-19 YRS	25	9.6	183	<1	1	5	10	29	38	63
20-34	98	4.3	12	1	2	3	5	8	10	64
35-49	129	4.4	13	1	2	4	5	8	11	24
50-64	96	5.4	25	1	2	4	6	9	13	30
65+	111	7.7	53	2	2	5	9	17	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.3	3	1	1	2	2	5	6	10
B. *Operated*	297	3.1	5	1	1	3	4	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	94	4.5	22	1	1	3	5	9	15	26
B. *Operated*	459	5.7	36	1	2	4	6	11	16	32
1. SINGLE DX	347	3.0	4	1	1	3	4	5	5	12
2. MULTIPLE DX	553	5.5	34	1	2	4	6	10	16	30
A. NOT OPERATED	144	3.8	17	1	1	2	4	7	11	22
B. OPERATED	756	4.7	25	1	2	3	5	8	13	29
TOTAL 0-19 YRS	69	5.7	80	1	1	3	6	12	18	57
20-34	226	3.4	7	1	1	3	4	6	8	18
35-49	263	3.7	9	1	1	3	4	6	9	14
50-64	178	4.7	23	1	1	3	5	8	12	29
65+	164	6.7	43	1	2	5	8	15	21	34
GRAND TOTAL	**900**	**4.5**	**24**	**1**	**1**	**3**	**5**	**8**	**13**	**28**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	1.8	2	<1	<1	1	2	4	4	4
35-49	15	3.8	19	1	1	2	5	7	15	18
50-64	29	7.0	85	<1	1	4	8	20	30	40
65+	45	4.2	8	1	1	3	6	9	10	12
B. *Operated*										
0-19 YRS	20	5.3	10	<1	1	5	7	10	11	12
20-34	17	3.9	9	<1	<1	3	5	7	11	13
35-49	49	3.9	7	1	1	3	5	7	8	12
50-64	81	4.2	24	<1	<1	2	5	10	13	28
65+	98	4.7	24	<1	1	3	6	9	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.5	10	<1	1	2	4	9	11	13
20-34	163	5.0	24	1	1	3	7	11	13	20
35-49	527	7.0	57	1	1	5	9	15	21	39
50-64	1515	7.4	59	1	2	5	9	15	22	37
65+	3045	7.4	42	1	2	6	9	15	20	31
B. *Operated*										
0-19 YRS	66	7.0	35	1	1	5	9	13	19	32
20-34	243	8.0	61	1	2	6	10	15	21	45
35-49	849	9.0	83	1	1	7	11	19	27	46
50-64	2160	9.6	82	1	2	7	12	20	26	45
65+	3354	10.1	84	1	2	8	13	21	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	4.8	35	<1	1	3	6	9	16	35
B. *Operated*	265	4.4	19	<1	<1	3	6	9	11	23
2. MULTIPLE DX										
A. *Not Operated*	5287	7.2	48	1	2	5	9	15	20	34
B. *Operated*	6672	9.7	82	1	2	7	12	20	26	46
1. SINGLE DX	360	4.5	23	<1	1	3	6	9	12	28
2. MULTIPLE DX	11959	8.6	68	1	2	6	11	18	24	42
A. NOT OPERATED	5382	7.2	48	1	2	5	9	15	20	34
B. OPERATED	6937	9.5	81	1	2	7	12	20	26	46
TOTAL 0-19 YRS	125	5.6	26	<1	1	4	7	12	14	27
20-34	427	6.6	47	1	1	5	9	13	17	33
35-49	1440	8.1	72	1	1	6	10	18	24	45
50-64	3785	8.6	73	1	2	6	11	18	25	43
65+	6542	8.7	65	1	2	7	11	18	24	41
GRAND TOTAL	**12319**	**8.5**	**67**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.6	1	<1	<1	1	2	4	4	4
35-49	7	2.3	7	<1	<1	1	3	7	8	8
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	4	3.0	16	<1	<1	<1	5	9	9	9
B. *Operated*										
0-19 YRS	48	4.6	24	<1	<1	4	6	9	14	25
20-34	114	4.0	12	<1	<1	4	6	7	7	17
35-49	42	4.4	11	1	1	4	7	8	11	14
50-64	21	5.0	23	<1	1	4	6	15	16	16
65+	13	2.5	5	<1	<1	1	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	2	<1	<1	3	4	4	4	4
20-34	32	5.4	13	1	1	5	7	11	13	15
35-49	17	7.5	91	1	1	3	7	27	29	29
50-64	9	5.6	67	1	1	3	5	19	27	27
65+	18	4.9	16	<1	1	4	7	9	14	17
B. *Operated*										
0-19 YRS	27	7.0	19	2	2	6	9	11	17	22
20-34	86	8.4	156	1	1	7	9	11	20	87
35-49	53	7.3	39	<1	1	7	9	12	16	41
50-64	28	7.4	34	1	2	6	9	16	21	24
65+	48	11.2	170	2	2	7	13	25	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.6	7	<1	<1	1	3	7	8	9
B. *Operated*	238	4.2	15	<1	<1	4	6	7	9	22
2. MULTIPLE DX										
A. *Not Operated*	82	5.5	34	1	1	4	7	11	19	29
B. *Operated*	242	8.4	105	1	2	7	9	15	22	64
1. SINGLE DX	258	4.1	14	<1	<1	3	6	7	9	22
2. MULTIPLE DX	324	7.7	88	1	1	6	9	14	22	60
A. NOT OPERATED	102	5.0	30	<1	1	3	6	9	16	28
B. OPERATED	480	6.3	64	<1	1	5	7	11	16	40
TOTAL 0-19 YRS	81	5.3	22	<1	1	5	7	9	14	24
20-34	239	5.7	68	<1	1	5	7	9	12	34
35-49	119	6.0	37	<1	1	5	8	11	15	33
50-64	60	6.3	34	1	1	5	7	15	19	27
65+	83	8.1	116	<1	1	5	9	16	28	62
GRAND TOTAL	**582**	**6.1**	**59**	**<1**	**1**	**5**	**7**	**11**	**16**	**35**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	4.5	33	<1	1	3	5	8	14	36
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	9	4.0	17	<1	<1	2	6	11	11	11
50-64	11	3.5	11	<1	<1	2	5	8	12	12
65+	5	4.0	10	2	2	2	6	9	9	9
B. *Operated*										
0-19 YRS	77	6.4	97	<1	<1	4	7	12	18	65
20-34	9	6.9	68	<1	<1	4	8	20	27	27
35-49	6	7.5	93	2	2	4	6	25	27	27
50-64	6	6.8	51	<1	<1	3	12	18	19	19
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	5.8	30	<1	1	4	7	13	15	29
20-34	15	7.1	46	<1	1	7	9	15	23	26
35-49	26	6.0	31	<1	<1	4	7	16	18	21
50-64	42	5.8	41	<1	1	4	7	14	22	28
65+	125	6.8	33	1	1	5	9	15	17	27
B. *Operated*										
0-19 YRS	104	11.3	134	1	2	7	14	29	34	65
20-34	36	19.9	145	2	4	19	30	36	37	38
35-49	38	16.2	253	1	2	10	22	40	52	71
50-64	41	14.8	343	1	2	8	16	63	68	99+
65+	77	10.3	120	1	2	7	13	21	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.2	25	<1	<1	3	5	9	11	31
B. *Operated*	101	6.5	87	<1	<1	4	7	13	22	53
2. MULTIPLE DX										
A. *Not Operated*	288	6.3	34	1	1	4	9	14	17	28
B. *Operated*	296	13.2	184	1	2	8	16	31	38	70
1. SINGLE DX	186	5.4	60	<1	<1	4	6	11	17	35
2. MULTIPLE DX	584	9.8	121	1	1	6	12	23	31	66
A. NOT OPERATED	373	5.8	32	<1	1	4	7	13	16	28
B. OPERATED	397	11.5	167	1	2	7	14	29	36	70
TOTAL 0-19 YRS	317	7.5	88	<1	1	5	8	15	28	43
20-34	64	14.0	146	1	1	9	26	34	36	38
35-49	79	10.8	166	<1	1	6	15	25	38	66
50-64	100	9.3	181	1	1	5	10	22	46	84
65+	210	7.9	67	1	2	6	10	16	22	43
GRAND TOTAL	**770**	**8.7**	**110**	**<1**	**1**	**5**	**11**	**20**	**30**	**64**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.3	9	<1	<1	4	7	8	9	9
20-34	10	4.8	86	<1	<1	2	3	17	31	31
35-49	20	4.6	18	<1	<1	4	6	9	14	18
50-64	16	4.3	40	<1	<1	2	5	10	21	26
65+	17	4.6	29	<1	1	3	7	12	18	21
B. *Operated*										
0-19 YRS	23	11.4	117	1	2	9	13	32	37	40
20-34	12	9.7	139	<1	1	4	15	29	37	38
35-49	12	11.0	95	3	3	7	15	28	31	32
50-64	18	10.6	116	1	1	6	22	27	29	31
65+	21	8.5	87	1	1	4	11	25	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	6.8	38	1	1	5	9	13	16	34
20-34	42	5.7	36	<1	1	3	8	15	19	26
35-49	42	8.7	101	<1	1	6	10	21	33	48
50-64	94	7.0	85	1	1	3	8	16	32	46
65+	215	6.6	51	1	1	4	8	15	23	38
B. *Operated*										
0-19 YRS	55	13.3	179	1	1	9	14	33	50	56
20-34	75	24.9	372	1	3	25	34	57	62	99
35-49	79	22.5	245	2	3	24	33	43	51	64
50-64	116	25.4	356	2	3	26	39	50	59	74
65+	196	16.6	246	2	3	10	26	38	50	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	4.5	29	<1	<1	3	6	8	15	29
B. *Operated*	86	10.2	105	1	1	6	14	27	31	39
2. MULTIPLE DX										
A. *Not Operated*	453	6.8	60	1	1	4	8	16	23	39
B. *Operated*	521	20.3	299	2	3	15	31	46	53	72
1. SINGLE DX	169	7.4	75	<1	1	4	8	22	27	37
2. MULTIPLE DX	974	14.0	233	1	1	8	23	36	47	67
A. NOT OPERATED	536	6.5	55	1	1	4	8	15	22	37
B. OPERATED	607	18.9	284	1	2	12	30	42	52	70
TOTAL 0-19 YRS	158	9.4	105	1	1	7	11	20	33	53
20-34	139	16.3	314	1	1	8	27	43	59	95
35-49	153	15.5	218	1	1	8	26	35	45	55
50-64	244	15.8	296	1	1	8	28	42	50	69
65+	449	11.0	161	1	1	6	13	28	38	56
GRAND TOTAL	**1143**	**13.1**	**215**	**1**	**1**	**7**	**21**	**34**	**45**	**65**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	8	1	1	6	7	8	8	8
20-34	10	5.6	82	1	1	3	4	18	31	31
35-49	27	3.2	5	1	1	3	4	7	8	9
50-64	35	4.1	11	1	1	3	6	10	12	13
65+	47	4.4	16	1	1	3	6	10	12	20
B. *Operated*										
0-19 YRS	31	4.9	15	<1	<1	3	8	10	12	15
20-34	34	4.4	19	1	1	4	6	8	11	23
35-49	85	5.1	28	<1	1	3	7	11	16	28
50-64	138	5.0	20	<1	1	4	7	11	14	21
65+	155	5.2	35	<1	1	3	8	11	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	19	<1	<1	4	7	11	14	15
20-34	31	5.8	15	1	1	4	9	11	13	14
35-49	108	6.7	58	1	1	4	8	17	21	40
50-64	242	7.2	51	1	1	5	9	17	22	37
65+	526	7.4	55	1	1	5	10	15	21	40
B. *Operated*										
0-19 YRS	31	13.6	227	1	2	8	17	31	57	62
20-34	54	12.3	157	2	2	8	14	32	41	52
35-49	154	10.6	119	1	1	7	13	25	33	52
50-64	375	11.0	129	1	2	8	14	22	30	63
65+	795	11.5	108	1	2	9	14	25	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	4.2	17	1	1	3	6	9	11	22
B. *Operated*	443	5.0	26	<1	1	3	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	920	7.2	52	1	1	5	9	15	21	39
B. *Operated*	1409	11.4	119	1	2	8	14	24	34	56
1. SINGLE DX	571	4.9	24	<1	1	3	7	10	14	26
2. MULTIPLE DX	2329	9.7	97	1	2	7	12	21	30	50
A. NOT OPERATED	1048	6.8	49	1	1	5	9	14	20	37
B. OPERATED	1852	9.9	104	1	1	7	12	21	30	52
TOTAL 0-19 YRS	84	8.1	109	<1	1	5	9	16	24	61
20-34	129	8.1	92	1	1	5	9	18	31	49
35-49	374	7.7	79	1	1	5	9	18	28	41
50-64	790	8.5	87	1	1	6	11	18	24	47
65+	1523	9.2	86	1	1	7	12	19	28	47
GRAND TOTAL	**2900**	**8.8**	**86**	**1**	**1**	**6**	**11**	**19**	**27**	**48**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	43	2.3	4	<1	1	1	3	5	7	9
20-34	129	1.8	1	1	1	2	2	3	4	5
35-49	149	2.1	1	<1	1	2	3	4	4	5
50-64	147	1.9	1	<1	1	2	2	3	4	5
65+	115	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	17	3.5	8	<1	1	2	6	8	9	10
20-34	30	2.3	3	1	1	2	2	4	7	8
35-49	41	2.4	7	1	1	2	2	4	6	17
50-64	73	2.3	2	1	1	2	3	4	4	7
65+	134	3.6	10	1	1	3	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	583	2.0	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	4	2.0	2	1	1	2	3	4	4	4
B. *Operated*	295	3.0	7	1	1	2	3	5	7	16
1. SINGLE DX	583	2.0	1	<1	1	2	3	3	4	6
2. MULTIPLE DX	299	2.9	7	1	1	2	3	5	7	16
A. NOT OPERATED	4	2.0	2	1	1	2	3	4	4	4
B. OPERATED	878	2.3	3	1	1	2	3	4	5	9
TOTAL 0-19 YRS	60	2.6	5	<1	1	2	3	6	8	10
20-34	159	1.9	1	1	1	2	2	3	4	7
35-49	191	2.2	2	<1	1	2	3	4	4	6
50-64	222	2.0	1	<1	1	2	3	4	4	6
65+	250	2.9	6	1	1	2	3	5	6	16
GRAND TOTAL	**882**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	16	4.9	13	<1	<1	4	8	10	10	10
20-34	36	4.7	14	<1	<1	5	7	9	11	16
35-49	52	3.3	8	<1	<1	1	6	7	8	10
50-64	155	3.6	13	<1	<1	1	6	9	10	14
65+	164	3.7	11	<1	<1	2	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	7.8	100	1	1	3	12	25	25	25
35-49	7	2.6	2	<1	<1	2	4	5	5	5
50-64	21	3.8	9	<1	<1	3	7	9	9	10
65+	43	3.1	9	<1	<1	2	4	6	7	19
B. *Operated*										
0-19 YRS	20	3.5	7	<1	<1	3	5	8	8	9
20-34	48	6.9	42	<1	<1	6	9	13	19	99+
35-49	98	5.8	24	<1	<1	5	9	12	15	24
50-64	298	4.6	16	<1	<1	3	7	10	11	16
65+	633	6.5	52	<1	<1	5	9	13	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.4		<1	<1	1	2	2	2	2
B. *Operated*	423	3.8	12	<1	<1	2	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	76	3.5	14	<1	<1	2	4	8	9	23
B. *Operated*	1097	5.9	39	<1	<1	5	9	12	15	26
1. SINGLE DX	437	3.7	11	<1	<1	2	7	9	10	12
2. MULTIPLE DX	1173	5.7	38	<1	<1	4	8	12	15	25
A. NOT OPERATED	90	3.2	13	<1	<1	2	3	7	8	23
B. OPERATED	1520	5.3	33	<1	<1	4	8	11	13	24
TOTAL 0-19 YRS	37	4.1	10	<1	<1	3	7	9	10	10
20-34	90	6.0	34	<1	<1	5	9	11	16	76
35-49	159	4.8	19	<1	<1	3	7	10	13	19
50-64	479	4.2	14	<1	<1	2	7	9	11	14
65+	845	5.7	44	<1	<1	4	9	12	15	25
GRAND TOTAL	**1610**	**5.2**	**32**	**<1**	**<1**	**3**	**8**	**11**	**13**	**24**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	79	1.4	2	<1	<1	<1	1	2	5	7
20-34	25	2.0	4	<1	<1	1	3	4	6	8
35-49	41	3.4	7	<1	<1	2	5	7	9	9
50-64	33	4.1	11	<1	<1	2	7	9	10	11
65+	34	4.0	9	1	1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34										
35-49										
50-64	3	7.7	1	7	7	7	9	9	9	9
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	26	2.7	12	<1	<1	1	4	12	27	99+
20-34	23	3.8	11	<1	1	2	6	8	11	13
35-49	28	4.3	10	<1	1	4	6	9	11	12
50-64	54	6.1	21	<1	1	5	8	11	15	26
65+	64	5.8	18	<1	1	5	8	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.5	2	<1	<1	1	1	4	4	4
B. *Operated*	212	2.7	7	<1	<1	1	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	6	5.8	7	1	1	6	7	9	9	9
B. *Operated*	195	5.0	17	<1	1	4	7	10	13	23
1. SINGLE DX	218	2.7	7	<1	<1	1	4	7	9	10
2. MULTIPLE DX	201	5.0	17	<1	1	4	7	10	13	22
A. NOT OPERATED	12	3.7	9	<1	<1	3	6	8	9	9
B. OPERATED	407	3.8	13	<1	<1	2	6	9	11	17
TOTAL 0-19 YRS	110	1.7	4	<1	<1	1	1	4	6	47
20-34	49	2.9	8	<1	<1	1	4	7	8	13
35-49	69	3.8	8	<1	<1	3	5	8	9	12
50-64	92	5.4	17	<1	1	5	8	10	12	22
65+	99	5.2	15	1	1	5	8	9	12	19
GRAND TOTAL	**419**	**3.8**	**13**	**<1**	**<1**	**2**	**6**	**9**	**11**	**17**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.8		<1	<1	2	2	2	2	2
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	341	1.9	3	<1	<1	1	2	3	5	10
20-34	286	2.0	3	<1	<1	1	2	4	5	9
35-49	282	2.1	8	<1	<1	1	2	4	7	13
50-64	273	1.9	3	<1	<1	1	2	3	5	9
65+	104	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.5	289	<1	<1	1	18	35	35	35
20-34	5	3.0	9	<1	<1	2	4	8	8	8
35-49	5	3.4	13	<1	<1	1	6	9	9	9
50-64	4	3.5	4	<1	<1	3	5	6	6	6
65+	5	4.2	5	2	2	4	5	8	8	8
B. *Operated*										
0-19 YRS	71	3.2	11	<1	<1	2	4	7	10	18
20-34	97	3.4	22	<1	<1	2	4	7	12	28
35-49	169	3.5	13	<1	1	2	5	8	12	22
50-64	185	3.3	19	<1	<1	2	3	7	12	29
65+	165	3.3	13	<1	<1	2	3	8	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	1286	2.0	4	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	23	4.6	50	<1	<1	3	5	8	18	35
B. *Operated*	687	3.3	16	<1	<1	2	4	7	12	23
1. SINGLE DX	1292	2.0	4	<1	<1	1	2	4	5	9
2. MULTIPLE DX	710	3.4	17	<1	<1	2	4	7	12	24
A. NOT OPERATED	29	4.1	41	<1	<1	2	4	8	10	35
B. OPERATED	1973	2.4	8	<1	<1	1	3	5	7	15
TOTAL 0-19 YRS	416	2.2	7	<1	<1	1	2	4	6	13
20-34	392	2.3	8	<1	<1	1	3	4	6	13
35-49	458	2.7	10	<1	<1	1	3	6	8	15
50-64	462	2.5	10	<1	<1	1	3	5	8	21
65+	274	2.7	9	<1	<1	2	3	6	9	17
GRAND TOTAL	**2002**	**2.5**	**9**	**<1**	**<1**	**1**	**3**	**5**	**7**	**15**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	3	4.7	16	1	1	4	8	9	9	9
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	281	1.7	3	<1	<1	1	2	3	5	10
20-34	94	2.0	2	<1	<1	1	3	4	5	7
35-49	82	2.2	5	<1	<1	1	2	5	7	11
50-64	53	2.8	6	<1	<1	2	3	7	9	10
65+	37	3.0	9	<1	<1	1	4	8	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	3	<1	<1	1	2	5	6	6
20-34	7	3.3	7	<1	<1	2	5	8	8	8
35-49	4	2.8	6	<1	<1	2	4	6	6	6
50-64	4	5.3	16	<1	<1	5	8	10	10	10
65+	22	5.8	25	1	1	4	7	14	18	20
B. *Operated*										
0-19 YRS	82	3.5	21	<1	<1	2	4	8	14	24
20-34	59	4.7	25	<1	1	2	7	12	16	21
35-49	50	5.8	56	<1	1	3	7	14	19	43
50-64	66	4.8	28	<1	1	3	6	11	13	31
65+	64	6.9	58	<1	1	4	9	17	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.1	6	<1	<1	2	4	7	9	9
B. *Operated*	547	2.0	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	45	4.4	17	<1	<1	3	6	10	14	20
B. *Operated*	321	5.0	37	<1	<1	3	6	12	17	32
1. SINGLE DX	560	2.1	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX	366	5.0	34	<1	<1	3	6	12	17	31
A. NOT OPERATED	58	4.1	15	<1	<1	3	5	9	12	20
B. OPERATED	868	3.1	18	<1	<1	1	3	7	10	23
TOTAL 0-19 YRS	375	2.1	8	<1	<1	1	2	5	7	16
20-34	163	3.1	12	<1	<1	2	3	7	10	20
35-49	139	3.5	26	<1	<1	2	4	8	11	27
50-64	125	3.9	19	<1	<1	2	6	8	12	25
65+	124	5.5	39	<1	<1	3	7	13	17	33
GRAND TOTAL	**926**	**3.2**	**18**	**<1**	**<1**	**2**	**4**	**7**	**11**	**22**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	25	1.0		<1	<1	<1	1	1	1	1
20-34	66	1.2		<1	<1	<1	1	2	2	4
35-49	71	1.1		<1	<1	<1	1	1	1	4
50-64	34	1.4	1	<1	<1	<1	2	2	2	5
65+	24	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	26	1.3		<1	<1	1	1	2	3	3
35-49	68	1.9	2	<1	<1	1	2	3	4	9
50-64	58	2.2	8	<1	<1	1	2	5	8	16
65+	45	1.8	2	<1	<1	1	2	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	220	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	200	1.9	4	<1	<1	1	2	4	5	11
1. SINGLE DX	221	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	200	1.9	4	<1	<1	1	2	4	5	11
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	420	1.5	2	<1	<1	1	1	3	4	8
TOTAL 0-19 YRS	28	1.1		<1	<1	<1	1	1	2	2
20-34	92	1.2		<1	<1	<1	1	2	2	4
35-49	140	1.5	1	<1	<1	1	1	3	4	8
50-64	92	1.9	5	<1	<1	1	2	4	5	14
65+	69	1.7	1	<1	<1	1	2	4	5	6
GRAND TOTAL	**421**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**3**	**4**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.2	2	1	1	2	3	5	5	5
35-49	14	2.9	4	<1	1	2	5	6	6	6
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+										
B. *Operated*										
0-19 YRS										
20-34	228	4.2	3	1	2	4	5	6	7	9
35-49	715	4.7	2	2	3	5	5	6	7	8
50-64	111	4.4	3	<1	1	5	6	6	7	8
65+	15	5.1	3	2	2	6	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	2.3	3	<1	<1	2	3	4	6	8
35-49	88	2.7	5	<1	<1	1	4	6	7	9
50-64	15	3.1	5	1	1	2	5	7	7	7
65+	2	7.0	8	5	5	7	9	9	9	9
B. *Operated*										
0-19 YRS	10	4.3	4	<1	1	4	6	7	7	7
20-34	1031	4.8	3	2	3	5	6	7	8	12
35-49	6643	5.0	3	3	3	5	6	7	8	11
50-64	1323	5.3	5	3	4	5	6	7	8	12
65+	144	6.4	10	2	4	6	7	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.5	3	<1	1	2	4	5	6	6
B. *Operated*	1069	4.5	2	1	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	127	2.7	5	<1	<1	2	4	6	7	9
B. *Operated*	9151	5.1	4	3	3	5	6	7	8	12
1. SINGLE DX	1095	4.5	2	1	3	5	5	6	7	8
2. MULTIPLE DX	9278	5.0	4	3	3	5	6	7	8	12
A. NOT OPERATED	153	2.7	4	<1	<1	2	4	6	7	9
B. OPERATED	10220	5.0	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	10	4.3	4	<1	1	4	6	7	7	7
20-34	1290	4.6	4	1	3	5	5	6	7	11
35-49	7460	5.0	3	3	3	5	6	7	8	10
50-64	1452	5.2	5	2	3	5	6	7	8	12
65+	161	6.3	10	2	4	6	7	9	11	19
GRAND TOTAL	**10373**	**5.0**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	14	3.5	4	<1	<1	4	5	6	6	6
50-64	4	4.8	5	2	2	5	6	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.8		3	3	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS										
20-34	21	4.4	3	2	3	4	6	7	7	8
35-49	76	4.9	4	1	3	5	6	7	8	12
50-64	22	4.0	3	<1	1	4	5	6	7	7
65+	6	8.8	19	5	5	7	10	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	25	3.4	4	<1	<1	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	5	3.8		3	3	4	4	4	4	4
B *Operated*	125	4.8	5	1	3	5	6	7	8	13
1. SINGLE DX	25	3.4	4	<1	<1	4	5	6	6	7
2. MULTIPLE DX	130	4.8	5	1	3	5	6	7	8	13
A. NOT OPERATED	5	3.8		3	3	4	4	4	4	4
B. OPERATED	150	4.6	5	1	2	5	6	7	8	12
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	4.0	3	1	1	4	5	6	7	8
35-49	94	4.6	4	1	2	5	6	7	7	12
50-64	27	4.1	3	<1	1	4	5	6	7	7
65+	8	7.5	20	2	3	6	9	15	17	17
GRAND TOTAL	**155**	**4.6**	**5**	**1**	**2**	**4**	**6**	**7**	**8**	**12**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	84	4.0	1	2	2	4	5	5	6	8
20-34	355	3.9	2	2	3	4	5	5	6	7
35-49	118	4.3	1	3	3	4	5	6	6	7
50-64	91	5.1	4	3	3	5	6	7	7	16
65+	43	5.8	1	4	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	70	4.5	2	2	3	4	5	6	8	9
20-34	453	4.3	2	3	3	4	5	6	7	9
35-49	477	5.2	4	3	3	5	6	7	8	12
50-64	268	6.0	6	3	4	5	7	9	10	15
65+	248	7.8	16	4	5	7	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	3	<1	<1	4	5	5	5	5
B. *Operated*	691	4.3	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	6	2.5	3	<1	<1	2	4	5	5	5
B. *Operated*	1516	5.5	7	3	3	5	6	9	10	16
1. SINGLE DX	696	4.3	2	2	3	4	5	6	7	8
2. MULTIPLE DX	1522	5.5	7	3	3	5	6	8	10	16
A. NOT OPERATED	11	2.9	3	<1	<1	3	5	5	5	5
B. OPERATED	2207	5.1	6	3	3	5	6	7	9	15
TOTAL 0-19 YRS	156	4.2	2	2	3	4	5	6	6	8
20-34	811	4.1	2	2	3	4	5	6	6	8
35-49	598	5.0	4	3	3	5	6	7	8	12
50-64	359	5.8	6	3	4	5	6	8	10	15
65+	294	7.5	14	4	5	6	8	12	16	25
GRAND TOTAL	**2218**	**5.1**	**6**	**3**	**3**	**5**	**6**	**7**	**9**	**15**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34	13	3.2	4	<1	<1	3	5	6	6	6
35-49	12	3.1	4	<1	<1	3	5	6	6	6
50-64	6	2.3	2	<1	<1	2	3	5	5	5
65+	3	4.7	4	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	3.2	4	<1	<1	4	5	5	6	6
35-49	28	4.8	4	1	2	5	6	6	8	10
50-64	13	3.4	3	<1	1	4	5	5	6	6
65+	6	5.7	18	<1	<1	5	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	37	3.0	4	<1	<1	3	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	6	3.8	26	<1	<1	2	3	13	14	14
B. *Operated*	62	4.2	5	<1	1	4	5	6	9	11
1. SINGLE DX	37	3.0	4	<1	<1	3	4	6	6	7
2. MULTIPLE DX	68	4.1	7	<1	<1	4	5	6	10	13
A. NOT OPERATED	6	3.8	26	<1	<1	2	3	13	14	14
B. OPERATED	99	3.7	5	<1	<1	4	5	6	7	11
TOTAL 0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	28	3.2	4	<1	<1	3	5	6	6	6
35-49	41	4.2	5	<1	1	4	6	6	7	10
50-64	21	3.0	3	<1	<1	3	5	5	6	6
65+	10	6.2	19	<1	<1	5	10	12	14	14
GRAND TOTAL	**105**	**3.7**	**6**	**<1**	**<1**	**4**	**5**	**6**	**7**	**12**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	9	1.0		1	1	1	1	1	1	1
35-49	13	1.2		<1	<1	1	1	2	2	2
50-64	5	1.8	1	1	1	1	3	3	3	3
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	2.0	3	1	1	1	3	4	4	4
65+	6	2.3	2	1	1	2	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	34	1.3	1	<1	<1	1	1	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	16	1.9	2	<1	1	1	3	4	5	5
1. SINGLE DX	34	1.3	1	<1	<1	1	1	3	3	4
2. MULTIPLE DX	16	1.9	2	<1	1	1	3	4	5	5
A. NOT OPERATED										
B. OPERATED	50	1.5	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	13	1.2		<1	<1	1	1	2	3	3
35-49	16	1.3		<1	<1	1	1	2	3	3
50-64	8	1.9	2	1	1	1	3	4	4	4
65+	8	2.4	2	1	1	2	3	5	5	5
GRAND TOTAL	**50**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	8	3.1	16	<1	<1	1	4	10	12	12
65+	17	2.2	3	<1	1	2	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	9.5	43	1	2	8	15	19	22	22
35-49	7	4.7	2	2	2	5	6	6	6	6
50-64	20	4.9	23	<1	1	3	7	11	15	19
65+	75	4.1	14	1	1	2	6	11	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	30	2.6	7	<1	<1	2	2	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	113	4.7	19	1	1	3	6	11	14	20
1. SINGLE DX	31	2.7	7	<1	<1	2	3	7	9	12
2. MULTIPLE DX	113	4.7	19	1	1	3	6	11	14	20
A. NOT OPERATED	1	6.0		6	6	6	6	6	6	6
B. OPERATED	143	4.3	17	1	1	2	6	11	13	19
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	12	8.8	40	1	2	8	13	18	21	22
35-49	9	3.9	4	<1	<1	5	5	6	6	6
50-64	28	4.4	21	<1	1	2	7	11	13	19
65+	93	3.7	12	1	1	2	5	9	12	15
GRAND TOTAL	**144**	**4.3**	**17**	**1**	**1**	**3**	**6**	**11**	**13**	**19**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3	1	1	1	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	1.9	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	12	1.8	1	<1	<1	1	3	3	3	3
1. SINGLE DX	11	1.9	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX	13	1.8	1	<1	<1	1	3	3	3	3
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	23	1.8	2	<1	<1	1	3	3	5	7
TOTAL 0-19 YRS	9	1.3	1	<1	<1	1	2	3	3	3
20-34	4	1.3		1	1	1	2	2	2	2
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	4	3.5	6	1	1	3	5	7	7	7
GRAND TOTAL	**24**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.7	12	2	2	6	8	9	9	9
35-49	6	3.0	12	1	1	2	3	9	10	10
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	7	11.9	555	1	1	3	7	54	65	65
B. *Operated*										
0-19 YRS	7	6.1	10	1	2	6	8	10	11	11
20-34	38	7.7	20	1	2	8	10	13	16	22
35-49	66	6.9	13	1	1	7	9	10	13	18
50-64	75	7.1	14	1	2	7	9	12	15	18
65+	46	7.5	18	1	2	8	10	14	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	9	2.6	4	<1	<1	2	4	6	6	6
50-64	11	4.0	9	<1	<1	3	6	9	10	10
65+	43	4.5	10	1	2	3	6	8	10	18
B. *Operated*										
0-19 YRS	11	11.5	77	5	5	9	12	27	32	33
20-34	34	10.9	55	4	5	9	13	18	25	41
35-49	114	12.6	130	2	3	10	15	23	37	86
50-64	170	13.8	112	2	4	11	17	29	37	51
65+	173	14.1	126	2	4	11	18	25	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.3	199	1	1	2	5	9	37	65
B. *Operated*	232	7.2	15	1	2	7	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	69	4.0	9	1	1	3	5	8	10	17
B. *Operated*	502	13.4	116	2	4	10	17	25	36	55
1. SINGLE DX	252	7.1	29	1	1	7	9	12	15	19
2. MULTIPLE DX	571	12.3	113	1	2	10	15	24	34	53
A. NOT OPERATED	89	4.5	51	1	1	3	5	8	10	47
B. OPERATED	734	11.4	93	1	3	9	14	22	30	49
TOTAL 0-19 YRS	22	8.0	55	1	1	6	9	15	27	33
20-34	77	9.0	38	1	2	8	11	15	20	37
35-49	195	9.9	92	1	2	8	11	19	25	69
50-64	260	11.3	91	1	2	9	14	23	33	48
65+	269	11.3	113	1	2	9	14	22	29	61
GRAND TOTAL	**823**	**10.7**	**93**	**1**	**2**	**9**	**13**	**21**	**29**	**49**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	24	2.5	3	1	1	2	3	4	6	9
20-34	190	2.3	1	1	1	2	3	3	4	5
35-49	242	2.2	1	1	1	2	3	3	4	5
50-64	129	2.4	1	1	1	2	3	4	4	5
65+	64	2.8	1	1	1	3	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	70	2.4	1	1	1	2	3	3	4	4
35-49	140	2.7	2	1	1	3	3	4	5	7
50-64	136	3.2	3	1	2	3	4	5	6	13
65+	84	4.5	25	1	2	3	4	6	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6		1	1	2	2	2	2	2
B. *Operated*	649	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	15	1	1	2	5	9	9	9
B. *Operated*	434	3.1	7	1	1	3	4	4	6	17
1. SINGLE DX	654	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	438	3.1	7	1	1	3	4	5	6	17
A. NOT OPERATED	9	2.3	7	1	1	2	2	6	9	9
B. OPERATED	1083	2.7	4	1	1	2	3	4	5	8
TOTAL 0-19 YRS	29	2.4	3	1	1	2	3	4	5	9
20-34	263	2.3	1	1	1	2	3	3	4	5
35-49	384	2.4	1	1	1	2	3	4	4	6
50-64	267	2.8	2	1	1	3	4	4	5	8
65+	149	3.7	16	1	1	3	4	5	7	28
GRAND TOTAL	**1092**	**2.7**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	2.8	8	<1	<1	1	4	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	5	7.0	6	4	4	8	9	9	9	9
20-34	29	5.7	4	2	3	5	7	8	9	10
35-49	30	5.4	7	2	2	5	7	8	10	14
50-64	47	4.9	7	1	2	4	7	9	10	11
65+	27	4.8	10	2	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	12	3.1	9	<1	<1	2	5	8	9	9
50-64	12	7.5	47	2	2	4	11	20	21	21
65+	12	5.6	14	1	1	5	7	12	13	13
B. *Operated*										
0-19 YRS	7	6.3	11	3	3	5	7	12	13	13
20-34	58	6.7	16	2	3	6	8	12	14	24
35-49	86	6.1	20	2	2	5	8	12	16	22
50-64	120	6.4	28	1	2	4	9	13	15	29
65+	125	6.8	33	2	2	5	8	14	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.6	4	<1	<1	2	3	6	7	7
B. *Operated*	138	5.2	7	2	2	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	40	5.1	24	1	1	3	7	12	16	21
B. *Operated*	396	6.5	26	2	2	5	8	13	16	26
1. SINGLE DX	147	5.1	7	2	2	5	7	8	9	14
2. MULTIPLE DX	436	6.4	26	1	2	5	8	13	16	25
A. NOT OPERATED	49	4.6	21	1	1	3	7	11	14	21
B. OPERATED	534	6.2	21	2	2	5	8	12	15	25
TOTAL 0-19 YRS	15	5.7	10	1	2	5	8	9	12	13
20-34	92	6.2	13	2	2	6	8	10	12	21
35-49	132	5.6	17	1	2	5	7	10	13	22
50-64	180	6.1	24	1	2	4	8	12	15	24
65+	164	6.4	28	2	2	5	7	13	17	26
GRAND TOTAL	**583**	**6.0**	**21**	**1**	**2**	**5**	**8**	**12**	**14**	**25**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	7	2.4	2	<1	<1	2	4	4	4	4
20-34	273	2.8	3	<1	1	3	4	5	5	7
35-49	140	3.5	5	<1	1	4	5	6	6	8
50-64	34	3.8	5	<1	1	4	5	7	8	10
65+	24	3.7	5	<1	1	4	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	6	3.8	8	<1	<1	3	6	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	328	4.0	5	1	1	4	5	6	7	12
35-49	329	4.4	3	1	2	4	5	6	7	10
50-64	82	5.0	8	1	1	5	6	8	10	16
65+	45	5.4	5	1	2	6	6	8	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	1	1	1	3	3	3	3	3
B. *Operated*	478	3.1	4	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	11	3.2	6	<1	<1	3	5	7	8	8
B. *Operated*	785	4.3	5	1	1	4	5	7	8	12
1. SINGLE DX	482	3.1	4	<1	1	3	4	5	6	8
2. MULTIPLE DX	796	4.3	5	1	1	4	5	7	8	12
A. NOT OPERATED	15	3.0	4	<1	<1	3	4	6	7	8
B. OPERATED	1263	3.9	5	<1	1	4	5	6	7	11
TOTAL 0-19 YRS	8	2.3	2	<1	<1	2	4	4	4	4
20-34	605	3.5	5	<1	1	4	5	6	6	10
35-49	475	4.1	4	1	1	4	5	6	7	10
50-64	119	4.6	7	1	1	4	5	8	8	15
65+	71	4.8	6	1	1	5	6	7	8	11
GRAND TOTAL	**1278**	**3.9**	**5**	**<1**	**1**	**4**	**5**	**6**	**7**	**11**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	12	4.0	14	<1	<1	2	7	9	10	10
35-49	64	4.4	54	<1	1	4	5	6	9	53
50-64	112	3.4	7	<1	1	3	5	7	10	12
65+	107	3.4	9	<1	<1	2	4	8	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	3.3	7	<1	<1	2	5	7	7	7
65+	8	2.9	11	<1	<1	2	3	9	11	11
B. *Operated*										
0-19 YRS										
20-34	14	3.6	4	<1	1	4	5	6	8	8
35-49	83	4.6	10	1	2	4	6	8	10	17
50-64	170	4.8	14	1	1	4	6	10	11	18
65+	326	6.7	77	1	1	4	8	13	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	298	3.7	18	<1	1	3	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	12	3.0	9	<1	<1	2	3	8	11	11
B. *Operated*	593	5.8	49	1	1	4	7	11	16	27
1. SINGLE DX	299	3.6	18	<1	1	3	5	7	9	14
2. MULTIPLE DX	605	5.7	48	1	1	4	7	11	15	27
A. NOT OPERATED	13	3.0	8	<1	<1	2	3	8	10	11
B. OPERATED	891	5.1	40	<1	1	4	6	10	13	24
TOTAL 0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	26	3.8	8	<1	<1	3	6	9	9	10
35-49	148	4.5	29	1	1	4	5	8	9	20
50-64	286	4.2	11	<1	1	3	5	9	11	16
65+	441	5.8	62	1	1	4	7	12	17	30
GRAND TOTAL	**904**	**5.0**	**39**	**<1**	**1**	**4**	**6**	**10**	**13**	**24**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	4	<1	<1	1	2	5	7	7
20-34	13	2.5	2	<1	1	2	3	5	6	6
35-49	12	3.8	11	<1	<1	2	7	9	9	9
50-64	21	2.5	2	1	1	2	3	5	5	5
65+	20	2.9	10	<1	<1	1	4	7	10	12
B. *Operated*										
0-19 YRS	71	4.0	24	<1	<1	2	4	9	16	25
20-34	126	3.2	6	<1	1	2	4	7	8	11
35-49	123	3.3	8	<1	1	2	5	7	9	13
50-64	172	3.6	11	<1	1	2	5	7	11	17
65+	167	3.7	12	<1	1	2	5	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	5	<1	<1	2	4	7	8	9
20-34	28	3.0	8	<1	<1	2	4	6	9	14
35-49	52	3.5	12	<1	<1	2	4	8	11	17
50-64	75	3.8	44	<1	1	2	4	8	12	44
65+	220	5.2	43	1	1	3	6	10	14	37
B. *Operated*										
0-19 YRS	49	11.5	192	1	1	7	15	27	33	79
20-34	122	5.9	65	1	1	4	6	11	16	52
35-49	183	5.8	47	<1	1	5	7	11	15	44
50-64	294	6.0	49	1	1	5	7	11	15	50
65+	522	6.9	34	1	1	6	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.8	6	<1	<1	2	3	6	8	11
B. *Operated*	659	3.5	11	<1	1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	404	4.4	35	<1	1	3	5	9	12	31
B. *Operated*	1170	6.6	51	1	1	5	8	13	17	38
1. SINGLE DX	734	3.4	11	<1	1	2	5	8	10	15
2. MULTIPLE DX	1574	6.0	47	1	1	4	8	12	16	36
A. NOT OPERATED	479	4.1	31	<1	1	3	5	8	11	25
B. OPERATED	1829	5.5	39	1	1	4	7	11	15	29
TOTAL 0-19 YRS	158	6.0	85	<1	<1	3	7	15	23	46
20-34	289	4.3	33	<1	1	3	5	8	11	29
35-49	370	4.6	30	<1	1	3	6	9	12	24
50-64	562	4.9	37	1	1	3	6	9	13	22
65+	929	5.8	33	1	1	4	8	12	15	27
GRAND TOTAL	**2308**	**5.2**	**37**	**<1**	**1**	**4**	**7**	**11**	**14**	**29**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	1.3		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	10	2.3		1	1	2	3	3	3	3
20-34	130	2.6	1	1	1	3	3	4	4	6
35-49	202	2.5	1	1	1	2	3	4	5	6
50-64	145	2.6	1	1	1	3	3	4	4	5
65+	81	3.1	3	1	2	3	4	5	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	1.0		<1	<1	<1	1	1	1	1
35-49	6	1.3	1	<1	<1	1	1	3	3	3
50-64	7	2.7	3	1	1	2	4	5	5	5
65+	11	4.0	5	1	1	3	6	7	8	8
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	54	4.0	62	1	1	3	4	5	6	58
35-49	111	3.2	4	1	2	3	4	5	6	11
50-64	131	3.4	5	1	2	3	4	5	7	13
65+	118	5.0	60	1	2	4	5	8	9	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	568	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	31	2.5	4	<1	<1	2	3	6	7	8
B. *Operated*	416	3.9	28	1	2	3	4	6	8	18
1. SINGLE DX	573	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX	447	3.8	26	1	1	3	4	6	8	17
A. NOT OPERATED	36	2.3	4	<1	<1	2	3	5	7	8
B. OPERATED	984	3.2	13	1	1	3	4	5	6	11
TOTAL 0-19 YRS	14	2.1	1	1	1	2	3	3	3	3
20-34	189	2.9	19	1	1	3	3	4	5	8
35-49	321	2.7	2	1	1	3	3	4	5	7
50-64	286	3.0	3	1	1	3	4	5	5	10
65+	210	4.2	35	1	2	3	4	6	8	22
GRAND TOTAL	**1020**	**3.1**	**13**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	18	3.3	5	<1	1	3	4	7	8	8
35-49	14	3.1	4	<1	1	3	4	7	7	7
50-64	9	2.9	1	2	2	2	4	5	5	5
65+	4	7.8	11	4	4	8	10	11	11	11
B. *Operated*										
0-19 YRS	16	3.2	2	1	1	3	4	5	5	5
20-34	103	2.9	1	1	1	3	4	4	5	7
35-49	116	2.7	1	1	1	2	4	4	5	6
50-64	75	2.8	1	1	1	3	3	4	5	7
65+	25	2.8	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.3	211	1	2	5	13	39	44	45
20-34	55	5.0	20	1	1	4	6	11	15	23
35-49	61	4.2	17	1	1	3	5	9	11	23
50-64	89	5.7	32	1	2	4	7	11	13	36
65+	186	7.1	34	2	2	6	8	14	19	31
B. *Operated*										
0-19 YRS	12	4.2	9	1	1	4	5	8	11	12
20-34	53	4.8	13	2	2	4	5	9	14	18
35-49	62	3.4	2	1	2	3	4	5	6	7
50-64	78	4.3	9	2	2	3	5	8	12	16
65+	66	7.8	155	1	2	4	8	16	27	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.4	6	1	1	3	4	7	8	11
B. *Operated*	335	2.8	1	1	1	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	403	6.2	35	1	2	4	7	12	18	35
B. *Operated*	271	5.0	46	1	2	4	5	8	14	28
1. SINGLE DX	386	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX	674	5.7	40	1	2	4	6	11	16	33
A. NOT OPERATED	454	5.9	33	1	2	4	7	12	17	34
B. OPERATED	606	3.8	23	1	2	3	4	6	8	18
TOTAL 0-19 YRS	46	5.4	68	1	1	3	5	7	22	45
20-34	229	3.9	10	1	1	3	4	7	9	17
35-49	253	3.3	6	1	1	3	4	5	7	13
50-64	251	4.3	16	1	2	3	5	8	11	19
65+	281	6.9	60	2	2	5	8	13	20	36
GRAND TOTAL	**1060**	**4.7**	**28**	**1**	**2**	**3**	**5**	**9**	**13**	**26**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.6	2	1	2	4	4	5	6	9
20-34	36	2.9	3	<1	1	3	4	5	5	11
35-49	37	3.7	4	1	1	3	5	6	7	11
50-64	20	4.4	15	1	1	3	5	10	14	16
65+	11	4.8	19	<1	<1	4	7	11	16	16
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	4.1	4	1	2	4	5	7	9	10
20-34	85	3.9	5	<1	<1	4	5	7	8	11
35-49	104	4.1	4	1	1	4	5	7	8	10
50-64	143	5.4	32	1	2	4	6	8	12	37
65+	126	6.3	47	2	2	4	7	12	16	45
B. *Operated*										
0-19 YRS										
20-34	12	8.9	69	1	2	6	11	21	30	31
35-49	10	5.8	11	3	3	4	9	11	12	12
50-64	15	10.5	227	1	2	5	11	28	51	59
65+	11	16.1	207	4	6	12	17	35	55	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.6	5	1	1	3	4	6	7	13
B. *Operated*	7	4.0	7	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	554	4.9	22	1	2	4	6	8	11	24
B. *Operated*	48	10.4	142	2	2	6	12	19	34	59
1. SINGLE DX	224	3.7	5	1	1	3	4	6	7	13
2. MULTIPLE DX	602	5.3	34	1	2	4	6	9	12	35
A. NOT OPERATED	771	4.5	18	1	2	4	5	7	10	20
B. OPERATED	55	9.6	129	1	2	6	12	18	30	59
TOTAL 0-19 YRS	210	3.8	3	1	2	4	5	6	7	9
20-34	134	4.1	12	<1	1	3	5	7	9	19
35-49	153	4.1	5	1	2	4	5	7	8	11
50-64	179	5.7	47	1	2	4	6	10	13	42
65+	150	6.9	61	2	2	5	7	13	18	55
GRAND TOTAL	**826**	**4.9**	**26**	**1**	**2**	**4**	**5**	**8**	**11**	**29**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	524	3.1	5	1	1	3	4	6	7	9
20-34	336	2.9	4	1	1	2	4	5	7	10
35-49	134	3.3	8	1	1	3	4	5	7	14
50-64	57	3.9	6	1	1	3	5	7	9	14
65+	39	5.3	11	1	2	4	7	9	13	16
B. *Operated*										
0-19 YRS	6	3.7	2	2	2	4	5	5	5	5
20-34	4	4.0	2	2	2	4	5	5	5	5
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64	3	15.3	100	5	5	16	23	25	25	25
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	750	3.5	8	1	1	3	4	6	8	11
20-34	920	3.6	8	1	1	3	4	6	8	12
35-49	575	4.5	11	1	2	4	5	7	9	18
50-64	459	5.9	16	2	2	5	7	11	14	22
65+	705	7.1	24	2	3	6	9	12	15	26
B. *Operated*										
0-19 YRS	14	7.1	64	2	2	4	9	16	28	32
20-34	87	8.6	89	2	2	6	10	18	25	84
35-49	80	12.1	133	2	3	8	14	28	41	52
50-64	82	14.6	185	2	4	11	20	28	35	79
65+	73	19.1	294	4	7	14	22	33	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1090	3.2	5	1	1	3	4	6	7	11
B. *Operated*	17	5.8	35	2	2	5	5	14	22	25
2. MULTIPLE DX										
A. *Not Operated*	3409	4.8	15	1	2	4	6	9	11	19
B. *Operated*	336	13.1	180	2	3	9	17	28	38	91
1. SINGLE DX	1107	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	3745	5.5	35	1	2	4	6	10	14	31
A. NOT OPERATED	4499	4.4	13	1	1	3	5	8	10	18
B. OPERATED	353	12.8	175	2	3	9	16	27	37	89
TOTAL 0-19 YRS	1294	3.4	7	1	1	3	4	6	7	11
20-34	1347	3.7	14	1	1	3	4	7	8	18
35-49	793	5.0	28	1	2	4	6	9	12	32
50-64	601	6.9	48	2	2	5	8	13	20	33
65+	817	8.1	59	2	3	6	10	14	19	37
GRAND TOTAL	**4852**	**5.0**	**29**	**1**	**1**	**4**	**6**	**9**	**13**	**28**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	4.0	5	1	2	4	5	6	8	12
20-34	145	3.6	3	1	1	3	5	6	7	8
35-49	162	3.7	4	1	1	3	5	6	7	9
50-64	176	3.9	4	1	2	4	5	6	7	11
65+	178	4.0	8	1	2	4	5	7	9	16
B. *Operated*										
0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	17	4.5	21	1	2	4	5	7	16	21
35-49	9	2.3	3	<1	<1	2	3	5	6	6
50-64	25	2.3	6	<1	<1	1	2	5	9	11
65+	25	2.7	6	<1	<1	2	3	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	3.7	5	<1	1	3	5	7	8	11
20-34	713	4.5	23	1	1	3	5	8	12	29
35-49	1011	4.9	12	1	2	4	6	8	11	17
50-64	1674	5.3	16	2	2	4	7	9	12	20
65+	2815	6.0	21	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	9	10.3	162	2	2	5	11	33	41	41
20-34	300	8.1	85	1	2	5	9	17	23	62
35-49	520	10.4	107	1	2	7	13	22	33	51
50-64	903	11.5	130	1	2	8	15	26	33	53
65+	1192	12.9	135	2	3	10	17	27	35	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	860	3.9	5	1	2	4	5	6	7	11
B. *Operated*	80	2.9	9	<1	<1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	6476	5.4	18	1	2	4	7	9	12	21
B. *Operated*	2924	11.5	126	1	2	8	15	25	33	61
1. SINGLE DX	940	3.8	5	1	1	3	5	6	7	11
2. MULTIPLE DX	9400	7.3	60	1	2	5	8	15	21	41
A. NOT OPERATED	7336	5.2	17	1	2	4	6	9	12	21
B. OPERATED	3004	11.3	124	1	2	8	15	25	33	61
TOTAL 0-19 YRS	475	3.9	9	1	1	4	5	7	8	12
20-34	1175	5.3	39	1	1	4	6	10	16	33
35-49	1702	6.4	47	1	2	5	7	12	18	39
50-64	2778	7.2	61	1	2	5	8	15	22	40
65+	4210	7.8	63	2	2	6	9	15	22	43
GRAND TOTAL	**10340**	**7.0**	**56**	**1**	**2**	**5**	**8**	**14**	**20**	**40**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.6	2	<1	<1	3	3	4	5	5
20-34	54	3.5	3	<1	1	3	5	6	6	8
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	6	5.3	4	3	3	5	7	8	8	8
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	13	2.7	2	<1	<1	3	4	5	6	6
20-34	134	4.2	4	<1	2	4	5	6	8	10
35-49	32	4.4	3	2	2	5	5	6	7	10
50-64	5	5.6	1	5	5	5	6	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*	67	3.4	3	<1	1	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	12	4.6	6	<1	1	4	7	8	8	8
B. *Operated*	184	4.2	4	<1	2	4	5	6	7	10
1. SINGLE DX	70	3.4	3	<1	1	3	4	6	6	8
2. MULTIPLE DX	196	4.2	4	<1	1	4	5	6	7	10
A. NOT OPERATED	15	4.2	6	<1	<1	4	6	7	8	8
B. OPERATED	251	4.0	3	<1	1	4	5	6	7	10
TOTAL 0-19 YRS	24	2.8	3	<1	<1	3	4	5	6	7
20-34	196	4.0	4	<1	1	4	5	6	7	10
35-49	40	4.1	3	<1	1	4	5	6	7	10
50-64	5	5.6	1	5	5	5	6	7	7	7
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**266**	**4.0**	**4**	**<1**	**1**	**4**	**5**	**6**	**7**	**10**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.1	8	<1	<1	1	2	4	5	20
20-34	32	2.4	2	<1	<1	2	3	5	5	6
35-49	43	2.6	5	<1	<1	2	3	6	7	8
50-64	26	2.8	3	<1	1	3	3	5	7	9
65+	35	2.5	4	1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	18	3.2	6	<1	<1	2	5	6	9	10
20-34	12	4.3	5	1	1	4	6	8	9	9
35-49	16	4.3	13	<1	<1	3	6	10	13	14
50-64	27	3.5	4	1	1	3	5	6	7	9
65+	9	7.3	30	3	3	5	9	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	3.4	45	<1	<1	2	3	6	10	41
20-34	185	3.7	16	1	1	3	4	8	10	22
35-49	222	4.1	21	1	1	3	5	8	10	28
50-64	377	4.3	15	1	1	3	6	8	11	22
65+	1176	5.0	19	1	1	4	6	10	13	25
B. *Operated*										
0-19 YRS	15	5.7	19	1	1	4	9	15	74	99+
20-34	36	8.9	129	2	2	5	8	21	39	52
35-49	60	7.5	32	2	2	6	10	15	19	27
50-64	112	9.7	91	2	3	6	12	24	28	50
65+	139	9.2	99	2	3	7	10	17	25	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	2.4	5	<1	<1	2	3	5	6	10
B. *Operated*	82	4.1	10	<1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	2135	4.5	21	1	1	3	6	9	12	25
B. *Operated*	362	8.9	85	2	2	6	10	19	26	60
1. SINGLE DX	278	2.9	7	<1	<1	2	4	6	7	13
2. MULTIPLE DX	2497	5.2	32	1	1	4	6	10	15	31
A. NOT OPERATED	2331	4.4	20	1	1	3	5	9	12	24
B. OPERATED	444	8.0	75	1	2	5	9	16	25	59
TOTAL 0-19 YRS	268	3.2	33	<1	<1	2	3	6	10	42
20-34	265	4.3	32	1	1	3	5	8	12	33
35-49	341	4.5	22	1	1	3	6	9	13	27
50-64	542	5.3	35	1	1	4	6	11	16	28
65+	1359	5.4	29	1	1	4	7	10	14	28
GRAND TOTAL	**2775**	**4.9**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	9	1	1	5	6	7	7	7
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	5	3.6	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	10.8	188	1	2	6	14	25	46	62
20-34	26	13.3	372	<1	2	4	14	35	66	77
35-49	38	10.0	112	3	3	7	11	18	28	62
50-64	67	8.7	43	2	2	7	12	18	21	31
65+	242	7.8	41	2	3	6	9	14	20	42
B. *Operated*										
0-19 YRS	15	7.0	30	3	3	6	9	10	21	25
20-34	71	6.3	29	4	4	4	5	12	17	35
35-49	101	6.8	63	4	4	5	5	11	17	54
50-64	62	9.1	74	3	4	6	11	17	24	53
65+	85	13.8	176	2	3	10	17	30	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.7	5	<1	<1	3	6	7	7	7
B. *Operated*	3	6.0	61	1	1	2	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	412	8.8	83	2	3	6	10	17	25	62
B. *Operated*	334	8.9	93	4	4	5	9	18	26	51
1. SINGLE DX	17	4.1	13	<1	<1	3	6	7	12	15
2. MULTIPLE DX	746	8.8	88	2	3	5	10	18	25	58
A. NOT OPERATED	426	8.6	82	2	2	6	10	16	24	62
B. OPERATED	337	8.9	93	3	4	5	9	18	26	51
TOTAL 0-19 YRS	57	9.5	139	1	2	6	12	18	31	62
20-34	99	8.1	126	3	4	4	6	16	30	70
35-49	143	7.6	76	3	4	5	7	15	20	62
50-64	132	8.7	57	2	3	7	11	17	23	36
65+	332	9.3	82	2	3	6	11	19	27	44
GRAND TOTAL	**763**	**8.7**	**86**	**2**	**3**	**5**	**10**	**17**	**25**	**58**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	8.0	31	<1	<1	9	11	14	17	21
20-34	23	11.3	11	6	8	11	14	16	17	18
35-49	6	11.8	5	8	8	13	13	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	9.9	31	2	3	10	13	17	20	23
20-34	135	12.3	34	3	6	12	15	19	21	29
35-49	27	14.1	40	3	6	14	16	23	25	31
50-64										
65+										
B. *Operated*										
0-19 YRS	23	11.5	38	2	3	11	17	19	20	22
20-34	17	11.6	26	6	7	10	14	18	23	26
35-49	4	23.3	372	11	11	15	34	52	52	52
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	9.2	26	<1	<1	10	13	15	17	21
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	373	11.1	35	2	3	11	14	18	21	26
B. *Operated*	44	12.3	67	3	5	11	16	19	23	52
1. SINGLE DX	84	9.2	26	<1	<1	10	13	14	17	21
2. MULTIPLE DX	417	11.2	38	2	3	11	14	19	21	28
A. NOT OPERATED	456	10.7	34	2	3	10	14	18	21	25
B. OPERATED	45	12.6	65	3	5	11	16	19	23	52
TOTAL 0-19 YRS	289	9.7	32	<1	2	10	13	17	19	22
20-34	175	12.1	30	4	6	11	15	18	20	26
35-49	37	14.7	70	4	7	14	15	23	29	52
50-64										
65+										
GRAND TOTAL	**501**	**10.9**	**37**	**2**	**3**	**10**	**14**	**18**	**21**	**26**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	92	5.4	4	2	3	5	7	8	8	13
35-49	95	5.4	4	3	3	5	7	8	9	11
50-64	18	5.2	6	1	2	5	6	9	10	10
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	14	1	1	7	8	8	8	8
20-34	9	15.0	342	<1	<1	5	34	43	46	46
35-49	9	7.8	152	1	1	3	6	28	40	40
50-64	12	7.2	55	<1	<1	3	12	18	23	24
65+	4	4.0	6	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	6	7.2	6	4	4	7	8	11	11	11
20-34	188	7.3	28	4	4	7	8	9	11	40
35-49	303	7.2	17	4	4	7	8	9	13	25
50-64	72	8.4	60	3	4	7	8	10	25	48
65+	3	7.0	1	6	6	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	5	1	1	2	5	7	7	7
B. *Operated*	209	5.4	4	3	3	5	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	37	8.7	142	<1	1	4	10	30	40	46
B. *Operated*	572	7.4	26	4	4	7	8	9	12	37
1. SINGLE DX	216	5.3	4	2	3	5	7	8	9	11
2. MULTIPLE DX	609	7.5	33	3	4	7	8	10	13	41
A. NOT OPERATED	44	7.9	124	<1	1	3	8	25	39	46
B. OPERATED	781	6.8	21	3	4	6	8	9	11	26
TOTAL 0-19 YRS	15	5.3	8	1	2	5	8	8	10	11
20-34	290	6.9	32	3	4	6	8	9	10	43
35-49	410	6.8	17	3	4	6	8	9	11	25
50-64	102	7.7	51	1	3	7	8	10	19	46
65+	8	5.8	7	2	2	6	8	9	9	9
GRAND TOTAL	**825**	**6.9**	**26**	**3**	**4**	**6**	**8**	**9**	**11**	**38**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.3	5	<1	<1	1	2	5	7	12
20-34	101	2.6	30	<1	<1	<1	2	5	8	33
35-49	49	1.9	8	<1	<1	<1	1	4	7	14
50-64	46	2.3	8	<1	<1	<1	2	6	9	15
65+	18	2.8	3	<1	1	3	3	6	6	6
B. *Operated*										
0-19 YRS	28	2.7	3	<1	<1	2	4	5	6	8
20-34	44	2.4	4	<1	<1	2	3	6	7	10
35-49	54	4.2	176	<1	1	2	4	5	7	95
50-64	31	2.4	2	<1	<1	2	3	4	5	7
65+	15	2.4	5	<1	<1	1	4	8	72	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	4.6	77	1	1	2	4	10	12	39
20-34	181	3.8	23	<1	<1	2	4	9	14	26
35-49	205	5.3	39	<1	<1	3	7	13	18	27
50-64	235	5.0	23	<1	<1	4	6	11	14	23
65+	312	6.1	18	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	30	5.8	49	<1	1	3	9	23	93	99+
20-34	120	10.5	162	1	1	7	13	23	30	73
35-49	127	9.7	141	1	1	4	12	28	35	67
50-64	120	10.1	196	1	1	5	13	30	42	92
65+	125	9.6	102	1	2	7	11	21	32	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	2.4	15	<1	<1	<1	2	5	7	16
B. *Operated*	172	3.0	58	<1	<1	2	3	5	7	78
2. MULTIPLE DX										
A. *Not Operated*	1082	5.1	33	<1	<1	4	7	11	15	25
B. *Operated*	522	9.7	144	1	1	6	12	25	35	98
1. SINGLE DX	436	2.6	32	<1	<1	1	3	5	7	16
2. MULTIPLE DX	1604	6.6	74	<1	<1	4	8	15	23	48
A. NOT OPERATED	1346	4.6	31	<1	<1	3	6	10	14	24
B. OPERATED	694	8.1	131	1	1	4	9	21	32	98
TOTAL 0-19 YRS	257	4.1	53	<1	<1	2	4	9	12	90
20-34	446	5.2	70	<1	<1	2	6	13	19	36
35-49	435	6.0	88	<1	<1	3	7	15	23	51
50-64	432	5.9	75	<1	<1	3	7	13	22	46
65+	470	6.8	43	1	1	5	9	12	18	40
GRAND TOTAL	**2040**	**5.8**	**67**	**<1**	**<1**	**3**	**7**	**13**	**19**	**45**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	8	2.6	1	1	1	2	4	4	4	4
50-64	15	2.5	3	1	1	2	4	5	6	6
65+	23	2.9	4	<1	1	3	4	5	7	10
B. *Operated*										
0-19 YRS										
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49										
50-64	4	1.5		1	1	1	2	2	2	2
65+	5	3.6	4	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	3.0	3	1	1	3	4	5	6	6
35-49	19	3.6	4	1	2	3	5	6	8	9
50-64	63	4.2	20	1	2	3	5	7	9	31
65+	180	4.7	11	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS										
20-34	3	5.7	2	4	4	6	7	7	7	7
35-49	7	6.4	40	1	1	3	9	17	19	19
50-64	19	7.7	86	1	1	4	10	17	30	40
65+	30	6.0	34	1	1	4	8	15	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.8	3	1	1	2	4	5	5	10
B. *Operated*	13	2.3	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	271	4.4	12	1	2	3	6	8	10	18
B. *Operated*	59	6.6	49	1	1	4	8	16	18	39
1. SINGLE DX	63	2.7	3	<1	1	2	4	5	6	10
2. MULTIPLE DX	330	4.8	19	1	2	4	6	9	12	21
A. NOT OPERATED	321	4.2	11	1	1	3	5	8	10	17
B. OPERATED	72	5.8	43	1	1	4	7	15	17	37
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	3.2	4	<1	<1	3	4	6	7	7
35-49	34	4.0	11	1	2	3	4	8	9	19
50-64	101	4.5	31	1	1	3	5	8	12	37
65+	238	4.7	13	1	1	4	6	9	12	19
GRAND TOTAL	**393**	**4.5**	**17**	**1**	**1**	**3**	**6**	**8**	**12**	**20**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.0	1	1	1	2	3	3	4	4
20-34	33	2.3	2	<1	1	2	3	4	5	6
35-49	14	2.4	2	<1	1	2	3	5	5	5
50-64	26	3.0	6	<1	<1	2	4	7	8	10
65+	78	3.2	5	<1	1	3	4	6	7	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	3	7.3	44	3	3	4	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1593	2.6	4	1	1	2	3	5	6	9
20-34	756	3.0	7	1	1	2	3	6	8	14
35-49	800	3.5	9	1	1	3	4	7	9	16
50-64	1585	4.7	18	1	1	3	6	9	12	22
65+	7253	5.6	23	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	34	7.0	61	1	2	4	8	18	26	35
20-34	59	5.4	36	1	1	4	6	11	22	29
35-49	81	7.6	106	1	1	5	9	14	18	67
50-64	172	9.4	102	1	1	6	12	22	29	61
65+	594	11.9	117	2	3	9	15	24	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	2.6	3	<1	1	2	3	5	6	8
B. *Operated*	4	6.8	31	3	3	4	10	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	11987	4.8	19	1	1	4	6	9	12	21
B. *Operated*	940	10.5	110	1	2	7	13	22	32	62
1. SINGLE DX	232	2.7	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	12927	5.2	28	1	1	4	6	10	14	27
A. NOT OPERATED	12215	4.8	19	1	1	4	6	9	12	21
B. OPERATED	944	10.5	110	1	2	7	13	22	32	62
TOTAL 0-19 YRS	1704	2.7	5	1	1	2	3	5	6	10
20-34	848	3.1	9	1	1	2	4	6	8	16
35-49	896	3.8	19	1	1	3	5	7	10	16
50-64	1783	5.1	28	1	1	4	6	10	14	29
65+	7928	6.1	33	1	2	5	7	11	15	29
GRAND TOTAL	**13159**	**5.2**	**28**	**1**	**1**	**4**	**6**	**10**	**14**	**27**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.8	1	<1	<1	2	3	3	3	3
20-34	14	1.9	1	<1	1	1	3	4	4	4
35-49	18	2.1	3	1	1	1	3	5	6	6
50-64	10	2.6		1	1	3	3	3	3	3
65+	31	2.4	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	3.6	2	2	2	3	4	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	6	4.0	2	3	3	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.7	7	1	1	2	3	5	6	15
20-34	53	2.9	3	1	1	2	4	5	7	8
35-49	112	2.8	3	1	1	2	4	5	7	9
50-64	136	3.6	9	1	1	3	5	7	9	17
65+	762	4.1	9	1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	5	4.0	14	1	1	2	6	10	10	10
20-34	17	4.8	7	2	2	5	6	9	10	11
35-49	33	5.5	15	1	2	4	7	11	15	17
50-64	70	6.0	22	1	1	4	8	11	18	21
65+	261	6.7	24	2	3	5	8	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.2	2	<1	1	2	3	4	5	6
B. *Operated*	15	3.5	2	1	2	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1096	3.8	8	1	1	3	5	7	9	13
B. *Operated*	386	6.3	22	2	2	5	8	11	15	25
1. SINGLE DX	99	2.4	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	1482	4.4	13	1	1	4	6	8	10	19
A. NOT OPERATED	1180	3.7	8	1	1	3	5	7	9	13
B. OPERATED	401	6.2	22	2	2	5	8	11	15	25
TOTAL 0-19 YRS	51	2.6	6	1	1	2	3	5	6	15
20-34	85	3.1	4	1	1	3	4	6	7	10
35-49	168	3.3	7	1	1	3	4	6	8	15
50-64	217	4.3	14	1	1	3	6	9	11	21
65+	1060	4.7	14	1	1	4	6	9	11	19
GRAND TOTAL	**1581**	**4.3**	**13**	**1**	**1**	**3**	**6**	**8**	**10**	**18**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.1	12	1	1	3	5	7	9	22
20-34	157	4.3	7	1	1	4	6	8	9	12
35-49	46	4.7	12	<1	<1	4	6	10	11	16
50-64	6	7.2	19	3	3	6	10	14	14	14
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	8.1	21	4	4	7	10	16	17	17
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	6.1	20	1	2	5	7	12	14	24
20-34	241	5.9	25	1	2	5	7	11	13	24
35-49	96	5.9	12	1	2	5	8	11	12	16
50-64	19	6.9	12	2	3	7	9	11	13	15
65+										
B. *Operated*										
0-19 YRS	4	36.3	965	6	6	61	74	99+	99+	99+
20-34	14	12.2	108	2	4	7	20	29	34	35
35-49	10	10.7	76	3	3	9	13	25	31	31
50-64	2	15.0	32	11	11	15	19	19	19	19
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	4.3	9	<1	1	4	6	8	10	13
B. *Operated*	9	7.2	21	1	2	7	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	449	6.0	21	1	2	5	7	11	13	21
B. *Operated*	30	15.1	245	3	4	10	20	45	65	99+
1. SINGLE DX	298	4.4	10	<1	1	4	6	8	10	15
2. MULTIPLE DX	479	6.6	39	1	2	5	8	12	15	34
A. NOT OPERATED	738	5.4	17	1	1	5	7	10	12	20
B. OPERATED	39	13.3	203	2	3	8	18	33	63	99+
TOTAL 0-19 YRS	178	5.8	55	1	1	4	7	11	14	64
20-34	419	5.6	23	1	2	5	7	9	12	26
35-49	153	5.9	18	<1	1	5	8	11	13	19
50-64	27	7.6	18	2	3	8	10	13	16	19
65+										
GRAND TOTAL	**777**	**5.8**	**29**	**1**	**1**	**5**	**7**	**11**	**13**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.3	8	<1	<1	1	2	5	7	18
20-34	25	2.6	8	<1	<1	1	3	5	9	14
35-49	30	1.9	6	<1	<1	1	2	3	5	14
50-64	50	1.8	3	<1	<1	1	2	4	5	9
65+	150	2.1	4	<1	<1	1	2	5	7	9
B. *Operated*										
0-19 YRS	36	4.8	7	1	2	4	5	7	11	13
20-34	15	3.5	3	1	1	3	5	6	6	6
35-49	11	5.6	16	1	1	4	9	12	12	12
50-64	12	5.8	11	2	2	5	8	11	11	11
65+	30	4.6	7	1	2	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	2.9	17	<1	1	2	3	6	9	21
20-34	112	3.1	8	<1	<1	2	4	7	8	15
35-49	221	2.9	6	<1	1	2	4	6	8	12
50-64	470	3.3	14	<1	1	2	4	7	10	17
65+	1667	3.8	17	<1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	68	8.0	128	1	1	5	8	19	27	72
20-34	65	5.2	35	1	1	4	7	10	17	32
35-49	100	7.4	47	1	1	6	10	16	21	34
50-64	189	6.9	58	1	1	5	8	18	22	31
65+	534	7.7	53	1	2	6	10	15	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	2.1	6	<1	<1	1	2	5	7	13
B. *Operated*	104	4.7	8	1	2	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	2699	3.5	15	<1	1	2	4	8	10	18
B. *Operated*	956	7.4	58	1	1	5	9	16	21	38
1. SINGLE DX	488	2.7	7	<1	<1	1	4	6	8	13
2. MULTIPLE DX	3655	4.5	29	<1	1	3	6	10	14	27
A. NOT OPERATED	3083	3.4	14	<1	1	2	4	7	10	17
B. OPERATED	1060	7.1	53	1	1	5	9	15	20	35
TOTAL 0-19 YRS	462	3.6	33	<1	1	2	4	7	12	27
20-34	217	3.7	16	<1	<1	2	4	7	10	21
35-49	362	4.1	22	<1	1	2	5	10	14	22
50-64	721	4.2	27	<1	1	3	5	9	13	27
65+	2381	4.6	27	<1	1	3	6	10	13	25
GRAND TOTAL	**4143**	**4.3**	**27**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	6	2.7	1	2	2	3	3	4	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	2	11.0	32	7	7	11	15	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.7	20	<1	<1	3	5	7	8	25
20-34	24	3.6	10	<1	<1	3	5	8	11	12
35-49	15	4.4	6	1	1	4	6	8	9	9
50-64	4	5.8	5	4	4	5	7	9	9	9
65+	2	10.0	2	9	9	10	11	11	11	11
B. *Operated*										
0-19 YRS	4	7.0	44	2	2	5	12	16	16	16
20-34	7	11.7	112	4	4	6	21	28	29	29
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	27.5	1013	5	5	27	50	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.8	2	1	1	2	4	4	6	7
B. *Operated*	4	8.8	18	6	6	7	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	76	4.1	13	<1	1	3	5	8	10	22
B. *Operated*	14	12.6	184	2	2	7	16	31	46	50
1. SINGLE DX	19	4.1	11	1	1	3	6	7	12	15
2. MULTIPLE DX	90	5.4	48	<1	1	4	6	10	16	42
A. NOT OPERATED	91	3.9	12	<1	1	3	5	8	9	20
B. OPERATED	18	11.7	147	2	3	7	15	28	42	50
TOTAL 0-19 YRS	43	4.0	19	<1	1	3	5	7	11	25
20-34	39	5.3	37	<1	1	3	6	12	20	29
35-49	17	4.4	6	1	1	4	6	8	9	9
50-64	6	6.3	9	4	4	5	9	11	11	11
65+	4	18.8	440	5	5	10	30	50	50	50
GRAND TOTAL	**109**	**5.2**	**41**	**<1**	**1**	**4**	**6**	**9**	**15**	**38**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	101 (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.7	4	1	1	2	3	5	7	9
20-34	26	4.0	25	<1	<1	3	5	6	11	27
35-49	26	3.5	11	<1	<1	2	5	7	12	13
50-64	29	1.8	1	<1	<1	1	3	3	4	5
65+	34	2.8	4	<1	1	3	3	5	7	8
B. *Operated*										
0-19 YRS	65	4.1	10	1	1	4	6	7	8	18
20-34	60	4.5	5	1	2	4	5	7	9	11
35-49	29	5.4	8	2	2	5	7	8	9	16
50-64	26	5.7	13	1	2	5	8	10	13	15
65+	25	6.8	16	1	2	6	9	12	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	3.7	10	<1	1	3	5	7	10	16
20-34	132	4.0	9	1	1	4	5	7	9	17
35-49	170	4.5	13	<1	1	4	6	8	9	21
50-64	274	5.6	22	1	1	4	7	10	13	25
65+	652	5.1	21	1	1	4	7	10	14	22
B. *Operated*										
0-19 YRS	76	5.2	27	1	1	4	6	11	13	32
20-34	111	7.1	30	1	2	6	9	14	17	30
35-49	103	7.8	47	2	2	6	9	14	23	37
50-64	163	9.7	74	2	2	7	12	20	28	45
65+	355	10.3	78	2	2	8	13	20	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	2.8	7	<1	1	2	3	6	7	12
B. *Operated*	205	4.9	10	1	1	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	1441	4.8	18	1	1	4	6	10	12	21
B. *Operated*	808	8.9	65	1	2	7	11	18	24	42
1. SINGLE DX	446	3.8	9	<1	1	3	5	7	9	15
2. MULTIPLE DX	2249	6.3	38	1	1	5	8	13	18	33
A. NOT OPERATED	1682	4.5	17	1	1	3	6	9	12	21
B. OPERATED	1013	8.1	56	1	2	6	10	16	22	38
TOTAL 0-19 YRS	480	3.7	12	1	1	3	5	7	10	16
20-34	329	5.1	18	1	1	4	6	10	13	24
35-49	328	5.5	25	1	1	5	7	9	13	34
50-64	492	6.7	43	1	1	5	8	13	19	35
65+	1066	6.8	45	1	1	5	9	14	19	34
GRAND TOTAL	**2695**	**5.9**	**35**	**1**	**1**	**4**	**7**	**12**	**16**	**32**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	1.4	1	<1	<1	1	2	2	3	5
20-34	67	1.6	1	<1	1	1	2	3	3	4
35-49	14	1.9	1	<1	1	2	2	3	4	4
50-64	4	1.8		1	1	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	283	2.8	1	1	2	3	3	4	5	6
20-34	110	3.3	1	2	2	3	4	5	5	7
35-49	18	3.1	1	1	2	3	4	4	4	4
50-64	4	7.0	11	3	3	7	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	1.8	1	1	1	2	2	3	4	5
20-34	55	2.1	2	1	1	2	2	4	5	7
35-49	19	2.3	1	<1	<1	3	3	4	4	4
50-64	6	2.0	2	1	1	2	3	4	4	4
65+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	143	3.2	2	1	2	3	4	5	6	9
20-34	81	4.0	3	2	2	4	4	6	7	10
35-49	12	4.8	15	2	2	4	5	10	15	16
50-64	4	7.3	22	3	3	6	10	14	14	14
65+	4	7.0	24	3	3	6	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*	415	3.0	1	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	220	1.9	1	1	1	2	2	3	4	6
B. *Operated*	244	3.7	4	2	2	3	4	6	7	13
1. SINGLE DX	775	2.3	2	1	1	2	3	4	4	6
2. MULTIPLE DX	464	2.9	4	1	1	2	4	5	6	10
A. NOT OPERATED	580	1.6	1	<1	1	1	2	3	3	5
B. OPERATED	659	3.2	3	1	2	3	4	5	6	10
TOTAL 0-19 YRS	836	2.3	2	1	1	2	3	4	5	7
20-34	313	2.9	3	1	1	3	4	5	6	8
35-49	63	2.9	4	<1	1	3	4	4	5	15
50-64	18	4.2	14	1	1	3	6	10	13	14
65+	9	4.3	16	1	1	3	5	11	13	13
GRAND TOTAL	**1239**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	3.5	4	1	1	3	5	6	8	10
20-34	7	4.7	26	1	1	2	7	14	15	15
35-49	4	7.0	65	2	2	3	11	19	19	19
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	31	2.1	3	<1	<1	1	2	5	6	9
20-34	25	1.6	1	<1	<1	1	2	3	4	5
35-49	11	2.4	2	<1	<1	2	3	5	6	6
50-64	9	3.4	13	<1	<1	2	4	10	12	12
65+	5	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.1	4	1	2	4	6	7	7	10
20-34	10	3.4	6	1	1	3	4	7	9	9
35-49	6	2.3	1	<1	<1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	38	4.8	10	1	1	4	7	10	11	12
20-34	19	2.5	5	<1	<1	2	3	6	8	10
35-49	10	3.6	6	<1	<1	3	5	7	8	8
50-64	13	4.3	14	1	1	4	6	9	13	14
65+	11	2.3	4	1	1	1	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.7	8	1	1	3	5	7	8	18
B. *Operated*	81	2.0	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	76	3.8	4	1	1	4	5	6	7	10
B. *Operated*	91	3.8	9	<1	1	3	6	8	10	13
1. SINGLE DX	167	2.9	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX	167	3.8	7	1	1	3	6	7	9	12
A. NOT OPERATED	162	3.8	6	1	1	3	5	7	8	14
B. OPERATED	172	3.0	7	<1	<1	2	4	7	9	12
TOTAL 0-19 YRS	199	3.7	6	<1	1	3	5	7	8	11
20-34	61	2.5	7	<1	<1	2	3	5	8	14
35-49	31	3.4	12	<1	<1	2	4	6	8	19
50-64	25	3.8	11	<1	1	2	5	7	12	14
65+	18	2.1	3	<1	1	1	3	5	6	7
GRAND TOTAL	**334**	**3.4**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**13**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	35	1	1	2	8	15	16	16
20-34	20	8.5	72	<1	1	5	12	19	27	33
35-49	7	6.9	106	1	1	2	8	25	29	29
50-64	8	3.4	12	1	1	2	4	9	11	11
65+	19	10.0	122	1	1	7	12	28	36	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.5	122	<1	1	2	8	28	33	35
20-34	48	9.0	133	1	1	6	10	22	48	99+
35-49	51	8.0	107	1	1	5	7	20	37	47
50-64	81	8.5	128	1	1	5	11	20	28	99+
65+	374	6.7	41	1	2	5	8	13	20	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	13.3	118	6	6	9	20	29	29	29
50-64	4	7.8	4	5	5	8	9	10	10	10
65+	44	7.4	31	1	1	6	11	15	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	7.7	80	1	1	4	11	19	29	41
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	570	7.3	69	1	1	5	9	16	24	83
B. *Operated*	52	7.9	36	1	1	7	11	15	17	29
1. SINGLE DX	61	7.7	80	1	1	4	11	19	29	41
2. MULTIPLE DX	622	7.3	67	1	1	5	9	16	23	70
A. NOT OPERATED	631	7.3	70	1	1	5	9	16	25	67
B. OPERATED	52	7.9	36	1	1	7	11	15	17	29
TOTAL 0-19 YRS	23	6.7	94	<1	1	2	8	23	31	35
20-34	68	8.9	114	1	1	6	11	21	34	93
35-49	62	8.2	106	1	1	5	7	23	36	46
50-64	93	8.1	114	1	1	5	11	20	23	99+
65+	437	6.9	44	1	2	5	9	14	20	41
GRAND TOTAL	**683**	**7.3**	**68**	**1**	**1**	**5**	**9**	**16**	**24**	**58**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	3.2	91	<1	1	1	1	5	9	65
20-34	65	5.4	66	<1	1	2	5	13	23	40
35-49	26	2.6	3	<1	<1	2	3	7	22	99+
50-64	33	6.5	192	1	1	3	9	74	99+	99+
65+	160	8.4	143	1	1	5	9	23	59	99+
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	8.5	308	1	1	2	5	30	51	91
20-34	222	10.3	274	1	1	4	10	28	55	99+
35-49	149	13.2	368	1	1	5	16	48	82	99+
50-64	188	9.6	142	2	2	6	13	45	99+	99+
65+	1552	8.1	81	1	2	6	10	18	31	99+
B. *Operated*										
0-19 YRS	8	10.0	588	<1	<1	1	2	50	70	70
20-34	27	22.5	895	1	1	5	38	80	83	99+
35-49	16	9.3	285	1	2	4	8	15	54	71
50-64	18	22.3	694	1	3	13	27	90	98	99+
65+	129	11.4	80	2	3	9	17	25	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	6.1	116	1	1	3	7	16	41	99+
B. *Operated*	7	2.3	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	2256	8.8	140	1	2	5	10	22	47	99+
B. *Operated*	198	13.7	295	1	2	8	18	34	80	99+
1. SINGLE DX	381	6.0	114	1	1	3	7	15	40	99+
2. MULTIPLE DX	2454	9.2	155	1	2	6	11	23	49	99+
A. NOT OPERATED	2630	8.4	138	1	1	5	10	21	46	99+
B. OPERATED	205	13.3	290	1	2	8	18	33	80	99+
TOTAL 0-19 YRS	243	6.6	241	<1	1	1	3	16	42	86
20-34	315	10.3	299	1	1	4	10	31	58	99+
35-49	191	11.5	323	1	1	4	14	39	80	99+
50-64	242	10.0	198	1	2	6	14	46	99+	99+
65+	1844	8.3	87	1	2	6	10	20	33	99+
GRAND TOTAL	**2835**	**8.8**	**150**	**1**	**1**	**5**	**10**	**22**	**48**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	28.0		28	28	28	28	28	28	28
65+	9	12.9	152	1	2	10	16	32	42	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	4.0		4	4	52	99+	99+	99+	99+
50-64	10	10.2	37	2	3	11	17	53	96	99+
65+	186	9.3	130	2	2	6	11	27	79	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	19.0		19	19	19	19	19	19	19
50-64	2	12.0	2	11	11	12	13	13	13	13
65+	23	13.1	44	3	5	11	18	22	25	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	14.4	158	1	2	12	17	35	42	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	198	9.4	124	2	2	6	11	28	99+	99+
B. *Operated*	26	13.2	40	3	6	12	18	22	25	28
1. SINGLE DX	10	14.4	158	1	2	12	17	35	42	42
2. MULTIPLE DX	224	9.8	116	2	2	7	13	26	79	99+
A. NOT OPERATED	208	9.6	126	2	2	6	12	28	92	99+
B. OPERATED	26	13.2	40	3	6	12	18	22	25	28
TOTAL 0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	2	11.5	113	4	4	19	80	99+	99+	99+
50-64	13	11.8	52	2	4	11	18	35	86	99+
65+	218	9.9	123	2	2	7	13	26	62	99+
GRAND TOTAL	**234**	**10.0**	**118**	**2**	**2**	**7**	**13**	**27**	**72**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	46	3.1	11	<1	1	2	4	6	9	17
35-49	64	3.2	6	1	1	2	4	6	9	12
50-64	41	3.1	6	<1	1	3	3	6	10	12
65+	11	5.0	21	1	2	4	6	43	92	99+
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	13.2	184	<1	1	6	28	32	34	35
20-34	524	7.9	82	1	1	4	8	27	28	36
35-49	838	6.7	68	1	1	4	7	21	27	33
50-64	668	7.2	67	1	2	5	8	21	28	99+
65+	362	8.8	120	2	2	6	10	21	27	99+
B. *Operated*										
0-19 YRS										
20-34	6	15.5	262	3	3	12	15	44	47	47
35-49	21	9.6	90	1	2	5	21	46	99+	99+
50-64	32	15.5	176	3	4	11	23	36	48	50
65+	18	14.6	124	2	3	14	22	38	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	3.2	8	1	1	2	4	6	11	18
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2411	7.5	80	1	2	4	8	23	28	66
B. *Operated*	77	13.6	147	2	3	10	22	37	50	99+
1. SINGLE DX	167	3.3	9	1	1	2	4	6	11	18
2. MULTIPLE DX	2488	7.7	84	1	2	4	8	24	28	85
A. NOT OPERATED	2577	7.2	77	1	1	4	7	21	28	65
B. OPERATED	78	13.6	145	2	3	10	22	37	50	99+
TOTAL 0-19 YRS	24	11.1	164	<1	1	5	26	31	34	35
20-34	576	7.6	80	1	1	4	7	26	28	40
35-49	923	6.5	65	1	1	4	7	20	27	39
50-64	741	7.3	72	1	2	5	8	21	28	99+
65+	391	9.0	119	2	2	6	11	21	28	99+
GRAND TOTAL	**2655**	**7.4**	**80**	**1**	**2**	**4**	**8**	**23**	**28**	**79**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	8.3	162	<1	<1	3	8	29	41	41
20-34	31	6.3	118	<1	1	3	6	11	18	61
35-49	20	5.4	39	<1	1	3	6	17	20	22
50-64	1	1.0		1	1	1	1	1	1	1
65+	13	3.8	3	2	2	3	4	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	10.3	191	<1	1	6	11	29	39	97
20-34	471	9.8	146	1	2	6	11	28	31	99+
35-49	187	7.8	66	1	1	5	8	21	28	33
50-64	105	7.2	55	1	1	5	8	16	23	39
65+	265	6.3	44	1	2	5	7	13	16	32
B. *Operated*										
0-19 YRS										
20-34	7	10.0	74	1	2	5	15	23	25	25
35-49	1	6.0		6	6	6	6	6	6	6
50-64	7	16.6	162	2	2	19	27	33	34	34
65+	18	10.1	84	2	3	8	10	19	33	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.8	79	<1	1	3	6	12	19	56
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1109	8.4	105	1	2	5	9	24	29	90
B. *Operated*	33	11.3	97	2	3	8	16	26	33	42
1. SINGLE DX	75	5.7	78	<1	1	3	6	12	19	56
2. MULTIPLE DX	1142	8.5	105	1	2	5	9	24	29	90
A. NOT OPERATED	1183	8.2	104	1	1	5	9	23	29	89
B. OPERATED	34	11.0	97	1	2	8	16	25	33	42
TOTAL 0-19 YRS	90	10.1	187	<1	1	6	11	29	40	97
20-34	509	9.5	144	1	2	6	10	28	31	99+
35-49	208	7.6	63	1	1	5	8	21	28	32
50-64	113	7.8	65	1	1	5	9	19	27	38
65+	297	6.4	45	1	2	5	7	13	17	38
GRAND TOTAL	**1217**	**8.3**	**104**	**1**	**2**	**5**	**9**	**24**	**29**	**88**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	16.2	236	2	4	11	27	44	89	99+
20-34	1022	12.0	169	1	2	9	15	29	66	99+
35-49	571	11.5	122	1	2	8	16	29	43	99+
50-64	170	11.9	148	2	3	9	17	32	99	99+
65+	38	13.1	167	1	1	10	23	50	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	16.4	203	2	3	14	25	52	99+	99+
20-34	861	12.7	175	2	3	9	18	39	99+	99+
35-49	528	12.9	176	2	3	9	19	41	99+	99+
50-64	237	13.3	145	2	3	10	18	32	86	99+
65+	100	16.0	252	3	3	14	25	95	99+	99+
B. *Operated*										
0-19 YRS										
20-34	20	26.2	592	4	5	19	54	92	99+	99+
35-49	17	17.7	133	4	6	18	25	99+	99+	99+
50-64	3	24.3	549	7	7	15	42	51	51	51
65+	7	16.1	85	5	6	14	24	28	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1876	12.0	156	1	2	9	16	30	59	99+
B. *Operated*	2	13.5	13	11	11	13	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	1786	13.1	177	2	3	9	19	40	99+	99+
B. *Operated*	47	21.5	346	5	5	18	30	91	99+	99+
1. SINGLE DX	1878	12.0	156	1	2	9	16	30	59	99+
2. MULTIPLE DX	1833	13.3	183	2	3	10	19	42	99+	99+
A. NOT OPERATED	3662	12.6	167	1	3	9	17	35	92	99+
B. OPERATED	49	21.2	334	5	5	18	29	89	99+	99+
TOTAL 0-19 YRS	135	16.3	220	2	3	12	25	45	99+	99+
20-34	1904	12.4	178	1	2	9	17	34	83	99+
35-49	1116	12.3	148	1	3	9	18	33	79	99+
50-64	411	12.8	148	2	3	10	18	32	97	99+
65+	145	15.2	221	2	3	13	24	73	99+	99+
GRAND TOTAL	**3711**	**12.7**	**170**	**1**	**3**	**9**	**18**	**35**	**93**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	14.9	124	2	4	13	20	27	43	44
20-34	90	12.0	121	1	2	9	17	26	40	51
35-49	25	7.0	26	2	3	5	11	22	99+	99+
50-64	4	9.5	46	4	4	8	15	18	18	18
65+	5	18.2	251	6	6	14	24	46	46	46
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	24.9	250	3	4	25	42	81	99+	99+
20-34	72	11.0	103	1	1	9	14	24	34	49
35-49	29	5.9	17	1	1	5	8	13	14	16
50-64	19	9.6	50	<1	1	8	17	20	21	21
65+	7	11.0	97	<1	1	10	24	77	99+	99+
B. *Operated*										
0-19 YRS										
20-34	2	12.0	32	8	8	12	16	16	16	16
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	11.8	112	2	3	9	17	26	41	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	144	11.4	121	1	2	8	16	31	40	99+
B. *Operated*	3	11.0	19	8	8	9	14	16	16	16
1. SINGLE DX	147	11.8	112	2	3	9	17	26	41	99+
2. MULTIPLE DX	147	11.4	119	1	2	8	16	30	39	99+
A. NOT OPERATED	291	11.6	116	1	2	8	16	27	41	99+
B. OPERATED	3	11.0	19	8	8	9	14	16	16	16
TOTAL 0-19 YRS	40	19.2	198	3	4	18	31	45	72	99+
20-34	164	11.6	111	1	2	9	16	25	36	51
35-49	54	6.4	21	1	2	5	9	14	22	99+
50-64	24	9.5	45	1	2	8	17	20	20	21
65+	12	14.0	162	<1	2	11	24	57	92	99+
GRAND TOTAL	**294**	**11.6**	**115**	**1**	**2**	**8**	**16**	**27**	**41**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	15.3	253	1	3	11	21	41	60	99+
20-34	1117	12.1	146	1	2	9	17	33	99	99+
35-49	524	10.6	104	1	2	8	16	32	99+	99+
50-64	173	11.3	175	1	2	8	16	29	85	99+
65+	49	14.6	226	1	2	13	20	29	83	99+
B. *Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	20.0	453	2	3	14	41	99	99+	99+
20-34	1156	14.0	224	2	2	10	20	54	99+	99+
35-49	632	13.3	185	2	3	10	19	39	98	99+
50-64	316	13.2	140	2	3	10	20	37	99+	99+
65+	118	14.6	205	1	3	11	24	54	99+	99+
B. *Operated*										
0-19 YRS	2	13.5	13	11	11	16	79	99+	99+	99+
20-34	37	18.2	125	4	8	17	26	99+	99+	99+
35-49	18	16.9	149	6	8	20	99+	99+	99+	99+
50-64	9	13.1	35	5	6	16	21	99+	99+	99+
65+	7	41.6	1008	12	13	34	68	90	93	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1983	11.9	147	1	2	9	17	33	99	99+
B. *Operated*	2	13.5	265	2	2	13	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	2344	14.1	215	2	3	10	20	49	99+	99+
B. *Operated*	73	19.4	242	5	8	17	34	99+	99+	99+
1. SINGLE DX	1985	11.9	147	1	2	9	17	33	99	99+
2. MULTIPLE DX	2417	14.2	216	2	3	11	21	52	99+	99+
A. NOT OPERATED	4327	13.1	185	1	2	10	19	42	99+	99+
B. OPERATED	75	19.2	240	5	7	17	34	99+	99+	99+
TOTAL 0-19 YRS	244	17.7	355	2	3	12	28	70	99+	99+
20-34	2311	13.2	186	1	2	10	19	42	99+	99+
35-49	1174	12.2	150	1	2	9	18	37	99+	99+
50-64	499	12.5	150	2	3	10	19	35	99+	99+
65+	174	15.7	265	1	3	12	22	55	99+	99+
GRAND TOTAL	**4402**	**13.2**	**186**	**1**	**2**	**10**	**19**	**43**	**99+**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	25.9	419	1	2	35	58	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	28.5	450	1	4	35	53	94	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	25.9	419	1	2	35	58	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	28.5	450	1	4	35	53	94	99+	99+
B. *Operated*	1	31.0		31	31	31	31	31	31	31
1. SINGLE DX	8	25.9	419	1	2	35	58	99+	99+	99+
2. MULTIPLE DX	35	28.6	437	1	4	34	51	92	99+	99+
A. NOT OPERATED	42	28.0	435	1	3	35	53	99+	99+	99+
B. OPERATED	1	31.0		31	31	31	31	31	31	31
TOTAL 0-19 YRS	43	28.1	425	1	3	35	53	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**43**	**28.1**	**425**	**1**	**3**	**35**	**53**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	20.3	368	1	2	16	32	61	97	99+
20-34	729	10.5	135	1	1	6	14	27	33	69
35-49	651	11.0	112	1	1	8	15	23	33	53
50-64	357	11.5	96	2	2	9	15	25	31	57
65+	333	16.2	152	3	4	13	22	33	39	65
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	14.7	97	8	8	10	22	26	26	26
50-64	1	22.0		22	22	22	22	22	22	22
65+	3	33.3	934	4	4	31	56	65	65	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	583	23.3	459	2	3	18	42	72	99+	99+
20-34	1816	12.3	175	1	2	8	16	29	41	99+
35-49	1584	12.3	143	1	2	9	16	27	36	79
50-64	1026	14.0	163	2	3	11	18	29	38	73
65+	1287	16.2	170	2	3	13	22	34	42	66
B. *Operated*										
0-19 YRS	7	34.4	925	2	6	43	99+	99+	99+	99+
20-34	51	20.1	348	1	2	15	25	40	59	91
35-49	54	23.0	409	4	7	17	35	71	95	99+
50-64	55	25.9	418	4	7	21	42	70	79	99+
65+	100	23.0	304	6	7	18	28	52	59	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2325	12.7	161	1	2	9	17	30	39	90
B. *Operated*	7	23.7	432	4	5	22	30	58	65	65
2. MULTIPLE DX										
A. *Not Operated*	6296	14.4	201	1	2	10	19	33	46	99+
B. *Operated*	267	23.3	372	3	6	18	32	58	79	99+
1. SINGLE DX	2332	12.7	162	1	2	9	17	30	39	90
2. MULTIPLE DX	6563	14.7	211	1	2	10	20	35	49	99+
A. NOT OPERATED	8621	13.9	191	1	2	10	19	32	44	99+
B. OPERATED	274	23.3	372	3	6	18	31	58	78	99+
TOTAL 0-19 YRS	845	22.5	437	1	3	17	39	70	99+	99+
20-34	2596	11.9	169	1	2	8	16	28	39	95
35-49	2292	12.1	143	1	2	9	16	27	36	77
50-64	1439	13.8	163	2	3	10	18	28	39	77
65+	1723	16.6	178	3	4	13	22	35	43	66
GRAND TOTAL	**8895**	**14.2**	**199**	**1**	**2**	**10**	**19**	**33**	**46**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	18.6	279	3	4	14	34	87	99+	99+
20-34	715	11.1	117	1	2	8	15	27	41	99+
35-49	570	11.7	146	1	2	9	15	26	45	99+
50-64	263	12.5	119	2	3	10	17	28	54	99+
65+	139	12.2	102	2	3	9	17	25	39	99+
B. *Operated*										
0-19 YRS										
20-34	2	13.5	25	10	10	17	79	99+	99+	99+
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	21.5	405	2	3	17	38	66	99+	99+
20-34	772	13.1	160	1	3	10	18	35	57	99+
35-49	790	12.4	144	2	3	9	16	29	45	99+
50-64	541	15.1	217	2	3	12	20	35	67	99+
65+	384	15.7	207	3	4	12	21	37	62	99+
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	23.4	269	6	9	19	42	99+	99+	99+
35-49	24	20.8	300	3	6	15	29	76	99+	99+
50-64	23	19.4	199	5	6	15	28	63	99+	99+
65+	16	20.6	114	6	7	21	30	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1756	11.9	134	1	2	9	16	28	46	99+
B. *Operated*	3	12.3	16	10	10	14	58	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2617	14.1	190	2	3	11	19	35	59	99+
B. *Operated*	85	20.8	226	4	7	17	32	64	99+	99+
1. SINGLE DX	1759	11.9	134	1	2	9	16	28	46	99+
2. MULTIPLE DX	2702	14.3	193	2	3	11	19	35	63	99+
A. NOT OPERATED	4373	13.2	169	2	3	10	18	32	55	99+
B. OPERATED	88	20.5	221	4	7	17	32	67	99+	99+
TOTAL 0-19 YRS	200	20.4	362	2	3	15	36	67	99+	99+
20-34	1510	12.3	144	1	2	9	16	31	51	99+
35-49	1385	12.3	149	2	3	9	16	29	46	99+
50-64	827	14.4	187	2	3	11	19	34	63	99+
65+	539	14.9	180	2	3	12	20	34	54	99+
GRAND TOTAL	**4461**	**13.3**	**171**	**2**	**3**	**10**	**18**	**33**	**56**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	10.1	88	1	1	7	16	27	33	99+
20-34	315	7.9	99	1	1	5	10	18	27	97
35-49	167	7.6	68	1	1	5	10	19	24	48
50-64	95	7.9	54	1	1	6	11	19	25	71
65+	100	10.3	84	1	2	8	14	24	30	78
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	15.6	322	2	2	10	23	43	89	99+
20-34	474	10.0	141	1	1	6	14	26	50	99+
35-49	238	8.8	75	1	2	6	12	20	28	59
50-64	248	9.5	129	1	2	6	12	23	32	99+
65+	639	8.3	86	1	2	6	10	19	24	74
B. *Operated*										
0-19 YRS	3	8.0	28	4	4	6	12	14	14	14
20-34	18	16.0	219	<1	1	13	23	42	50	51
35-49	6	6.7	45	1	1	5	5	19	20	20
50-64	24	11.8	98	1	2	11	14	25	36	37
65+	54	15.4	260	2	2	11	20	30	35	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	8.4	84	1	1	6	11	20	28	99+
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	1703	9.5	123	1	2	6	12	23	33	99+
B. *Operated*	105	14.0	200	1	2	11	19	29	36	82
1. SINGLE DX	745	8.4	84	1	1	6	11	20	28	99+
2. MULTIPLE DX	1808	9.7	128	1	2	6	13	23	33	99+
A. NOT OPERATED	2447	9.1	111	1	2	6	12	22	31	99+
B. OPERATED	106	13.9	199	1	2	11	19	29	36	81
TOTAL 0-19 YRS	175	13.3	233	1	2	8	20	32	78	99+
20-34	807	9.3	128	1	1	6	12	23	35	99+
35-49	411	8.3	72	1	2	5	10	19	26	54
50-64	367	9.2	108	1	1	6	12	22	31	99+
65+	793	9.1	100	1	2	6	11	20	27	83
GRAND TOTAL	**2553**	**9.3**	**116**	**1**	**2**	**6**	**12**	**22**	**32**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	11	1	1	2	2	6	11	15
20-34	78	4.2	37	1	1	2	5	9	15	37
35-49	84	3.8	23	1	1	2	5	8	12	29
50-64	40	4.6	37	1	1	2	5	10	21	28
65+	18	5.0	44	<1	1	2	3	15	21	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.7	152	<1	1	4	10	34	54	99+
20-34	238	6.9	70	1	1	3	9	17	24	33
35-49	233	6.3	51	1	1	3	7	19	22	30
50-64	189	5.6	46	1	1	3	6	14	21	34
65+	181	4.6	20	1	1	3	5	10	15	23
B. *Operated*										
0-19 YRS										
20-34	5	7.8	42	1	1	10	13	15	15	15
35-49	8	14.9	244	1	1	10	23	41	46	46
50-64	5	6.2	20	2	2	4	10	12	12	12
65+	9	14.8	217	3	3	7	19	38	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.1	30	1	1	2	4	9	15	29
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	872	6.0	53	1	1	3	7	16	21	33
B. *Operated*	27	11.9	157	1	1	9	17	26	47	50
1. SINGLE DX	241	4.1	30	1	1	2	4	9	15	29
2. MULTIPLE DX	899	6.2	57	1	1	3	7	16	22	34
A. NOT OPERATED	1112	5.6	48	1	1	3	6	14	21	33
B. OPERATED	28	11.5	156	1	1	8	16	25	46	50
TOTAL 0-19 YRS	51	6.3	105	1	1	2	8	16	35	99
20-34	321	6.2	62	1	1	3	8	16	22	34
35-49	325	5.9	51	1	1	3	7	17	21	32
50-64	234	5.4	44	1	1	3	6	13	21	33
65+	209	5.1	34	1	1	3	5	11	17	27
GRAND TOTAL	**1140**	**5.8**	**52**	**1**	**1**	**3**	**7**	**15**	**21**	**34**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	18.9	403	1	2	12	31	46	68	98
20-34	182	6.1	81	<1	1	3	7	15	28	91
35-49	147	5.3	29	<1	1	3	7	13	16	26
50-64	56	5.1	19	1	2	4	6	10	15	22
65+	22	9.9	158	1	2	6	11	18	42	59
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	12.0	98	5	5	12	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	385	21.0	451	1	2	13	34	60	77	99+
20-34	763	8.3	91	1	1	5	11	19	25	69
35-49	509	8.3	71	1	2	6	11	19	27	50
50-64	231	7.7	60	1	1	5	10	19	23	33
65+	234	8.1	55	2	2	6	11	19	26	99+
B. *Operated*										
0-19 YRS	4	26.0	705	6	6	16	42	65	65	65
20-34	26	14.7	148	1	1	11	25	33	38	40
35-49	14	17.3	422	1	2	13	20	33	71	82
50-64	8	18.1	401	1	1	12	26	51	61	61
65+	9	10.3	145	2	3	6	12	29	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	535	9.0	171	1	1	4	10	23	39	80
B. *Operated*	2	12.0	98	5	5	12	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	2122	10.5	168	1	1	6	13	26	42	99+
B. *Operated*	61	15.9	268	1	2	11	23	35	50	80
1. SINGLE DX	537	9.0	170	1	1	4	10	23	38	80
2. MULTIPLE DX	2183	10.7	172	1	2	6	14	27	42	99
A. NOT OPERATED	2657	10.2	169	1	1	6	13	26	41	96
B. OPERATED	63	15.7	261	1	2	11	22	34	48	80
TOTAL 0-19 YRS	517	20.5	440	1	2	13	34	56	72	99+
20-34	971	8.0	92	1	1	5	10	19	27	73
35-49	672	7.9	72	1	1	5	10	19	26	48
50-64	295	7.5	64	1	2	5	10	19	23	34
65+	265	8.4	66	2	2	6	11	19	26	92
GRAND TOTAL	**2720**	**10.3**	**172**	**1**	**1**	**6**	**13**	**26**	**41**	**93**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	11.5	327	<1	1	4	13	36	64	93
20-34	304	8.3	229	1	1	4	9	36	98	99+
35-49	100	6.1	80	<1	1	3	10	53	99+	99+
50-64	46	4.1	25	<1	1	2	5	12	19	99+
65+	22	2.8	2	<1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	4	9.5	54	1	1	9	14	19	19	19
20-34	65	8.1	7	2	2	9	9	9	10	14
35-49	41	7.2	10	1	2	9	9	9	10	12
50-64	16	3.4	11	1	1	2	6	9	9	9
65+	8	2.1	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	11.4	249	<1	1	5	15	43	73	99+
20-34	906	7.8	137	1	1	4	10	35	99+	99+
35-49	451	7.5	122	1	1	4	10	40	99+	99+
50-64	152	7.7	109	1	1	5	10	25	87	99+
65+	148	7.1	93	1	1	4	8	16	31	99+
B. *Operated*										
0-19 YRS	5	22.0	797	2	2	23	92	99+	99+	99+
20-34	53	15.0	377	1	1	9	27	94	99+	99+
35-49	37	8.8	114	1	2	7	9	22	27	59
50-64	32	7.5	107	1	1	4	9	15	28	54
65+	18	6.1	46	1	1	4	6	18	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575	8.0	200	<1	1	3	9	30	91	99+
B. *Operated*	134	6.9	12	1	1	9	9	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	1908	8.1	144	1	1	4	11	33	99+	99+
B. *Operated*	145	10.9	232	1	2	7	11	55	97	99+
1. SINGLE DX	709	7.8	165	1	1	4	9	21	72	99+
2. MULTIPLE DX	2053	8.3	151	1	1	4	11	34	99+	99+
A. NOT OPERATED	2483	8.1	157	1	1	4	10	32	99+	99+
B. OPERATED	279	9.0	130	1	1	9	9	22	59	99+
TOTAL 0-19 YRS	363	11.5	275	<1	1	5	15	44	70	99+
20-34	1328	8.2	163	1	1	4	10	35	99+	99+
35-49	629	7.3	108	1	1	4	10	31	99+	99+
50-64	246	6.7	88	1	1	4	9	17	49	99+
65+	196	6.3	77	1	1	4	7	15	24	91
GRAND TOTAL	**2762**	**8.2**	**154**	**1**	**1**	**4**	**10**	**30**	**99+**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	11.4	205	<1	<1	2	28	35	45	98
20-34	344	10.0	113	<1	1	4	20	28	29	32
35-49	391	9.3	105	1	1	4	16	27	29	33
50-64	199	9.4	107	1	1	4	15	28	30	33
65+	65	6.9	75	<1	1	3	6	22	29	31
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	28.0		28	28	28	28	28	28	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	493	28.2	354	1	2	28	42	49	61	91
20-34	2950	16.5	137	1	2	19	28	30	32	41
35-49	3017	14.5	134	1	2	13	26	30	31	40
50-64	2095	13.9	127	1	2	9	24	29	31	39
65+	1159	13.5	109	1	2	10	21	28	32	41
B. *Operated*										
0-19 YRS	9	49.3	649	2	14	48	58	86	92	92
20-34	53	19.9	131	1	2	21	30	34	36	37
35-49	84	18.8	204	1	2	20	28	31	39	75
50-64	86	18.8	167	2	2	21	28	33	43	58
65+	36	14.7	132	2	4	12	21	26	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1052	9.5	112	1	1	4	17	28	30	35
B. *Operated*	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	9714	15.6	151	1	2	14	26	30	33	46
B. *Operated*	268	19.5	212	1	2	21	28	34	45	74
1. SINGLE DX	1053	9.5	112	1	1	4	17	28	30	35
2. MULTIPLE DX	9982	15.7	153	1	2	14	27	30	34	46
A. NOT OPERATED	10766	15.0	151	1	2	13	26	30	33	46
B. OPERATED	269	19.5	212	1	2	21	28	34	45	74
TOTAL 0-19 YRS	555	26.9	376	1	1	28	42	48	60	92
20-34	3347	15.9	138	1	2	17	28	30	32	39
35-49	3493	14.0	136	1	2	10	25	29	31	40
50-64	2380	13.7	129	1	2	8	24	29	31	39
65+	1260	13.2	110	1	2	10	21	28	31	41
GRAND TOTAL	**11035**	**15.1**	**153**	**1**	**2**	**13**	**26**	**30**	**33**	**46**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	21.3	205	<1	<1	29	30	33	33	33
20-34	79	6.8	58	1	1	4	7	17	28	34
35-49	22	10.6	121	1	1	6	21	32	33	33
50-64	3	23.7	246	6	6	29	34	36	36	36
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	20.8	154	3	4	27	30	34	38	43
20-34	530	12.8	120	2	3	8	21	29	32	42
35-49	205	12.3	99	1	2	8	20	28	30	35
50-64	40	15.7	157	2	4	10	25	31	37	59
65+	19	11.2	85	2	2	9	18	27	31	31
B. *Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	9	14.4	134	<1	2	11	28	30	31	31
35-49	9	30.0	256	8	12	30	31	53	67	67
50-64										
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	8.9	97	1	1	5	10	29	32	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	821	13.1	119	2	3	8	21	29	32	42
B. *Operated*	20	22.4	229	2	4	27	31	32	50	67
1. SINGLE DX	111	8.9	97	1	1	5	10	29	32	35
2. MULTIPLE DX	841	13.3	123	2	3	8	22	29	32	42
A. NOT OPERATED	932	12.6	118	1	2	8	21	29	32	42
B. OPERATED	20	22.4	229	2	4	27	31	32	50	67
TOTAL 0-19 YRS	34	21.2	156	1	4	27	30	33	37	43
20-34	618	12.1	116	1	3	7	20	28	32	42
35-49	236	12.8	118	1	2	8	21	29	31	37
50-64	43	16.2	162	2	4	10	27	33	37	59
65+	21	11.6	78	2	2	9	17	25	30	31
GRAND TOTAL	**952**	**12.8**	**122**	**1**	**2**	**8**	**21**	**29**	**32**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	26.5	275	1	2	30	38	46	52	58
20-34	133	10.8	154	1	1	5	22	28	30	43
35-49	23	13.5	133	1	2	9	21	30	35	42
50-64	7	11.6	75	4	4	9	16	26	28	28
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	456	31.7	322	3	6	31	44	55	68	99
20-34	963	18.8	131	2	3	21	28	31	34	43
35-49	244	16.8	133	2	3	19	27	30	33	42
50-64	63	17.6	192	2	3	15	27	35	37	75
65+	50	15.5	116	3	4	14	21	30	37	43
B. *Operated*										
0-19 YRS	7	44.1	299	28	28	43	67	91	99+	99+
20-34	24	27.5	52	14	20	28	32	36	37	38
35-49	9	20.7	117	6	8	23	27	35	40	40
50-64	3	23.7	134	16	16	18	32	37	37	37
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	13.9	204	1	1	6	27	32	42	56
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1776	21.7	217	2	3	22	29	40	47	75
B. *Operated*	44	28.0	164	6	11	28	33	42	67	99+
1. SINGLE DX	202	13.9	204	1	1	6	27	32	42	56
2. MULTIPLE DX	1820	21.9	217	2	3	22	30	40	47	75
A. NOT OPERATED	1978	20.9	221	2	3	21	29	39	47	74
B. OPERATED	44	28.0	164	6	11	28	33	42	67	99+
TOTAL 0-19 YRS	500	31.5	321	3	6	31	44	54	68	99+
20-34	1120	18.0	141	1	2	21	28	30	34	43
35-49	276	16.7	133	1	3	18	27	30	33	42
50-64	73	17.3	180	2	4	15	27	35	37	71
65+	53	14.8	117	3	4	12	21	30	37	43
GRAND TOTAL	**2022**	**21.1**	**221**	**2**	**3**	**21**	**29**	**39**	**47**	**74**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	1.3	5	<1	<1	1	1	1	2	7
20-34	56	1.4	1	<1	<1	<1	1	3	4	5
35-49	18	2.3	7	<1	<1	1	3	4	9	12
50-64	14	2.7	5	<1	<1	2	3	7	8	8
65+	6	1.5	2	<1	<1	1	1	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	19.7	432	<1	<1	7	37	51	56	78
20-34	250	4.5	64	<1	<1	2	4	10	24	78
35-49	130	4.0	26	<1	<1	2	5	11	18	99+
50-64	75	4.3	28	<1	1	3	5	11	17	81
65+	42	4.2	19	1	1	3	6	8	11	25
B. *Operated*										
0-19 YRS	6	6.5	156	<1	<1	1	2	29	32	32
20-34	8	7.0	77	<1	<1	3	10	22	26	26
35-49	5	9.6	255	<1	<1	3	13	38	38	38
50-64										
65+	2	14.5	61	9	9	14	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	1.5	4	<1	<1	1	1	2	4	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	807	10.2	249	<1	<1	2	10	39	48	79
B. *Operated*	21	8.2	126	<1	<1	2	10	28	35	38
1. SINGLE DX	238	1.5	4	<1	<1	1	1	2	4	8
2. MULTIPLE DX	828	10.2	246	<1	<1	2	10	38	48	79
A. NOT OPERATED	1045	8.2	207	<1	<1	1	6	30	45	74
B. OPERATED	21	8.2	126	<1	<1	2	10	28	35	38
TOTAL 0-19 YRS	460	13.7	367	<1	<1	1	29	45	52	73
20-34	314	4.0	55	<1	<1	1	4	9	23	53
35-49	153	4.0	31	<1	<1	2	4	11	18	97
50-64	89	4.0	25	<1	1	2	5	9	17	72
65+	50	4.3	23	1	1	3	6	9	13	25
GRAND TOTAL	**1066**	**8.2**	**205**	**<1**	**<1**	**1**	**6**	**30**	**45**	**72**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	11.4	243	<1	1	2	25	36	44	46
20-34	69	9.3	108	<1	1	4	15	29	32	87
35-49	10	5.0	50	<1	<1	2	5	18	21	21
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	419	32.2	338	2	4	32	44	56	66	90
20-34	460	14.0	174	1	1	8	27	30	35	99
35-49	126	12.1	129	1	1	7	22	28	32	43
50-64	28	9.3	89	1	1	6	12	28	29	32
65+	19	11.8	72	1	2	10	20	23	25	26
B. *Operated*										
0-19 YRS	7	52.3	145	35	37	49	63	68	69	69
20-34	7	14.6	118	3	3	11	24	30	31	31
35-49	3	13.0	175	3	3	8	23	28	28	28
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	28.0		28	28	28	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	9.6	153	<1	1	3	15	32	35	55
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1052	20.8	315	1	2	20	31	45	56	95
B. *Operated*	19	28.5	471	3	4	28	46	62	67	69
1. SINGLE DX	132	9.6	153	<1	1	3	15	32	35	55
2. MULTIPLE DX	1071	21.0	319	1	2	20	31	45	56	93
A. NOT OPERATED	1184	19.6	310	1	1	17	30	44	55	92
B. OPERATED	19	28.5	471	3	4	28	46	62	67	69
TOTAL 0-19 YRS	475	30.3	372	1	2	31	43	56	65	85
20-34	536	13.4	167	1	1	8	26	30	34	99+
35-49	139	11.6	126	<1	1	6	22	28	31	43
50-64	32	8.5	83	1	1	5	9	27	29	32
65+	21	12.5	77	1	2	10	20	25	27	28
GRAND TOTAL	**1203**	**19.7**	**313**	**1**	**1**	**18**	**30**	**45**	**55**	**90**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	2	1	1	2	3	5	6	6
20-34	20	2.4	2	<1	1	2	3	4	5	6
35-49	18	1.9	3	<1	1	1	2	4	6	7
50-64	11	3.5	16	<1	<1	3	4	9	14	15
65+	13	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	3	3.7	9	<1	<1	3	6	7	7	7
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	3	3.3	6	1	1	3	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.6	14	1	1	2	4	7	11	20
20-34	83	3.8	15	<1	1	3	4	8	12	22
35-49	62	3.6	19	1	1	2	4	7	11	25
50-64	79	3.9	15	1	1	2	5	9	12	19
65+	75	3.5	6	1	1	3	5	6	8	14
B. *Operated*										
0-19 YRS	4	9.8	10	7	7	10	12	13	13	13
20-34	7	25.1	944	3	3	17	35	79	88	88
35-49	9	6.3	18	1	1	5	10	12	12	12
50-64	5	9.4	112	2	2	6	12	28	28	28
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.3	4	1	1	2	3	4	6	13
B. *Operated*	10	3.4	5	<1	<1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	332	3.7	14	1	1	2	4	7	11	20
B. *Operated*	25	12.8	326	2	2	7	12	28	53	88
1. SINGLE DX	89	2.5	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	357	4.3	40	1	1	3	5	9	13	26
A. NOT OPERATED	411	3.4	12	1	1	2	4	7	9	20
B. OPERATED	35	10.1	250	<1	1	6	11	18	38	88
TOTAL 0-19 YRS	57	3.7	13	1	1	2	5	7	12	20
20-34	112	4.8	91	<1	1	3	4	9	17	59
35-49	91	3.6	16	1	1	2	4	8	11	24
50-64	98	4.2	20	1	1	3	5	9	14	24
65+	88	3.3	6	1	1	3	4	6	7	13
GRAND TOTAL	**446**	**4.0**	**33**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	7.4	109	<1	1	3	8	20	33	51
20-34	423	3.7	18	<1	<1	2	4	8	12	25
35-49	264	4.7	28	<1	1	3	5	12	15	29
50-64	58	4.9	45	<1	1	2	5	15	21	35
65+	35	7.9	147	1	1	5	8	12	15	74
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	690	10.7	200	1	1	5	13	34	44	78
20-34	1277	5.3	54	<1	1	3	6	12	16	31
35-49	758	5.4	42	1	1	3	7	12	17	40
50-64	279	5.8	36	1	1	4	7	13	18	31
65+	242	6.6	54	1	1	4	8	15	20	53
B. *Operated*										
0-19 YRS	21	12.5	292	<1	<1	3	16	42	49	57
20-34	38	6.3	47	1	1	3	9	14	19	34
35-49	34	9.2	93	<1	1	6	10	25	34	38
50-64	8	15.6	545	1	1	8	17	55	71	71
65+	9	12.9	275	1	1	6	17	41	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1061	5.1	53	<1	1	3	6	12	19	44
B. *Operated*	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	3246	6.6	85	1	1	4	7	15	24	53
B. *Operated*	110	9.6	162	1	1	5	11	25	38	63
1. SINGLE DX	1063	5.1	52	<1	1	3	6	12	19	44
2. MULTIPLE DX	3356	6.7	88	1	1	4	8	15	25	54
A. NOT OPERATED	4307	6.2	78	1	1	3	7	14	23	50
B. OPERATED	112	9.5	160	1	1	5	11	25	38	62
TOTAL 0-19 YRS	993	9.8	178	1	1	4	11	31	43	70
20-34	1738	5.0	45	<1	1	3	6	11	15	31
35-49	1057	5.3	40	1	1	3	6	13	17	34
50-64	345	5.9	50	1	1	3	7	13	20	32
65+	286	6.9	72	1	1	4	8	15	20	56
GRAND TOTAL	**4419**	**6.3**	**80**	**1**	**1**	**3**	**7**	**14**	**23**	**51**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	20.3	394	1	2	14	35	49	66	99+
20-34	207	11.5	307	<1	1	4	12	40	59	93
35-49	105	8.8	188	<1	1	3	8	27	38	68
50-64	35	6.8	81	<1	1	3	7	14	32	38
65+	26	6.5	99	<1	<1	3	7	13	36	43
B. *Operated*										
0-19 YRS	4	7.8	31	<1	<1	8	12	14	14	14
20-34	5	5.6	5	2	2	7	7	7	7	7
35-49	4	5.5	33	2	2	3	9	14	14	14
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1247	27.8	476	1	3	27	45	63	89	99+
20-34	735	13.4	293	1	1	6	18	42	57	99+
35-49	451	12.0	266	1	1	6	13	32	57	85
50-64	218	9.6	184	1	1	4	11	24	39	62
65+	295	6.8	55	1	1	4	8	15	21	61
B. *Operated*										
0-19 YRS	23	30.7	635	2	4	39	[illegible]	[illegible]	99+	99+
20-34	34	25.3	640	1	3	[illegible]	44	87	97	99+
35-49	30	20.2	465	1	2	11	33	63	75	99+
50-64	16	10.1	61	1	[illegible]	8	13	24	25	26
65+	16	11.2	82	1	[illegible]	9	18	24	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	805	15.5	349	1	1	7	26	45	58	99+
B. *Operated*	15	6.5	19	[illegible]	2	6	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	2946	18.3	404	1	2	9	32	51	66	99+
B. *Operated*	119	21.1	483	1	2	15	38	75	99+	99+
1. SINGLE DX	820	15.4	344	1	1	6	25	45	58	99+
2. MULTIPLE DX	3065	18.4	407	1	2	10	32	52	68	99+
A. NOT OPERATED	3751	17.7	393	1	1	9	30	49	64	99+
B. OPERATED	134	19.5	452	1	2	13	34	68	99+	99+
TOTAL 0-19 YRS	1706	25.9	467	1	2	23	44	60	86	99+
20-34	981	13.4	312	1	1	5	18	42	60	99+
35-49	590	11.8	265	1	1	5	13	33	57	85
50-64	270	9.3	163	1	1	4	11	24	33	61
65+	338	7.0	60	1	1	4	9	16	23	57
GRAND TOTAL	**3885**	**17.8**	**395**	**1**	**1**	**9**	**30**	**50**	**66**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	30	<1	<1	1	11	11	11	11
20-34	6	12.7	106	4	4	13	66	99+	99+	99+
35-49	2	40.0	1250	15	15	40	65	65	65	65
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	51	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	15.1	175	1	1	14	28	57	94	99+
20-34	33	10.9	226	1	1	8	26	99+	99+	99+
35-49	10	17.4	505	3	3	11	81	99+	99+	99+
50-64	7	17.6	547	4	4	6	49	89	99+	99+
65+	1	5.0		5	5	52	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64	2	8.5	25	5	5	8	12	12	12	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	12.5	277	<1	1	11	32	99+	99+	99+
B. *Operated*	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	62	13.3	285	1	2	9	37	99+	99+	99+
B. *Operated*	3	7.7	14	5	5	6	10	12	12	12
1. SINGLE DX	17	11.4	252	<1	1	11	23	99+	99+	99+
2. MULTIPLE DX	65	13.1	274	1	2	8	34	99+	99+	99+
A. NOT OPERATED	77	13.2	280	1	2	11	35	99+	99+	99+
B. OPERATED	5	5.8	14	2	2	5	7	12	12	12
TOTAL 0-19 YRS	18	11.2	135	<1	1	7	22	35	72	99+
20-34	39	11.2	205	1	2	11	34	99+	99+	99+
35-49	13	19.7	582	2	3	13	70	99+	99+	99+
50-64	10	14.3	397	3	3	5	29	78	98	99+
65+	2	4.0	2	3	3	52	99+	99+	99+	99+
GRAND TOTAL	**82**	**12.7**	**267**	**1**	**2**	**10**	**31**	**99+**	**99+**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	9.2	18	2	3	10	11	14	15	23
20-34	39	5.4	15	1	1	4	9	11	12	16
35-49	23	6.1	24	1	1	4	10	13	16	19
50-64	15	5.1	16	1	1	4	9	11	12	13
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	20	11.0	17	4	5	11	12	17	19	21
20-34	21	5.8	40	1	1	3	7	17	20	23
35-49	24	3.5	7	1	1	3	5	7	9	10
50-64	24	5.0	45	<1	1	2	8	13	21	29
65+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	359	10.1	22	2	3	10	12	15	17	25
20-34	59	11.1	111	2	3	10	14	22	26	61
35-49	55	10.8	110	2	3	10	14	19	27	67
50-64	48	12.1	68	2	3	11	15	20	29	43
65+	57	11.5	96	3	3	8	16	23	34	46
B. *Operated*										
0-19 YRS	97	17.6	152	4	8	14	21	35	49	88
20-34	43	18.7	270	2	2	14	26	51	82	99+
35-49	69	13.3	112	1	2	12	18	26	30	52
50-64	71	14.8	203	1	1	11	21	36	55	92
65+	47	21.1	243	3	5	17	27	42	52	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	8.4	20	1	2	10	11	13	15	21
B. *Operated*	92	6.0	34	1	1	4	10	13	18	26
2. MULTIPLE DX										
A. *Not Operated*	578	10.6	50	2	3	10	13	16	21	41
B. *Operated*	327	16.7	188	1	3	14	22	37	51	99+
1. SINGLE DX	454	7.9	24	1	1	9	11	13	16	23
2. MULTIPLE DX	905	12.8	109	2	3	11	15	24	35	65
A. NOT OPERATED	940	9.7	40	2	3	10	12	15	18	33
B. OPERATED	419	14.4	174	1	1	12	19	32	45	82
TOTAL 0-19 YRS	759	10.7	44	2	3	10	12	16	21	44
20-34	162	11.0	146	1	2	8	14	25	38	96
35-49	171	10.1	96	1	1	8	15	21	27	52
50-64	158	11.6	134	1	1	9	16	28	38	64
65+	109	15.2	184	2	3	12	18	35	42	65
GRAND TOTAL	**1359**	**11.2**	**86**	**1**	**2**	**10**	**13**	**20**	**28**	**56**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	3.8	4	2	2	4	5	6	6	6
50-64	43	4.3	12	1	2	3	6	8	11	19
65+	42	8.0	41	2	2	6	10	15	23	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	13.0		13	13	13	13	13	13	13
35-49	12	7.1	16	2	3	7	10	13	14	14
50-64	71	7.1	48	1	1	5	9	14	21	36
65+	503	8.0	35	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	9.2	108	1	2	5	12	26	36	36
65+	38	15.6	167	2	3	12	18	31	43	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	5.9	28	2	2	4	7	12	16	30
B. *Operated*	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	588	7.9	36	2	3	6	10	15	20	30
B. *Operated*	48	14.3	159	2	3	11	18	31	39	62
1. SINGLE DX	94	5.8	27	2	2	4	7	11	16	30
2. MULTIPLE DX	636	8.4	48	2	3	7	10	16	21	38
A. NOT OPERATED	678	7.6	35	2	2	6	10	14	19	30
B. OPERATED	52	13.4	157	2	2	10	17	31	38	62
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	16	6.3	15	2	2	5	9	12	13	14
50-64	125	6.2	41	1	2	4	7	12	20	36
65+	586	8.5	47	2	3	7	11	16	21	36
GRAND TOTAL	**730**	**8.0**	**46**	**2**	**2**	**6**	**10**	**15**	**20**	**36**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	97	5.5	25	<1	1	4	9	12	15	25
35-49	94	5.9	24	<1	<1	4	9	13	17	65
50-64	35	5.3	12	<1	1	4	8	9	12	15
65+	5	7.4	32	1	1	10	11	14	14	14
B. *Operated*										
0-19 YRS										
20-34	16	2.9	12	1	1	2	3	7	12	14
35-49	15	3.5	14	1	1	2	4	10	13	14
50-64	3	6.7	66	1	1	3	13	16	16	16
65+	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	14	1	1	6	8	10	10	10
20-34	128	6.0	30	<1	<1	5	9	12	15	30
35-49	220	7.8	78	<1	<1	5	10	18	24	44
50-64	111	9.0	70	<1	1	6	12	18	26	43
65+	29	7.0	11	3	3	6	9	13	13	13
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	22	11.4	174	<1	1	8	17	22	41	60
35-49	54	10.7	110	1	1	8	14	22	28	51
50-64	20	8.6	83	1	2	6	10	18	30	41
65+	6	7.8	29	1	1	8	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	5.6	22	<1	1	4	9	12	15	25
B. *Operated*	37	3.3	16	1	1	2	4	9	14	16
2. MULTIPLE DX										
A. *Not Operated*	492	7.5	60	<1	<1	5	10	16	22	42
B. *Operated*	104	10.1	111	1	1	7	14	19	28	55
1. SINGLE DX	271	5.3	22	<1	1	4	8	12	15	24
2. MULTIPLE DX	596	8.0	70	<1	<1	6	11	17	24	43
A. NOT OPERATED	726	6.9	49	<1	<1	5	10	14	20	39
B. OPERATED	141	8.3	95	1	1	5	12	18	26	52
TOTAL 0-19 YRS	9	4.9	8	1	1	6	6	9	10	10
20-34	263	6.0	42	<1	1	4	9	13	17	30
35-49	383	7.5	69	<1	<1	5	10	17	24	48
50-64	169	8.1	60	<1	1	6	11	16	22	42
65+	43	6.7	17	1	1	6	10	13	14	14
GRAND TOTAL	**867**	**7.1**	**56**	**<1**	**1**	**5**	**10**	**15**	**20**	**42**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	415	2.4	6	<1	1	2	3	5	7	14
20-34	277	2.3	9	<1	1	2	3	4	5	10
35-49	121	2.6	5	<1	1	2	3	5	7	13
50-64	69	3.2	13	1	1	2	3	5	14	17
65+	81	2.9	4	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	11	4.6	22	1	1	2	8	12	15	15
20-34	23	5.0	20	<1	1	3	9	10	12	16
35-49	12	3.3	15	<1	<1	1	4	11	11	11
50-64	6	4.2	7	2	2	3	5	9	9	9
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	596	3.2	14	1	1	2	4	6	9	22
20-34	570	3.6	16	1	1	2	4	7	9	24
35-49	472	4.0	19	1	1	3	5	8	10	25
50-64	529	3.8	10	1	1	3	5	8	10	17
65+	1017	5.1	27	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	46	13.4	259	1	1	7	17	37	58	62
20-34	75	8.6	139	1	1	5	11	21	23	72
35-49	46	7.6	55	1	1	7	10	13	19	44
50-64	46	12.1	250	2	2	8	14	24	45	90
65+	84	11.7	112	1	2	7	16	24	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	963	2.5	7	1	1	2	3	5	6	14
B. *Operated*	54	4.4	17	1	1	3	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	3184	4.1	19	1	1	3	5	8	11	23
B. *Operated*	297	10.6	156	1	1	7	14	23	32	61
1. SINGLE DX	1017	2.6	8	1	1	2	3	5	7	14
2. MULTIPLE DX	3481	4.6	34	1	1	3	5	9	13	28
A. NOT OPERATED	4147	3.7	17	1	1	3	4	7	10	21
B. OPERATED	351	9.7	139	1	1	7	12	21	29	60
TOTAL 0-19 YRS	1068	3.3	26	1	1	2	3	6	10	28
20-34	945	3.7	26	1	1	2	4	8	10	24
35-49	651	4.0	20	1	1	3	5	8	11	24
50-64	650	4.3	32	1	1	3	5	8	13	24
65+	1184	5.4	34	1	1	4	6	11	15	27
GRAND TOTAL	**4498**	**4.2**	**29**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	2.9	9	<1	1	2	3	6	9	17
20-34	133	3.4	9	1	1	3	4	7	9	15
35-49	116	3.3	9	1	1	2	4	7	8	18
50-64	60	3.6	10	<1	1	2	5	8	9	18
65+	81	4.1	28	<1	1	2	4	8	15	28
B. *Operated*										
0-19 YRS	123	3.7	12	<1	<1	3	5	8	10	19
20-34	121	3.6	13	1	1	2	5	8	10	18
35-49	143	3.1	7	1	1	2	4	7	9	11
50-64	93	3.7	11	<1	1	3	5	8	10	17
65+	126	5.2	18	1	1	4	8	11	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	6.5	107	1	1	3	6	14	36	98
20-34	331	7.5	129	1	1	4	7	22	38	81
35-49	368	9.2	162	1	1	4	9	26	35	66
50-64	569	11.8	192	1	2	6	15	31	44	78
65+	1859	10.5	130	2	2	7	13	25	34	65
B. *Operated*										
0-19 YRS	260	9.4	210	1	1	4	11	22	43	99
20-34	285	10.3	174	1	1	6	12	28	46	99+
35-49	302	9.3	151	1	1	5	11	25	45	99+
50-64	364	11.1	172	1	1	7	14	29	39	98
65+	723	13.2	177	1	2	9	17	30	43	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	491	3.4	12	<1	1	2	4	7	9	20
B. *Operated*	606	3.9	12	<1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	3379	10.0	144	1	2	6	12	26	36	73
B. *Operated*	1934	11.3	178	1	1	7	14	28	44	99+
1. SINGLE DX	1097	3.7	12	<1	1	2	5	8	10	19
2. MULTIPLE DX	5313	10.5	157	1	2	6	13	27	38	86
A. NOT OPERATED	3870	9.2	132	1	1	5	10	24	34	68
B. OPERATED	2540	9.5	149	1	1	6	12	23	36	94
TOTAL 0-19 YRS	736	6.6	120	<1	1	3	7	14	28	94
20-34	870	7.2	116	1	1	4	8	18	31	91
35-49	929	7.6	123	1	1	4	8	19	32	66
50-64	1086	10.4	167	1	1	6	13	28	39	83
65+	2789	10.8	138	1	2	7	14	26	35	69
GRAND TOTAL	**6410**	**9.3**	**139**	**1**	**1**	**5**	**11**	**24**	**35**	**77**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	1.7	1	<1	1	1	2	3	4	7
20-34	255	2.6	5	1	1	2	4	5	6	12
35-49	228	3.1	10	1	1	2	4	6	8	17
50-64	59	2.3	2	<1	1	2	3	4	5	8
65+	19	4.4	40	1	1	2	3	12	21	27
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	16	2.6	3	1	1	2	3	5	7	8
35-49	20	1.7	1	<1	1	1	2	3	4	5
50-64	12	2.0	2	1	1	2	3	4	5	5
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.2	2	<1	1	2	3	4	5	7
20-34	321	3.5	10	1	1	3	4	7	9	18
35-49	369	3.9	16	1	1	3	5	7	9	21
50-64	148	3.8	14	1	1	3	4	8	11	25
65+	89	3.6	16	1	1	3	4	5	7	26
B. *Operated*										
0-19 YRS	5	4.4	8	<1	<1	5	6	8	8	8
20-34	40	4.6	20	1	1	3	6	8	9	28
35-49	36	4.7	14	1	1	3	7	11	11	14
50-64	23	6.0	40	1	1	4	7	16	21	27
65+	17	4.4	12	1	1	4	5	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	2.7	7	1	1	2	3	5	7	14
B. *Operated*	51	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	996	3.6	13	1	1	3	4	7	9	21
B. *Operated*	121	4.8	20	1	1	4	6	10	12	27
1. SINGLE DX	717	2.6	7	1	1	2	3	5	7	13
2. MULTIPLE DX	1117	3.8	14	1	1	3	4	7	10	21
A. NOT OPERATED	1662	3.2	11	1	1	2	4	6	8	18
B. OPERATED	172	4.0	16	1	1	3	5	8	11	25
TOTAL 0-19 YRS	181	1.9	2	<1	1	1	2	4	5	8
20-34	632	3.2	9	1	1	2	4	6	8	16
35-49	653	3.6	14	1	1	3	4	7	9	20
50-64	242	3.6	14	1	1	3	4	7	10	25
65+	126	3.8	19	1	1	3	4	6	12	28
GRAND TOTAL	**1834**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	3.0		3	3	3	3	3	3	3
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	14	1.2		<1	<1	1	1	2	2	2
20-34	222	1.3		<1	<1	<1	1	2	2	4
35-49	315	1.2	1	<1	<1	<1	1	2	2	5
50-64	280	1.2		<1	<1	1	1	2	2	3
65+	136	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	8	2.0	2	<1	<1	1	3	4	5	5
50-64	12	1.7	2	<1	<1	1	2	3	6	6
65+	14	2.9	3	<1	1	3	4	5	7	7
B. *Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	128	2.1	5	<1	<1	1	2	3	6	12
35-49	190	1.8	3	<1	<1	1	2	3	4	9
50-64	252	2.1	4	<1	<1	1	2	4	5	11
65+	175	2.1	3	<1	<1	1	2	3	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*	967	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	39	2.3	3	<1	<1	2	3	5	6	7
B. *Operated*	753	2.0	4	<1	<1	1	2	3	5	10
1. SINGLE DX	979	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	792	2.0	4	<1	<1	1	2	3	5	10
A. NOT OPERATED	51	2.2	2	<1	<1	2	3	5	5	7
B. OPERATED	1720	1.6	2	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	24	1.3		<1	<1	1	1	2	3	3
20-34	358	1.6	2	<1	<1	1	2	2	3	7
35-49	516	1.5	1	<1	<1	1	2	2	3	8
50-64	546	1.6	2	<1	<1	1	2	3	4	7
65+	327	1.7	2	<1	<1	1	2	3	4	9
GRAND TOTAL	**1771**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**8**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.9	48	<1	<1	3	8	11	21	35
20-34	90	5.1	45	1	1	3	5	11	17	40
35-49	82	4.3	17	1	1	3	5	8	12	23
50-64	76	4.6	54	<1	<1	3	4	9	14	44
65+	64	4.1	67	<1	1	2	4	8	12	57
B. *Operated*										
0-19 YRS	78	2.5	12	<1	<1	2	3	4	7	21
20-34	484	2.9	10	<1	1	2	4	5	7	15
35-49	561	2.6	5	<1	1	2	3	5	7	12
50-64	372	2.3	4	<1	<1	2	3	5	6	11
65+	200	3.2	14	<1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.1	43	1	2	7	10	20	21	23
20-34	114	6.7	118	1	1	4	6	12	18	62
35-49	173	6.1	78	1	1	4	7	12	19	56
50-64	215	6.4	63	1	1	4	7	13	21	36
65+	435	6.1	34	1	1	4	8	13	20	29
B. *Operated*										
0-19 YRS	73	7.7	193	1	1	3	6	29	63	99+
20-34	470	5.1	70	1	1	3	5	9	14	48
35-49	510	4.5	29	1	1	3	5	9	13	38
50-64	471	5.1	65	1	1	3	6	10	15	49
65+	385	6.3	68	1	1	4	8	14	23	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	4.7	44	<1	1	3	5	9	14	39
B. *Operated*	1695	2.7	8	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	968	6.3	58	1	1	4	7	13	20	37
B. *Operated*	1909	5.3	63	1	1	3	6	10	16	57
1. SINGLE DX	2047	3.0	15	<1	1	2	4	6	8	16
2. MULTIPLE DX	2877	5.6	61	1	1	3	6	12	18	46
A. NOT OPERATED	1320	5.9	55	1	1	4	7	12	19	37
B. OPERATED	3604	4.1	38	<1	1	2	5	8	12	34
TOTAL 0-19 YRS	222	5.6	87	<1	1	3	6	14	23	81
20-34	1158	4.3	49	<1	1	3	5	8	12	43
35-49	1326	3.9	26	1	1	3	5	8	11	22
50-64	1134	4.4	46	<1	1	2	5	9	13	34
65+	1084	5.5	46	1	1	3	7	12	19	34
GRAND TOTAL	**4924**	**4.5**	**44**	**1**	**1**	**3**	**5**	**9**	**14**	**36**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	4	2.0	1	<1	<1	2	3	3	3	3
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	60	2.7	2	1	1	3	4	5	5	6
20-34	138	2.8	4	1	1	2	4	5	6	10
35-49	159	3.2	4	1	1	3	4	6	7	10
50-64	448	3.0	5	1	1	3	4	5	6	12
65+	422	3.2	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	4	2.5	2	<1	<1	2	3	4	4	4
50-64	6	3.2	7	<1	<1	3	5	7	7	7
65+	21	3.0	31	<1	<1	2	3	4	14	27
B. *Operated*										
0-19 YRS	84	4.1	7	1	1	4	5	8	9	14
20-34	218	4.2	10	1	2	4	5	7	8	13
35-49	260	3.9	4	1	2	3	5	7	8	9
50-64	663	3.6	4	1	1	3	5	6	7	10
65+	1041	3.8	5	1	2	3	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.1	1	<1	<1	3	3	3	3	3
B. *Operated*	1227	3.1	5	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	38	2.7	18	<1	<1	2	3	4	6	27
B. *Operated*	2266	3.8	5	1	2	3	5	7	8	11
1. SINGLE DX	1236	3.1	5	1	1	3	4	5	6	10
2. MULTIPLE DX	2304	3.8	5	1	1	3	5	6	8	11
A. NOT OPERATED	47	2.6	15	<1	<1	2	3	4	5	27
B. OPERATED	3493	3.5	5	1	1	3	4	6	7	10
TOTAL 0-19 YRS	149	3.5	5	1	1	3	4	6	8	10
20-34	361	3.6	8	1	1	3	4	6	8	12
35-49	423	3.7	4	1	2	3	5	7	8	9
50-64	1121	3.4	5	1	1	3	4	6	7	10
65+	1486	3.6	5	1	1	3	4	6	7	12
GRAND TOTAL	**3540**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	7	2.7	3	1	1	2	4	6	6	6
65+	19	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	2.3	2	1	1	2	4	4	4	4
35-49	21	2.1	3	<1	<1	1	3	3	6	9
50-64	47	2.0	2	<1	1	2	3	3	4	7
65+	82	2.1	3	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	39	2.6	4	<1	1	2	3	5	7	8
B. *Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	11	2.3	1	<1	<1	2	3	4	5	5
50-64	40	2.9	6	1	1	2	3	5	8	14
65+	158	3.1	8	1	1	2	4	6	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	1.6	1	<1	<1	1	2	3	4	6
B *Operated*	160	2.1	3	<1	<1	2	3	4	4	9
2. MULTIPLE DX										
A. *Not Operated*	47	2.4	4	<1	1	2	3	5	7	8
B. *Operated*	217	2.9	7	1	1	2	3	5	7	15
1. SINGLE DX	190	2.0	2	<1	<1	1	3	4	4	9
2. MULTIPLE DX	264	2.8	7	1	1	2	3	5	7	14
A. NOT OPERATED	77	2.1	3	<1	<1	1	3	4	6	8
B. OPERATED	377	2.6	6	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	17	2.2	2	<1	1	2	3	4	5	5
35-49	35	2.1	2	<1	<1	2	3	3	5	9
50-64	97	2.4	4	<1	1	2	3	4	5	12
65+	298	2.6	6	<1	1	2	3	5	7	12
GRAND TOTAL	**454**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

360 Hospitals, Western Region, January-December 1985

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	2.2	2	<1	<1	2	2	5	5	5
65+	9	2.6	11	<1	<1	1	2	8	11	11
B. *Operated*										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	7	1.9	1	<1	<1	2	2	4	4	4
50-64	24	2.0	6	<1	<1	1	2	3	6	13
65+	40	1.9	1	<1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	2.4	3	1	1	2	3	5	5	5
65+	23	2.8	10	<1	1	2	3	6	10	16
B. *Operated*										
0-19 YRS	10	2.3	3	<1	<1	2	4	5	5	5
20-34	26	3.2	5	1	1	3	4	6	7	11
35-49	21	2.8	5	<1	<1	2	3	7	8	9
50-64	53	3.2	7	<1	1	2	4	7	9	15
65+	106	2.9	4	<1	1	2	4	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.4	5	<1	<1	2	3	4	8	11
B. *Operated*	77	1.9	3	<1	<1	1	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	32	2.9	9	<1	1	2	4	6	7	16
B. *Operated*	216	2.9	5	<1	1	2	4	6	8	10
1. SINGLE DX	96	2.0	3	<1	<1	2	2	3	4	12
2. MULTIPLE DX	248	2.9	6	<1	1	2	4	6	8	11
A. NOT OPERATED	51	2.7	7	<1	1	2	3	5	7	16
B. OPERATED	293	2.7	5	<1	1	2	3	5	7	10
TOTAL 0-19 YRS	15	2.2	3	<1	<1	1	4	5	5	5
20-34	33	3.2	4	1	1	3	4	6	7	11
35-49	30	2.6	4	<1	<1	2	3	6	7	9
50-64	88	2.7	7	<1	<1	2	3	6	8	14
65+	178	2.6	5	<1	1	2	3	6	7	11
GRAND TOTAL	**344**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	6	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS										
20-34										
35-49	95	1.1		<1	<1	<1	<1	1	2	4
50-64	521	1.2		<1	<1	<1	1	2	2	3
65+	1571	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	25	1.1		<1	<1	<1	1	1	2	3
65+	68	1.6	3	<1	<1	<1	1	3	4	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	78	1.7	2	<1	<1	1	2	3	4	10
50-64	458	1.6	2	<1	<1	1	2	2	4	7
65+	2098	1.6	1	<1	<1	1	2	2	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.1		<1	<1	<1	<1	2	2	2
B. *Operated*	2187	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	95	1.5	2	<1	<1	<1	1	3	3	11
B. *Operated*	2634	1.6	1	<1	<1	1	2	2	3	7
1. SINGLE DX	2195	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	2729	1.6	1	<1	<1	1	2	2	3	7
A. NOT OPERATED	103	1.5	2	<1	<1	<1	1	3	3	11
B. OPERATED	4821	1.4	1	<1	<1	<1	2	2	3	5
TOTAL 0-19 YRS										
20-34										
35-49	176	1.4	1	<1	<1	<1	1	2	3	6
50-64	1005	1.4	1	<1	<1	<1	1	2	2	6
65+	3743	1.4	1	<1	<1	1	2	2	3	5
GRAND TOTAL	**4924**	**1.4**	**1**	**<1**	**<1**	**<1**	**2**	**2**	**3**	**5**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	25	1.2	1	<1	<1	1	1	2	3	4
20-34	13	1.6	2	<1	<1	1	2	3	5	6
35-49	29	1.3	1	<1	<1	<1	1	2	3	6
50-64	26	1.2		<1	<1	<1	1	2	2	2
65+	27	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	24	1.5	1	<1	<1	1	2	3	3	4
20-34	18	2.6	2	<1	1	2	4	5	6	6
35-49	25	1.7	1	<1	<1	2	2	3	3	4
50-64	55	1.7	1	<1	<1	2	2	2	3	5
65+	148	1.9	1	<1	<1	2	2	2	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	120	1.3	1	<1	<1	1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	270	1.9	1	<1	<1	2	2	3	4	6
1. SINGLE DX	121	1.3	1	<1	<1	1	1	2	2	6
2. MULTIPLE DX	272	1.8	1	<1	<1	2	2	3	4	6
A. NOT OPERATED	3	1.0		1	1	1	1	1	1	1
B. OPERATED	390	1.7	1	<1	<1	1	2	2	4	6
TOTAL 0-19 YRS	50	1.4	1	<1	<1	1	1	3	3	4
20-34	31	2.2	2	<1	<1	2	2	5	6	6
35-49	54	1.5	1	<1	<1	1	2	2	3	6
50-64	83	1.5	1	<1	<1	1	2	2	3	5
65+	175	1.8	1	<1	<1	2	2	2	3	6
GRAND TOTAL	**393**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**2**	**4**	**6**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	423	1.1		<1	<1	<1	1	1	2	2
20-34	44	1.1		<1	<1	1	1	2	2	2
35-49	43	1.2		<1	<1	1	1	2	3	3
50-64	20	1.7	2	<1	<1	1	2	4	5	5
65+	8	2.5	5	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	<1	<1	1	2	2	4	5
20-34	9	3.4	8	1	1	3	5	8	9	9
35-49	8	4.1	18	<1	<1	2	6	11	13	13
50-64	16	4.8	8	1	1	4	7	8	10	11
65+	22	4.1	6	<1	1	4	5	7	9	10
B. *Operated*										
0-19 YRS	149	1.1		<1	<1	<1	1	1	2	2
20-34	28	1.4		<1	<1	1	2	2	3	3
35-49	26	1.4	1	<1	<1	1	1	2	4	6
50-64	29	1.8	2	<1	<1	1	2	4	5	6
65+	23	3.3	12	1	1	2	4	7	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	2	<1	<1	2	3	4	4	4
B. *Operated*	538	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	70	3.6	8	<1	<1	3	5	8	9	13
B. *Operated*	255	1.4	2	<1	<1	1	1	2	3	6
1. SINGLE DX	552	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX	325	1.9	4	<1	<1	1	2	4	6	11
A. NOT OPERATED	84	3.4	7	<1	<1	2	5	7	9	12
B. OPERATED	793	1.2	1	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS	592	1.1		<1	<1	<1	1	1	2	2
20-34	83	1.5	2	<1	<1	1	2	2	4	8
35-49	80	1.6	3	<1	<1	1	1	3	4	11
50-64	67	2.4	5	<1	<1	1	3	6	7	11
65+	55	3.5	8	1	1	2	5	7	9	14
GRAND TOTAL	**877**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**8**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.4	4	<1	<1	1	3	5	8	10
20-34	18	4.8	25	1	1	3	6	11	17	21
35-49	11	2.8	3	<1	1	2	4	6	7	7
50-64	21	4.4	10	<1	1	3	7	9	10	11
65+	16	3.4	5	<1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	44	1.3	1	<1	<1	<1	1	2	3	8
20-34	134	1.6	1	<1	<1	1	2	3	3	5
35-49	131	1.6	1	<1	<1	1	2	3	4	4
50-64	144	1.5	1	<1	<1	1	2	3	4	6
65+	229	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.0	4	<1	1	3	4	5	5	12
20-34	24	3.5	7	<1	<1	3	5	7	9	11
35-49	22	4.8	8	1	1	4	7	9	10	10
50-64	21	6.4	41	<1	1	5	8	12	21	30
65+	57	5.6	30	<1	<1	4	7	13	15	33
B. *Operated*										
0-19 YRS	73	1.7	1	<1	<1	1	2	4	4	6
20-34	86	2.6	23	<1	1	1	3	5	6	33
35-49	116	2.5	10	<1	1	2	3	4	5	18
50-64	229	2.1	5	<1	1	1	3	4	5	13
65+	650	2.5	8	1	1	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.1	9	<1	<1	2	4	7	9	12
B. *Operated*	682	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	220	4.2	16	<1	1	3	5	8	11	22
B. *Operated*	1154	2.4	8	<1	1	2	3	4	6	15
1. SINGLE DX	825	1.8	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	1374	2.7	10	<1	1	2	3	5	7	16
A. NOT OPERATED	363	3.8	13	<1	<1	3	5	8	10	18
B. OPERATED	1836	2.1	6	<1	<1	1	2	4	5	10
TOTAL 0-19 YRS	290	2.3	3	<1	<1	2	3	4	5	10
20-34	262	2.3	11	<1	<1	1	3	4	6	15
35-49	280	2.2	6	<1	<1	1	3	4	6	16
50-64	415	2.2	7	<1	<1	1	3	4	7	12
65+	952	2.5	8	<1	1	2	3	4	6	14
GRAND TOTAL	**2199**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**13**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	3.0	3	1	1	3	4	5	6	10
20-34	36	3.2	5	1	1	3	4	6	7	12
35-49	26	3.2	2	1	2	3	4	5	6	7
50-64	20	3.9	5	1	1	3	5	7	8	8
65+	30	3.6	5	1	1	3	5	7	7	9
B. *Operated*										
0-19 YRS	47	2.0	2	<1	<1	1	3	4	5	8
20-34	135	1.2	1	<1	<1	<1	<1	2	3	5
35-49	112	1.4	1	<1	<1	<1	1	2	4	7
50-64	111	1.4	1	<1	<1	1	1	2	3	5
65+	182	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	401	3.6	4	1	1	3	4	6	8	11
20-34	65	3.7	9	1	1	3	4	8	10	17
35-49	50	4.7	36	1	1	3	5	10	14	38
50-64	76	4.8	35	<1	1	3	6	9	13	38
65+	142	4.7	21	<1	1	4	6	8	11	31
B. *Operated*										
0-19 YRS	84	4.4	17	<1	1	3	6	10	13	19
20-34	130	3.2	5	<1	1	3	4	6	7	14
35-49	143	4.0	40	<1	<1	3	4	7	12	38
50-64	313	3.4	9	<1	1	2	4	7	9	15
65+	597	3.4	13	<1	1	2	4	7	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	3.2	3	1	1	3	4	5	7	10
B. *Operated*	587	1.5	1	<1	<1	<1	1	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	734	4.0	13	1	1	3	5	7	10	17
B. *Operated*	1267	3.5	15	<1	1	2	4	7	9	18
1. SINGLE DX	991	2.2	3	<1	<1	1	3	4	5	8
2. MULTIPLE DX	2001	3.7	14	<1	1	3	5	7	9	18
A. NOT OPERATED	1138	3.7	10	1	1	3	5	7	8	14
B. OPERATED	1854	2.9	11	<1	<1	2	4	6	8	16
TOTAL 0-19 YRS	824	3.4	5	1	1	3	4	6	8	12
20-34	366	2.6	5	<1	<1	2	3	5	7	12
35-49	331	3.2	25	<1	<1	2	4	6	7	26
50-64	520	3.2	12	<1	<1	2	4	7	9	16
65+	951	3.3	12	<1	<1	2	4	7	8	18
GRAND TOTAL	**2992**	**3.2**	**11**	**<1**	**<1**	**2**	**4**	**6**	**8**	**16**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	6	1.2		<1	<1	<1	<1	2	2	2
20-34	18	1.1		<1	<1	<1	<1	1	2	3
35-49	8	1.1		<1	<1	<1	1	2	2	2
50-64	14	1.4	1	<1	<1	1	1	3	4	4
65+	5	1.8	3	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	3	<1	<1	1	2	5	7	7
20-34	12	1.7	2	<1	<1	1	2	3	6	6
35-49	20	2.9	5	<1	1	2	4	6	8	9
50-64	23	3.2	10	<1	1	2	4	8	11	13
65+	31	4.0	19	1	1	3	5	9	10	23
B. *Operated*										
0-19 YRS	12	1.8	4	<1	<1	1	1	4	7	8
20-34	39	1.3	1	<1	<1	<1	1	3	3	4
35-49	36	1.7	2	<1	<1	1	2	4	5	6
50-64	36	2.1	2	<1	1	2	3	4	5	6
65+	46	2.7	4	1	1	2	3	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4		1	1	1	2	2	2	2
B. *Operated*	51	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	99	3.1	10	<1	1	2	4	7	9	18
B. *Operated*	169	2.0	2	<1	<1	1	2	4	6	8
1. SINGLE DX	62	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	268	2.4	6	<1	<1	1	3	5	7	10
A. NOT OPERATED	110	2.9	9	1	1	2	3	6	9	17
B. OPERATED	220	1.8	2	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	34	1.8	3	<1	<1	1	2	3	6	8
20-34	70	1.3	1	<1	<1	<1	1	2	3	6
35-49	68	1.9	3	<1	<1	1	2	4	6	9
50-64	74	2.3	4	<1	1	2	3	4	6	12
65+	84	3.1	10	1	1	2	4	6	8	19
GRAND TOTAL	**330**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**5**	**6**	**10**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	2.3	2	<1	1	2	3	4	5	6
20-34	4	6.8	31	3	3	4	10	15	15	15
35-49	5	4.4	9	1	1	4	6	9	9	9
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	1917	1.0		<1	<1	<1	<1	<1	1	2
20-34	120	1.4	1	<1	<1	1	1	2	3	7
35-49	93	1.4	1	<1	1	1	2	2	3	5
50-64	80	1.4	1	<1	1	1	2	2	3	5
65+	35	1.5	1	1	1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	738	2.5	3	<1	1	2	3	4	6	9
20-34	26	2.5	3	<1	<1	2	3	6	6	6
35-49	24	3.4	7	<1	1	3	4	7	9	12
50-64	20	4.2	20	<1	<1	3	5	7	14	21
65+	10	4.3	5	2	2	4	4	7	10	10
B. *Operated*										
0-19 YRS	1261	1.3	2	<1	<1	1	1	2	2	6
20-34	220	1.4	1	<1	1	1	1	2	3	9
35-49	171	1.7	3	<1	1	1	2	3	5	11
50-64	166	1.7	2	<1	1	1	2	3	4	8
65+	85	2.2	21	1	1	1	2	3	4	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.4	3	<1	1	2	3	4	5	10
B. *Operated*	2245	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	818	2.6	4	<1	1	2	3	5	6	10
B. *Operated*	1903	1.4	3	<1	<1	1	1	2	3	7
1. SINGLE DX	2438	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX	2721	1.8	3	<1	<1	1	2	3	4	9
A. NOT OPERATED	1011	2.6	3	<1	1	2	3	4	6	10
B. OPERATED	4148	1.2	1	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS	4097	1.4	2	<1	<1	<1	1	3	3	6
20-34	370	1.5	2	<1	<1	1	2	3	3	9
35-49	293	1.8	3	<1	1	1	2	3	5	11
50-64	267	1.8	3	<1	1	1	2	3	5	8
65+	132	2.2	15	1	1	1	2	4	4	16
GRAND TOTAL	**5159**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**3**	**4**	**7**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.3	16	1	1	2	3	6	9	27
20-34	16	2.6	1	1	1	2	3	4	5	5
35-49	14	5.5	22	1	2	4	5	13	18	19
50-64	7	3.1	2	1	1	3	4	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	123	1.5	2	<1	<1	<1	1	2	5	9
20-34	36	1.6	2	<1	<1	1	2	3	3	9
35-49	27	2.5	12	<1	1	1	2	5	9	18
50-64	14	1.7	2	<1	<1	1	1	5	5	5
65+	10	2.5	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	2.9	4	1	1	2	3	5	7	13
20-34	38	4.6	7	1	2	4	6	8	10	14
35-49	34	4.0	3	1	2	4	5	7	7	8
50-64	36	7.0	52	2	2	5	7	19	28	28
65+	39	8.1	48	1	2	6	10	17	24	33
B. *Operated*										
0-19 YRS	165	2.6	9	<1	<1	1	3	6	8	14
20-34	67	3.2	43	1	1	1	2	6	10	44
35-49	59	2.8	14	1	1	2	3	5	9	25
50-64	37	4.4	42	1	1	2	4	10	21	31
65+	59	6.8	161	<1	1	2	4	22	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.5	13	1	1	3	4	6	9	24
B. *Operated*	210	1.7	4	<1	<1	1	1	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	270	4.6	21	1	1	3	5	8	13	28
B. *Operated*	387	3.6	44	<1	<1	2	3	7	11	35
1. SINGLE DX	301	2.2	7	<1	<1	1	3	4	6	15
2. MULTIPLE DX	657	4.0	35	<1	1	2	4	8	12	31
A. NOT OPERATED	361	4.3	19	1	1	3	5	8	11	28
B. OPERATED	597	2.9	30	<1	<1	1	3	5	9	30
TOTAL 0-19 YRS	464	2.5	7	<1	<1	1	3	5	7	13
20-34	157	3.1	22	1	1	2	4	6	9	17
35-49	134	3.3	12	1	1	2	4	6	8	20
50-64	94	4.9	40	1	1	3	5	9	22	30
65+	109	6.8	106	1	1	3	7	17	28	59
GRAND TOTAL	**958**	**3.4**	**27**	**<1**	**<1**	**2**	**4**	**7**	**10**	**28**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	2	<1	<1	1	3	4	5	5
20-34	53	2.3	2	1	1	2	3	5	5	8
35-49	108	2.2	2	<1	1	2	3	4	5	7
50-64	144	2.2	3	1	1	2	3	5	6	8
65+	181	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	27	1.7	3	<1	<1	1	2	3	4	10
20-34	45	1.9	2	<1	1	1	2	3	5	6
35-49	65	2.2	5	<1	1	1	2	6	7	12
50-64	73	2.4	2	1	1	2	3	5	6	7
65+	28	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.4	7	<1	1	3	4	7	10	12
20-34	93	3.1	5	1	1	2	4	6	8	12
35-49	170	2.5	3	1	1	2	3	5	6	9
50-64	415	3.1	6	1	1	2	4	6	8	13
65+	1067	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	20	2.5	6	<1	<1	1	2	7	8	9
20-34	82	5.4	93	1	1	3	5	10	15	63
35-49	88	3.0	5	1	1	3	4	5	6	14
50-64	75	3.8	11	1	1	3	5	8	9	19
65+	79	5.0	19	1	1	4	6	9	11	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	2.3	3	1	1	2	3	4	6	8
B. *Operated*	238	2.2	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	1766	3.1	5	1	1	2	4	6	7	11
B. *Operated*	344	4.2	31	1	1	3	5	7	10	20
1. SINGLE DX	735	2.3	3	1	1	2	3	4	6	8
2. MULTIPLE DX	2110	3.3	9	1	1	3	4	6	8	12
A. NOT OPERATED	2263	2.9	4	1	1	2	4	6	7	10
B. OPERATED	582	3.3	21	1	1	2	4	7	8	17
TOTAL 0-19 YRS	79	2.4	5	<1	<1	1	3	5	8	11
20-34	273	3.4	32	1	1	2	4	6	8	16
35-49	431	2.5	3	1	1	2	3	5	6	9
50-64	707	2.9	6	1	1	2	4	6	7	12
65+	1355	3.2	5	1	1	3	4	6	7	11
GRAND TOTAL	**2845**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	14	1.4		1	1	1	2	2	2	2
20-34	91	1.4	2	1	1	1	1	2	2	9
35-49	135	1.2		<1	1	1	1	2	2	3
50-64	126	1.4		1	1	1	2	2	3	4
65+	46	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	51	1.2		<1	1	1	1	2	2	3
35-49	74	1.4	1	1	1	1	2	2	3	5
50-64	71	1.3	1	1	1	1	1	2	2	5
65+	40	1.5	1	1	1	1	2	3	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*	412	1.3	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	5	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	243	1.3	1	1	1	1	1	2	3	5
1. SINGLE DX	417	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX	248	1.3	1	<1	1	1	1	2	3	5
A. NOT OPERATED	10	1.6	1	<1	<1	1	2	3	4	4
B. OPERATED	655	1.3	1	1	1	1	1	2	3	5
TOTAL 0-19 YRS	21	1.2		<1	<1	1	1	2	2	2
20-34	145	1.3	1	<1	1	1	1	2	2	8
35-49	212	1.3		<1	1	1	1	2	3	4
50-64	199	1.3		1	1	1	2	2	3	4
65+	88	1.6	1	1	1	1	2	3	3	6
GRAND TOTAL	**665**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**	**5**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.8	2	2	2	2	4	5	5	5
35-49	13	2.4	2	<1	<1	2	3	5	6	6
50-64	3	1.3		1	1	1	2	2	2	2
65+	9	2.8	1	1	1	3	3	5	5	5
B. *Operated*										
0-19 YRS	327	1.2		<1	<1	1	1	2	2	4
20-34	269	1.3	1	<1	<1	1	1	2	2	5
35-49	218	1.3	1	<1	<1	1	1	2	3	5
50-64	156	1.3		<1	<1	1	1	2	2	4
65+	69	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	2	<1	<1	1	2	5	5	5
20-34	13	3.7	18	<1	<1	2	4	11	14	15
35-49	15	3.1	4	<1	<1	3	5	6	7	7
50-64	23	3.6	6	<1	1	3	4	7	10	11
65+	32	3.8	10	<1	1	3	4	10	12	13
B. *Operated*										
0-19 YRS	371	1.2		<1	<1	1	1	2	2	4
20-34	250	1.6	3	<1	1	1	2	3	4	10
35-49	228	1.4	2	<1	1	1	1	2	3	7
50-64	243	1.7	9	<1	1	1	2	2	4	10
65+	143	1.7	2	<1	1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	1039	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	101	3.3	8	<1	<1	3	4	7	10	14
B. *Operated*	1235	1.5	3	<1	<1	1	1	2	3	7
1. SINGLE DX	1085	1.3	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX	1336	1.6	3	<1	<1	1	2	3	4	10
A. NOT OPERATED	147	2.9	6	<1	<1	2	4	6	9	13
B. OPERATED	2274	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	733	1.2		<1	<1	1	1	2	2	4
20-34	536	1.5	2	<1	1	1	2	2	3	10
35-49	474	1.5	1	<1	<1	1	1	2	4	6
50-64	425	1.6	6	<1	<1	1	2	3	4	10
65+	253	1.9	3	<1	1	1	2	3	5	11
GRAND TOTAL	**2421**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.7	12	1	1	4	6	10	12	15
20-34	5	3.2	2	2	2	3	4	5	5	5
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.7	26	1	2	4	6	16	17	22
20-34	14	9.5	98	1	3	6	13	18	35	40
35-49	16	5.3	21	1	2	4	6	8	17	21
50-64	13	3.2	2	2	2	3	4	5	6	6
65+	21	7.6	41	2	3	7	8	13	23	31
B. *Operated*										
0-19 YRS	4	18.3	286	6	6	12	29	43	43	43
20-34	1	5.0		5	5	5	5	5	5	5
35-49	8	10.4	45	2	2	10	13	20	23	23
50-64	9	11.1	201	1	1	8	12	33	47	47
65+	8	19.6	458	1	2	9	31	56	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.4	10	1	1	3	5	9	11	15
B. *Operated*	4	5.8	12	<1	<1	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	101	6.2	37	1	2	4	7	15	17	35
B. *Operated*	30	13.9	227	1	1	9	14	43	47	61
1. SINGLE DX	55	4.5	10	1	1	4	6	9	11	15
2. MULTIPLE DX	131	8.0	90	1	2	5	9	16	23	50
A. NOT OPERATED	152	5.6	29	1	2	4	7	11	16	31
B. OPERATED	34	13.0	208	1	1	9	13	43	46	61
TOTAL 0-19 YRS	84	5.8	36	1	2	4	7	13	16	36
20-34	22	7.7	69	1	2	5	8	15	26	40
35-49	28	6.4	31	1	2	5	9	13	21	23
50-64	22	6.5	93	1	1	3	7	12	27	47
65+	30	10.6	170	2	2	7	10	25	44	61
GRAND TOTAL	**186**	**7.0**	**69**	**1**	**2**	**5**	**8**	**15**	**19**	**46**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.7		2	2	3	3	3	3	3
35-49	4	3.0	7	1	1	2	5	7	7	7
50-64	4	2.3	1	1	1	2	3	3	3	3
65+	6	4.2	3	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	5	4.4	14	1	1	2	8	9	9	9
20-34	28	5.1	13	<1	1	6	8	10	11	11
35-49	54	4.5	16	<1	1	2	8	10	10	15
50-64	61	3.8	16	1	1	2	7	10	12	16
65+	26	4.5	21	<1	1	2	9	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	61	1	1	4	5	20	22	22
20-34	15	3.9	6	<1	2	2	6	7	9	9
35-49	45	4.4	14	1	1	3	5	8	10	22
50-64	127	4.3	10	<1	1	4	6	8	10	16
65+	248	5.7	22	1	2	5	7	10	11	25
B. *Operated*										
0-19 YRS	14	5.9	37	1	1	2	11	13	18	19
20-34	65	8.0	52	1	1	8	11	14	21	39
35-49	215	7.8	46	1	1	8	11	15	20	32
50-64	470	8.6	50	1	1	8	12	17	22	34
65+	492	9.8	84	1	1	9	13	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.1	3	1	1	3	4	6	7	7
B. *Operated*	174	4.4	16	1	1	2	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	441	5.1	18	1	1	4	6	9	11	22
B. *Operated*	1256	8.9	63	1	1	8	12	18	23	40
1. SINGLE DX	192	4.2	15	1	1	2	8	10	11	15
2. MULTIPLE DX	1697	7.9	54	1	1	7	11	16	21	35
A. NOT OPERATED	459	5.0	17	1	1	4	6	9	11	22
B. OPERATED	1430	8.3	60	1	1	8	12	17	22	36
TOTAL 0-19 YRS	26	5.5	34	1	1	3	9	12	20	22
20-34	111	6.5	38	1	1	6	9	13	17	31
35-49	318	6.7	38	1	1	6	9	13	18	31
50-64	662	7.3	43	1	1	6	11	15	20	32
65+	772	8.3	66	1	1	6	11	17	23	42
GRAND TOTAL	**1889**	**7.5**	**51**	**1**	**1**	**6**	**11**	**15**	**20**	**35**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	43	1.6	1	<1	<1	1	2	3	4	5
35-49	130	2.2	2	<1	1	2	3	4	5	7
50-64	117	2.8	4	1	1	2	4	5	7	10
65+	104	3.8	34	1	1	2	4	6	11	35
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	10	2.5	10	<1	<1	1	2	7	11	11
35-49	26	2.3	2	<1	<1	2	3	5	6	7
50-64	31	2.8	6	1	1	2	3	6	8	11
65+	7	2.6	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	5	<1	1	2	4	6	7	9
20-34	142	3.0	4	1	1	3	4	6	7	9
35-49	462	3.1	6	1	1	3	4	6	7	13
50-64	725	3.8	9	1	1	3	5	7	9	15
65+	1012	4.1	9	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	10	4.8	5	2	2	4	5	8	9	9
20-34	35	4.4	15	1	1	4	6	8	10	21
35-49	82	6.5	62	1	1	4	8	15	19	47
50-64	136	7.1	122	1	1	4	8	13	23	77
65+	179	6.5	72	1	1	4	8	13	18	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	2.7	11	<1	1	2	3	5	6	13
B. *Operated*	75	2.5	5	<1	1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	2362	3.7	8	1	1	3	5	7	9	15
B. *Operated*	442	6.5	79	1	1	4	7	13	19	52
1. SINGLE DX	473	2.7	10	<1	1	2	3	5	6	12
2. MULTIPLE DX	2804	4.2	20	1	1	3	5	8	10	19
A. NOT OPERATED	2760	3.6	9	1	1	3	4	7	9	15
B. OPERATED	517	5.9	71	1	1	4	7	12	17	45
TOTAL 0-19 YRS	36	3.4	5	<1	1	3	5	6	9	9
20-34	230	2.9	6	<1	1	2	4	6	8	11
35-49	700	3.3	13	1	1	2	4	6	8	17
50-64	1009	4.1	25	1	1	3	5	8	10	19
65+	1302	4.4	20	1	1	3	5	8	11	19
GRAND TOTAL	**3277**	**3.9**	**19**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	7	3.4	2	2	2	4	5	5	5	5
50-64	20	3.3	3	1	1	3	4	6	6	6
65+	44	4.0	6	1	2	4	5	7	9	11
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	9	1.4	1	<1	<1	1	2	3	3	3
65+	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	3.0	2	1	1	3	4	5	5	5
35-49	53	4.6	10	1	1	4	6	8	11	17
50-64	324	5.0	11	2	2	4	6	9	11	18
65+	1379	6.3	23	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	6	5.5	18	2	2	4	10	11	11	11
35-49	26	5.0	24	1	1	2	8	11	13	22
50-64	88	6.4	42	1	1	5	8	13	19	36
65+	200	10.9	103	1	2	8	13	24	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	3.7	4	1	1	3	5	7	7	11
B. *Operated*	15	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	1764	6.0	20	2	2	5	7	11	14	23
B. *Operated*	321	9.1	84	1	1	7	11	20	30	45
1. SINGLE DX	89	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	2085	6.5	31	2	2	5	8	12	16	30
A. NOT OPERATED	1838	5.9	20	2	2	5	7	11	14	23
B. OPERATED	336	8.7	83	1	1	6	11	19	29	45
TOTAL 0-19 YRS	3	6.3	30	<1	<1	6	10	12	12	12
20-34	16	3.8	9	1	1	3	5	10	11	11
35-49	87	4.6	14	1	1	4	6	10	11	20
50-64	441	5.1	17	1	2	4	6	9	12	24
65+	1627	6.8	35	2	2	5	8	13	17	31
GRAND TOTAL	**2174**	**6.4**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	1	6.0		6	6	6	6	6	6	6
50-64	9	4.2	13	1	1	3	5	10	13	13
65+	12	4.7	10	1	1	4	6	9	12	12
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	10	4.9	24	1	1	3	8	13	17	17
35-49	20	2.8	3	1	1	2	4	5	6	7
50-64	20	3.2	13	1	1	2	4	8	12	14
65+	10	1.9	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.8	16	<1	<1	3	8	11	13	13
20-34	18	3.3	7	1	1	3	5	8	10	10
35-49	35	4.9	13	1	1	4	6	9	13	17
50-64	63	5.1	11	1	1	4	7	9	11	16
65+	131	6.2	21	1	2	5	8	13	16	21
B. *Operated*										
0-19 YRS	22	7.7	31	1	2	7	10	16	19	23
20-34	108	6.5	32	1	2	6	9	12	16	34
35-49	146	6.1	33	1	2	4	9	11	14	27
50-64	205	7.3	50	1	1	5	9	17	19	39
65+	200	10.2	127	1	1	7	13	23	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.1	10	1	1	3	6	8	12	13
B. *Operated*	62	3.1	10	1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	258	5.5	17	1	1	5	7	11	15	18
B. *Operated*	681	7.8	68	1	1	6	10	17	23	39
1. SINGLE DX	90	3.4	10	1	1	2	4	7	11	16
2. MULTIPLE DX	939	7.2	55	1	1	5	9	15	20	36
A. NOT OPERATED	286	5.4	16	1	1	4	7	10	14	18
B. OPERATED	743	7.4	65	1	1	5	10	16	22	39
TOTAL 0-19 YRS	37	6.2	27	1	1	5	8	13	16	23
20-34	140	5.9	29	1	1	4	8	11	15	34
35-49	202	5.6	28	1	1	4	8	11	13	23
50-64	297	6.4	40	1	1	5	8	14	18	37
65+	353	8.3	85	1	1	5	10	17	24	44
GRAND TOTAL	**1029**	**6.8**	**52**	**1**	**1**	**5**	**9**	**14**	**19**	**36**

140: [illegible]ute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	53	99+	99+	99+	99+
20-34	27	5.7	4	2	2	6	7	8	9	9
35-49	336	7.0	8	1	3	7	9	11	12	14
50-64	724	7.1	9	2	3	7	9	10	12	15
65+	580	7.3	8	2	4	7	9	11	12	15
B. *Operated*										
0-19 YRS										
20-34	19	6.5	7	1	2	7	8	10	10	10
35-49	121	6.5	13	1	1	7	9	12	13	15
50-64	210	7.0	14	1	2	7	9	11	13	18
65+	79	7.4	14	1	2	8	10	13	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.6	4	4	5	8	9	10	10	10
20-34	60	7.0	13	1	3	7	9	11	14	16
35-49	1013	7.5	12	2	3	7	9	11	13	16
50-64	3694	8.3	15	3	4	8	10	12	15	22
65+	8323	9.1	18	3	5	8	11	14	17	25
B. *Operated*										
0-19 YRS	3	11.0	7	9	9	10	13	14	14	14
20-34	75	8.1	27	1	3	7	10	13	20	30
35-49	886	8.7	26	2	3	8	11	14	17	26
50-64	2358	9.7	40	2	3	9	12	16	20	32
65+	2332	12.6	71	4	5	11	15	22	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1668	7.1	9	2	3	7	9	10	12	15
B. *Operated*	429	6.9	14	1	1	7	9	12	13	17
2. MULTIPLE DX										
A. *Not Operated*	13102	8.7	17	3	4	8	10	13	16	24
B. *Operated*	5654	10.7	53	2	4	9	13	18	23	39
1. SINGLE DX	2097	7.1	10	2	3	7	9	11	12	16
2. MULTIPLE DX	18756	9.3	29	3	4	9	11	15	18	30
A. NOT OPERATED	14770	8.5	16	3	4	8	10	13	15	23
B. OPERATED	6083	10.4	51	2	4	9	12	18	23	39
TOTAL 0-19 YRS	16	8.2	6	4	5	8	10	13	70	99+
20-34	181	7.2	17	1	3	7	9	11	14	22
35-49	2356	7.8	17	2	3	8	10	12	14	20
50-64	6986	8.6	24	2	4	8	10	13	16	26
65+	11314	9.7	31	3	5	9	11	15	19	31
GRAND TOTAL	**20853**	**9.1**	**27**	**3**	**4**	**8**	**11**	**14**	**18**	**29**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	2.0	2	<1	1	2	2	3	6	7
35-49	254	2.4	16	1	1	2	3	4	5	10
50-64	442	2.4	2	1	1	2	3	4	5	7
65+	418	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.9	4	1	1	2	4	6	6	6
35-49	102	2.8	8	<1	1	2	3	7	9	14
50-64	198	1.9	3	1	1	1	2	3	6	10
65+	97	2.1	3	<1	1	2	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	3	1	1	3	3	5	6	7
20-34	86	2.8	6	1	1	2	3	6	9	12
35-49	903	2.8	3	1	1	2	3	5	6	10
50-64	2906	3.1	5	1	1	3	4	6	7	12
65+	5847	3.5	6	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	4	4.5	20	1	1	3	7	11	11	11
20-34	41	4.9	15	1	1	4	7	11	13	15
35-49	736	3.8	12	1	1	2	5	9	10	15
50-64	2506	4.0	20	1	1	2	6	9	12	19
65+	2029	4.8	28	1	1	3	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1131	2.4	5	1	1	2	3	4	5	7
B. *Operated*	405	2.2	4	1	1	2	2	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	9757	3.3	6	1	1	3	4	6	7	12
B. *Operated*	5316	4.3	22	1	1	2	6	10	12	20
1. SINGLE DX	1536	2.3	5	1	1	2	3	4	5	9
2. MULTIPLE DX	15073	3.7	12	1	1	3	4	8	10	16
A. NOT OPERATED	10888	3.2	6	1	1	3	4	6	7	12
B. OPERATED	5721	4.1	21	1	1	2	6	10	12	20
TOTAL 0-19 YRS	20	3.2	6	1	1	3	4	6	9	11
20-34	151	3.3	9	1	1	2	4	7	10	14
35-49	1995	3.1	9	1	1	2	4	7	9	13
50-64	6052	3.4	11	1	1	2	4	7	9	15
65+	8391	3.7	12	1	1	3	4	7	10	17
GRAND TOTAL	**16609**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.6		<1	<1	2	2	2	2	2
35-49	170	2.4	2	1	1	2	3	4	5	8
50-64	396	2.8	6	1	1	2	4	5	5	10
65+	521	3.1	4	1	1	3	4	5	7	10
B. *Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	75	3.1	5	1	1	3	4	6	8	10
50-64	194	3.3	7	1	1	2	4	7	9	12
65+	153	4.3	13	1	1	3	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	4	2	2	3	4	6	8	8
20-34	50	3.4	7	1	1	3	4	8	11	12
35-49	759	3.2	4	1	1	3	4	6	7	11
50-64	2886	3.6	5	1	1	3	4	6	8	12
65+	7082	4.1	8	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	4	5.0	15	2	2	4	8	10	10	10
20-34	28	6.3	22	1	1	6	10	13	14	16
35-49	803	5.5	20	1	1	4	8	11	13	20
50-64	2919	6.5	26	1	1	5	9	12	15	23
65+	3461	7.8	48	1	1	7	11	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1093	2.9	4	1	1	2	4	5	6	10
B. *Operated*	424	3.6	9	1	1	2	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	10786	3.9	7	1	2	3	5	7	9	13
B. *Operated*	7215	7.0	37	1	1	6	10	14	17	27
1. SINGLE DX	1517	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	18001	5.1	21	1	1	4	7	10	13	22
A. NOT OPERATED	11879	3.8	7	1	2	3	5	7	9	13
B. OPERATED	7639	6.8	36	1	1	6	9	14	17	27
TOTAL 0-19 YRS	14	3.7	6	2	2	3	4	8	10	10
20-34	85	4.3	14	1	1	3	6	11	12	15
35-49	1807	4.1	13	1	1	3	5	9	11	15
50-64	6395	4.8	17	1	1	3	6	10	12	20
65+	11217	5.2	23	1	2	4	6	10	14	23
GRAND TOTAL	**19518**	**5.0**	**20**	**1**	**1**	**4**	**6**	**10**	**13**	**21**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	27	3.1	5	1	1	2	4	7	8	9
50-64	61	2.4	4	<1	1	2	3	3	5	14
65+	35	2.7	4	1	1	2	3	5	5	11
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	13	2.3	7	<1	<1	1	2	5	10	11
35-49	354	2.4	5	<1	1	2	2	6	7	11
50-64	1121	2.6	7	<1	1	2	3	7	9	11
65+	586	3.2	11	<1	1	2	3	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	21	2.4	6	<1	1	2	2	6	9	10
35-49	175	3.0	4	<1	1	2	4	6	8	11
50-64	621	3.5	11	1	1	3	4	7	8	14
65+	1215	4.5	15	1	1	3	6	9	11	20
B. *Operated*										
0-19 YRS	9	2.8	6	1	1	2	3	7	9	9
20-34	71	4.0	28	1	1	2	5	9	12	32
35-49	1588	4.4	21	1	1	2	7	9	11	19
50-64	5576	5.2	30	1	1	3	8	11	14	24
65+	4564	6.6	46	1	1	4	10	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.6	4	1	1	2	3	5	6	12
B. *Operated*	2076	2.8	8	<1	1	2	3	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	2035	4.0	13	1	1	3	5	8	10	18
B. *Operated*	11808	5.6	35	1	1	3	9	12	15	27
1. SINGLE DX	2201	2.8	8	<1	1	2	3	7	9	12
2. MULTIPLE DX	13843	5.4	32	1	1	3	8	12	15	26
A. NOT OPERATED	2160	4.0	13	1	1	3	5	8	10	17
B. OPERATED	13884	5.2	32	1	1	3	8	12	14	25
TOTAL 0-19 YRS	14	2.9	7	1	1	2	3	9	9	9
20-34	107	3.4	21	<1	1	2	3	8	12	24
35-49	2144	3.9	17	<1	1	2	6	9	11	17
50-64	7379	4.7	25	1	1	2	7	10	13	21
65+	6400	5.9	38	1	1	3	9	13	16	28
GRAND TOTAL	**16044**	**5.0**	**30**	**1**	**1**	**3**	**8**	**11**	**14**	**25**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	56	6.8	6	3	4	7	8	10	11	13
35-49	73	8.0	7	4	4	7	10	12	13	14
50-64	86	7.3	8	2	4	8	9	11	12	15
65+	89	7.5	9	4	4	7	9	10	12	20
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	7	7.7	12	4	4	6	11	12	12	12
35-49	11	6.5	7	1	3	7	8	10	11	11
50-64	17	7.0	11	1	2	7	9	12	12	12
65+	16	10.6	39	5	6	8	11	22	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	9.0	17	3	4	8	10	15	18	18
20-34	114	8.0	11	3	4	8	10	12	14	17
35-49	237	8.0	14	2	4	8	10	13	14	25
50-64	443	8.9	14	4	5	8	10	13	17	21
65+	1163	9.7	21	4	5	9	11	14	17	26
B. *Operated*										
0-19 YRS	3	21.3	24	18	18	19	25	27	27	27
20-34	50	12.6	89	5	5	10	14	23	26	59
35-49	93	12.1	71	4	5	11	14	20	24	54
50-64	158	11.2	43	5	6	10	13	17	21	36
65+	335	13.3	90	5	6	11	15	24	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	7.4	8	3	4	7	9	11	12	15
B. *Operated*	53	8.0	21	1	3	7	10	12	18	26
2. MULTIPLE DX										
A. *Not Operated*	1966	9.2	19	4	5	9	11	14	17	25
B. *Operated*	639	12.6	76	5	6	11	14	21	29	55
1. SINGLE DX	358	7.5	10	3	4	7	9	11	12	19
2. MULTIPLE DX	2605	10.0	35	4	5	9	12	15	19	33
A. NOT OPERATED	2271	9.0	17	4	5	8	11	13	16	24
B. OPERATED	692	12.2	73	4	6	10	14	21	29	52
TOTAL 0-19 YRS	15	10.7	47	2	3	8	16	19	25	27
20-34	227	8.7	31	3	4	8	10	13	16	28
35-49	414	8.9	28	3	4	8	11	13	17	30
50-64	704	9.2	21	4	5	8	11	14	17	23
65+	1603	10.3	38	4	5	9	12	16	20	34
GRAND TOTAL	**2963**	**9.7**	**32**	**4**	**5**	**9**	**11**	**15**	**19**	**32**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	16.0	450	1	1	16	31	31	31	31
35-49										
50-64	2	24.0	392	10	10	24	38	38	38	38
65+	5	13.2	102	2	2	9	22	27	27	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	19.3	106	7	8	16	28	34	39	40
20-34	55	17.1	201	1	2	14	28	41	43	57
35-49	43	18.4	206	2	3	14	28	41	47	58
50-64	58	21.3	164	4	7	19	28	31	45	70
65+	120	21.3	188	4	5	17	31	41	46	58
B. *Operated*										
0-19 YRS	8	25.4	198	6	10	25	45	78	99+	99+
20-34	44	22.7	159	5	8	22	32	43	47	99+
35-49	31	32.0	226	8	12	30	45	52	53	60
50-64	32	23.4	207	6	9	20	33	44	54	59
65+	82	30.2	313	8	10	29	43	51	62	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	16.0	158	1	1	12	27	34	38	38
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	290	20.0	185	3	4	16	29	40	45	58
B. *Operated*	197	27.5	253	7	9	27	40	49	54	96
1. SINGLE DX	11	14.7	160	1	1	10	25	34	38	38
2. MULTIPLE DX	487	23.0	226	3	6	19	32	44	51	71
A. NOT OPERATED	300	19.8	184	2	4	16	29	40	45	58
B. OPERATED	198	27.4	255	6	9	27	39	49	54	96
TOTAL 0-19 YRS	23	21.2	137	7	8	17	30	45	62	99+
20-34	101	19.5	190	2	3	16	29	42	45	78
35-49	75	23.8	260	3	4	24	35	46	53	59
50-64	92	22.1	179	5	8	20	28	42	45	67
65+	207	24.6	255	4	7	20	35	45	52	71
GRAND TOTAL	**498**	**22.8**	**226**	**3**	**6**	**19**	**32**	**44**	**50**	**71**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	1	<1	<1	1	2	4	4	4
20-34	18	1.4		<1	<1	1	2	2	2	2
35-49	33	1.5	1	<1	<1	1	2	3	3	4
50-64	61	1.4		<1	<1	1	2	2	3	4
65+	58	1.8	1	<1	1	2	2	3	4	7
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	1.9	1	<1	1	2	2	4	4	5
20-34	35	2.1	2	<1	1	2	3	5	5	6
35-49	81	2.2	3	<1	1	2	3	4	6	9
50-64	281	2.7	4	1	1	2	3	5	6	10
65+	648	3.8	12	1	1	3	5	7	10	18
B. *Operated*										
0-19 YRS	2	20.5	761	1	1	20	40	40	40	40
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	11	4.5	12	1	1	3	6	10	12	12
50-64	14	5.7	25	1	1	4	10	13	16	17
65+	39	7.7	29	1	2	7	11	15	19	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	1.6	1	<1	<1	1	2	3	3	4
B. *Operated*	6	3.2	8	<1	<1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1075	3.3	9	1	1	2	4	6	8	15
B. *Operated*	68	7.0	42	1	1	5	10	15	18	37
1. SINGLE DX	187	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	1143	3.5	11	1	1	3	4	7	9	17
A. NOT OPERATED	1256	3.0	8	1	1	2	4	6	8	14
B. OPERATED	74	6.7	40	1	1	5	9	14	18	36
TOTAL 0-19 YRS	44	2.7	34	<1	1	1	2	4	5	40
20-34	57	2.0	2	<1	<1	2	2	4	5	6
35-49	125	2.2	3	<1	1	2	3	4	6	10
50-64	358	2.6	5	<1	1	2	3	5	6	13
65+	746	3.8	13	1	1	3	5	8	10	19
GRAND TOTAL	**1330**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	2	<1	<1	1	2	4	5	5
20-34	71	1.4	1	<1	<1	1	2	2	3	4
35-49	141	1.6	1	<1	<1	1	2	3	4	6
50-64	292	1.6	1	<1	<1	1	2	3	4	6
65+	399	2.0	2	<1	<1	1	2	4	5	8
B. *Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	6	7.3	137	<1	<1	3	5	28	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	4	<1	<1	1	3	6	7	7
20-34	126	2.1	2	<1	1	2	2	4	6	8
35-49	350	2.6	5	<1	1	2	3	5	6	11
50-64	1570	3.1	9	<1	1	2	4	6	8	16
65+	4836	4.0	11	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	8	2.9	7	1	1	2	4	7	8	8
35-49	30	4.6	14	1	1	4	5	11	13	15
50-64	131	6.2	53	1	1	4	7	12	18	45
65+	401	8.7	89	1	2	6	11	18	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	912	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	12	4.5	72	<1	<1	1	4	13	28	31
2. MULTIPLE DX										
A. *Not Operated*	6899	3.7	11	1	1	3	5	7	9	16
B. *Operated*	574	7.8	77	1	1	5	10	17	24	44
1. SINGLE DX	924	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	7473	4.0	17	1	1	3	5	8	11	19
A. NOT OPERATED	7811	3.5	10	<1	1	3	4	7	9	15
B. OPERATED	586	7.7	77	1	1	5	9	17	24	44
TOTAL 0-19 YRS	30	2.1	3	<1	<1	1	3	5	6	7
20-34	207	1.9	2	<1	<1	1	2	4	5	8
35-49	523	2.5	5	<1	<1	2	3	5	6	12
50-64	1995	3.1	12	<1	1	2	4	6	8	17
65+	5642	4.2	18	1	1	3	5	8	11	20
GRAND TOTAL	**8397**	**3.8**	**16**	**<1**	**1**	**3**	**5**	**8**	**10**	**19**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.3	4	1	1	2	3	5	8	8
20-34	65	2.1	3	<1	1	2	2	4	6	9
35-49	135	1.8	2	<1	<1	1	2	3	4	9
50-64	200	2.1	2	<1	1	2	3	4	4	8
65+	233	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	17	4.7	19	1	1	4	7	12	14	15
20-34	11	2.5	5	1	1	1	4	6	7	7
35-49	35	3.1	4	<1	1	2	5	7	7	9
50-64	71	3.7	8	1	1	2	5	8	10	13
65+	196	3.6	5	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	3.7	26	1	1	2	4	7	10	31
20-34	200	2.9	11	1	1	2	3	6	8	18
35-49	516	3.0	6	1	1	2	4	6	7	13
50-64	1692	3.8	11	1	1	3	5	7	10	18
65+	5037	4.6	15	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	44	8.5	128	1	1	5	10	27	46	99+
20-34	62	5.4	35	1	1	3	7	13	19	28
35-49	146	6.4	49	1	1	5	8	13	16	47
50-64	640	6.4	35	1	2	5	8	13	18	29
65+	3047	6.5	28	1	2	5	8	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	330	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	7564	4.3	14	1	1	3	5	8	11	18
B. *Operated*	3939	6.5	32	1	2	5	8	12	17	28
1. SINGLE DX	999	2.7	4	1	1	2	3	5	7	10
2. MULTIPLE DX	11503	5.0	21	1	1	4	6	10	13	23
A. NOT OPERATED	8233	4.1	13	1	1	3	5	8	10	18
B. OPERATED	4269	6.3	30	1	2	5	8	12	16	27
TOTAL 0-19 YRS	216	4.5	47	1	1	2	5	9	16	47
20-34	338	3.2	15	1	1	2	4	7	10	23
35-49	832	3.4	15	1	1	2	4	7	9	16
50-64	2603	4.3	18	1	1	3	5	9	12	22
65+	8513	5.2	20	1	2	4	6	10	13	23
GRAND TOTAL	**12502**	**4.8**	**20**	**1**	**1**	**4**	**6**	**9**	**13**	**23**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	2	2	2	5	6	6	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	14	2.3	2	1	1	2	3	4	6	6
50-64	81	4.7	23	1	1	3	6	10	12	28
65+	483	4.4	8	1	1	4	6	8	10	15
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	8	4.3	22	1	1	2	7	12	13	13
65+	8	5.5	20	1	1	4	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	5.4	50	1	1	4	6	9	12	72
20-34	83	5.1	13	1	2	4	7	9	12	19
35-49	536	5.5	15	2	2	5	7	10	12	20
50-64	3317	5.8	19	2	2	5	7	11	13	22
65+	18342	6.3	21	2	2	5	8	11	15	23
B. *Operated*										
0-19 YRS	33	11.2	212	2	3	6	14	23	24	83
20-34	39	6.3	51	<1	1	4	7	12	24	36
35-49	144	8.1	58	1	1	7	11	16	23	40
50-64	567	9.8	84	1	2	7	12	21	29	47
65+	1793	11.7	102	2	3	9	15	23	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	4.4	10	1	1	4	6	8	10	15
B. *Operated*	18	4.9	19	1	1	3	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	22405	6.2	21	2	2	5	8	11	14	23
B. *Operated*	2576	11.0	98	2	2	8	14	23	29	53
1. SINGLE DX	605	4.4	10	1	1	4	6	8	10	15
2. MULTIPLE DX	24981	6.7	31	2	2	5	8	12	16	28
A. NOT OPERATED	22992	6.2	20	2	2	5	8	11	14	23
B. OPERATED	2594	11.0	98	2	2	8	14	23	29	53
TOTAL 0-19 YRS	167	6.5	84	1	2	4	7	11	23	80
20-34	124	5.4	25	1	2	4	7	10	13	31
35-49	696	6.0	25	1	2	5	7	11	15	28
50-64	3973	6.3	31	1	2	5	8	12	15	30
65+	20626	6.8	30	2	2	5	8	12	16	27
GRAND TOTAL	**25586**	**6.7**	**30**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.0	4	1	1	2	4	5	7	8
20-34	122	2.6	4	1	1	2	3	5	7	13
35-49	174	2.5	3	1	1	2	3	5	6	8
50-64	122	3.0	4	1	1	2	4	6	7	9
65+	71	3.6	13	<1	<1	3	4	7	11	21
B. *Operated*										
0-19 YRS	42	3.5	12	<1	1	2	6	9	11	13
20-34	32	3.7	20	1	1	2	5	8	14	21
35-49	112	3.1	19	<1	<1	1	3	8	9	28
50-64	151	2.8	15	<1	1	1	2	8	10	14
65+	128	3.2	17	<1	1	1	2	10	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.5	16	1	1	3	5	8	11	26
20-34	260	3.8	12	1	1	3	5	8	10	16
35-49	561	4.3	20	1	1	3	6	8	11	23
50-64	1057	5.5	24	1	2	4	7	10	14	23
65+	1898	6.2	28	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	71	7.0	63	<1	1	5	9	16	25	40
20-34	157	6.6	47	1	1	4	9	15	22	29
35-49	366	6.5	57	1	1	4	8	15	22	30
50-64	1098	6.9	48	1	1	5	10	15	21	31
65+	1577	8.6	88	1	1	7	12	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	2.8	5	1	1	2	3	6	7	11
B. *Operated*	465	3.1	16	<1	1	1	3	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	3848	5.6	25	1	2	4	7	11	14	25
B. *Operated*	3269	7.7	69	1	1	5	11	17	23	41
1. SINGLE DX	967	3.0	10	<1	1	2	3	7	9	14
2. MULTIPLE DX	7117	6.5	47	1	1	4	9	14	19	33
A. NOT OPERATED	4350	5.2	23	1	1	4	6	10	14	24
B. OPERATED	3734	7.1	65	1	1	4	10	16	22	39
TOTAL 0-19 YRS	198	5.1	33	<1	1	3	6	12	16	28
20-34	571	4.3	22	1	1	3	5	9	13	26
35-49	1213	4.6	31	1	1	3	6	9	14	28
50-64	2428	5.8	35	1	1	4	8	13	17	29
65+	3674	7.1	55	1	1	5	9	15	20	37
GRAND TOTAL	**8084**	**6.1**	**44**	**1**	**1**	**4**	**8**	**13**	**18**	**31**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	3	34.0	2524	4	4	6	70	92	92	92
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64	5	2.4	2	1	1	2	3	5	5	5
65+	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	2.7	8	1	1	2	3	8	10	10
50-64	56	4.0	8	1	1	3	5	9	11	12
65+	157	5.3	18	1	2	4	7	12	15	24
B. *Operated*										
0-19 YRS										
20-34										
35-49	16	5.2	72	1	1	2	6	10	27	35
50-64	68	4.4	31	1	1	2	7	11	14	31
65+	79	6.9	61	1	1	4	10	16	26	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	26.3	1923	3	3	5	49	92	92	92
B. *Operated*	8	4.9	27	1	1	2	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	224	4.8	15	1	2	4	6	10	14	22
B. *Operated*	163	5.7	50	1	1	3	9	13	19	38
1. SINGLE DX	12	12.0	652	1	1	3	9	37	84	92
2. MULTIPLE DX	387	5.2	30	1	1	3	7	12	15	36
A. NOT OPERATED	228	5.2	48	1	2	4	6	10	14	38
B. OPERATED	171	5.7	49	1	1	2	9	13	19	38
TOTAL 0-19 YRS										
20-34										
35-49	29	4.4	46	1	1	2	6	10	14	35
50-64	129	4.2	20	1	1	3	5	10	12	21
65+	241	6.2	63	1	1	4	8	13	18	93
GRAND TOTAL	**399**	**5.4**	**48**	**1**	**1**	**3**	**7**	**12**	**15**	**37**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	6.3	23	1	1	6	10	13	13	13
35-49	4	3.8	12	1	1	3	6	8	8	8
50-64	10	4.7	71	<1	<1	1	4	17	28	28
65+	3	14.0	79	4	4	17	20	21	21	21
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	9.8	24	2	3	10	13	15	18	19
35-49	30	13.0	37	3	6	12	18	21	25	28
50-64	24	11.2	54	1	2	9	15	23	25	29
65+	12	19.4	367	4	5	13	23	46	69	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49	6	16.5	152	4	5	13	17	38	40	40
50-64	14	12.1	225	<1	1	6	20	42	45	46
65+	42	11.5	70	2	3	11	13	22	31	37
B. *Operated*										
0-19 YRS	7	11.6	53	4	4	9	17	23	24	24
20-34	33	13.0	65	3	4	12	19	29	31	99+
35-49	69	20.0	177	4	8	15	25	35	48	73
50-64	98	20.0	244	3	6	15	28	43	54	96
65+	67	25.8	294	4	9	21	35	48	56	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.0	51	<1	<1	3	8	17	23	28
B. *Operated*	82	12.7	93	2	3	11	15	23	28	60
2. MULTIPLE DX										
A. *Not Operated*	65	11.6	110	1	1	10	14	28	38	45
B. *Operated*	274	20.4	226	3	6	17	26	41	52	89
1. SINGLE DX	106	11.2	91	1	1	10	14	21	28	51
2. MULTIPLE DX	339	18.7	215	2	4	15	24	37	48	83
A. NOT OPERATED	89	10.1	100	<1	1	8	13	21	35	44
B. OPERATED	356	18.6	206	3	5	15	24	36	49	82
TOTAL 0-19 YRS	12	7.4	56	1	1	5	10	20	23	24
20-34	54	11.4	53	2	3	10	16	22	30	96
35-49	109	17.3	145	3	5	14	23	30	40	67
50-64	146	16.7	221	1	2	13	23	37	46	92
65+	124	20.1	259	3	4	16	26	38	52	80
GRAND TOTAL	**445**	**16.9**	**196**	**1**	**3**	**13**	**22**	**35**	**45**	**79**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	12.0	151	3	3	7	21	26	26	26
B. *Operated*										
0-19 YRS										
20-34	2	40.5	61	35	35	40	46	46	46	46
35-49	5	38.2	170	25	25	37	48	56	56	56
50-64	11	40.4	691	2	9	49	70	80	97	99+
65+	12	25.2	328	5	8	22	29	46	72	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	8.8	97	2	2	6	12	26	26	26
B. *Operated*	30	33.9	442	5	11	28	53	71	76	99+
1. SINGLE DX										
2. MULTIPLE DX	35	30.3	468	2	5	26	46	71	75	99+
A. NOT OPERATED	5	8.8	97	2	2	6	12	26	26	26
B. OPERATED	30	33.9	442	5	11	28	53	71	76	99+
TOTAL 0-19 YRS										
20-34	3	29.0	427	6	6	35	43	46	46	46
35-49	5	38.2	170	25	25	37	48	56	56	56
50-64	12	37.2	751	1	2	43	69	77	96	99+
65+	15	22.5	309	3	5	22	26	33	65	76
GRAND TOTAL	**35**	**30.3**	**468**	**2**	**5**	**26**	**46**	**71**	**75**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	18.5	613	<1	<1	18	36	36	36	36
20-34	2	12.0	242	<1	<1	11	23	23	23	23
35-49	6	9.8	62	2	2	8	15	21	22	22
50-64	21	5.7	21	1	2	4	7	12	15	19
65+	54	7.7	37	1	1	7	10	14	17	33
B. *Operated*										
0-19 YRS	9	6.3	14	1	1	7	9	11	11	11
20-34	16	5.1	16	1	1	4	7	12	13	13
35-49	16	5.3	11	1	2	5	7	10	13	14
50-64	32	6.1	9	1	3	5	7	11	13	13
65+	87	9.3	29	3	4	8	11	17	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.8	57	<1	<1	2	14	17	18	18
20-34	4	9.0	57	<1	<1	8	15	18	18	18
35-49	35	6.7	64	<1	1	4	8	12	31	35
50-64	121	10.9	143	2	2	7	12	21	37	61
65+	534	10.2	60	2	3	8	13	19	25	42
B. *Operated*										
0-19 YRS	18	14.3	255	1	1	9	24	29	52	66
20-34	32	23.4	671	4	5	15	26	62	93	98
35-49	44	14.8	224	3	4	9	20	35	50	70
50-64	92	16.0	300	3	4	10	19	37	51	94
65+	310	16.5	213	4	5	12	20	35	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	7.7	47	1	1	6	11	15	22	35
B. *Operated*	160	7.7	24	2	3	7	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	702	10.1	75	2	3	8	13	19	26	49
B. *Operated*	496	16.6	262	3	4	11	20	36	51	95
1. SINGLE DX	245	7.7	32	1	2	6	10	14	18	31
2. MULTIPLE DX	1198	12.8	162	2	3	9	16	25	38	79
A. NOT OPERATED	787	9.8	72	2	2	8	12	19	25	48
B. OPERATED	656	14.5	218	2	4	10	17	29	47	91
TOTAL 0-19 YRS	37	10.9	169	<1	1	7	14	26	34	66
20-34	54	16.5	478	1	2	7	19	45	78	98
35-49	101	10.2	140	1	2	6	12	23	35	60
50-64	266	11.7	184	2	2	7	12	24	40	67
65+	985	12.0	114	2	4	9	15	23	31	65
GRAND TOTAL	**1443**	**11.9**	**144**	**2**	**3**	**9**	**14**	**24**	**35**	**70**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	11.0	200	1	1	11	21	21	21	21
35-49	9	21.6	312	2	3	19	33	49	52	52
50-64	45	15.8	280	2	4	8	21	43	49	75
65+	254	12.4	103	4	4	10	15	22	30	48
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	27.0	555	11	11	14	43	65	68	68
35-49	11	16.0	65	7	8	14	25	52	93	99+
50-64	28	22.4	205	7	7	20	31	43	51	55
65+	92	18.1	161	5	7	15	22	39	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	310	13.2	137	3	4	10	15	24	38	60
B. *Operated*	138	19.1	179	6	7	16	25	42	50	99+
1. SINGLE DX										
2. MULTIPLE DX	448	15.0	157	4	5	11	18	31	45	68
A. NOT OPERATED	310	13.2	137	3	4	10	15	24	38	60
B. OPERATED	138	19.1	179	6	7	16	25	42	50	99+
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	23.0	480	1	4	14	32	60	68	68
35-49	20	18.5	174	3	5	17	27	48	74	99+
50-64	73	18.3	259	3	4	10	30	43	50	71
65+	346	13.9	124	4	5	11	17	27	39	58
GRAND TOTAL	**448**	**15.0**	**157**	**4**	**5**	**11**	**18**	**31**	**45**	**68**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	7	4.1	17	<1	<1	2	7	11	11	11
65+	19	2.9	2	<1	1	3	4	5	6	7
B. *Operated*										
0-19 YRS										
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	38	3.6	8	1	1	3	5	9	10	12
50-64	452	3.5	10	1	1	3	4	6	7	11
65+	915	3.8	8	1	1	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	12	4.0	8	<1	1	3	5	9	10	10
50-64	55	3.8	24	<1	1	3	4	7	11	33
65+	295	4.6	15	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	5.0	55	<1	<1	2	4	18	20	20
35-49	127	4.7	13	1	1	4	6	9	12	18
50-64	1375	4.8	17	1	1	4	6	8	11	22
65+	3789	5.4	22	1	1	4	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.5	7	<1	<1	3	4	8	10	11
B. *Operated*	1408	3.7	9	1	1	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	365	4.5	16	1	1	4	6	9	11	20
B. *Operated*	5298	5.2	20	1	1	4	6	10	13	21
1. SINGLE DX	1436	3.7	9	1	1	3	5	6	8	14
2. MULTIPLE DX	5663	5.2	20	1	1	4	6	9	12	21
A. NOT OPERATED	393	4.4	16	<1	1	3	6	9	11	20
B. OPERATED	6706	4.9	18	1	1	4	6	9	12	20
TOTAL 0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	11	4.0	31	<1	<1	2	4	12	19	20
35-49	179	4.4	12	1	1	4	5	9	11	17
50-64	1889	4.5	15	1	1	4	5	8	11	20
65+	5018	5.1	19	1	1	4	6	9	12	20
GRAND TOTAL	**7099**	**4.9**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	20.5	263	5	5	21	34	35	35	35
50-64	8	7.0	11	3	3	6	10	11	11	11
65+	50	9.6	97	1	2	7	12	16	30	51
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	17	8.8	97	2	3	7	9	13	34	45
50-64	78	10.0	115	2	3	7	11	19	30	67
65+	193	10.9	136	1	2	8	12	20	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	62	10.0	101	1	3	7	11	17	34	51
B. *Operated*	291	10.5	127	2	3	8	12	20	32	68
1. SINGLE DX										
2. MULTIPLE DX	353	10.4	122	2	3	7	12	19	32	63
A. NOT OPERATED	62	10.0	101	1	3	7	11	17	34	51
B. OPERATED	291	10.5	127	2	3	8	12	20	32	68
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	21	11.0	139	2	3	7	10	34	39	45
50-64	86	9.7	106	2	3	7	11	18	29	64
65+	243	10.6	128	1	2	8	12	19	33	64
GRAND TOTAL	**353**	**10.4**	**122**	**2**	**3**	**7**	**12**	**19**	**32**	**63**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	4	3	3	5	6	8	8	8
20-34	6	4.0	4	2	2	3	6	7	7	7
35-49	21	5.0	22	1	1	3	5	12	16	20
50-64	85	5.6	17	1	2	5	8	11	14	20
65+	249	5.8	20	1	2	5	8	11	12	17
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	3.0	4	1	1	2	4	6	7	7
35-49	12	5.1	26	1	1	3	6	14	17	17
50-64	23	5.1	14	1	1	5	7	12	13	13
65+	38	5.8	26	1	1	4	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	12.4	80	2	3	11	15	27	30	31
20-34	30	7.7	68	2	2	5	9	19	29	36
35-49	134	6.2	20	1	2	5	8	11	13	22
50-64	726	7.1	43	2	2	5	9	13	17	38
65+	4254	7.9	33	2	3	7	10	14	18	30
B. *Operated*										
0-19 YRS	6	20.3	387	1	1	18	30	49	51	51
20-34	16	8.3	95	1	1	5	10	12	33	42
35-49	76	7.1	40	1	3	6	9	12	20	39
50-64	234	9.6	112	1	2	6	12	21	31	60
65+	705	11.1	110	2	3	9	13	22	29	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	5.7	19	1	2	4	8	11	13	20
B. *Operated*	85	5.1	20	1	1	3	7	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	5157	7.7	34	2	3	6	10	14	18	31
B. *Operated*	1037	10.5	108	2	3	8	12	22	29	59
1. SINGLE DX	452	5.5	19	1	2	4	7	11	13	20
2. MULTIPLE DX	6194	8.2	48	2	3	7	10	15	20	35
A. NOT OPERATED	5524	7.6	34	2	2	6	10	14	18	30
B. OPERATED	1122	10.1	103	1	2	7	12	21	28	57
TOTAL 0-19 YRS	27	11.7	147	2	2	8	13	30	34	51
20-34	62	6.7	60	1	2	4	7	12	24	41
35-49	243	6.3	27	1	2	5	8	11	15	26
50-64	1068	7.5	57	2	2	6	9	14	20	41
65+	5246	8.2	44	2	3	7	10	15	19	34
GRAND TOTAL	**6646**	**8.0**	**46**	**2**	**2**	**6**	**10**	**15**	**19**	**35**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	8	2	2	4	7	9	9	9
20-34	9	6.7	45	<1	<1	6	9	17	21	21
35-49	59	9.3	140	2	3	6	9	18	42	97
50-64	380	8.9	51	2	3	7	11	18	22	39
65+	2305	9.5	45	3	4	8	12	17	21	36
B. *Operated*										
0-19 YRS	3	29.3	1186	7	7	12	55	69	69	69
20-34	11	11.5	127	2	3	8	13	30	40	41
35-49	30	16.7	401	3	4	9	15	51	69	80
50-64	75	13.8	197	3	4	9	15	30	51	72
65+	325	15.6	188	3	4	11	18	33	43	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2758	9.4	48	3	4	8	11	17	22	37
B. *Operated*	444	15.3	207	3	4	11	18	33	46	80
1. SINGLE DX										
2. MULTIPLE DX	3202	10.2	74	3	4	8	12	19	25	50
A. NOT OPERATED	2758	9.4	48	3	4	8	11	17	22	37
B. OPERATED	444	15.3	207	3	4	11	18	33	46	80
TOTAL 0-19 YRS	8	14.0	505	2	2	6	10	52	69	69
20-34	20	9.4	92	<1	1	8	11	21	31	41
35-49	89	11.8	237	3	3	6	11	24	59	92
50-64	455	9.7	78	2	3	7	11	19	25	52
65+	2630	10.3	66	3	4	8	12	19	24	45
GRAND TOTAL	**3202**	**10.2**	**74**	**3**	**4**	**8**	**12**	**19**	**25**	**50**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	6	4.8	36	2	2	3	3	16	17	17
35-49	47	2.3	3	<1	1	2	3	5	6	8
50-64	182	2.3	5	1	1	2	3	4	5	12
65+	396	2.7	4	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS										
20-34	4	2.5		2	2	2	3	3	3	3
35-49	39	3.0	8	1	1	2	3	6	8	15
50-64	111	2.7	4	1	1	2	4	5	7	10
65+	161	2.7	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.4	5	1	1	3	4	7	9	9
20-34	26	2.7	6	<1	1	2	3	7	8	9
35-49	181	3.1	5	1	1	2	4	6	8	11
50-64	791	3.3	5	1	1	3	4	6	8	12
65+	4602	3.9	9	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	4	8.0	72	2	2	5	14	20	20	20
20-34	12	4.1	11	<1	1	2	7	9	10	10
35-49	64	4.9	26	1	1	4	6	11	13	30
50-64	380	4.2	12	1	1	3	6	8	11	16
65+	998	5.3	23	1	1	4	7	10	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	2.6	5	1	1	2	3	5	6	11
B. *Operated*	315	2.7	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	5613	3.8	9	1	1	3	5	7	9	15
B. *Operated*	1458	5.0	20	1	1	4	6	10	13	24
1. SINGLE DX	950	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX	7071	4.1	11	1	1	3	5	8	10	17
A. NOT OPERATED	6248	3.7	8	1	1	3	5	7	9	15
B. OPERATED	1773	4.6	18	1	1	3	6	9	13	23
TOTAL 0-19 YRS	21	3.9	19	1	1	2	4	8	14	20
20-34	48	3.3	10	1	1	2	4	8	9	17
35-49	331	3.3	10	1	1	2	4	6	9	15
50-64	1464	3.4	7	1	1	3	4	6	8	14
65+	6157	4.0	11	1	1	3	5	7	10	18
GRAND TOTAL	**8021**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	4	1	1	3	4	5	5	5
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	9	6.3	30	1	1	5	9	15	18	18
50-64	63	4.5	18	1	1	3	6	11	13	20
65+	228	5.3	18	1	1	4	6	11	13	21
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	4.4	12	1	1	3	7	10	11	11
50-64	21	4.9	8	1	1	5	7	8	9	9
65+	33	6.3	27	2	2	5	7	12	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	12	5.4	13	2	2	4	8	10	13	13
35-49	78	5.8	22	1	2	4	7	13	18	78
50-64	458	6.6	40	1	2	5	8	12	16	35
65+	2712	7.1	35	2	2	6	9	13	17	26
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	4.8	13	1	1	5	7	10	10	10
35-49	27	8.6	87	1	3	5	9	19	31	42
50-64	106	7.8	87	1	2	6	9	14	19	61
65+	306	12.3	138	2	3	9	16	27	36	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	5.1	18	1	1	4	6	11	13	20
B. *Operated*	70	5.3	18	1	1	5	7	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	3262	7.0	35	2	2	6	9	13	17	27
B. *Operated*	446	10.9	125	2	3	8	13	23	32	78
1. SINGLE DX	378	5.2	18	1	1	4	7	11	13	20
2. MULTIPLE DX	3708	7.5	48	2	2	6	9	14	18	35
A. NOT OPERATED	3570	6.9	34	2	2	6	9	13	16	27
B. OPERATED	516	10.2	114	1	2	7	12	21	30	66
TOTAL 0-19 YRS	8	4.0	12	<1	<1	3	5	9	11	11
20-34	23	4.6	11	1	1	4	7	9	11	13
35-49	128	6.3	36	1	2	4	8	14	19	54
50-64	648	6.6	45	1	2	5	8	12	16	35
65+	3279	7.5	46	2	2	6	9	14	18	32
GRAND TOTAL	**4086**	**7.3**	**45**	**2**	**2**	**6**	**9**	**13**	**18**	**33**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.2	174	2	2	5	17	34	34	34
20-34	5	9.8	53	4	4	5	16	20	20	20
35-49	19	7.4	23	2	2	6	10	15	18	18
50-64	209	8.6	44	2	3	7	10	18	21	39
65+	1169	9.0	56	2	3	7	11	16	24	46
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	4	8.5	86	2	2	5	14	22	22	22
35-49	12	15.0	172	1	4	9	21	39	41	41
50-64	36	15.1	320	2	3	8	16	51	70	99+
65+	119	16.0	203	4	5	11	21	35	54	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1407	8.9	54	2	3	7	11	16	24	43
B. *Operated*	173	15.4	219	3	4	10	20	38	55	95
1. SINGLE DX										
2. MULTIPLE DX	1580	9.6	76	2	3	7	11	18	26	53
A. NOT OPERATED	1407	8.9	54	2	3	7	11	16	24	43
B. OPERATED	173	15.4	219	3	4	10	20	38	55	95
TOTAL 0-19 YRS	7	9.7	123	2	2	5	10	29	34	34
20-34	9	9.2	59	2	2	5	16	21	22	22
35-49	31	10.4	91	2	3	7	13	21	37	41
50-64	245	9.5	89	2	3	7	11	19	26	63
65+	1288	9.6	74	2	3	7	11	18	27	53
GRAND TOTAL	**1580**	**9.6**	**76**	**2**	**3**	**7**	**11**	**18**	**26**	**53**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	2.3	1	1	1	2	3	4	4	4
35-49	26	2.5	3	<1	1	2	3	5	6	7
50-64	38	3.6	28	1	1	2	3	7	9	33
65+	66	4.2	42	1	1	3	4	8	10	40
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	6.4	33	1	1	5	10	15	17	17
35-49	27	5.7	40	<1	<1	4	7	16	18	25
50-64	43	5.5	31	1	1	2	9	16	17	21
65+	35	2.5	7	1	1	2	2	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	7	<1	<1	2	4	7	8	8
20-34	36	4.7	20	1	1	4	6	9	14	24
35-49	104	4.3	31	1	1	3	5	8	11	33
50-64	292	4.6	28	1	1	3	6	9	12	28
65+	1088	5.4	30	1	2	4	6	10	15	28
B. *Operated*										
0-19 YRS	7	30.0	1740	4	4	6	68	93	94	94
20-34	17	8.2	69	1	1	7	10	20	27	31
35-49	64	7.6	57	1	1	5	11	17	23	39
50-64	137	9.1	130	1	1	4	11	23	31	60
65+	286	7.1	55	1	1	5	9	15	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	3.6	28	1	1	2	3	7	9	36
B. *Operated*	114	4.7	27	1	1	2	7	13	17	22
2. MULTIPLE DX										
A. *Not Operated*	1527	5.2	30	1	2	4	6	10	14	27
B. *Operated*	511	8.0	103	1	1	5	10	18	25	51
1. SINGLE DX	255	4.1	28	1	1	2	4	9	15	33
2. MULTIPLE DX	2038	5.9	49	1	1	4	7	12	17	38
A. NOT OPERATED	1668	5.0	30	1	1	4	6	9	13	28
B. OPERATED	625	7.4	91	1	1	4	9	17	23	48
TOTAL 0-19 YRS	16	14.8	891	<1	1	5	7	80	92	94
20-34	71	5.4	33	1	1	3	7	12	17	30
35-49	221	5.2	39	1	1	3	6	12	17	30
50-64	510	5.8	59	1	1	3	7	13	18	42
65+	1475	5.6	36	1	1	4	7	11	16	33
GRAND TOTAL	**2293**	**5.7**	**47**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	14	3.0	10	<1	1	1	4	9	9	9
50-64	96	3.5	10	<1	1	2	6	8	9	13
65+	156	4.3	14	<1	1	3	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	20	3.8	14	1	1	2	5	9	13	15
65+	122	5.0	19	1	1	3	7	11	14	23
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	6.5	43	1	1	6	9	16	22	22
35-49	124	7.0	77	1	1	6	9	12	20	54
50-64	724	7.5	46	1	1	7	10	15	19	32
65+	1587	9.3	80	1	1	8	12	18	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*	268	3.9	12	<1	1	2	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	144	4.8	18	1	1	3	7	11	14	22
B. *Operated*	2446	8.7	71	1	1	7	11	16	23	43
1. SINGLE DX	272	3.9	12	<1	1	2	7	9	10	16
2. MULTIPLE DX	2590	8.4	68	1	1	7	11	16	22	41
A. NOT OPERATED	148	4.8	18	1	1	3	7	11	14	22
B. OPERATED	2714	8.2	67	1	1	7	11	16	22	40
TOTAL 0-19 YRS	3	5.0	37	1	1	2	9	12	12	12
20-34	10	6.5	43	1	1	6	9	16	22	22
35-49	142	6.5	70	1	1	5	9	12	19	48
50-64	840	6.9	43	1	1	6	9	14	18	31
65+	1867	8.6	73	1	1	7	11	17	24	43
GRAND TOTAL	**2862**	**8.0**	**65**	**1**	**1**	**7**	**10**	**16**	**22**	**40**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	17	2.1	8	<1	<1	1	2	3	10	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	4.8	12	1	1	4	9	9	9	9
50-64	67	7.0	12	1	1	8	9	10	12	17
65+	145	8.2	19	1	1	8	10	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.3	7	1	1	3	5	6	6	6
50-64	27	4.0	21	1	1	3	4	8	17	21
65+	169	4.9	23	1	1	3	6	11	15	22
B. *Operated*										
0-19 YRS										
20-34	11	13.3	93	2	4	10	14	31	34	34
35-49	38	10.1	52	<1	1	9	12	24	25	28
50-64	471	10.7	62	1	4	9	12	17	24	42
65+	1547	12.2	94	1	3	10	14	20	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.0	8	<1	<1	1	2	3	9	13
B. *Operated*	218	7.8	17	1	1	8	10	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	201	4.7	22	1	1	3	6	10	15	22
B. *Operated*	2067	11.8	86	1	3	10	13	20	27	55
1. SINGLE DX	237	7.3	19	1	1	8	10	11	13	23
2. MULTIPLE DX	2268	11.2	85	1	2	10	13	19	26	53
A. NOT OPERATED	220	4.5	22	1	1	3	6	10	14	21
B. OPERATED	2285	11.4	81	1	3	10	13	19	26	53
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	12.3	97	1	2	10	13	30	33	34
35-49	49	8.7	49	<1	1	7	11	22	25	28
50-64	565	10.0	57	1	2	9	11	16	22	40
65+	1878	11.1	87	1	2	10	13	19	26	55
GRAND TOTAL	**2505**	**10.8**	**80**	**1**	**2**	**9**	**13**	**18**	**25**	**51**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	16	3.8	18	1	1	2	4	12	14	14
35-49	9	4.9	14	1	1	4	7	11	12	12
50-64	38	5.3	15	1	1	4	8	11	13	14
65+	38	5.6	10	1	1	5	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	14	5.8	46	<1	<1	3	8	14	23	25
B. *Operated*										
0-19 YRS	4	6.5	6	4	4	6	8	9	9	9
20-34	14	11.8	236	<1	1	6	12	28	52	59
35-49	36	6.6	25	1	1	6	10	14	20	99+
50-64	131	9.3	71	1	2	7	11	21	31	38
65+	263	10.1	114	1	2	7	12	19	29	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	104	5.1	13	1	1	4	7	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	19	4.5	38	<1	<1	2	6	12	20	25
B. *Operated*	448	9.6	98	1	2	7	11	20	29	68
1. SINGLE DX	106	5.0	13	1	1	4	7	11	12	14
2. MULTIPLE DX	467	9.4	96	1	2	7	11	19	28	66
A. NOT OPERATED	21	4.2	35	<1	<1	1	4	12	18	25
B. OPERATED	552	8.7	85	1	1	7	10	18	26	59
TOTAL 0-19 YRS	7	4.4	10	1	1	4	7	9	9	9
20-34	31	7.3	129	<1	1	4	8	17	25	59
35-49	46	6.2	23	1	1	5	10	12	16	99+
50-64	172	8.3	61	1	1	6	10	18	25	36
65+	317	9.3	101	1	2	7	11	18	27	71
GRAND TOTAL	**573**	**8.6**	**84**	**1**	**1**	**6**	**10**	**18**	**25**	**58**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	20	<1	<1	6	9	10	10	10
20-34	10	5.7	12	2	2	4	9	10	10	10
35-49	9	4.6	5	1	1	5	6	7	7	7
50-64	15	5.7	10	<1	2	6	8	10	11	12
65+	14	3.7	13	<1	<1	2	7	10	10	10
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	15	4.0	6	<1	1	4	6	8	9	9
35-49	84	4.9	15	1	1	4	8	9	11	20
50-64	216	5.0	16	1	1	4	8	9	11	17
65+	252	5.2	17	1	1	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	17	6.1	13	1	2	7	8	12	13	13
35-49	15	6.8	13	1	3	7	10	12	12	12
50-64	59	4.8	10	<1	<1	4	7	9	10	14
65+	163	5.8	24	1	1	5	7	10	12	25
B. *Operated*										
0-19 YRS	7	5.4	8	2	2	4	7	10	10	10
20-34	50	9.0	94	1	1	7	11	19	23	51
35-49	241	8.3	54	1	2	7	10	14	20	44
50-64	1064	8.5	62	1	1	7	10	15	22	46
65+	2084	9.3	67	1	1	8	12	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.0	11	<1	1	4	8	10	10	12
B. *Operated*	569	5.0	16	1	1	5	8	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	255	5.7	20	1	1	5	8	10	12	18
B. *Operated*	3446	9.0	65	1	1	8	11	17	23	43
1. SINGLE DX	621	5.0	15	1	1	5	8	10	11	18
2. MULTIPLE DX	3701	8.7	62	1	1	7	11	16	22	42
A. NOT OPERATED	307	5.5	18	1	1	5	8	10	12	17
B. OPERATED	4015	8.4	60	1	1	7	10	16	21	40
TOTAL 0-19 YRS	14	5.8	12	<1	2	5	9	10	12	12
20-34	92	7.3	59	1	1	6	9	12	20	49
35-49	349	7.3	44	1	1	7	9	13	16	43
50-64	1354	7.8	54	1	1	7	10	14	19	41
65+	2513	8.6	61	1	1	7	11	17	22	39
GRAND TOTAL	**4322**	**8.2**	**57**	**1**	**1**	**7**	**10**	**15**	**21**	**39**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.8	13	1	1	4	6	10	13	16
20-34	12	4.2	38	<1	<1	2	4	11	21	23
35-49	8	5.3	101	1	1	2	3	22	30	30
50-64	11	3.3	7	1	1	2	5	8	9	9
65+	14	4.6	12	<1	1	3	7	10	12	12
B. *Operated*										
0-19 YRS	7	1.7	1	1	1	1	3	3	3	3
20-34	22	3.8	9	<1	1	3	5	8	11	11
35-49	54	2.4	10	<1	<1	1	2	5	10	16
50-64	115	3.0	10	<1	<1	2	4	7	10	15
65+	116	3.4	13	<1	1	2	5	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.5	34	1	1	4	6	9	13	34
20-34	28	4.5	28	1	1	4	5	8	14	28
35-49	56	6.1	57	1	1	3	6	16	23	38
50-64	107	4.4	15	<1	1	3	6	8	15	19
65+	277	5.5	21	1	1	4	7	11	15	21
B. *Operated*										
0-19 YRS	20	12.2	171	1	1	7	19	32	39	45
20-34	66	8.2	127	1	1	5	8	18	36	56
35-49	160	6.7	87	1	1	4	8	14	20	59
50-64	519	6.5	75	1	1	4	8	14	22	48
65+	944	7.9	89	1	1	5	9	17	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.6	20	1	1	3	6	10	13	26
B. *Operated*	314	3.1	11	<1	<1	1	4	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	524	5.3	25	1	1	4	6	11	15	30
B. *Operated*	1709	7.4	87	1	1	5	9	16	25	55
1. SINGLE DX	422	3.5	14	<1	1	2	5	8	11	16
2. MULTIPLE DX	2233	6.9	74	1	1	4	8	15	22	45
A. NOT OPERATED	632	5.2	25	1	1	4	6	11	15	30
B. OPERATED	2023	6.7	78	1	1	4	8	15	22	48
TOTAL 0-19 YRS	146	5.9	48	1	1	4	7	13	17	34
20-34	128	6.2	80	1	1	4	7	11	25	51
35-49	278	5.7	69	1	1	3	6	14	19	46
50-64	752	5.6	57	1	1	3	7	12	19	40
65+	1351	7.0	70	1	1	5	8	15	21	40
GRAND TOTAL	**2655**	**6.4**	**66**	**1**	**1**	**4**	**8**	**14**	**20**	**41**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.5	11	1	2	7	9	10	11	11
20-34	126	5.6	9	1	2	5	7	9	10	17
35-49	174	6.3	10	2	2	6	8	10	11	16
50-64	200	6.3	10	2	3	6	8	10	12	18
65+	192	6.5	8	2	3	6	8	10	11	13
B. *Operated*										
0-19 YRS	11	5.5	12	<1	1	6	7	10	12	12
20-34	67	5.5	10	1	1	7	8	9	10	13
35-49	104	6.3	10	1	2	7	9	10	11	14
50-64	111	5.4	9	1	1	5	8	10	10	12
65+	122	6.5	12	1	1	6	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.4	8	2	3	6	8	10	12	13
20-34	147	6.7	9	3	3	7	8	10	13	14
35-49	351	6.8	14	2	3	6	9	11	13	20
50-64	547	7.5	17	3	3	7	9	12	14	21
65+	1211	7.7	15	3	4	7	9	12	14	22
B. *Operated*										
0-19 YRS	19	7.4	9	2	4	7	9	11	13	14
20-34	124	8.9	42	2	3	8	11	14	19	40
35-49	233	7.8	14	2	3	7	9	13	14	18
50-64	428	8.9	43	2	3	8	10	15	19	38
65+	697	9.0	30	2	4	8	10	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	708	6.2	9	2	3	6	8	10	11	16
B. *Operated*	415	6.0	10	1	1	6	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	2270	7.5	15	3	3	7	9	12	14	22
B. *Operated*	1501	8.8	32	2	3	8	10	14	18	34
1. SINGLE DX	1123	6.1	10	1	2	6	8	10	11	15
2. MULTIPLE DX	3771	8.0	22	2	3	7	10	13	15	26
A. NOT OPERATED	2978	7.2	14	2	3	7	9	11	13	20
B. OPERATED	1916	8.2	29	2	3	8	10	13	17	31
TOTAL 0-19 YRS	60	6.6	10	1	2	7	9	11	12	14
20-34	464	6.8	20	1	2	7	8	11	13	22
35-49	862	6.9	13	2	3	7	9	11	13	18
50-64	1286	7.6	25	2	3	7	9	12	15	27
65+	2222	8.0	20	3	3	7	10	12	15	24
GRAND TOTAL	**4894**	**7.6**	**20**	**2**	**3**	**7**	**9**	**12**	**14**	**23**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49	4	2.5	1	2	2	2	3	4	4	4
50-64	11	4.8	16	1	1	4	7	11	13	13
65+	18	6.9	23	<1	1	6	8	16	16	16
B. *Operated*										
0-19 YRS	15	2.7	5	<1	<1	2	3	7	7	7
20-34	389	2.1	2	1	1	2	3	3	4	8
35-49	556	2.4	4	1	1	2	3	4	5	9
50-64	326	2.8	6	1	1	2	3	5	6	15
65+	119	4.4	52	1	1	3	4	9	12	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	10	12.2	160	1	2	7	18	34	35	35
35-49	28	6.9	22	<1	1	6	10	13	16	17
50-64	67	6.6	25	<1	1	5	8	13	17	28
65+	242	8.1	30	2	3	7	10	16	20	26
B. *Operated*										
0-19 YRS	5	7.0	32	2	2	4	11	16	16	16
20-34	95	3.4	12	1	1	2	4	6	10	19
35-49	210	4.0	27	1	1	3	4	7	14	33
50-64	230	5.7	47	1	1	3	6	11	20	39
65+	262	10.3	98	1	2	7	14	22	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.7	21	1	1	4	8	13	16	16
B. *Operated*	1405	2.6	8	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	349	7.8	32	1	2	6	10	15	20	30
B. *Operated*	802	6.5	62	1	1	3	7	17	22	38
1. SINGLE DX	1440	2.7	9	1	1	2	3	4	6	13
2. MULTIPLE DX	1151	6.9	53	1	1	4	8	16	21	36
A. NOT OPERATED	384	7.6	32	1	2	6	10	15	19	29
B. OPERATED	2207	4.0	31	1	1	2	4	8	14	32
TOTAL 0-19 YRS	22	4.0	15	<1	1	2	6	10	13	16
20-34	496	2.6	9	1	1	2	3	4	6	17
35-49	798	3.0	12	1	1	2	3	5	8	17
50-64	634	4.3	25	1	1	3	5	8	13	27
65+	641	8.3	66	1	2	6	11	19	23	39
GRAND TOTAL	**2591**	**4.5**	**33**	**1**	**1**	**3**	**5**	**10**	**16**	**32**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	22	2.5	3	<1	1	2	3	5	7	8
35-49	31	2.1	3	<1	<1	1	3	5	5	7
50-64	22	2.1	2	<1	<1	2	3	4	5	5
65+	14	1.6	1	<1	<1	1	2	3	5	5
B. *Operated*										
0-19 YRS	6	2.3	2	1	1	2	3	5	5	5
20-34	133	2.6	2	1	1	2	3	5	5	7
35-49	241	3.0	3	1	1	3	4	5	6	9
50-64	173	3.0	3	1	1	3	4	5	6	9
65+	51	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	41	2.9	10	<1	<1	2	4	6	11	14
35-49	68	2.6	4	<1	<1	2	3	5	7	10
50-64	72	2.7	3	<1	<1	2	4	5	6	9
65+	125	3.3	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	12	3.7	3	2	2	3	5	6	8	8
20-34	676	3.3	3	1	2	3	4	5	6	9
35-49	1358	3.6	7	1	2	3	4	6	7	10
50-64	1131	3.6	4	1	2	3	4	6	7	10
65+	599	4.1	7	1	2	4	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.1	2	<1	<1	1	3	5	5	8
B. *Operated*	604	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	307	3.0	5	<1	<1	2	4	6	7	11
B. *Operated*	3776	3.6	5	1	2	3	4	6	7	10
1. SINGLE DX	696	2.8	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	4083	3.5	5	1	2	3	4	6	7	10
A. NOT OPERATED	399	2.8	5	<1	<1	2	4	5	7	11
B. OPERATED	4380	3.5	5	1	2	3	4	6	7	10
TOTAL 0-19 YRS	22	3.0	3	<1	1	3	3	5	6	8
20-34	872	3.1	3	1	1	3	4	5	6	9
35-49	1698	3.4	6	1	1	3	4	5	7	10
50-64	1398	3.4	4	1	1	3	4	6	7	9
65+	789	3.9	6	1	1	3	5	7	8	12
GRAND TOTAL	**4779**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.0	9	1	1	3	7	8	9	10
20-34	90	6.3	13	1	1	6	9	11	14	16
35-49	104	5.8	7	1	2	6	8	9	10	11
50-64	124	5.7	10	1	1	6	8	10	11	14
65+	123	5.3	9	1	1	5	7	9	10	13
B. *Operated*										
0-19 YRS	43	2.7	11	<1	<1	1	2	9	11	14
20-34	159	3.5	9	<1	1	2	6	8	9	12
35-49	80	4.9	15	<1	1	4	8	10	12	17
50-64	99	6.3	11	<1	1	6	9	11	12	15
65+	74	6.1	10	1	2	6	9	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.3	11	1	1	3	6	9	11	16
20-34	204	5.6	31	1	1	4	7	11	14	28
35-49	282	5.2	15	1	1	4	7	10	12	19
50-64	635	5.6	17	1	2	5	7	10	12	21
65+	1877	5.5	15	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	60	5.7	53	<1	1	2	7	13	23	33
20-34	221	6.2	68	<1	1	4	8	12	18	58
35-49	304	7.2	33	1	1	6	9	14	18	29
50-64	428	8.4	58	1	2	7	10	16	21	34
65+	790	8.4	35	1	2	8	11	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	5.7	10	1	1	6	8	10	11	14
B. *Operated*	455	4.7	12	<1	1	4	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	3046	5.5	16	1	2	5	7	10	13	20
B. *Operated*	1803	7.8	45	1	1	7	10	15	19	33
1. SINGLE DX	911	5.2	11	1	1	5	8	9	11	14
2. MULTIPLE DX	4849	6.4	28	1	1	5	8	12	15	27
A. NOT OPERATED	3502	5.5	16	1	2	5	7	10	12	19
B. OPERATED	2258	7.2	40	1	1	6	9	13	18	32
TOTAL 0-19 YRS	166	4.4	27	<1	1	2	6	10	13	32
20-34	674	5.4	37	<1	1	4	7	11	14	32
35-49	770	6.0	22	1	1	5	8	11	14	24
50-64	1286	6.6	31	1	2	6	9	12	15	27
65+	2864	6.3	22	1	2	5	8	12	14	24
GRAND TOTAL	**5760**	**6.2**	**26**	**1**	**1**	**5**	**8**	**11**	**14**	**26**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2138	1.9	1	<1	1	2	2	3	4	6
20-34	161	2.5	2	1	1	2	3	4	5	8
35-49	103	2.8	2	1	1	3	4	5	5	8
50-64	37	2.6	3	<1	1	2	3	5	6	8
65+	22	3.8	7	<1	1	3	5	7	9	11
B. *Operated*										
0-19 YRS	176	1.3	1	<1	<1	1	1	2	3	5
20-34	72	2.0	3	1	1	1	2	5	5	8
35-49	22	3.2	11	1	1	2	5	7	10	14
50-64	11	1.8	1	<1	<1	1	2	4	4	4
65+	4	2.0	4	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2471	2.6	3	1	1	2	3	4	6	9
20-34	439	3.0	5	1	1	3	4	5	6	14
35-49	272	3.5	7	1	1	3	4	7	9	13
50-64	290	4.5	9	1	2	4	6	9	10	16
65+	475	5.0	15	2	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	207	2.6	16	<1	<1	1	3	6	8	18
20-34	153	3.7	22	<1	1	3	5	7	10	29
35-49	66	4.4	26	1	1	3	5	8	17	26
50-64	63	5.1	49	1	1	3	6	11	13	47
65+	49	5.8	21	1	1	5	9	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2461	2.0	2	<1	1	2	2	3	4	7
B. *Operated*	285	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	3947	3.1	6	1	1	2	4	6	8	13
B. *Operated*	538	3.7	24	<1	1	2	5	8	11	25
1. SINGLE DX	2746	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	4485	3.2	9	1	1	2	4	6	8	14
A. NOT OPERATED	6408	2.7	5	1	1	2	3	5	6	11
B. OPERATED	823	3.0	17	<1	<1	1	4	7	9	18
TOTAL 0-19 YRS	4992	2.2	3	<1	1	2	3	4	5	8
20-34	825	3.0	7	1	1	2	4	5	6	11
35-49	463	3.4	9	1	1	3	4	7	9	14
50-64	401	4.4	15	1	1	4	5	9	10	16
65+	550	5.0	15	1	2	4	6	9	11	17
GRAND TOTAL	**7231**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1533	2.7	3	1	1	2	3	4	6	9
20-34	56	3.2	2	1	2	3	4	5	6	8
35-49	71	3.3	2	1	2	3	4	5	6	6
50-64	74	4.0	6	<1	1	4	5	7	9	13
65+	128	4.3	7	2	2	4	5	7	8	16
B. *Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	1	3	4	4
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	4	5.3	9	<1	<1	6	7	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2345	3.3	5	1	1	3	4	6	7	11
20-34	325	4.5	15	1	2	3	5	8	12	18
35-49	573	4.8	14	1	2	4	6	8	11	20
50-64	1847	5.4	13	2	2	5	7	10	12	17
65+	4993	6.0	16	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	28	6.6	39	1	1	4	8	18	22	23
20-34	23	6.7	41	<1	1	5	8	15	22	30
35-49	50	6.9	29	<1	1	6	9	13	18	29
50-64	113	10.6	90	2	3	8	12	23	28	54
65+	266	10.8	80	2	3	8	13	21	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1862	2.9	4	1	1	2	4	5	6	10
B. *Operated*	20	2.3	5	<1	<1	1	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	10083	5.2	14	1	2	4	6	9	12	18
B. *Operated*	480	9.9	75	2	3	8	12	20	25	45
1. SINGLE DX	1882	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	10563	5.4	18	1	2	4	7	10	13	21
A. NOT OPERATED	11945	4.8	13	1	2	4	6	9	11	18
B. OPERATED	500	9.6	75	1	2	7	12	20	25	44
TOTAL 0-19 YRS	3914	3.1	5	1	1	3	4	6	7	11
20-34	408	4.4	15	1	1	3	5	8	12	18
35-49	697	4.8	14	1	2	4	6	8	11	19
50-64	2038	5.7	19	2	2	5	7	10	13	20
65+	5388	6.2	20	2	2	5	7	11	14	23
GRAND TOTAL	**12445**	**5.0**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	165	1.1		<1	1	1	1	2	2	3
20-34	361	1.2		<1	<1	1	1	2	2	4
35-49	253	1.1		<1	<1	1	1	1	2	3
50-64	123	1.2		<1	<1	1	1	2	2	3
65+	38	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	16	1.0		<1	<1	<1	1	1	1	1
35-49	10	1.3		<1	<1	1	2	2	2	2
50-64	9	1.3	1	<1	<1	1	2	3	3	3
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	450	1.2		<1	1	1	1	2	2	3
20-34	1364	1.4	1	<1	1	1	2	2	3	4
35-49	921	1.4	1	<1	1	1	2	2	3	5
50-64	494	1.6	3	<1	1	1	2	3	3	6
65+	169	1.7	1	1	1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	940	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	41	1.2		<1	<1	<1	1	2	2	3
B. *Operated*	3398	1.4	1	<1	1	1	2	2	3	4
1. SINGLE DX	940	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX	3439	1.4	1	<1	1	1	2	2	3	4
A. NOT OPERATED	41	1.2		<1	<1	<1	1	2	2	3
B. OPERATED	4338	1.4	1	<1	1	1	1	2	3	4
TOTAL 0-19 YRS	619	1.2		<1	1	1	1	2	2	3
20-34	1741	1.3		<1	1	1	1	2	3	4
35-49	1184	1.4	1	<1	1	1	1	2	3	5
50-64	626	1.5	3	<1	1	1	2	3	3	5
65+	209	1.6	1	<1	1	1	2	3	4	6
GRAND TOTAL	**4379**	**1.4**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**4**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	13	1.0		<1	<1	1	1	1	1	1
20-34	27	1.3		<1	<1	1	2	2	3	3
35-49	27	1.3		<1	<1	1	1	2	3	4
50-64	33	1.2		<1	<1	1	1	2	2	2
65+	13	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	1.3		1	1	1	2	2	2	2
65+	6	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	32	1.2		<1	<1	1	1	2	2	2
20-34	90	1.6	1	<1	1	1	2	3	4	7
35-49	141	1.5	1	<1	1	1	2	3	4	4
50-64	137	1.8	2	<1	1	1	2	3	4	6
65+	74	1.8	2	<1	1	1	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	113	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	14	1.4		<1	<1	1	2	2	3	3
B. *Operated*	474	1.6	1	<1	1	1	2	3	4	6
1. SINGLE DX	113	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX	488	1.6	1	<1	1	1	2	3	4	6
A. NOT OPERATED	14	1.4		<1	<1	1	2	2	3	3
B. OPERATED	587	1.5	1	<1	1	1	2	3	4	5
TOTAL 0-19 YRS	46	1.1		<1	<1	1	1	2	2	2
20-34	119	1.5	1	<1	1	1	2	2	4	6
35-49	170	1.4	1	<1	1	1	2	3	3	4
50-64	173	1.7	1	<1	<1	1	2	3	4	6
65+	93	1.7	2	<1	<1	1	2	3	3	9
GRAND TOTAL	**601**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	1.3		<1	<1	1	1	2	3	3
20-34	11	1.5	1	1	1	1	2	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	6742	1.1		<1	<1	1	1	2	2	2
20-34	1919	1.2		<1	1	1	1	2	2	3
35-49	208	1.3	1	1	1	1	1	2	3	4
50-64	27	1.7	1	<1	1	1	2	3	4	5
65+	17	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	1.3	1	<1	<1	1	1	2	3	5
20-34	17	1.5	1	<1	<1	<1	2	4	4	4
35-49	4	2.8	2	<1	<1	3	4	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	10.5	181	<1	<1	10	20	20	20	20
B. *Operated*										
0-19 YRS	4343	1.2		<1	<1	1	1	2	2	3
20-34	601	1.4	1	1	1	1	1	2	3	5
35-49	117	1.6	1	1	1	1	2	3	4	7
50-64	27	1.6	1	<1	1	1	2	3	4	6
65+	13	1.5	2	1	1	1	2	3	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	1.4		<1	<1	1	2	2	3	4
B. *Operated*	8913	1.1		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	120	1.5	4	<1	<1	1	1	3	3	10
B. *Operated*	5101	1.2	1	<1	<1	1	1	2	2	4
1. SINGLE DX	8957	1.1		<1	<1	1	1	2	2	3
2. MULTIPLE DX	5221	1.2	1	<1	<1	1	1	2	2	4
A. NOT OPERATED	164	1.5	3	<1	<1	1	1	2	3	6
B. OPERATED	14014	1.2		<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	11213	1.1		<1	<1	1	1	2	2	3
20-34	2548	1.2		<1	1	1	1	2	2	4
35-49	330	1.4	1	1	1	1	2	2	3	6
50-64	55	1.6	1	<1	1	1	2	3	4	6
65+	32	2.0	12	1	1	1	2	3	6	20
GRAND TOTAL	**14178**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	2.2	2	<1	<1	2	3	4	5	8
20-34	152	2.5	2	1	1	2	3	4	5	8
35-49	67	2.4	2	<1	<1	2	3	4	5	6
50-64	36	2.6	2	1	1	2	3	5	6	6
65+	15	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	320	1.9	3	<1	<1	1	2	4	5	9
20-34	536	1.6	2	<1	<1	1	2	3	4	6
35-49	453	1.5	1	<1	<1	1	2	3	3	5
50-64	319	1.6	2	<1	<1	1	2	3	4	7
65+	186	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	2.7	12	<1	<1	2	3	5	6	12
20-34	157	3.1	11	1	1	3	4	5	7	13
35-49	125	3.2	6	<1	1	3	4	6	8	13
50-64	95	3.3	6	1	1	3	4	6	8	12
65+	114	3.7	14	1	1	3	5	7	9	25
B. *Operated*										
0-19 YRS	563	2.4	9	<1	<1	1	2	5	8	17
20-34	896	2.0	4	<1	1	1	2	4	5	11
35-49	811	1.9	4	<1	1	1	2	3	5	11
50-64	684	2.5	10	<1	1	1	3	5	8	15
65+	471	3.7	36	<1	1	2	3	8	14	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	2.3	2	<1	1	2	3	4	5	7
B. *Operated*	1814	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	797	3.1	10	<1	1	2	4	6	7	13
B. *Operated*	3425	2.4	11	<1	1	1	2	4	7	16
1. SINGLE DX	2347	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	4222	2.5	11	<1	1	1	3	5	7	15
A. NOT OPERATED	1330	2.8	7	<1	1	2	3	5	6	11
B. OPERATED	5239	2.1	8	<1	<1	1	2	4	6	14
TOTAL 0-19 YRS	1452	2.3	7	<1	<1	2	3	4	6	13
20-34	1741	2.0	4	<1	1	1	2	4	5	10
35-49	1456	1.9	3	<1	1	1	2	4	5	10
50-64	1134	2.3	7	<1	1	1	3	5	7	14
65+	786	3.2	25	<1	1	2	3	7	10	26
GRAND TOTAL	**6569**	**2.3**	**8**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2442	3.2	4	1	1	3	4	6	7	10
20-34	535	3.8	5	1	2	3	5	7	8	11
35-49	479	4.1	4	2	2	4	5	7	8	11
50-64	444	4.6	6	1	2	4	6	8	10	13
65+	803	5.2	9	2	2	5	6	9	10	16
B. *Operated*										
0-19 YRS	23	5.0	13	<1	1	5	7	9	13	14
20-34	10	8.6	37	3	3	8	9	18	23	23
35-49	31	6.5	14	2	2	7	8	12	15	16
50-64	30	6.6	20	1	1	6	9	13	15	18
65+	44	8.3	42	1	2	7	10	14	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4869	4.0	9	1	2	3	5	7	10	16
20-34	1139	5.3	18	2	2	4	6	9	12	22
35-49	1553	5.6	15	2	2	5	7	10	12	20
50-64	3682	6.6	22	2	3	6	8	11	15	24
65+	16068	7.7	26	3	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	107	10.9	71	3	3	9	14	22	26	46
20-34	166	10.3	95	2	2	7	13	21	35	93
35-49	255	12.5	153	3	3	9	14	27	36	81
50-64	568	12.9	110	3	4	10	16	25	37	64
65+	1753	14.7	119	4	5	12	19	27	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4703	3.8	6	1	2	3	5	7	8	12
B. *Operated*	138	7.0	26	1	2	7	9	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	27311	6.7	23	2	2	6	8	12	15	24
B. *Operated*	2849	13.8	119	3	4	11	17	27	35	68
1. SINGLE DX	4841	3.9	7	1	2	3	5	7	8	13
2. MULTIPLE DX	30160	7.4	37	2	2	6	9	14	18	31
A. NOT OPERATED	32014	6.3	22	2	2	5	8	12	15	23
B. OPERATED	2987	13.5	116	3	4	11	17	26	35	64
TOTAL 0-19 YRS	7441	3.9	9	1	1	3	5	7	9	16
20-34	1850	5.3	25	1	2	4	6	10	13	26
35-49	2318	6.0	34	2	2	5	7	11	14	29
50-64	4724	7.2	36	2	3	6	9	13	17	34
65+	18668	8.3	38	3	3	7	10	15	19	32
GRAND TOTAL	**35001**	**6.9**	**34**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.4	2	1	1	2	3	4	5	8
20-34	62	2.3	2	1	1	2	3	4	5	6
35-49	61	3.1	3	1	1	3	4	6	7	9
50-64	53	2.9	2	1	1	3	4	5	6	7
65+	54	3.8	4	2	2	4	5	6	8	10
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	2.7	7	1	1	2	3	5	7	10
20-34	195	2.8	3	1	1	3	3	5	6	9
35-49	182	3.3	3	1	1	3	4	6	7	8
50-64	285	4.0	6	1	2	3	5	7	9	13
65+	855	5.2	12	2	2	4	6	10	13	18
B. *Operated*										
0-19 YRS	3	10.0	129	2	2	5	18	23	23	23
20-34	9	3.9	7	<1	<1	4	5	8	9	9
35-49	7	6.1	24	1	1	4	11	13	13	13
50-64	5	9.2	37	3	3	10	13	18	18	18
65+	24	12.0	79	2	4	10	15	27	30	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	2.8	3	1	1	2	4	5	6	9
B. *Operated*	5	3.8	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1765	4.2	10	1	1	3	5	8	10	16
B. *Operated*	48	9.2	62	1	2	6	12	22	27	33
1. SINGLE DX	347	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1813	4.4	12	1	1	3	5	8	10	18
A. NOT OPERATED	2107	4.0	9	1	1	3	5	7	10	16
B. OPERATED	53	8.7	59	1	2	6	11	21	27	33
TOTAL 0-19 YRS	365	2.7	6	1	1	2	3	5	6	10
20-34	269	2.8	3	1	1	2	3	5	6	9
35-49	250	3.3	4	1	1	3	4	6	7	10
50-64	343	3.9	7	1	1	3	5	7	9	13
65+	933	5.3	15	2	2	4	6	10	13	20
GRAND TOTAL	**2160**	**4.1**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	2.3	3	1	1	2	3	4	5	12
20-34	27	2.8	2	1	1	3	4	5	6	7
35-49	26	3.3	4	1	1	3	5	6	7	9
50-64	96	4.5	10	1	1	4	6	8	11	17
65+	136	4.6	8	1	2	4	6	7	9	17
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	2.2	3	<1	<1	<1	3	5	5	5
50-64	8	2.1	5	<1	<1	<1	2	6	7	7
65+	4	4.3	6	<1	<1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	2.8	3	1	1	2	3	5	6	10
20-34	88	3.9	14	1	1	3	5	8	10	23
35-49	140	4.5	8	1	2	4	6	8	9	14
50-64	573	5.8	17	2	2	5	7	10	13	23
65+	1379	6.6	28	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	13	3.5	19	<1	<1	2	3	12	14	14
20-34	11	5.5	12	<1	1	5	7	11	13	13
35-49	17	4.9	10	1	1	6	7	9	10	11
50-64	67	9.4	78	1	2	7	14	21	29	91
65+	119	9.[illegible]	87	2	2	7	12	21	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	3.3	7	1	1	3	4	6	8	14
B. *Operated*	21	2.3	4	<1	<1	<1	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2453	5.7	22	1	2	5	7	11	13	24
B. *Operated*	227	8.7	74	1	2	6	11	19	24	53
1. SINGLE DX	560	3.3	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	2680	6.0	27	1	2	5	7	11	14	26
A. NOT OPERATED	2992	5.3	20	1	2	4	7	10	13	23
B. OPERATED	248	8.1	71	<1	1	6	10	18	23	51
TOTAL 0-19 YRS	543	2.5	4	1	1	2	3	4	6	12
20-34	127	3.8	12	1	1	3	5	7	10	17
35-49	188	4.3	7	1	2	4	6	8	9	14
50-64	744	5.9	23	1	2	5	7	11	15	26
65+	1638	6.6	31	2	2	5	8	12	15	28
GRAND TOTAL	**3240**	**5.5**	**25**	**1**	**2**	**4**	**7**	**10**	**14**	**24**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	33	4.6	7	1	1	4	6	8	10	12
65+	70	5.8	16	1	2	4	8	12	15	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	8.3	15	4	4	8	11	12	12	12
50-64	3	4.7	2	3	3	5	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	25.0	968	3	3	25	47	47	47	47
20-34	3	9.0	75	4	4	4	15	19	19	19
35-49	32	7.4	43	1	2	6	8	16	25	26
50-64	330	6.7	29	2	2	5	9	12	15	32
65+	843	6.9	22	2	3	6	9	13	15	23
B. *Operated*										
0-19 YRS	5	11.4	54	5	5	8	17	22	22	22
20-34	7	8.1	28	3	3	5	13	15	16	16
35-49	22	10.0	19	4	5	10	13	16	17	18
50-64	51	14.6	238	3	3	9	18	29	35	83
65+	67	16.6	187	4	4	13	22	31	38	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	5.4	13	1	2	4	7	10	13	19
B. *Operated*	7	6.7	12	3	3	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1210	6.9	26	2	2	6	9	13	15	26
B. *Operated*	152	14.4	173	3	4	11	17	29	33	79
1. SINGLE DX	112	5.5	13	1	2	4	7	11	12	19
2. MULTIPLE DX	1362	7.7	48	2	3	6	9	14	19	33
A. NOT OPERATED	1315	6.8	25	2	2	6	8	13	15	25
B. OPERATED	159	14.1	168	3	4	11	17	28	32	79
TOTAL 0-19 YRS	7	15.3	241	3	3	8	20	42	47	47
20-34	10	8.4	36	3	3	5	13	17	19	19
35-49	60	8.3	33	1	2	6	12	16	18	26
50-64	417	7.5	59	2	2	5	9	14	19	36
65+	980	7.5	39	2	3	6	9	14	18	30
GRAND TOTAL	**1474**	**7.6**	**45**	**2**	**3**	**6**	**9**	**14**	**19**	**31**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3228	2.4	2	1	1	2	3	4	5	7
20-34	1047	2.9	3	1	1	3	4	5	6	9
35-49	968	3.5	4	1	1	3	4	6	7	10
50-64	779	3.9	6	1	1	3	5	7	8	12
65+	550	4.2	6	1	2	4	5	7	9	12
B. *Operated*										
0-19 YRS	9	2.0	2	<1	<1	2	2	4	5	5
20-34	3	3.7		3	3	4	4	4	4	4
35-49	4	4.3	1	3	3	4	5	5	5	5
50-64	7	7.4	28	1	2	5	12	15	15	15
65+	4	7.5	25	2	2	7	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2860	2.9	6	1	1	3	4	5	6	10
20-34	1251	3.7	5	1	1	3	5	7	8	11
35-49	1615	4.4	9	1	2	4	5	8	9	14
50-64	2615	5.2	12	2	2	4	6	9	12	17
65+	3638	5.9	16	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	26	5.0	43	1	1	3	6	8	15	35
20-34	40	6.8	40	1	1	5	8	14	22	29
35-49	60	9.8	79	2	4	7	11	18	27	48
50-64	107	11.7	146	2	3	8	13	23	39	68
65+	140	10.9	87	2	3	9	13	21	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6572	3.0	4	1	1	3	4	5	7	10
B. *Operated*	27	4.7	16	1	1	4	5	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	11979	4.6	12	1	2	4	6	8	11	17
B. *Operated*	373	10.1	98	2	3	8	12	20	28	48
1. SINGLE DX	6599	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX	12352	4.8	15	1	2	4	6	9	11	19
A. NOT OPERATED	18551	4.0	9	1	1	3	5	7	9	15
B. OPERATED	400	9.8	94	1	2	7	12	19	27	48
TOTAL 0-19 YRS	6123	2.7	4	1	1	2	3	4	5	8
20-34	2341	3.4	5	1	1	3	4	6	7	11
35-49	2647	4.2	10	1	2	3	5	7	9	14
50-64	3508	5.1	16	1	2	4	6	9	12	19
65+	4332	5.8	18	2	2	5	7	10	13	21
GRAND TOTAL	**18951**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	4	4.0	8	2	2	3	6	8	8	8
35-49	33	4.0	4	<1	1	4	5	7	7	8
50-64	229	4.7	8	1	2	4	6	9	10	14
65+	412	4.9	8	2	2	4	7	8	11	14
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	15	5.3	19	<1	1	4	8	13	14	14
65+	8	3.8	7	<1	<1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.0	20	1	1	4	6	12	15	18
20-34	30	6.5	21	1	1	5	9	14	16	17
35-49	239	5.8	24	1	2	5	7	10	13	30
50-64	1901	6.3	23	2	2	5	8	11	14	24
65+	4970	6.3	22	2	2	5	8	11	15	23
B. *Operated*										
0-19 YRS	8	9.4	65	1	2	8	11	23	27	27
20-34	11	6.8	13	<1	2	7	9	12	14	14
35-49	32	9.8	46	2	3	9	11	16	29	32
50-64	186	9.8	84	1	2	8	12	20	28	46
65+	378	12.8	162	2	4	9	15	26	43	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	4.8	8	1	2	4	6	8	10	14
B. *Operated*	25	4.6	14	<1	1	4	8	8	13	14
2. MULTIPLE DX										
A. *Not Operated*	7163	6.3	22	2	2	5	8	11	14	24
B. *Operated*	615	11.6	131	2	3	8	13	22	34	70
1. SINGLE DX	706	4.8	8	1	2	4	6	8	10	14
2. MULTIPLE DX	7778	6.7	33	2	2	5	8	12	16	28
A. NOT OPERATED	7844	6.2	21	2	2	5	8	11	14	23
B. OPERATED	640	11.3	128	2	3	8	13	22	33	69
TOTAL 0-19 YRS	35	5.8	31	1	1	4	7	13	17	27
20-34	45	6.3	18	1	2	5	9	14	15	17
35-49	305	6.0	26	1	2	5	7	10	14	31
50-64	2331	6.4	28	2	2	5	8	12	15	27
65+	5768	6.7	33	2	2	5	8	12	16	28
GRAND TOTAL	**8484**	**6.6**	**31**	**2**	**2**	**5**	**8**	**12**	**15**	**28**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	5	1	1	1	3	6	7	10
20-34	62	3.0	5	1	1	2	4	6	7	12
35-49	20	3.4	7	<1	1	3	4	7	9	10
50-64	7	2.6	2	1	1	3	3	5	5	5
65+	5	3.6	1	2	2	4	4	5	5	5
B. *Operated*										
0-19 YRS	83	5.1	11	1	2	4	6	10	12	16
20-34	394	5.1	11	2	2	4	6	9	12	19
35-49	129	5.1	11	2	2	4	7	9	12	16
50-64	49	4.9	8	1	1	4	7	8	10	12
65+	26	5.2	12	2	2	4	6	9	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	7	1	1	2	5	7	9	9
20-34	33	3.5	8	1	1	2	5	7	9	14
35-49	17	5.9	16	<1	1	5	9	12	13	13
50-64	29	3.9	13	<1	1	3	6	10	11	15
65+	37	5.3	14	2	2	4	7	10	14	18
B. *Operated*										
0-19 YRS	41	8.9	46	3	3	7	11	15	17	43
20-34	189	7.9	25	3	3	7	10	14	18	30
35-49	115	8.2	32	2	3	6	11	17	19	26
50-64	174	8.4	49	2	3	6	10	18	21	41
65+	297	9.2	62	2	3	7	11	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.9	5	1	1	2	4	6	7	11
B. *Operated*	681	5.1	11	2	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	127	4.4	13	1	1	3	6	9	12	16
B. *Operated*	816	8.6	46	2	3	7	10	17	21	32
1. SINGLE DX	802	4.7	10	1	2	4	6	9	11	17
2. MULTIPLE DX	943	8.0	43	2	2	6	10	16	20	31
A. NOT OPERATED	248	3.7	9	1	1	3	5	8	10	14
B. OPERATED	1497	7.0	33	2	2	5	8	14	18	28
TOTAL 0-19 YRS	162	5.5	24	1	1	4	7	11	14	18
20-34	678	5.6	17	2	2	5	7	11	13	20
35-49	281	6.3	22	1	2	5	8	13	17	22
50-64	259	7.1	40	1	2	6	8	15	20	30
65+	365	8.5	55	2	3	6	10	18	23	36
GRAND TOTAL	**1745**	**6.5**	**31**	**1**	**2**	**5**	**8**	**13**	**17**	**27**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.2	2	1	1	2	3	4	5	6
20-34	105	2.5	3	1	1	2	3	5	6	9
35-49	89	2.8	4	<1	1	2	3	6	7	9
50-64	91	3.4	11	<1	1	2	4	7	11	18
65+	94	4.3	13	1	1	3	6	9	11	18
B. *Operated*										
0-19 YRS	39	2.3	6	<1	<1	1	3	5	8	12
20-34	41	4.4	21	<1	<1	3	6	10	16	19
35-49	75	6.1	43	1	1	5	8	11	13	44
50-64	135	4.7	11	<1	1	4	6	9	11	15
65+	117	5.3	20	<1	1	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	466	4.4	21	1	1	3	5	9	13	21
20-34	328	4.6	21	1	1	3	6	9	11	24
35-49	445	4.5	14	1	1	3	5	9	13	16
50-64	1021	5.6	30	1	2	4	7	11	14	28
65+	3383	7.2	38	1	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	139	8.3	135	<1	1	4	11	22	30	92
20-34	204	8.8	70	1	2	6	11	20	27	50
35-49	330	9.9	119	1	2	7	13	22	32	91
50-64	761	9.5	96	1	2	7	12	20	27	54
65+	1271	12.1	125	1	3	9	16	24	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	2.9	6	1	1	2	4	6	8	13
B. *Operated*	407	4.9	21	<1	1	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	5643	6.3	34	1	2	5	8	12	16	27
B. *Operated*	2705	10.7	114	1	2	8	14	22	31	63
1. SINGLE DX	948	3.8	14	<1	1	3	5	8	11	17
2. MULTIPLE DX	8348	7.7	64	1	2	6	10	16	22	42
A. NOT OPERATED	6184	6.0	32	1	1	4	8	12	15	27
B. OPERATED	3112	9.9	106	1	1	7	13	21	30	60
TOTAL 0-19 YRS	806	4.5	40	<1	1	3	5	10	15	34
20-34	678	5.5	38	1	1	3	7	12	18	31
35-49	939	6.3	59	1	1	4	8	14	19	50
50-64	2008	6.9	57	1	1	5	8	14	20	40
65+	4865	8.4	65	1	2	6	10	17	22	41
GRAND TOTAL	**9296**	**7.3**	**60**	**1**	**1**	**5**	**9**	**15**	**21**	**41**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	4	1	1	2	4	5	8	10
20-34	27	4.4	18	1	1	3	5	9	13	22
35-49	13	3.3	2	1	2	3	4	5	5	5
50-64	4	2.0		2	2	2	2	2	2	2
65+	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	573	2.1	1	<1	<1	2	3	4	4	5
20-34	869	2.7	2	1	1	3	3	4	5	7
35-49	439	2.5	1	1	1	2	3	4	4	6
50-64	147	2.4	4	<1	1	2	3	4	4	12
65+	59	2.2	6	<1	1	1	3	4	4	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.4	2	<1	<1	2	3	4	5	7
20-34	55	3.1	7	<1	<1	2	4	7	10	11
35-49	39	3.0	5	<1	<1	3	4	5	8	10
50-64	37	3.0	12	<1	<1	2	4	5	9	20
65+	32	5.1	15	1	2	4	6	11	15	17
B. *Operated*										
0-19 YRS	560	2.5	2	<1	<1	2	3	4	5	8
20-34	784	3.0	4	1	1	3	4	5	6	9
35-49	453	2.9	3	1	1	3	4	5	6	9
50-64	290	3.2	15	1	1	2	3	5	8	16
65+	259	3.4	30	1	1	2	3	6	11	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.5	9	1	1	3	4	5	10	20
B. *Operated*	2087	2.5	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	203	3.2	8	<1	<1	3	4	6	10	16
B. *Operated*	2346	2.9	8	<1	1	2	3	5	6	12
1. SINGLE DX	2155	2.5	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	2549	3.0	8	<1	1	2	4	5	6	13
A. NOT OPERATED	271	3.3	9	<1	<1	3	4	6	10	17
B. OPERATED	4433	2.7	5	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	1193	2.3	2	<1	<1	2	3	4	5	7
20-34	1735	2.9	3	1	1	3	3	4	6	9
35-49	944	2.8	2	1	1	3	3	4	5	8
50-64	478	2.9	11	<1	1	2	3	5	7	16
65+	354	3.4	25	1	1	2	3	6	11	30
GRAND TOTAL	**4704**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.9	3	1	1	2	4	5	6	7
20-34	28	3.1	2	1	1	3	4	5	6	6
35-49	27	3.6	4	1	1	3	5	6	7	10
50-64	13	2.5	1	1	1	2	3	4	5	5
65+	14	3.9	2	1	2	4	5	6	7	7
B. *Operated*										
0-19 YRS	89	2.0	7	<1	<1	1	2	4	7	68
20-34	92	2.2	4	<1	<1	1	2	4	6	12
35-49	124	1.9	2	<1	1	2	2	3	5	9
50-64	107	2.1	3	<1	<1	2	2	4	7	9
65+	74	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	3.6	6	1	1	3	5	7	8	13
20-34	41	3.7	5	1	1	3	5	6	8	13
35-49	32	4.8	7	2	2	4	7	8	11	11
50-64	47	5.8	14	2	2	5	7	10	13	19
65+	109	6.9	30	1	3	6	8	13	16	32
B. *Operated*										
0-19 YRS	105	3.2	11	<1	1	2	4	6	9	19
20-34	94	3.3	8	1	1	2	4	7	9	13
35-49	137	3.5	17	<1	1	2	4	8	13	21
50-64	156	2.8	7	1	1	2	3	5	8	16
65+	150	4.2	29	1	1	3	5	8	12	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.1	3	1	1	3	4	5	6	8
B. *Operated*	486	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	327	5.1	17	1	2	4	7	9	12	20
B. *Operated*	642	3.4	15	1	1	2	4	7	10	19
1. SINGLE DX	616	2.3	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	969	4.0	16	1	1	3	5	8	11	19
A. NOT OPERATED	457	4.6	14	1	1	4	6	8	11	18
B. OPERATED	1128	2.8	11	<1	1	2	3	6	8	17
TOTAL 0-19 YRS	340	3.0	7	<1	<1	2	4	6	8	19
20-34	255	2.9	6	<1	1	2	4	6	8	13
35-49	320	3.0	10	<1	1	2	4	7	9	15
50-64	323	3.0	8	<1	1	2	4	6	8	16
65+	347	4.5	25	1	1	3	6	9	13	25
GRAND TOTAL	**1585**	**3.3**	**12**	**<1**	**1**	**2**	**4**	**7**	**9**	**17**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.1	3	1	1	2	2	4	6	8
20-34	63	2.2	3	<1	1	2	3	4	5	11
35-49	100	2.2	2	<1	1	2	3	4	5	7
50-64	90	2.4	2	1	1	2	3	5	6	7
65+	68	3.1	9	1	1	3	4	5	7	21
B. *Operated*										
0-19 YRS	52	3.5	9	<1	<1	1	6	7	8	14
20-34	55	4.7	11	<1	1	5	6	8	10	17
35-49	70	4.7	8	<1	<1	5	7	9	10	11
50-64	73	5.0	18	<1	<1	4	7	10	11	22
65+	91	3.5	7	<1	<1	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	3.4	10	1	1	2	4	7	9	19
20-34	289	3.0	4	1	1	3	4	5	7	9
35-49	523	3.2	8	1	1	3	4	6	8	11
50-64	705	3.4	8	1	1	3	4	6	8	15
65+	1190	4.2	11	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	173	8.8	114	<1	<1	7	11	21	28	60
20-34	180	7.3	79	1	2	6	8	13	18	39
35-49	304	6.3	29	1	1	5	7	11	18	28
50-64	490	7.1	77	<1	1	6	9	13	19	45
65+	910	7.5	57	1	2	6	9	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	2.4	4	1	1	2	3	4	5	8
B. *Operated*	341	4.3	11	<1	<1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2963	3.6	9	1	1	3	5	7	9	15
B. *Operated*	2057	7.3	64	1	1	6	9	15	20	38
1. SINGLE DX	799	3.2	8	<1	1	2	4	7	8	12
2. MULTIPLE DX	5020	5.1	35	1	1	4	6	10	15	28
A. NOT OPERATED	3421	3.5	9	1	1	3	4	7	8	15
B. OPERATED	2398	6.9	58	<1	1	5	8	14	19	36
TOTAL 0-19 YRS	618	4.6	44	<1	1	2	6	10	15	30
20-34	587	4.4	31	1	1	3	5	8	11	23
35-49	997	4.2	16	1	1	3	6	8	10	21
50-64	1358	4.7	36	1	1	3	6	9	12	25
65+	2259	5.5	32	1	1	4	7	11	15	29
GRAND TOTAL	**5819**	**4.9**	**32**	**1**	**1**	**3**	**6**	**9**	**14**	**26**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	32	2.8	3	<1	<1	2	4	5	6	6
35-49	31	3.6	4	1	1	3	4	7	8	9
50-64	32	2.8	3	1	1	2	3	5	7	8
65+	27	3.3	7	<1	1	3	4	7	9	11
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	21	5.4	7	<1	1	6	7	8	9	10
35-49	49	5.6	26	<1	<1	5	7	10	13	27
50-64	30	4.5	9	<1	<1	5	6	7	10	13
65+	40	5.3	11	<1	<1	6	8	10	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	15	2	2	3	5	11	12	12
20-34	49	4.2	13	1	2	3	5	7	11	23
35-49	119	4.5	12	1	2	4	6	9	11	20
50-64	148	4.0	7	1	1	3	5	7	9	17
65+	292	5.0	14	1	2	4	6	9	11	22
B. *Operated*										
0-19 YRS	5	5.2	17	1	1	5	7	12	12	12
20-34	53	8.1	46	2	3	6	10	17	19	39
35-49	139	6.6	35	<1	<1	5	9	13	16	34
50-64	183	7.7	65	<1	2	6	9	16	20	30
65+	274	7.0	40	2	2	5	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.1	4	1	1	3	4	6	7	10
B. *Operated*	142	5.2	15	<1	<1	5	7	9	10	24
2. MULTIPLE DX										
A. *Not Operated*	614	4.6	12	1	2	4	6	9	10	21
B. *Operated*	654	7.2	46	<1	2	5	9	14	18	32
1. SINGLE DX	267	4.2	11	<1	<1	3	6	8	9	13
2. MULTIPLE DX	1268	5.9	31	1	2	4	7	11	16	27
A. NOT OPERATED	739	4.3	11	1	1	4	5	8	10	19
B. OPERATED	796	6.8	41	<1	2	5	8	13	17	29
TOTAL 0-19 YRS	16	3.9	12	<1	1	3	5	11	12	12
20-34	155	5.4	26	1	1	4	7	11	16	23
35-49	338	5.4	24	<1	1	4	7	10	13	28
50-64	393	5.7	37	<1	1	4	7	10	16	24
65+	633	5.8	26	1	2	4	7	10	15	26
GRAND TOTAL	**1535**	**5.6**	**28**	**1**	**1**	**4**	**7**	**10**	**15**	**25**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	32	3.0	2	1	1	3	4	5	5	6
35-49	72	3.3	3	1	1	3	4	6	6	10
50-64	73	3.5	3	2	2	3	4	6	6	9
65+	119	3.9	3	2	2	4	5	6	7	10
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	22	5.4	6	1	2	5	7	8	9	10
35-49	39	7.0	18	2	3	6	9	13	17	18
50-64	69	6.2	15	2	2	5	9	12	12	20
65+	83	5.6	10	2	2	5	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.0	21	1	1	3	3	11	16	16
20-34	56	3.2	3	1	2	3	4	6	7	8
35-49	184	4.3	8	2	2	4	5	8	10	15
50-64	421	4.7	13	2	2	4	6	8	10	20
65+	1075	5.3	11	2	2	5	6	9	11	18
B. *Operated*										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	52	7.6	51	2	3	6	8	12	21	42
35-49	160	7.3	35	2	2	6	9	13	17	29
50-64	379	8.9	75	2	3	6	11	17	23	46
65+	1154	9.3	67	2	3	7	11	18	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	3.6	3	1	2	3	5	6	7	10
B. *Operated*	214	6.0	13	2	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1745	5.0	11	2	2	4	6	9	11	18
B. *Operated*	1748	9.0	66	2	3	7	11	17	22	45
1. SINGLE DX	513	4.6	9	1	2	4	6	8	11	15
2. MULTIPLE DX	3493	7.0	42	2	2	5	8	13	18	37
A. NOT OPERATED	2044	4.8	10	2	2	4	6	8	10	17
B. OPERATED	1962	8.7	61	2	3	7	11	16	22	44
TOTAL 0-19 YRS	16	4.1	16	<1	1	3	4	10	14	16
20-34	162	4.9	22	1	2	4	6	8	10	33
35-49	455	5.4	20	2	2	4	7	10	13	22
50-64	942	6.4	41	2	2	5	7	12	17	40
65+	2431	7.2	42	2	3	5	9	13	18	35
GRAND TOTAL	**4006**	**6.7**	**39**	**2**	**2**	**5**	**8**	**13**	**17**	**34**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	3	1	1	2	3	4	7	8
20-34	142	2.6	2	1	1	2	3	4	5	8
35-49	132	2.7	3	1	1	2	3	5	6	8
50-64	63	3.1	3	1	1	3	4	6	7	10
65+	37	3.4	9	1	1	3	4	6	7	18
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	23	6.9	8	2	4	7	8	9	12	16
35-49	44	7.8	19	3	3	7	9	11	15	28
50-64	20	8.6	13	3	4	8	11	14	15	15
65+	12	4.6	7	<1	1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.3	3	1	1	3	4	5	6	8
20-34	192	3.4	5	1	1	3	4	6	7	11
35-49	298	3.5	6	1	1	3	4	6	8	13
50-64	293	3.6	6	1	1	3	4	6	8	12
65+	609	4.5	8	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	38	7.8	28	1	2	7	10	16	19	23
35-49	101	7.9	25	2	4	7	9	13	17	30
50-64	102	8.0	33	2	3	7	10	15	19	31
65+	145	8.5	36	2	3	7	11	15	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	2.8	3	1	1	2	3	5	6	9
B. *Operated*	102	7.2	15	2	3	7	8	11	15	22
2. MULTIPLE DX										
A. *Not Operated*	1432	3.9	7	1	1	3	5	7	9	13
B. *Operated*	388	8.1	31	2	3	7	10	14	18	33
1. SINGLE DX	500	3.7	9	1	1	3	4	7	9	15
2. MULTIPLE DX	1820	4.8	15	1	2	4	6	9	12	20
A. NOT OPERATED	1830	3.7	6	1	1	3	5	7	8	13
B. OPERATED	490	7.9	28	2	3	7	9	14	17	30
TOTAL 0-19 YRS	69	3.0	3	1	1	3	4	5	6	8
20-34	395	3.7	9	1	1	3	4	7	9	17
35-49	575	4.4	14	1	1	3	6	8	11	19
50-64	478	4.7	16	1	2	4	6	9	12	21
65+	803	5.2	16	2	2	4	7	9	12	20
GRAND TOTAL	**2320**	**4.6**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	2	1	1	2	3	5	6	7
20-34	134	3.1	3	1	1	3	4	6	7	9
35-49	183	3.2	3	1	2	3	4	6	7	9
50-64	182	3.6	3	1	2	3	5	6	7	9
65+	155	3.9	5	1	2	3	5	7	8	12
B. *Operated*										
0-19 YRS	5	8.0	22	4	4	6	10	16	16	16
20-34	58	6.8	8	3	4	6	8	10	13	14
35-49	88	7.2	17	3	3	7	9	11	12	29
50-64	79	7.4	10	3	4	7	9	11	14	19
65+	58	7.9	11	2	4	7	10	13	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.0	3	1	1	3	4	5	7	8
20-34	195	3.5	3	1	1	3	5	6	7	8
35-49	363	3.8	5	1	2	3	5	6	7	11
50-64	632	4.5	10	2	2	4	6	8	9	15
65+	1429	5.5	15	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	7	22.4	1129	2	3	8	21	82	97	97
20-34	66	8.2	20	3	4	8	9	13	14	31
35-49	161	8.8	37	2	3	7	11	15	20	30
50-64	315	9.8	70	2	3	8	11	17	26	51
65+	694	12.0	74	3	4	10	15	23	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	674	3.5	3	1	2	3	4	6	7	10
B. *Operated*	288	7.3	12	3	4	7	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2643	4.8	12	2	2	4	6	8	11	17
B. *Operated*	1243	10.9	73	3	4	9	13	19	28	51
1. SINGLE DX	962	4.6	9	1	2	4	6	8	10	14
2. MULTIPLE DX	3886	6.8	40	2	2	5	8	13	17	35
A. NOT OPERATED	3317	4.6	11	1	2	4	6	8	10	16
B. OPERATED	1531	10.2	63	3	4	8	12	18	26	49
TOTAL 0-19 YRS	56	5.8	169	1	1	3	5	8	15	93
20-34	453	4.5	10	1	2	4	6	8	10	14
35-49	795	5.0	17	1	2	4	6	9	12	23
50-64	1208	6.0	31	2	2	5	7	11	14	30
65+	2336	7.4	41	2	2	5	9	14	19	37
GRAND TOTAL	**4848**	**6.4**	**34**	**2**	**2**	**5**	**8**	**12**	**16**	**31**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	16	2	2	4	5	12	13	13
35-49	11	6.8	77	3	3	4	5	17	32	33
50-64	15	4.1	2	2	3	4	5	6	6	6
65+	17	4.4	3	1	2	4	6	7	8	8
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	11	8.8	20	1	3	8	11	15	19	19
35-49	26	8.6	15	2	3	8	11	14	15	16
50-64	19	10.1	18	3	4	10	12	17	18	18
65+	25	10.3	15	6	6	9	14	15	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	7	2	2	2	5	8	8	8
20-34	23	5.2	9	1	2	4	7	9	12	13
35-49	46	4.5	5	1	2	4	6	8	9	10
50-64	52	6.5	23	1	2	5	8	14	15	27
65+	132	5.8	12	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS										
20-34	19	11.0	44	2	3	10	14	22	25	25
35-49	68	12.0	53	4	6	10	14	21	25	43
50-64	101	14.7	198	3	5	11	16	31	38	86
65+	230	14.8	152	3	4	12	18	27	31	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.9	20	2	2	4	5	7	8	33
B. *Operated*	83	9.4	16	3	5	9	12	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	258	5.6	13	1	2	5	7	10	13	17
B. *Operated*	418	14.2	143	3	4	11	17	26	33	78
1. SINGLE DX	132	7.8	22	2	3	7	10	14	16	23
2. MULTIPLE DX	676	10.9	111	2	3	8	13	21	29	50
A. NOT OPERATED	307	5.5	14	2	2	5	7	10	13	18
B. OPERATED	501	13.4	125	3	4	10	15	25	31	75
TOTAL 0-19 YRS	7	4.3	6	2	2	4	6	8	8	8
20-34	59	7.7	29	2	2	7	10	14	19	25
35-49	151	8.7	44	2	3	8	10	16	21	38
50-64	187	11.1	132	2	3	8	13	21	32	68
65+	404	11.2	110	2	3	8	14	23	29	59
GRAND TOTAL	**808**	**10.4**	**97**	**2**	**3**	**8**	**13**	**20**	**27**	**47**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.0	1	<1	1	2	2	3	5	6
20-34	281	2.3	2	<1	1	2	3	4	5	8
35-49	234	2.3	2	1	1	2	3	4	5	6
50-64	132	2.4	2	<1	1	2	3	4	6	8
65+	75	2.5	3	<1	1	2	3	4	6	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	2.2	2	<1	<1	2	3	4	5	5
35-49	22	3.5	11	<1	<1	2	5	10	11	11
50-64	40	4.4	12	<1	<1	3	7	9	10	12
65+	25	3.0	13	<1	<1	<1	5	7	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	283	2.3	3	1	1	2	3	4	5	10
20-34	861	3.0	5	1	1	2	4	5	7	12
35-49	907	3.5	7	1	1	3	4	6	8	14
50-64	1027	3.9	9	1	1	3	5	7	9	16
65+	1622	4.6	15	1	2	4	5	8	11	19
B. *Operated*										
0-19 YRS	18	3.6	5	<1	<1	3	5	7	9	9
20-34	133	5.0	20	<1	1	4	6	11	15	24
35-49	177	5.8	28	<1	<1	4	7	12	14	32
50-64	271	5.4	22	<1	1	5	7	10	13	32
65+	415	7.5	57	<1	2	6	9	13	19	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	836	2.3	2	<1	1	2	3	4	5	7
B. *Operated*	110	3.4	10	<1	<1	2	5	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	4700	3.8	10	1	1	3	5	7	9	16
B. *Operated*	1014	6.2	38	<1	1	5	8	12	16	34
1. SINGLE DX	946	2.4	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX	5714	4.2	16	1	1	3	5	8	10	19
A. NOT OPERATED	5536	3.6	9	1	1	3	4	6	8	15
B. OPERATED	1124	6.0	36	<1	<1	5	7	11	15	33
TOTAL 0-19 YRS	416	2.3	3	<1	1	2	3	4	5	9
20-34	1297	3.0	6	1	1	2	4	5	7	15
35-49	1340	3.6	10	1	1	3	4	7	9	16
50-64	1470	4.0	11	1	1	3	5	7	10	17
65+	2137	5.0	24	1	2	4	6	9	12	23
GRAND TOTAL	**6660**	**4.0**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	1.9	1	<1	1	2	2	4	4	7
20-34	42	2.4	1	<1	1	2	3	4	5	6
35-49	51	3.5	11	1	1	3	4	7	12	18
50-64	43	3.2	3	<1	1	3	4	6	7	8
65+	19	3.1	3	<1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	35	3.1	2	1	2	3	4	5	6	9
20-34	16	5.3	12	<1	1	5	8	10	11	11
35-49	14	8.6	31	<1	1	9	11	16	19	20
50-64	17	7.5	35	<1	<1	7	10	16	20	22
65+	14	8.2	94	<1	<1	5	10	23	32	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	8.0	164	1	1	3	5	34	40	50
20-34	180	7.3	138	1	1	3	6	13	40	53
35-49	191	4.6	36	1	1	3	5	8	11	40
50-64	216	4.5	16	1	1	3	6	9	14	20
65+	371	5.2	19	1	2	4	7	10	15	21
B. *Operated*										
0-19 YRS	29	6.0	40	1	2	4	6	12	21	30
20-34	34	8.9	34	2	3	7	13	18	19	26
35-49	96	9.8	56	1	2	7	14	20	27	30
50-64	143	11.8	78	2	3	9	15	22	30	42
65+	266	13.4	134	2	4	10	17	25	30	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	2.8	5	<1	1	2	3	5	6	12
B. *Operated*	96	5.8	31	<1	<1	4	8	11	17	29
2. MULTIPLE DX										
A. *Not Operated*	1062	5.6	57	1	1	3	6	10	17	44
B. *Operated*	568	11.7	100	2	3	9	15	24	28	45
1. SINGLE DX	299	3.8	15	<1	1	3	4	8	11	21
2. MULTIPLE DX	1630	7.7	80	1	1	5	9	17	25	44
A. NOT OPERATED	1265	5.1	49	1	1	3	5	9	15	40
B. OPERATED	664	10.9	94	1	2	8	15	23	27	44
TOTAL 0-19 YRS	216	5.6	91	1	1	2	4	12	33	44
20-34	272	6.6	100	1	1	3	6	13	36	52
35-49	352	6.0	43	1	1	4	7	13	18	39
50-64	419	7.0	49	1	1	5	9	16	21	37
65+	670	8.4	82	1	2	6	10	19	24	39
GRAND TOTAL	**1929**	**7.1**	**72**	**1**	**1**	**4**	**8**	**16**	**23**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.1	3	<1	<1	2	3	4	6	8
20-34	32	2.2	1	<1	<1	2	3	4	5	5
35-49	10	3.1	5	<1	<1	3	5	6	7	7
50-64	6	3.7	9	1	1	3	5	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	4183	2.7	1	1	2	3	3	4	5	7
20-34	3491	2.9	1	1	2	3	3	4	5	7
35-49	1143	3.2	2	2	2	3	4	5	6	8
50-64	368	3.5	2	2	2	3	4	5	6	9
65+	122	4.1	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	6	<1	<1	1	3	7	8	9
20-34	16	1.8	1	<1	<1	1	2	3	4	5
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	2	10.0	162	1	1	10	19	19	19	19
B. *Operated*										
0-19 YRS	826	3.7	5	2	2	3	4	6	8	13
20-34	829	3.9	6	2	2	3	4	6	8	13
35-49	369	4.4	6	2	2	4	5	7	10	13
50-64	200	5.4	9	2	3	4	7	10	12	16
65+	136	6.3	20	3	3	5	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.5	3	<1	<1	2	3	5	6	9
B. *Operated*	9307	2.9	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	39	2.7	11	<1	<1	1	3	6	9	19
B. *Operated*	2360	4.2	7	2	2	3	5	7	9	15
1. SINGLE DX	9379	2.9	1	1	2	3	3	4	5	7
2. MULTIPLE DX	2399	4.2	7	2	2	3	5	7	9	15
A. NOT OPERATED	111	2.5	6	<1	<1	2	3	5	7	13
B. OPERATED	11667	3.2	3	1	2	3	4	5	6	10
TOTAL 0-19 YRS	5048	2.9	2	1	2	3	3	4	5	8
20-34	4368	3.0	2	1	2	3	4	4	5	8
35-49	1524	3.5	3	2	2	3	4	5	6	11
50-64	577	4.1	6	2	2	4	5	7	9	14
65+	261	5.3	14	2	2	4	6	9	13	19
GRAND TOTAL	**11778**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	5.9	5	3	3	6	8	9	9	9
20-34	9	4.3	5	1	2	4	5	8	9	9
35-49	8	4.8	5	2	2	4	6	8	8	8
50-64	5	6.6	27	1	1	5	9	15	15	15
65+	3	7.0	25	2	2	7	11	12	12	12
B. *Operated*										
0-19 YRS	932	5.7	7	2	3	5	7	9	11	14
20-34	565	5.3	7	2	3	5	7	8	10	13
35-49	345	6.0	7	2	3	6	8	9	10	14
50-64	203	6.5	9	3	3	6	8	10	11	19
65+	110	7.0	10	3	3	7	9	11	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	6	5.8	13	3	3	5	5	12	13	13
35-49	2	4.5	25	<1	<1	4	8	8	8	8
50-64	4	7.5	4	5	5	8	9	9	9	9
65+	6	11.8	79	1	1	11	18	24	25	25
B. *Operated*										
0-19 YRS	680	8.0	22	3	4	7	9	14	16	26
20-34	481	7.8	19	3	4	7	9	12	15	26
35-49	386	8.7	24	4	4	8	11	14	18	27
50-64	407	9.7	41	4	5	8	11	16	20	31
65+	402	11.3	65	4	5	9	12	18	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.4	9	1	2	5	7	9	11	15
B. *Operated*	2155	5.8	7	2	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	20	8.1	34	<1	2	7	10	16	21	25
B. *Operated*	2356	8.9	34	3	4	8	10	15	18	32
1. SINGLE DX	2190	5.8	7	2	3	5	7	9	10	14
2. MULTIPLE DX	2376	8.9	34	3	4	8	10	15	18	32
A. NOT OPERATED	55	6.4	19	1	2	5	8	12	15	25
B. OPERATED	4511	7.4	24	3	3	7	9	12	15	26
TOTAL 0-19 YRS	1624	6.7	14	2	3	6	8	11	13	22
20-34	1061	6.4	14	2	3	6	8	11	12	20
35-49	741	7.4	18	3	3	7	9	12	15	23
50-64	619	8.6	32	3	4	7	10	14	17	30
65+	521	10.3	56	4	5	9	12	17	24	44
GRAND TOTAL	**4566**	**7.4**	**24**	**3**	**3**	**7**	**9**	**12**	**15**	**26**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.3		<1	<1	1	1	2	3	3
20-34	19	1.6		<1	<1	1	2	3	3	3
35-49	13	2.9	5	<1	1	2	3	7	8	8
50-64	5	2.0	2	<1	<1	1	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	233	3.0	2	1	2	3	3	4	5	9
20-34	223	3.0	2	1	2	3	4	5	5	7
35-49	66	3.2	3	1	1	3	4	6	6	7
50-64	20	4.1	5	2	2	3	5	7	9	10
65+	14	5.1	4	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.6	1	<1	1	2	2	3	3	3
20-34	15	1.5	1	1	1	1	2	2	4	4
35-49	6	2.7	3	1	1	2	3	6	6	6
50-64	7	4.6	8	1	1	5	6	8	9	9
65+	5	2.8	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	146	3.7	3	2	2	3	4	6	7	10
20-34	151	4.3	6	2	2	4	5	7	9	12
35-49	57	4.6	6	2	2	4	5	8	10	12
50-64	28	5.5	8	3	3	5	6	9	13	14
65+	19	9.3	24	4	5	7	14	17	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	1.8	2	<1	<1	1	2	3	5	8
B. *Operated*	556	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	49	2.3	3	1	1	2	3	5	6	9
B. *Operated*	401	4.5	7	2	2	4	5	8	10	16
1. SINGLE DX	611	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX	450	4.2	7	1	2	4	5	7	10	15
A. NOT OPERATED	104	2.0	3	<1	1	2	2	4	6	8
B. OPERATED	957	3.7	5	2	2	3	4	6	8	12
TOTAL 0-19 YRS	413	3.1	3	1	1	3	4	5	6	10
20-34	408	3.4	4	1	2	3	4	5	7	11
35-49	142	3.7	5	1	2	3	5	6	8	11
50-64	60	4.6	7	1	2	4	6	8	10	14
65+	38	6.9	20	2	3	6	8	15	17	19
GRAND TOTAL	**1061**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	12	1.5		<1	<1	1	2	2	2	2
35-49	11	1.5		<1	<1	1	2	3	3	3
50-64	16	1.6	1	<1	<1	1	2	3	3	3
65+	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	1135	1.2		<1	<1	<1	1	2	2	4
20-34	1655	1.6	1	<1	1	1	2	3	3	5
35-49	1602	1.6	1	<1	1	1	2	3	3	5
50-64	2156	1.8	1	<1	1	1	2	3	4	5
65+	1333	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	1.1		<1	<1	<1	1	2	2	3
20-34	11	1.5	1	<1	<1	1	1	3	5	5
35-49	13	1.8	2	<1	<1	1	2	4	6	6
50-64	36	1.9	4	<1	<1	1	2	5	5	10
65+	51	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*										
0-19 YRS	769	1.5	4	<1	<1	1	1	2	3	7
20-34	570	2.0	2	1	1	2	3	3	4	6
35-49	901	2.2	2	1	1	2	3	4	5	9
50-64	1824	2.4	3	1	1	2	3	4	5	8
65+	2608	2.9	6	1	1	2	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	1.4		<1	<1	1	2	2	3	3
B. *Operated*	7881	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	152	1.8	2	<1	<1	1	2	4	5	9
B. *Operated*	6672	2.4	4	<1	1	2	3	4	6	10
1. SINGLE DX	7930	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	6824	2.4	4	<1	1	2	3	4	6	10
A. NOT OPERATED	201	1.7	2	<1	<1	1	2	3	5	8
B. OPERATED	14553	2.0	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	1950	1.3	2	<1	<1	1	1	2	2	4
20-34	2248	1.7	1	<1	1	1	2	3	4	5
35-49	2527	1.8	2	<1	1	1	2	3	4	6
50-64	4032	2.1	2	<1	1	2	3	4	5	7
65+	3997	2.6	5	<1	1	2	3	5	6	11
GRAND TOTAL	**14754**	**2.0**	**3**	**<1**	**<1**	**1**	**3**	**4**	**5**	**8**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	7	1.9	5	<1	<1	1	1	6	7	7
B. *Operated*										
0-19 YRS	239	1.3		<1	<1	1	2	2	3	4
20-34	99	1.9	1	1	1	2	2	3	4	7
35-49	75	2.3	2	1	1	2	3	4	5	6
50-64	106	2.8	3	1	1	2	4	5	6	9
65+	194	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	1	1	1	2	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.8	5	<1	<1	2	4	6	6	6
65+	32	2.7	3	<1	1	2	4	5	6	7
B. *Operated*										
0-19 YRS	177	1.9	2	<1	1	1	2	4	5	7
20-34	40	2.8	4	1	1	2	4	5	6	11
35-49	48	3.1	5	1	1	2	4	6	7	12
50-64	113	4.2	8	1	1	3	5	8	11	14
65+	594	5.7	32	1	2	4	7	11	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.6	3	<1	<1	1	1	4	6	7
B. *Operated*	713	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	46	2.5	3	<1	1	2	4	5	6	7
B. *Operated*	972	4.6	24	1	1	3	6	9	13	22
1. SINGLE DX	726	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	1018	4.5	23	1	1	3	5	9	13	21
A. NOT OPERATED	59	2.3	3	<1	<1	1	4	5	6	7
B. OPERATED	1685	3.6	16	1	1	2	4	7	10	19
TOTAL 0-19 YRS	426	1.5	1	<1	<1	1	2	3	4	5
20-34	141	2.1	2	<1	1	2	3	4	5	8
35-49	124	2.6	3	1	1	2	3	5	6	10
50-64	226	3.5	6	1	1	3	4	6	9	13
65+	827	5.0	26	1	1	4	6	10	13	22
GRAND TOTAL	**1744**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	128	1.1		<1	<1	<1	<1	1	1	4
20-34	85	1.6	1	<1	<1	1	2	3	4	5
35-49	113	1.5	1	<1	<1	1	2	3	3	5
50-64	106	1.7	1	<1	<1	1	2	3	4	5
65+	38	2.1	2	<1	<1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.3		<1	<1	<1	1	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	1.5		<1	<1	1	2	2	2	2
65+	7	5.3	14	1	1	5	6	12	13	13
B. *Operated*										
0-19 YRS	40	2.2	26	<1	<1	<1	1	3	5	33
20-34	43	2.1	2	<1	1	2	3	3	4	8
35-49	114	2.6	3	1	1	2	3	5	6	8
50-64	139	2.6	4	<1	1	2	3	5	7	10
65+	85	3.3	9	1	1	3	4	7	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*	470	1.5	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	19	2.8	9	<1	<1	2	4	6	10	13
B. *Operated*	421	2.7	7	<1	1	2	3	5	7	10
1. SINGLE DX	474	1.5	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	440	2.7	7	<1	<1	2	3	5	7	11
A. NOT OPERATED	23	2.6	7	<1	<1	2	3	5	8	13
B. OPERATED	891	2.1	4	<1	<1	1	3	4	5	9
TOTAL 0-19 YRS	170	1.4	7	<1	<1	<1	1	1	2	7
20-34	133	1.7	1	<1	<1	1	2	3	4	6
35-49	229	2.1	2	<1	<1	2	3	4	5	7
50-64	251	2.2	3	<1	<1	2	3	4	5	9
65+	131	3.1	8	<1	1	2	4	6	7	15
GRAND TOTAL	**914**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**9**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	4.0	9	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	41	1.5	1	<1	<1	1	2	3	4	6
20-34	180	2.3	2	<1	1	2	3	4	5	8
35-49	368	2.9	3	1	1	3	4	5	6	8
50-64	417	3.0	3	1	1	3	4	5	6	8
65+	276	3.4	4	1	1	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.2		<1	<1	<1	1	2	2	2
35-49	12	2.5	16	<1	<1	1	2	7	14	15
50-64	24	3.0	19	<1	<1	2	3	5	10	22
65+	30	2.9	4	<1	<1	2	4	6	6	7
B. *Operated*										
0-19 YRS	31	3.9	18	<1	<1	3	5	7	16	19
20-34	141	3.9	7	1	1	3	5	7	8	13
35-49	403	4.5	8	1	1	4	6	8	10	15
50-64	639	4.9	11	1	2	4	6	8	10	15
65+	788	5.4	19	1	2	5	7	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	5	<1	<1	1	4	6	7	7
B. *Operated*	1282	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	72	2.8	10	<1	<1	2	3	5	6	20
B. *Operated*	2002	4.9	13	1	2	4	6	9	11	18
1. SINGLE DX	1289	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	2074	4.9	13	1	1	4	6	9	11	18
A. NOT OPERATED	79	2.7	10	<1	<1	2	3	5	7	20
B. OPERATED	3284	4.1	10	1	1	4	5	7	9	15
TOTAL 0-19 YRS	72	2.6	10	<1	<1	1	3	5	7	18
20-34	327	2.9	5	<1	1	2	4	5	7	10
35-49	786	3.7	6	1	1	3	5	7	8	13
50-64	1081	4.1	9	1	1	4	5	7	9	14
65+	1097	4.8	15	1	1	4	6	9	11	18
GRAND TOTAL	**3363**	**4.1**	**10**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	1.5		1	1	1	2	2	2	2
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64	19	1.9	1	<1	1	2	2	4	5	5
65+	16	3.0	5	1	1	2	4	6	9	10
B. *Operated*										
0-19 YRS	5	6.4	3	5	5	6	7	9	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	15	5.0	5	1	1	5	7	8	9	9
50-64	25	5.3	5	1	2	6	7	8	9	10
65+	13	6.5	7	1	3	7	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	39	2.4	2	<1	1	2	3	4	4	7
35-49	117	2.7	3	<1	1	2	4	5	6	9
50-64	219	3.1	4	1	1	3	4	6	6	9
65+	366	3.9	10	1	1	3	5	7	8	19
B. *Operated*										
0-19 YRS	9	8.3	17	3	3	8	11	14	15	15
20-34	46	5.9	14	2	2	6	7	8	11	26
35-49	146	7.0	12	3	4	7	8	10	12	24
50-64	214	6.4	13	1	2	6	8	10	12	20
65+	204	7.9	20	2	3	7	10	12	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.2	2	1	1	2	3	4	5	10
B. *Operated*	59	5.6	6	1	2	6	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	744	3.4	7	1	1	3	4	6	7	14
B. *Operated*	619	7.1	15	2	3	7	8	11	14	22
1. SINGLE DX	109	4.0	7	1	1	4	6	7	9	11
2. MULTIPLE DX	1363	5.1	14	1	1	4	7	9	11	20
A. NOT OPERATED	794	3.3	7	1	1	3	4	6	7	13
B. OPERATED	678	6.9	15	2	3	7	8	10	13	21
TOTAL 0-19 YRS	18	6.6	13	2	3	6	9	12	14	15
20-34	92	4.1	11	1	1	3	6	7	8	21
35-49	286	5.0	12	1	1	5	7	9	10	18
50-64	477	4.7	11	1	1	4	7	8	10	17
65+	599	5.3	17	1	1	4	7	10	12	21
GRAND TOTAL	**1472**	**5.0**	**14**	**1**	**1**	**4**	**7**	**9**	**11**	**20**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	4.0	9	1	1	3	6	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	42	2.0	4	<1	1	1	2	3	6	10
35-49	36	2.5	6	<1	1	1	3	5	9	11
50-64	54	2.1	3	<1	1	1	2	4	7	10
65+	40	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.0	4	1	1	3	4	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	6	4.2	11	<1	<1	4	5	9	10	10
B. *Operated*										
0-19 YRS	7	2.1	1	1	1	2	3	4	4	4
20-34	22	3.4	3	1	1	3	4	6	7	8
35-49	26	5.9	203	<1	1	2	5	6	22	75
50-64	56	4.0	16	1	1	3	5	8	10	26
65+	94	3.5	12	1	1	3	5	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.4	14	1	1	3	7	10	11	11
B. *Operated*	178	2.2	4	<1	1	1	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	15	3.4	7	<1	<1	3	5	6	9	10
B. *Operated*	205	3.9	36	1	1	3	5	7	9	26
1. SINGLE DX	185	2.3	5	<1	1	1	3	4	8	11
2. MULTIPLE DX	220	3.9	34	1	1	3	5	7	9	26
A. NOT OPERATED	22	3.7	9	<1	<1	3	5	9	10	11
B. OPERATED	383	3.1	22	1	1	2	4	6	8	14
TOTAL 0-19 YRS	13	1.6	1	<1	<1	1	2	3	4	4
20-34	71	2.6	5	1	1	2	3	5	8	11
35-49	64	3.8	87	<1	1	2	4	6	9	66
50-64	116	3.1	11	1	1	2	4	6	8	18
65+	141	3.3	10	1	1	2	4	7	9	15
GRAND TOTAL	**405**	**3.1**	**21**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	2.3	2	<1	<1	2	3	5	5	5
65+	17	2.9	3	<1	1	3	5	5	6	6
B. *Operated*										
0-19 YRS	19	2.0	2	<1	<1	2	2	4	6	6
20-34	88	2.3	3	<1	1	2	3	4	6	10
35-49	152	2.8	5	1	1	2	3	6	7	11
50-64	167	3.4	6	1	1	3	5	7	8	13
65+	174	3.9	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	8	3.6	8	<1	<1	3	4	8	10	10
50-64	14	2.6	5	1	1	2	4	6	7	8
65+	66	4.5	12	1	1	3	6	9	11	16
B. *Operated*										
0-19 YRS	11	5.3	11	<1	1	5	8	10	11	11
20-34	62	4.3	9	1	1	3	6	8	10	13
35-49	165	5.7	34	1	2	4	7	10	13	35
50-64	304	7.1	47	1	2	6	8	13	18	37
65+	734	8.6	81	1	2	7	10	15	21	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.4	3	<1	<1	2	3	5	5	6
B. *Operated*	600	3.2	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	92	4.0	11	<1	1	3	5	9	11	16
B. *Operated*	1276	7.6	64	1	2	6	9	14	19	46
1. SINGLE DX	630	3.1	6	1	1	2	4	6	8	11
2. MULTIPLE DX	1368	7.4	61	1	2	6	9	14	19	45
A. NOT OPERATED	122	3.6	9	<1	1	3	5	8	10	16
B. OPERATED	1876	6.2	50	1	1	5	8	12	16	36
TOTAL 0-19 YRS	32	3.1	7	<1	<1	2	4	7	9	11
20-34	156	3.1	6	<1	1	2	4	7	8	12
35-49	327	4.2	22	1	1	3	5	9	10	22
50-64	492	5.6	35	1	1	4	7	11	15	32
65+	991	7.4	66	1	2	6	9	14	19	46
GRAND TOTAL	**1998**	**6.1**	**48**	**1**	**1**	**4**	**8**	**11**	**15**	**35**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.4	5	<1	1	2	3	5	6	13
20-34	238	3.0	4	1	1	2	4	6	7	10
35-49	342	3.3	5	1	1	3	4	6	7	11
50-64	440	3.4	5	1	1	3	4	6	8	12
65+	525	3.6	5	1	1	3	5	6	8	10
B. *Operated*										
0-19 YRS	125	5.3	9	2	2	5	7	9	10	16
20-34	154	7.8	13	3	4	7	9	12	16	21
35-49	162	9.0	53	3	3	7	11	14	21	34
50-64	175	8.9	15	5	5	8	10	14	16	23
65+	175	9.0	16	4	5	8	10	13	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.0	50	1	1	3	4	6	9	43
20-34	309	4.0	10	1	1	3	5	7	9	17
35-49	535	4.3	12	1	1	4	5	8	10	22
50-64	973	4.9	12	1	2	4	6	9	11	19
65+	2890	5.4	20	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	180	9.1	78	2	3	7	10	16	29	67
20-34	248	10.6	77	4	4	9	12	19	24	46
35-49	423	13.1	116	5	6	10	15	24	33	61
50-64	718	13.2	107	5	6	10	15	23	31	61
65+	1689	14.2	87	5	7	12	17	24	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1675	3.3	5	1	1	3	4	6	7	11
B. *Operated*	791	8.2	23	3	4	7	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	4833	5.0	18	1	2	4	6	9	12	20
B. *Operated*	3258	13.3	96	4	6	11	16	23	31	56
1. SINGLE DX	2466	4.9	16	1	1	4	6	9	12	19
2. MULTIPLE DX	8091	8.4	66	2	2	6	10	17	22	43
A. NOT OPERATED	6508	4.6	15	1	1	4	6	8	11	19
B. OPERATED	4049	12.3	86	4	5	10	14	22	29	53
TOTAL 0-19 YRS	561	5.6	46	1	1	4	7	10	15	38
20-34	949	6.1	36	1	1	5	8	11	15	28
35-49	1462	7.1	62	1	2	5	8	14	21	41
50-64	2306	7.5	57	1	2	6	9	14	20	42
65+	5279	8.2	58	2	2	6	10	16	21	40
GRAND TOTAL	**10557**	**7.6**	**56**	**1**	**2**	**6**	**9**	**15**	**20**	**39**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1287	1.9	2	<1	1	2	2	3	4	6
20-34	917	1.9	1	<1	1	2	2	4	4	6
35-49	469	2.2	2	<1	1	2	3	4	5	7
50-64	274	2.3	2	<1	1	2	3	4	6	8
65+	229	2.7	4	<1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	69	3.6	25	1	1	3	4	5	6	36
20-34	71	3.2	4	<1	1	3	4	6	7	11
35-49	35	4.1	5	1	2	4	5	8	9	10
50-64	31	3.7	4	1	1	4	5	6	7	9
65+	19	5.4	60	<1	<1	3	6	10	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3132	2.5	5	1	1	2	3	4	5	9
20-34	1550	2.5	5	1	1	2	3	5	6	11
35-49	1035	3.1	10	1	1	2	4	6	8	13
50-64	1274	3.5	8	1	1	3	4	6	8	16
65+	2814	4.1	9	1	2	3	5	8	9	15
B. *Operated*										
0-19 YRS	83	6.1	68	2	2	4	6	14	26	86
20-34	145	4.5	14	1	1	4	5	8	11	21
35-49	124	6.2	38	1	2	4	7	13	16	35
50-64	157	8.3	78	1	2	5	10	16	28	44
65+	329	9.3	72	2	3	7	11	18	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3176	2.0	2	<1	1	2	3	4	5	7
B. *Operated*	225	3.7	15	<1	1	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	9805	3.2	7	1	1	2	4	6	8	13
B. *Operated*	838	7.5	61	1	2	5	9	15	22	43
1. SINGLE DX	3401	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	10643	3.5	13	1	1	3	4	7	9	17
A. NOT OPERATED	12981	2.9	6	1	1	2	4	5	7	12
B. OPERATED	1063	6.7	53	1	2	4	8	14	20	42
TOTAL 0-19 YRS	4571	2.4	6	1	1	2	3	4	5	9
20-34	2683	2.5	5	<1	1	2	3	4	6	10
35-49	1663	3.1	11	1	1	2	4	6	8	15
50-64	1736	3.7	15	1	1	3	4	7	9	20
65+	3391	4.5	18	1	1	3	5	8	11	21
GRAND TOTAL	**14044**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	40	4.5	12	1	1	4	6	9	10	20
35-49	241	4.0	5	1	2	4	5	7	9	11
50-64	394	4.2	5	1	2	4	6	7	8	11
65+	378	4.1	6	1	2	4	5	7	8	12
B. *Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	25	7.2	5	4	4	7	9	10	11	[illegible]
35-49	110	7.2	11	3	4	7	8	10	11	21
50-64	148	7.9	9	3	5	8	9	11	13	19
65+	112	9.7	17	5	6	9	11	16	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	4	1	1	3	4	6	6	6
20-34	27	4.6	9	1	2	4	6	9	11	13
35-49	207	4.5	6	2	2	4	6	8	9	12
50-64	770	4.6	6	1	2	4	6	8	9	13
65+	2483	5.3	13	2	2	4	7	9	11	18
B. *Operated*										
0-19 YRS	4	9.0	37	5	5	6	12	18	18	18
20-34	60	9.3	32	3	4	8	11	15	20	30
35-49	263	10.8	79	4	5	9	11	16	27	56
50-64	603	11.0	53	3	6	9	12	17	23	46
65+	1252	12.6	71	4	5	11	15	22	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	4.1	5	1	2	4	5	7	8	11
B. *Operated*	397	8.2	12	4	5	8	10	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	3492	5.1	11	2	2	4	6	9	11	17
B. *Operated*	2182	11.9	67	4	5	10	14	20	26	48
1. SINGLE DX	1451	5.2	11	1	2	5	7	9	11	16
2. MULTIPLE DX	5674	7.7	43	2	2	6	10	14	19	34
A. NOT OPERATED	4546	4.8	10	1	2	4	6	8	10	16
B. OPERATED	2579	11.3	60	4	5	9	13	19	24	47
TOTAL 0-19 YRS	12	6.3	20	1	2	6	7	12	17	18
20-34	152	6.9	23	1	2	6	9	12	14	30
35-49	821	6.8	39	2	2	6	8	11	14	40
50-64	1915	6.8	30	2	2	6	9	12	15	28
65+	4225	7.5	41	2	2	6	9	14	19	31
GRAND TOTAL	**7125**	**7.2**	**37**	**2**	**2**	**6**	**9**	**13**	**17**	**30**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2		3	3	3	4	4	4	4
20-34	16	2.4	3	<1	1	2	4	5	5	5
35-49	17	3.1	15	1	1	2	4	5	13	17
50-64	9	2.7	5	1	1	2	3	6	8	8
65+	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*										
0-19 YRS	63	1.7	2	<1	<1	1	2	3	5	7
20-34	530	1.9	1	1	1	2	2	3	4	6
35-49	552	2.0	2	1	1	2	3	4	4	8
50-64	335	2.3	4	1	1	2	3	4	5	11
65+	84	2.2	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.0	106	1	1	3	4	20	35	38
20-34	24	3.0	5	<1	<1	3	4	5	8	10
35-49	33	4.2	8	<1	1	4	6	9	9	11
50-64	40	4.5	29	1	1	3	6	9	12	32
65+	47	4.9	16	<1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	46	3.4	11	<1	<1	2	4	9	11	15
20-34	473	3.2	17	1	1	2	4	6	7	30
35-49	651	2.9	10	1	1	2	3	5	7	14
50-64	533	3.4	19	1	1	2	4	6	9	21
65+	362	4.6	28	1	1	3	5	9	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.8	7	1	1	2	4	5	5	17
B. *Operated*	1564	2.0	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	157	4.5	23	<1	1	3	5	9	12	31
B. *Operated*	2065	3.4	18	1	1	2	4	6	9	21
1. SINGLE DX	1614	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	2222	3.5	18	1	1	3	4	7	9	21
A. NOT OPERATED	207	4.1	20	<1	1	3	5	8	11	26
B. OPERATED	3629	2.8	12	1	1	2	3	5	7	16
TOTAL 0-19 YRS	127	2.8	17	<1	<1	2	3	5	9	20
20-34	1043	2.5	9	1	1	2	3	4	6	11
35-49	1253	2.6	7	1	1	2	3	5	6	11
50-64	917	3.0	14	1	1	2	3	6	8	20
65+	496	4.2	23	1	1	3	5	8	13	26
GRAND TOTAL	**3836**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**16**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.4	5	<1	1	2	3	5	7	11
20-34	395	3.7	9	1	1	3	5	7	10	16
35-49	313	3.6	7	1	1	3	5	7	8	13
50-64	183	3.2	6	<1	1	3	4	6	8	13
65+	216	2.8	5	<1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	128	4.1	14	<1	<1	3	6	8	10	20
20-34	312	5.9	26	<1	1	5	7	11	15	27
35-49	207	6.3	29	1	1	5	8	12	15	26
50-64	180	6.1	28	<1	1	5	8	11	14	23
65+	185	5.8	24	1	1	5	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	268	4.0	23	<1	1	2	5	8	13	21
20-34	734	4.7	17	1	1	3	6	9	14	21
35-49	758	4.8	16	1	1	4	6	9	12	21
50-64	895	4.7	13	1	1	4	6	9	12	18
65+	2327	5.0	21	1	1	4	6	9	12	23
B. *Operated*										
0-19 YRS	190	8.5	70	<1	1	7	11	16	24	42
20-34	810	8.8	70	1	2	7	11	18	24	41
35-49	906	9.4	82	1	2	7	11	18	25	45
50-64	990	11.1	128	1	2	8	13	23	35	67
65+	1882	11.3	106	2	3	9	14	23	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1316	3.3	7	<1	1	3	4	7	8	13
B. *Operated*	1012	5.8	25	<1	1	5	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	4982	4.8	18	1	1	4	6	9	12	21
B. *Operated*	4778	10.4	100	1	2	8	13	21	30	53
1. SINGLE DX	2328	4.3	16	<1	1	3	6	9	11	18
2. MULTIPLE DX	9760	7.5	66	1	2	5	9	16	22	42
A. NOT OPERATED	6298	4.5	16	1	1	3	6	9	12	20
B. OPERATED	5790	9.6	90	1	2	7	12	19	27	49
TOTAL 0-19 YRS	795	4.7	33	<1	1	3	6	10	14	30
20-34	2251	6.2	40	1	1	4	8	13	17	31
35-49	2184	6.6	49	1	1	5	8	13	18	35
50-64	2248	7.5	75	1	1	5	9	15	22	48
65+	4610	7.5	65	1	2	5	9	16	22	42
GRAND TOTAL	**12088**	**6.9**	**58**	**1**	**1**	**5**	**9**	**14**	**20**	**40**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.3	7	2	2	3	6	8	10	10
35-49	15	3.9	4	<1	1	4	5	7	7	7
50-64	23	3.4	6	<1	1	3	5	6	8	11
65+	7	3.1	3	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	12	3.2	5	1	1	3	5	6	7	7
50-64	17	3.9	14	<1	1	3	5	9	13	15
65+	8	3.8	12	1	1	2	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	140	7.0	43	1	2	5	9	15	19	36
35-49	399	7.6	51	2	2	5	10	15	20	40
50-64	524	8.8	51	2	3	6	11	18	23	34
65+	349	8.5	47	2	3	7	10	17	22	33
B. *Operated*										
0-19 YRS										
20-34	51	8.3	47	1	2	6	11	17	21	39
35-49	173	11.1	96	2	3	8	13	23	32	53
50-64	187	9.8	92	1	2	7	12	20	27	55
65+	132	11.3	160	1	2	8	13	21	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.7	5	1	1	3	5	7	7	11
B. *Operated*	40	3.5	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	1412	8.2	50	2	2	6	10	16	22	35
B. *Operated*	543	10.4	106	1	2	8	12	21	29	56
1. SINGLE DX	96	3.6	7	1	1	3	5	7	9	13
2. MULTIPLE DX	1955	8.8	66	2	2	6	11	18	24	41
A. NOT OPERATED	1468	8.0	49	2	2	6	10	16	21	34
B. OPERATED	583	9.9	102	1	2	7	12	20	28	55
TOTAL 0-19 YRS										
20-34	205	7.1	42	1	2	5	9	15	19	37
35-49	599	8.4	66	1	2	6	10	17	24	46
50-64	751	8.8	61	1	2	6	11	18	24	42
65+	496	9.1	78	1	2	7	11	18	26	40
GRAND TOTAL	**2051**	**8.6**	**65**	**1**	**2**	**6**	**11**	**17**	**23**	**41**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	53	1	1	3	10	17	17	17
20-34	6	3.3	1	2	2	3	4	5	5	5
35-49	8	2.5	3	<1	<1	2	4	5	6	6
50-64	13	4.2	5	1	1	4	6	7	8	8
65+	5	7.6	38	2	2	7	10	18	18	18
B. *Operated*										
0-19 YRS	14	2.6	5	1	1	2	3	6	8	9
20-34	34	2.4	14	<1	<1	1	2	6	11	19
35-49	56	1.5	2	<1	1	1	1	3	4	10
50-64	60	2.0	5	<1	<1	1	2	5	8	10
65+	35	2.6	7	<1	1	1	4	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.7	13	1	1	4	5	9	14	14
20-34	16	5.1	15	<1	1	4	6	13	14	14
35-49	66	5.3	19	1	2	4	7	11	14	23
50-64	139	7.5	38	1	2	6	10	15	19	35
65+	238	7.6	31	2	2	6	10	14	19	28
B. *Operated*										
0-19 YRS	20	4.8	31	1	1	3	6	14	19	20
20-34	48	4.9	29	1	1	2	6	13	16	22
35-49	111	5.5	23	1	1	4	8	12	16	21
50-64	179	7.8	90	1	1	4	10	19	28	50
65+	233	8.6	65	1	1	7	12	19	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.4	14	1	1	4	5	7	14	18
B. *Operated*	199	2.1	6	<1	1	1	2	4	8	12
2. MULTIPLE DX										
A. *Not Operated*	470	7.1	31	1	2	6	9	14	18	28
B. *Operated*	591	7.3	62	1	1	5	10	17	22	36
1. SINGLE DX	235	2.4	8	<1	1	1	3	6	8	17
2. MULTIPLE DX	1061	7.2	48	1	1	5	9	16	20	32
A. NOT OPERATED	506	6.9	30	1	2	5	9	14	18	28
B. OPERATED	790	6.0	53	1	1	3	8	15	20	32
TOTAL 0-19 YRS	49	4.3	21	1	1	3	5	9	17	20
20-34	104	4.0	21	<1	1	2	5	12	14	21
35-49	241	4.4	19	1	1	3	6	10	13	21
50-64	391	6.7	60	1	1	4	9	16	21	38
65+	511	7.7	47	1	1	6	10	16	20	30
GRAND TOTAL	**1296**	**6.4**	**44**	**1**	**1**	**4**	**9**	**14**	**19**	**31**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.8	18	<1	1	3	4	7	14	21
20-34	84	3.4	4	1	1	3	4	6	8	11
35-49	36	3.4	3	1	2	3	4	5	7	8
50-64	21	3.8	5	1	1	3	5	7	8	10
65+	17	3.1	3	1	2	3	4	6	7	7
B. *Operated*										
0-19 YRS	8	3.5	7	1	1	3	5	8	9	9
20-34	23	3.6	20	<1	<1	1	5	10	14	19
35-49	19	6.3	38	<1	1	5	12	16	17	18
50-64	31	2.9	10	1	1	1	3	8	11	12
65+	19	5.5	59	<1	1	2	6	16	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.0	15	1	1	5	5	8	13	23
20-34	112	4.6	15	1	2	4	5	8	13	24
35-49	204	5.7	19	1	2	4	7	11	14	23
50-64	432	6.6	38	2	2	5	8	13	16	30
65+	526	7.3	29	2	2	6	9	14	17	30
B. *Operated*										
0-19 YRS	27	9.1	114	1	1	5	12	25	31	47
20-34	58	10.2	86	1	1	8	13	21	34	43
35-49	100	10.9	100	1	2	8	14	31	34	72
50-64	177	11.6	130	1	2	8	15	25	32	59
65+	169	12.9	100	1	2	11	17	27	35	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.5	6	1	1	3	4	6	7	11
B. *Operated*	100	4.2	27	<1	1	2	5	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	1324	6.5	29	2	2	5	8	13	16	29
B. *Operated*	531	11.6	110	1	2	9	15	25	34	45
1. SINGLE DX	280	3.7	14	1	1	3	5	7	11	19
2. MULTIPLE DX	1855	8.0	58	1	2	6	10	16	23	38
A. NOT OPERATED	1504	6.1	28	1	2	5	8	12	15	27
B. OPERATED	631	10.4	104	1	1	8	14	24	34	44
TOTAL 0-19 YRS	107	5.7	43	1	1	4	6	12	21	36
20-34	277	5.4	34	1	1	4	6	12	15	34
35-49	359	7.0	47	1	2	5	9	15	22	35
50-64	661	7.7	67	1	2	5	10	15	22	38
65+	731	8.5	52	2	2	6	11	17	22	37
GRAND TOTAL	**2135**	**7.4**	**54**	**1**	**2**	**5**	**9**	**15**	**21**	**36**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.1	2	<1	<1	1	3	5	6	6
20-34	164	2.0	2	<1	<1	2	3	4	5	8
35-49	187	2.1	2	<1	1	2	3	4	5	7
50-64	185	2.0	2	<1	1	2	3	4	5	8
65+	130	2.9	4	1	1	2	4	6	7	10
B. *Operated*										
0-19 YRS	182	4.6	3	2	3	4	5	7	8	10
20-34	2372	4.6	3	3	3	4	5	6	7	10
35-49	2240	4.9	3	3	3	5	6	7	8	10
50-64	1878	5.1	3	3	3	5	6	7	8	10
65+	905	6.0	6	3	4	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.4	15	<1	<1	2	4	8	14	16
20-34	195	2.4	3	<1	<1	2	3	5	5	9
35-49	227	3.0	7	<1	1	2	4	6	8	13
50-64	399	3.3	6	1	1	3	5	6	8	12
65+	989	4.4	11	1	1	4	6	8	11	15
B. *Operated*										
0-19 YRS	151	5.7	6	3	3	5	7	9	11	15
20-34	2211	5.7	12	3	3	5	6	8	10	17
35-49	2921	6.0	8	3	4	5	7	9	11	16
50-64	3810	6.7	14	3	4	6	8	10	12	21
65+	4720	8.8	30	4	4	8	10	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	687	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	7577	5.0	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1833	3.8	9	1	1	3	5	7	9	14
B. *Operated*	13813	7.1	19	3	4	6	8	11	14	24
1. SINGLE DX	8264	4.8	4	2	3	5	6	7	8	11
2. MULTIPLE DX	15646	6.7	19	2	3	6	8	11	14	24
A. NOT OPERATED	2520	3.4	8	<1	1	3	4	7	8	14
B. OPERATED	21390	6.3	15	3	3	5	7	10	12	21
TOTAL 0-19 YRS	377	4.8	6	1	2	4	6	8	9	14
20-34	4942	4.9	8	2	3	5	6	7	9	13
35-49	5575	5.3	7	2	3	5	6	8	10	15
50-64	6272	5.9	11	2	3	5	7	9	11	18
65+	6744	7.7	26	2	3	7	9	13	16	28
GRAND TOTAL	**23910**	**6.0**	**15**	**2**	**3**	**5**	**7**	**10**	**12**	**20**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	1	<1	<1	2	3	4	5	5
20-34	83	2.2	2	<1	1	2	2	4	5	8
35-49	83	2.4	3	1	1	2	3	5	5	8
50-64	58	2.6	3	<1	1	2	3	5	6	8
65+	52	2.8	4	<1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	15	4.3	6	1	3	4	5	5	10	12
20-34	195	5.2	5	3	3	5	6	8	10	13
35-49	175	5.0	3	3	3	5	6	7	8	11
50-64	115	6.0	11	3	3	5	7	8	10	23
65+	60	6.6	10	3	4	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.5	1	2	2	2	3	4	4	4
20-34	104	2.9	6	<1	1	2	4	5	6	15
35-49	113	2.9	4	<1	1	3	4	5	7	11
50-64	128	3.8	9	1	1	3	5	8	11	15
65+	296	5.1	17	1	2	4	6	10	12	22
B. *Operated*										
0-19 YRS	29	6.3	9	3	3	5	8	11	12	13
20-34	285	6.3	14	3	4	5	7	10	13	23
35-49	388	6.9	26	3	3	6	8	12	14	29
50-64	430	8.1	30	4	4	7	9	13	16	29
65+	467	10.0	33	4	5	9	12	17	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	560	5.4	6	3	3	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	651	4.1	12	1	1	3	5	8	11	18
B. *Operated*	1599	8.0	29	3	4	7	9	13	17	30
1. SINGLE DX	849	4.4	7	1	1	4	6	7	9	13
2. MULTIPLE DX	2250	6.9	27	1	2	6	8	12	15	28
A. NOT OPERATED	940	3.6	10	1	1	3	4	7	9	15
B. OPERATED	2159	7.4	24	3	4	6	8	12	15	28
TOTAL 0-19 YRS	67	4.5	8	1	1	4	5	9	12	13
20-34	667	5.0	11	1	2	4	6	8	11	16
35-49	759	5.4	18	1	2	5	7	9	12	22
50-64	731	6.6	25	1	2	6	8	12	15	28
65+	875	7.7	31	2	2	7	10	14	19	29
GRAND TOTAL	**3099**	**6.2**	**23**	**1**	**2**	**5**	**8**	**11**	**14**	**27**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	2.0	1	<1	1	2	2	3	4	5
35-49	11	3.5	15	<1	<1	2	4	10	14	14
50-64	14	2.4	2	1	1	2	3	5	5	5
65+	24	2.8	2	<1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	7	4.0	2	1	2	4	5	5	5	5
20-34	77	5.1	7	1	1	5	6	8	11	13
35-49	74	5.8	11	1	1	5	8	10	12	15
50-64	71	5.4	8	1	1	5	7	9	10	13
65+	124	5.9	19	1	1	6	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	2.9	5	<1	<1	2	5	6	7	8
35-49	28	3.0	4	1	1	3	4	6	7	8
50-64	53	3.6	5	1	2	3	5	7	9	11
65+	139	4.8	10	1	1	4	6	9	12	16
B. *Operated*										
0-19 YRS	6	7.5	15	4	4	6	10	14	14	14
20-34	126	7.2	17	3	4	6	8	12	15	23
35-49	133	7.2	15	2	4	7	9	12	13	21
50-64	257	9.1	55	2	4	8	11	15	19	47
65+	674	10.7	40	3	5	9	13	18	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.6	4	<1	1	2	3	5	6	13
B. *Operated*	353	5.6	12	1	1	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	237	4.2	8	1	1	4	6	8	10	14
B. *Operated*	1196	9.6	40	3	4	8	11	16	20	34
1. SINGLE DX	419	5.1	12	1	1	5	7	10	11	16
2. MULTIPLE DX	1433	8.7	39	2	3	8	11	15	19	33
A. NOT OPERATED	303	3.8	8	1	1	3	5	7	9	14
B. OPERATED	1549	8.7	36	1	3	8	11	15	19	33
TOTAL 0-19 YRS	14	5.4	11	1	2	5	6	10	13	14
20-34	236	5.8	15	1	2	5	7	10	13	18
35-49	246	6.2	15	1	1	6	8	11	12	17
50-64	395	7.5	44	1	2	7	9	12	16	40
65+	961	9.0	39	1	2	8	11	16	20	30
GRAND TOTAL	**1852**	**7.9**	**35**	**1**	**2**	**7**	**10**	**14**	**18**	**30**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	8.1	27	2	2	10	12	14	14	14
20-34	17	3.2	5	<1	1	2	5	7	8	8
35-49	25	3.8	8	<1	1	3	5	8	10	10
50-64	18	3.5	7	1	1	3	5	7	9	9
65+	16	3.8	8	<1	<1	3	6	8	9	9
B. *Operated*										
0-19 YRS	2	16.0	162	7	7	16	25	25	25	25
20-34	10	4.2	7	1	1	4	6	7	8	8
35-49	23	4.7	11	1	1	4	7	10	11	11
50-64	27	4.5	13	1	1	4	6	9	12	15
65+	21	7.3	31	1	1	7	10	15	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	8.9	50	2	3	6	9	22	24	26
20-34	28	4.3	11	1	1	3	6	10	11	14
35-49	52	4.9	9	1	2	4	7	9	12	14
50-64	95	5.1	19	1	1	4	6	10	13	23
65+	193	5.7	18	1	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	16	14.3	136	2	3	10	17	34	41	44
20-34	49	9.5	72	1	1	8	13	17	27	47
35-49	89	8.6	70	1	1	8	10	16	22	47
50-64	130	9.8	44	1	3	8	12	19	22	32
65+	347	12.0	99	1	3	10	15	22	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.0	10	<1	1	3	6	9	10	14
B. *Operated*	83	5.5	21	1	1	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	398	5.6	20	1	1	4	7	11	14	23
B. *Operated*	631	10.9	84	1	2	9	14	21	30	46
1. SINGLE DX	167	4.8	16	1	1	4	7	10	12	20
2. MULTIPLE DX	1029	8.9	66	1	2	7	11	18	23	44
A. NOT OPERATED	482	5.3	18	1	1	4	7	10	13	22
B. OPERATED	714	10.3	80	1	2	9	13	21	28	46
TOTAL 0-19 YRS	56	10.6	77	2	2	8	13	24	26	43
20-34	104	6.6	46	1	1	5	8	13	17	39
35-49	189	6.4	42	1	1	5	9	12	15	40
50-64	270	7.2	36	1	1	6	10	15	20	29
65+	577	9.5	76	1	2	8	12	19	25	46
GRAND TOTAL	**1196**	**8.3**	**61**	**1**	**1**	**6**	**11**	**17**	**22**	**42**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.4	17	1	2	4	5	6	15	22
20-34	285	4.4	16	1	1	4	5	8	10	17
35-49	343	4.2	6	1	1	4	5	7	9	12
50-64	181	5.2	11	2	2	4	7	9	11	20
65+	141	4.7	9	2	2	4	6	8	10	18
B. *Operated*										
0-19 YRS	8	13.9	115	2	3	11	21	31	32	32
20-34	27	9.3	52	1	2	7	14	20	22	31
35-49	45	8.4	44	2	2	6	11	14	24	33
50-64	32	7.8	54	1	1	6	10	19	22	31
65+	14	10.1	230	1	1	6	12	20	51	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.0	21	1	2	4	6	8	11	31
20-34	727	5.6	22	2	2	5	7	10	12	20
35-49	1158	6.0	20	2	2	5	7	11	13	24
50-64	871	6.1	19	2	2	5	8	11	14	23
65+	975	6.5	24	2	2	5	8	11	14	27
B. *Operated*										
0-19 YRS	20	19.4	294	3	5	11	29	47	54	61
20-34	158	15.4	262	3	4	10	16	36	56	76
35-49	301	14.4	210	2	4	9	18	30	43	86
50-64	309	14.4	140	2	4	11	19	32	43	99+
65+	359	14.0	162	3	5	11	16	27	45	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1005	4.5	11	1	2	4	6	8	10	18
B. *Operated*	126	9.0	72	1	1	7	12	18	26	39
2. MULTIPLE DX										
A. *Not Operated*	3799	6.1	21	2	2	5	7	11	14	24
B. *Operated*	1147	14.5	185	3	4	10	17	30	47	85
1. SINGLE DX	1131	5.0	20	1	2	4	6	9	12	22
2. MULTIPLE DX	4946	8.0	72	2	2	6	9	15	22	50
A. NOT OPERATED	4804	5.7	19	2	2	5	7	10	13	22
B. OPERATED	1273	13.9	176	2	4	10	17	29	44	83
TOTAL 0-19 YRS	151	7.2	85	1	2	4	7	15	28	48
20-34	1197	6.7	65	1	2	5	7	12	16	49
35-49	1847	7.1	60	1	2	5	8	13	19	42
50-64	1393	7.9	57	2	2	6	9	15	22	44
65+	1489	8.2	69	2	2	6	9	15	21	49
GRAND TOTAL	**6077**	**7.5**	**63**	**2**	**2**	**5**	**9**	**14**	**20**	**47**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	1.9	1	<1	1	2	3	3	4	6
20-34	79	2.1	1	<1	1	2	3	4	4	6
35-49	80	2.8	3	<1	1	2	4	6	7	9
50-64	102	3.1	12	1	1	2	4	5	6	23
65+	179	3.3	6	<1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	3.4	6	<1	1	3	4	7	9	9
35-49	11	3.9	17	<1	<1	3	4	10	15	15
50-64	14	4.0	9	1	1	3	5	9	10	10
65+	21	7.2	39	1	2	5	10	15	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	2.7	3	<1	1	2	4	5	6	8
20-34	367	3.1	7	1	1	2	4	6	8	13
35-49	671	3.7	8	1	1	3	5	7	8	14
50-64	1141	4.4	17	1	2	4	5	8	10	16
65+	3834	5.1	17	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	16	13.4	442	2	2	4	7	56	62	64
20-34	75	6.4	35	1	2	4	9	14	16	33
35-49	159	6.5	35	2	2	5	8	12	19	33
50-64	400	7.3	71	1	2	5	9	15	20	49
65+	1090	8.4	55	2	2	6	10	17	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	492	2.8	6	<1	1	2	4	5	6	12
B. *Operated*	56	5.1	23	<1	1	4	6	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	6136	4.7	15	1	2	4	6	8	11	19
B. *Operated*	1740	7.9	60	2	2	6	9	16	21	39
1. SINGLE DX	548	3.1	8	<1	1	2	4	5	7	15
2. MULTIPLE DX	7876	5.4	27	1	2	4	6	10	13	25
A. NOT OPERATED	6628	4.5	15	1	1	4	6	8	11	19
B. OPERATED	1796	7.8	59	2	2	6	9	15	21	38
TOTAL 0-19 YRS	192	3.4	47	<1	1	2	3	5	6	52
20-34	530	3.4	11	1	1	2	4	7	10	16
35-49	921	4.1	13	1	1	3	5	7	10	19
50-64	1657	5.0	31	1	2	4	6	9	12	23
65+	5124	5.7	27	1	2	4	7	11	14	27
GRAND TOTAL	**8424**	**5.2**	**26**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.8	4	1	1	2	4	5	8	8
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.4	7	1	1	1	3	7	7	7
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	6	3.5	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	4.0		4	4	4	4	4	4	4
65+	2	5.0	32	<1	<1	4	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	4.9	97	1	1	2	5	8	17	67
20-34	11	5.4	35	1	1	3	5	17	18	18
35-49	21	5.2	25	1	2	3	7	11	16	22
50-64	29	6.8	27	2	3	6	8	15	16	25
65+	53	7.5	42	1	2	6	10	14	19	36
B. *Operated*										
0-19 YRS	13	16.3	421	2	3	7	22	50	66	70
20-34	6	8.7	33	1	1	9	14	15	15	15
35-49	27	12.3	123	1	2	11	15	45	99+	99+
50-64	29	13.5	219	2	2	9	17	27	43	73
65+	33	14.8	158	3	3	11	22	30	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.0	5	1	1	2	4	7	7	8
B. *Operated*	8	5.0	7	<1	1	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	179	6.0	57	1	1	4	7	13	18	34
B. *Operated*	108	13.7	186	2	3	10	17	31	53	99+
1. SINGLE DX	50	3.3	5	1	1	3	5	7	8	9
2. MULTIPLE DX	287	8.9	119	1	1	5	11	21	30	74
A. NOT OPERATED	221	5.5	49	1	1	3	7	12	17	31
B. OPERATED	116	13.1	179	1	3	9	16	30	50	99+
TOTAL 0-19 YRS	107	5.8	124	1	1	3	5	8	21	72
20-34	20	6.3	30	1	1	4	9	15	17	18
35-49	54	8.5	86	1	1	6	12	22	47	99+
50-64	62	9.8	125	2	2	6	12	22	27	69
65+	94	9.7	93	1	2	7	12	23	29	51
GRAND TOTAL	**337**	**8.1**	**106**	**1**	**1**	**5**	**9**	**19**	**28**	**73**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.6	6	1	1	3	5	7	8	10
20-34	7	3.4	12	1	1	3	3	9	11	11
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	54	1.9	1	1	1	2	2	3	4	8
20-34	52	2.3	4	1	1	2	2	5	7	11
35-49	37	1.9	1	1	1	2	2	4	4	5
50-64	19	3.2	46	1	1	2	2	3	18	31
65+	11	2.5	11	<1	<1	1	2	8	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.9	11	1	2	4	7	9	11	15
20-34	29	4.9	11	2	2	4	6	9	13	16
35-49	20	5.4	27	<1	1	4	6	12	19	22
50-64	32	5.4	11	2	2	4	7	10	11	16
65+	65	8.4	55	1	3	6	9	16	28	37
B. *Operated*										
0-19 YRS	78	4.8	51	1	1	2	5	12	18	44
20-34	77	4.1	23	1	1	2	5	9	14	25
35-49	83	4.1	19	1	1	2	5	10	14	20
50-64	98	4.2	26	1	1	3	5	9	13	29
65+	99	6.4	44	1	1	3	9	17	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.7	7	<1	1	3	5	8	8	11
B. *Operated*	173	2.2	7	1	1	2	2	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	200	6.1	29	1	2	5	7	11	16	30
B. *Operated*	435	4.8	33	1	1	2	6	12	18	27
1. SINGLE DX	222	2.5	8	1	1	2	3	5	7	11
2. MULTIPLE DX	635	5.2	32	1	1	3	7	11	17	29
A. NOT OPERATED	249	5.7	25	1	2	4	7	10	15	29
B. OPERATED	608	4.0	27	1	1	2	4	10	14	24
TOTAL 0-19 YRS	222	3.9	23	1	1	2	5	9	11	20
20-34	165	3.6	15	1	1	2	4	8	11	21
35-49	143	3.7	16	1	1	2	4	8	12	21
50-64	150	4.3	25	1	1	3	5	9	13	31
65+	177	6.9	47	1	1	5	9	16	21	31
GRAND TOTAL	**857**	**4.5**	**27**	**1**	**1**	**2**	**5**	**10**	**15**	**28**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.7	4	2	2	3	5	6	7	7
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64										
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.6	6	2	2	4	6	8	10	13
20-34	14	3.2	5	<1	<1	3	5	7	8	8
35-49	9	5.0	12	2	2	3	7	10	12	12
50-64	9	6.3	10	2	3	6	9	11	12	12
65+	27	8.6	80	2	3	6	10	15	29	46
B. *Operated*										
0-19 YRS	12	5.1	11	1	1	4	7	10	11	11
20-34	13	7.8	69	1	1	7	9	18	29	32
35-49	8	12.9	210	4	4	7	14	37	47	47
50-64	21	12.6	113	1	1	12	16	27	38	43
65+	20	12.8	181	2	2	9	16	23	44	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.7	5	1	1	3	5	7	8	8
B. *Operated*	9	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	121	5.5	26	1	2	4	7	10	11	32
B. *Operated*	74	10.6	121	1	2	8	13	21	34	59
1. SINGLE DX	30	3.1	4	1	1	2	4	6	7	8
2. MULTIPLE DX	195	7.4	68	1	2	5	9	14	20	47
A. NOT OPERATED	142	5.2	23	1	2	4	7	9	10	28
B. OPERATED	83	9.6	115	1	1	7	12	19	33	58
TOTAL 0-19 YRS	89	4.4	7	1	2	4	6	8	10	12
20-34	34	4.9	33	<1	1	3	7	9	13	32
35-49	22	7.4	95	1	1	4	8	14	28	47
50-64	31	10.4	89	1	1	9	13	20	33	43
65+	49	10.1	121	2	3	7	10	19	27	63
GRAND TOTAL	**225**	**6.8**	**61**	**1**	**2**	**5**	**8**	**13**	**18**	**46**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.2	7	<1	<1	1	3	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	8.4	90	1	1	4	11	25	28	28
20-34	30	4.2	25	<1	<1	2	4	11	20	20
35-49	35	3.6	22	<1	1	2	4	11	16	21
50-64	56	3.6	19	<1	1	2	4	9	16	18
65+	41	2.9	10	<1	1	2	3	5	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.2	21	1	1	3	7	13	15	17
20-34	22	6.0	185	1	1	3	4	8	33	66
35-49	36	3.4	12	<1	<1	2	5	8	11	14
50-64	71	5.2	11	<1	1	5	8	10	11	13
65+	206	6.8	29	1	2	6	8	13	16	26
B. *Operated*										
0-19 YRS	76	13.2	141	1	2	11	18	30	34	59
20-34	225	9.0	93	1	1	6	12	23	26	49
35-49	289	7.9	76	1	1	5	10	19	22	46
50-64	404	8.2	72	1	1	6	11	19	28	43
65+	450	8.3	62	1	2	6	11	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.2	3	<1	<1	2	2	4	7	7
B. *Operated*	169	3.8	21	<1	1	2	4	10	17	21
2. MULTIPLE DX										
A. *Not Operated*	354	6.0	33	1	1	5	8	11	15	24
B. *Operated*	1444	8.6	78	1	1	6	11	19	26	43
1. SINGLE DX	181	3.7	20	<1	1	2	4	9	16	21
2. MULTIPLE DX	1798	8.1	70	1	1	5	10	18	24	42
A. NOT OPERATED	366	5.9	33	1	1	5	8	11	14	24
B. OPERATED	1613	8.1	74	1	1	5	11	19	25	42
TOTAL 0-19 YRS	103	11.3	124	1	2	8	16	28	32	56
20-34	278	8.2	94	1	1	4	11	21	25	50
35-49	365	7.0	67	1	1	4	9	17	21	38
50-64	532	7.3	61	1	1	5	9	17	23	38
65+	701	7.5	51	1	2	5	10	16	20	39
GRAND TOTAL	**1979**	**7.7**	**67**	**1**	**1**	**5**	**10**	**17**	**23**	**41**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	20	1	1	3	7	11	11	11
20-34	5	2.2	1	1	1	2	3	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	7	3.6	7	<1	<1	2	6	7	7	7
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	2.0	6	<1	<1	1	1	6	7	7
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	4.0	18	<1	<1	3	7	7	7	7
65+	4	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	16	<1	1	4	7	12	13	13
20-34	25	4.7	14	<1	1	4	8	9	12	15
35-49	29	6.7	22	1	1	6	10	14	16	17
50-64	121	7.5	43	1	3	6	10	14	18	32
65+	597	8.5	37	2	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	14	12.0	251	1	1	5	14	41	51	54
20-34	51	8.8	79	2	2	6	12	15	20	54
35-49	66	10.8	80	1	1	8	17	25	28	31
50-64	138	12.3	134	1	2	9	17	24	32	51
65+	320	15.1	120	2	4	12	20	30	37	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.5	6	<1	1	3	5	7	9	11
B. *Operated*	15	2.5	5	<1	<1	1	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	785	8.1	37	2	3	6	10	15	19	29
B. *Operated*	589	13.4	122	2	2	11	18	27	35	53
1. SINGLE DX	35	3.1	6	<1	<1	2	4	7	7	11
2. MULTIPLE DX	1374	10.4	80	2	2	8	13	22	27	45
A. NOT OPERATED	805	8.0	37	2	2	6	10	15	19	29
B. OPERATED	604	13.1	122	1	2	11	18	27	34	53
TOTAL 0-19 YRS	32	8.0	126	1	1	4	10	15	38	54
20-34	87	6.8	57	1	1	5	9	13	16	48
35-49	99	9.3	65	1	1	7	14	23	27	30
50-64	263	10.0	96	1	2	7	13	21	26	45
65+	928	10.7	76	2	3	8	14	23	28	44
GRAND TOTAL	**1409**	**10.2**	**80**	**1**	**2**	**8**	**13**	**21**	**27**	**44**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	3.2	2	1	2	3	4	5	6	8
20-34	363	3.1	2	1	1	3	4	5	6	8
35-49	98	3.7	3	1	2	3	5	6	7	9
50-64	49	4.2	4	1	1	4	6	7	8	9
65+	43	3.8	4	1	2	3	5	7	8	10
B. *Operated*										
0-19 YRS	5	3.4	11	<1	<1	2	5	9	9	9
20-34	15	5.1	6	3	3	5	6	7	11	13
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	443	3.7	5	1	2	3	4	6	7	14
20-34	961	4.0	4	2	2	4	5	6	7	11
35-49	393	4.8	13	2	2	4	6	8	10	16
50-64	435	5.5	11	2	2	5	7	10	12	15
65+	960	6.2	16	2	3	5	8	10	13	18
B. *Operated*										
0-19 YRS	35	6.1	19	2	2	5	7	11	13	25
20-34	74	6.5	17	2	3	6	8	11	16	23
35-49	58	8.6	44	2	3	8	11	15	19	41
50-64	61	9.8	41	3	3	8	13	21	24	28
65+	148	11.6	55	4	5	9	15	21	27	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.3	3	1	1	3	4	5	6	8
B. *Operated*	23	5.0	8	<1	2	5	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	3192	4.9	11	2	2	4	6	8	11	16
B. *Operated*	376	9.3	44	3	3	8	12	17	24	34
1. SINGLE DX	784	3.4	3	1	2	3	4	6	7	9
2. MULTIPLE DX	3568	5.4	16	2	2	4	6	10	12	21
A. NOT OPERATED	3953	4.6	9	2	2	4	6	8	10	15
B. OPERATED	399	9.1	43	2	3	7	11	17	23	34
TOTAL 0-19 YRS	691	3.7	5	1	2	3	4	6	7	13
20-34	1413	3.9	5	1	2	3	5	6	8	12
35-49	551	5.0	16	2	2	4	6	8	11	17
50-64	545	5.8	16	2	2	5	7	11	13	25
65+	1152	6.8	24	2	3	6	8	12	15	27
GRAND TOTAL	**4352**	**5.0**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**20**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	3.2	3	1	1	3	4	5	6	9
20-34	210	3.2	3	1	2	3	4	5	6	8
35-49	65	4.1	61	1	1	3	4	6	6	56
50-64	37	3.7	4	1	2	3	5	5	7	10
65+	24	4.0	10	1	2	3	5	6	10	16
B. *Operated*										
0-19 YRS	11	4.0	7	<1	1	3	4	9	10	10
20-34	12	5.5	14	<1	1	5	8	11	13	13
35-49	10	5.4	15	<1	<1	6	7	11	13	13
50-64	10	6.8	13	<1	2	6	9	12	14	14
65+	4	4.8	15	<1	<1	4	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	3.7	4	1	2	3	4	6	8	11
20-34	537	4.0	5	2	2	4	5	7	8	12
35-49	230	4.9	10	2	2	4	6	9	12	15
50-64	258	5.5	11	2	2	5	7	9	11	20
65+	450	6.2	15	2	3	5	8	10	13	23
B. *Operated*										
0-19 YRS	35	5.7	13	1	1	5	8	11	13	16
20-34	69	7.6	27	2	3	6	9	14	18	30
35-49	55	9.3	33	3	4	8	11	17	24	26
50-64	87	10.7	65	4	4	8	13	20	24	50
65+	110	12.4	73	3	4	11	15	24	31	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	3.4	11	1	1	3	4	5	6	10
B. *Operated*	47	5.3	12	<1	<1	5	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	1734	4.9	10	2	2	4	6	9	11	16
B. *Operated*	356	9.9	54	2	4	8	13	18	24	35
1. SINGLE DX	546	3.5	11	1	1	3	4	6	7	13
2. MULTIPLE DX	2090	5.7	21	2	2	4	7	10	14	25
A. NOT OPERATED	2233	4.5	10	1	2	4	6	8	10	16
B. OPERATED	403	9.4	52	2	3	8	12	18	24	35
TOTAL 0-19 YRS	468	3.6	5	1	2	3	4	6	8	12
20-34	828	4.1	7	1	2	3	5	7	9	14
35-49	360	5.4	25	1	2	4	7	10	14	24
50-64	392	6.5	28	2	2	5	8	11	16	25
65+	588	7.3	32	2	3	6	9	13	18	31
GRAND TOTAL	**2636**	**5.3**	**20**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.6	1	<1	1	1	2	3	4	5
20-34	242	1.6	2	<1	<1	1	2	3	4	8
35-49	354	1.5	1	<1	<1	1	2	3	3	4
50-64	176	1.6	1	<1	1	1	2	3	3	6
65+	90	1.9	5	<1	1	1	2	3	5	14
B. *Operated*										
0-19 YRS	16	4.4	4	1	1	5	6	7	8	8
20-34	155	4.8	11	1	1	4	6	8	9	23
35-49	200	5.0	10	1	2	5	6	8	9	20
50-64	173	4.9	8	1	1	4	7	9	11	13
65+	85	5.1	10	1	1	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	1.9	1	<1	1	2	2	3	3	5
20-34	225	2.3	3	<1	1	2	3	4	4	12
35-49	265	2.4	9	<1	1	2	3	4	6	14
50-64	236	2.5	5	1	1	2	3	5	7	12
65+	198	2.9	5	1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS	30	4.8	17	1	1	4	7	8	9	22
20-34	183	6.5	17	2	2	6	8	11	14	23
35-49	249	7.2	47	1	2	6	9	12	16	38
50-64	295	7.3	26	2	2	7	10	13	17	26
65+	284	8.0	32	1	2	7	10	15	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	888	1.6	1	<1	1	1	2	3	4	6
B. *Operated*	629	4.9	9	1	1	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	954	2.5	6	1	1	2	3	5	6	12
B. *Operated*	1041	7.3	31	1	2	6	9	13	17	26
1. SINGLE DX	1517	3.0	7	<1	1	2	4	7	8	12
2. MULTIPLE DX	1995	5.0	25	1	1	3	7	10	14	23
A. NOT OPERATED	1842	2.1	4	<1	1	1	2	4	5	10
B. OPERATED	1670	6.4	24	1	2	6	8	11	14	25
TOTAL 0-19 YRS	102	3.1	8	1	1	2	4	7	8	15
20-34	805	3.5	11	<1	1	2	5	8	10	17
35-49	1068	3.7	20	<1	1	2	5	8	10	23
50-64	880	4.4	17	1	1	3	6	10	12	19
65+	657	5.2	24	1	1	4	7	11	15	23
GRAND TOTAL	**3512**	**4.1**	**18**	**1**	**1**	**3**	**6**	**9**	**11**	**21**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	1.6	1	<1	1	1	2	3	3	4
20-34	1059	1.6	1	<1	1	1	2	3	3	5
35-49	1540	1.5	1	<1	<1	1	2	3	3	5
50-64	771	1.6	1	<1	1	1	2	3	4	5
65+	266	1.9	1	<1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	46	3.5	4	1	1	3	4	6	9	10
20-34	701	3.4	5	1	1	3	5	6	8	10
35-49	828	3.5	7	1	1	3	5	7	8	11
50-64	569	4.0	9	1	1	3	5	8	10	14
65+	222	4.1	8	1	1	3	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	1.7	1	1	1	1	2	3	5	6
20-34	408	1.9	2	<1	1	1	2	3	4	7
35-49	597	2.0	2	<1	1	2	2	4	5	7
50-64	582	2.1	3	<1	1	2	3	4	5	7
65+	433	2.7	11	1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	33	4.5	7	1	1	4	6	9	10	10
20-34	394	4.7	12	1	1	4	6	9	11	17
35-49	612	4.9	15	1	1	4	7	9	11	17
50-64	645	5.3	14	1	1	5	7	10	12	18
65+	594	6.6	26	1	2	5	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3731	1.6	1	<1	1	1	2	3	3	5
B. *Operated*	2366	3.6	7	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2055	2.1	4	1	1	2	3	4	5	8
B. *Operated*	2278	5.4	18	1	1	4	7	10	13	20
1. SINGLE DX	6097	2.4	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	4333	3.9	14	1	1	3	5	8	11	17
A. NOT OPERATED	5786	1.8	2	<1	1	1	2	3	4	6
B. OPERATED	4644	4.5	13	1	1	4	6	9	11	17
TOTAL 0-19 YRS	209	2.5	4	1	1	2	3	5	7	10
20-34	2562	2.6	5	<1	1	2	3	5	7	11
35-49	3577	2.6	7	<1	1	2	3	6	7	12
50-64	2567	3.2	9	1	1	2	4	7	9	14
65+	1515	4.3	19	1	1	3	5	9	12	19
GRAND TOTAL	**10430**	**3.0**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**14**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.5	4	<1	1	2	3	5	7	9
20-34	22	2.1	1	1	1	2	3	4	4	5
35-49	25	1.8	1	<1	<1	1	2	3	5	5
50-64	20	1.9	1	<1	1	1	3	4	4	5
65+	19	2.3	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	200	4.8	6	<1	1	5	6	8	9	13
20-34	79	4.6	7	1	1	4	7	8	9	10
35-49	72	4.7	14	1	1	4	7	9	14	16
50-64	76	4.0	10	<1	1	3	6	9	11	12
65+	52	3.0	7	<1	<1	1	5	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.1	6	<1	1	2	4	6	8	14
20-34	64	3.1	12	1	1	2	4	6	8	22
35-49	51	3.6	13	<1	1	2	5	8	10	17
50-64	88	4.5	14	1	1	3	6	9	11	18
65+	191	5.2	18	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	325	5.8	22	<1	1	5	7	11	13	20
20-34	253	6.5	26	1	2	6	8	12	14	28
35-49	257	6.5	28	1	1	5	8	13	17	24
50-64	379	6.9	39	1	1	5	9	14	18	27
65+	474	8.4	58	1	1	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	479	4.4	8	<1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	458	4.3	15	1	1	3	6	8	11	21
B. *Operated*	1688	7.0	38	1	1	6	9	13	17	31
1. SINGLE DX	586	4.0	8	<1	1	3	6	8	9	13
2. MULTIPLE DX	2146	6.4	34	1	1	5	8	13	17	28
A. NOT OPERATED	565	3.9	13	1	1	3	5	8	10	19
B. OPERATED	2167	6.4	33	1	1	5	8	12	16	27
TOTAL 0-19 YRS	610	5.1	15	<1	1	5	7	9	11	17
20-34	418	5.4	21	1	1	4	7	10	13	25
35-49	405	5.5	24	1	1	4	8	12	15	22
50-64	563	5.9	32	1	1	5	8	12	16	26
65+	736	7.0	46	1	1	5	9	14	19	32
GRAND TOTAL	**2732**	**5.9**	**30**	**1**	**1**	**5**	**8**	**12**	**15**	**25**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	54	2.5	64	<1	1	1	2	2	4	58
35-49	61	1.6	1	<1	1	1	2	3	4	5
50-64	34	1.9	3	<1	<1	1	2	3	4	11
65+	9	1.4	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	15	2.9	5	1	1	2	4	7	8	8
35-49	24	2.4	4	<1	1	1	3	6	7	7
50-64	20	3.2	10	<1	1	2	4	5	10	15
65+	34	2.8	5	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	1.7	1	<1	<1	1	2	3	4	4
35-49	33	2.2	3	<1	<1	2	3	4	5	8
50-64	30	3.4	20	<1	<1	2	3	8	13	22
65+	21	2.6	4	<1	1	2	3	6	7	8
B. *Operated*										
0-19 YRS	3	6.0	7	4	4	5	8	9	9	9
20-34	37	5.1	22	1	1	4	6	10	13	25
35-49	47	4.4	16	1	1	3	7	9	13	19
50-64	103	4.6	33	<1	1	3	5	9	12	33
65+	260	4.8	19	1	1	4	6	9	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	2.0	22	<1	<1	1	2	3	4	10
B. *Operated*	96	2.7	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	106	2.5	8	<1	<1	2	3	5	7	17
B. *Operated*	450	4.7	22	1	1	4	6	9	13	27
1. SINGLE DX	259	2.2	16	<1	1	1	2	4	6	11
2. MULTIPLE DX	556	4.3	20	1	1	3	5	9	13	25
A. NOT OPERATED	269	2.2	17	<1	<1	1	2	4	5	13
B. OPERATED	546	4.4	20	1	1	3	6	9	12	25
TOTAL 0-19 YRS	12	2.5	6	<1	<1	2	3	6	9	9
20-34	127	3.2	36	<1	1	2	3	6	9	33
35-49	165	2.7	7	<1	1	2	3	7	8	14
50-64	187	3.7	24	<1	<1	2	4	8	11	31
65+	324	4.3	17	1	1	4	6	8	12	20
GRAND TOTAL	**815**	**3.7**	**20**	**<1**	**1**	**2**	**5**	**7**	**10**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	3	4	4
20-34	25	2.7	3	<1	1	2	3	5	6	8
35-49	14	1.9	2	<1	<1	1	3	4	5	5
50-64	10	2.2	2	1	1	2	3	5	6	6
65+	7	2.1	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	15	1.1		<1	<1	1	1	1	2	2
20-34	43	3.1	11	<1	<1	2	4	6	10	18
35-49	34	1.8	2	<1	<1	1	2	5	6	6
50-64	53	1.9	3	<1	<1	1	2	4	5	9
65+	59	2.0	1	<1	1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.9	7	<1	<1	2	3	5	10	14
20-34	57	3.2	5	1	1	3	5	7	8	9
35-49	43	4.0	6	1	2	3	6	8	9	11
50-64	62	3.6	6	1	1	3	4	7	9	14
65+	231	5.2	13	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	24	4.5	105	<1	<1	2	3	7	27	50
20-34	87	4.3	21	1	1	3	5	9	10	28
35-49	75	5.3	40	<1	1	3	6	13	16	32
50-64	153	3.6	16	<1	1	2	4	8	10	16
65+	442	4.8	30	1	1	3	6	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	204	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	423	4.4	11	1	1	4	6	8	10	16
B. *Operated*	781	4.5	30	1	1	3	6	9	14	32
1. SINGLE DX	268	2.2	4	<1	<1	1	3	4	5	10
2. MULTIPLE DX	1204	4.5	23	1	1	3	6	9	12	27
A. NOT OPERATED	487	4.1	10	1	1	3	5	8	10	16
B. OPERATED	985	4.0	25	<1	1	2	5	8	12	29
TOTAL 0-19 YRS	77	2.9	36	<1	<1	2	3	4	9	41
20-34	212	3.6	13	1	1	2	5	7	9	18
35-49	166	4.0	22	<1	1	2	5	8	13	30
50-64	278	3.2	11	<1	1	2	4	7	9	15
65+	739	4.7	23	1	1	3	6	9	13	27
GRAND TOTAL	**1472**	**4.1**	**20**	**<1**	**1**	**3**	**5**	**8**	**11**	**24**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	74	1.1		<1	<1	<1	1	1	2	3
20-34	107	2.2	4	<1	1	2	3	4	6	11
35-49	79	1.5	1	<1	1	1	2	3	4	6
50-64	80	2.1	3	<1	1	2	2	4	5	11
65+	77	2.1	2	1	1	2	3	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	1.8	1	1	1	1	3	3	3	3
35-49	5	3.2	6	1	1	3	5	7	7	7
50-64	7	2.9	5	<1	<1	2	5	6	6	6
65+	20	4.1	4	1	2	3	6	7	8	8
B. *Operated*										
0-19 YRS	89	1.3	2	<1	<1	1	1	2	3	8
20-34	140	2.6	7	<1	1	1	3	6	8	13
35-49	117	2.4	5	<1	1	2	3	6	7	10
50-64	168	3.3	22	<1	1	2	3	6	9	17
65+	405	3.6	12	1	1	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	3	<1	<1	1	2	5	5	5
B. *Operated*	417	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	40	3.3	5	<1	1	3	5	7	7	8
B. *Operated*	919	3.0	12	<1	1	2	4	6	9	16
1. SINGLE DX	422	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	959	3.0	11	<1	1	2	4	6	9	16
A. NOT OPERATED	45	3.1	4	<1	1	3	5	6	7	8
B. OPERATED	1336	2.6	9	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	167	1.2	1	<1	<1	<1	1	2	2	4
20-34	253	2.4	5	<1	1	1	3	5	7	13
35-49	202	2.1	3	<1	1	1	2	5	6	9
50-64	256	2.9	16	<1	1	2	3	6	9	16
65+	503	3.4	10	1	1	2	4	7	9	17
GRAND TOTAL	**1381**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	2.4	3	1	1	2	3	4	6	10
20-34	71	2.5	3	1	1	2	3	4	6	10
35-49	47	2.4	2	<1	<1	2	3	4	6	7
50-64	46	2.5	3	<1	1	2	3	5	6	7
65+	94	3.4	5	1	1	3	4	6	9	10
B. *Operated*										
0-19 YRS	98	1.9	4	<1	<1	1	2	5	7	10
20-34	93	2.0	3	<1	<1	1	3	3	4	10
35-49	93	2.8	8	<1	<1	1	4	7	9	12
50-64	154	2.3	12	<1	1	2	3	4	5	13
65+	209	2.4	4	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	583	3.5	7	1	1	3	4	7	8	12
20-34	567	3.8	9	1	1	3	5	7	10	17
35-49	446	4.7	14	1	1	4	6	9	12	19
50-64	832	5.3	18	1	2	4	7	9	12	21
65+	3839	6.2	23	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	168	3.3	16	<1	<1	1	5	8	9	13
20-34	221	5.0	38	<1	1	3	6	11	15	28
35-49	319	5.6	70	<1	1	3	6	11	16	46
50-64	671	5.1	32	1	1	3	6	10	14	29
65+	2211	6.3	42	1	2	4	8	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	647	2.3	6	<1	<1	1	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	6267	5.5	20	1	2	4	7	10	13	21
B. *Operated*	3590	5.8	42	1	1	4	7	12	16	33
1. SINGLE DX	1055	2.4	5	<1	<1	2	3	5	7	10
2. MULTIPLE DX	9857	5.6	28	1	1	4	7	11	14	26
A. NOT OPERATED	6675	5.3	19	1	2	4	7	10	13	20
B. OPERATED	4237	5.3	38	<1	1	3	6	11	15	31
TOTAL 0-19 YRS	999	3.2	8	<1	<1	2	4	7	8	12
20-34	952	3.8	15	1	1	3	4	7	11	18
35-49	905	4.7	34	1	1	3	6	9	12	27
50-64	1703	4.9	23	1	1	4	6	9	13	23
65+	6353	6.0	29	1	2	5	8	12	15	27
GRAND TOTAL	**10912**	**5.3**	**26**	**1**	**1**	**4**	**7**	**10**	**14**	**24**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	3.6	2	1	1	4	4	6	6	6
65+	10	3.3	3	<1	<1	4	4	6	7	7
B. *Operated*										
0-19 YRS	5	2.6	4	<1	<1	2	4	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	52	2.8	2	<1	1	3	4	5	6	7
50-64	978	3.7	3	1	2	4	5	5	6	9
65+	1656	3.9	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	57	2.9	5	<1	<1	2	4	6	8	9
65+	275	3.6	11	<1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	9	4.4	7	2	2	4	5	9	11	11
20-34	8	3.1	5	1	1	3	3	7	8	8
35-49	104	4.0	10	1	1	3	4	7	9	19
50-64	2789	4.2	6	1	2	4	5	7	8	13
65+	8837	5.2	11	2	2	4	6	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.4	3	<1	1	4	4	6	7	7
B. *Operated*	2692	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	336	3.5	10	<1	1	3	4	7	9	14
B. *Operated*	11747	4.9	10	2	2	4	6	8	10	17
1. SINGLE DX	2710	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX	12083	4.9	10	2	2	4	6	8	10	17
A. NOT OPERATED	354	3.5	9	<1	1	3	4	7	9	14
B. OPERATED	14439	4.7	9	2	2	4	5	8	10	16
TOTAL 0-19 YRS	14	3.8	6	<1	1	3	5	6	10	11
20-34	10	3.4	7	1	1	3	3	8	8	8
35-49	159	3.6	8	1	1	3	4	6	8	15
50-64	3832	4.1	5	1	2	4	5	6	8	12
65+	10778	4.9	10	2	2	4	6	8	10	17
GRAND TOTAL	**14793**	**4.7**	**9**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

[illegible] diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	20	3.4	4	<1	1	3	5	6	7	8
35-49	20	3.0	3	1	1	3	4	6	6	6
50-64	27	3.3	2	1	1	3	4	5	6	7
65+	10	3.2	2	2	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.0		<1	<1	<1	1	1	1	1
35-49	9	2.3	3	<1	<1	1	4	5	5	5
50-64	17	1.9	2	<1	<1	1	2	4	5	6
65+	9	1.9	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	1	2	2	4	4	5	5	5
20-34	40	3.4	4	<1	1	3	4	6	8	11
35-49	66	3.5	4	1	1	3	4	6	7	11
50-64	115	4.3	4	2	2	4	5	7	8	11
65+	150	4.5	6	1	2	4	6	8	9	11
B. *Operated*										
0-19 YRS										
20-34	8	2.5	3	1	1	2	3	5	6	6
35-49	28	3.8	7	1	1	3	5	8	9	12
50-64	102	4.2	10	1	1	3	5	9	11	15
65+	168	4.9	15	1	1	4	6	11	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.2	3	1	1	3	4	6	6	8
B. *Operated*	41	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	377	4.1	5	1	2	4	5	7	9	11
B. *Operated*	306	4.5	13	1	1	4	6	9	12	17
1. SINGLE DX	121	2.8	3	<1	<1	3	4	5	6	7
2. MULTIPLE DX	683	4.3	8	1	1	4	5	8	10	15
A. NOT OPERATED	457	4.0	5	1	2	4	5	7	8	11
B. OPERATED	347	4.2	12	1	1	3	5	9	12	16
TOTAL 0-19 YRS	10	3.3	2	1	1	4	4	5	5	5
20-34	73	3.1	4	<1	<1	3	4	6	6	11
35-49	123	3.4	4	1	1	3	4	6	7	11
50-64	261	4.0	6	1	1	4	5	7	9	12
65+	337	4.6	11	1	1	4	6	9	11	16
GRAND TOTAL	**804**	**4.1**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	102	1.2		<1	<1	1	1	2	2	3
20-34	46	1.3		<1	<1	1	1	2	3	3
35-49	60	1.5	1	<1	<1	1	2	3	3	4
50-64	87	1.6	1	<1	<1	1	2	3	3	5
65+	71	1.6	1	1	1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	107	1.6	2	<1	<1	1	2	3	4	8
20-34	39	1.6	1	<1	1	1	2	3	4	5
35-49	58	1.9	2	<1	1	1	2	4	6	8
50-64	84	2.2	4	<1	1	2	2	4	5	13
65+	136	2.8	4	<1	1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	366	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	6	2.8	7	<1	<1	1	5	7	7	7
B. *Operated*	424	2.1	3	<1	<1	2	3	4	5	10
1. SINGLE DX	369	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	430	2.1	3	<1	<1	2	3	4	5	10
A. NOT OPERATED	9	2.2	5	<1	<1	1	3	6	7	7
B. OPERATED	790	1.8	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	210	1.4	1	<1	<1	1	1	2	3	6
20-34	86	1.5	1	<1	<1	1	2	3	4	6
35-49	119	1.7	2	<1	<1	1	2	3	4	7
50-64	174	1.9	2	<1	<1	1	2	3	4	7
65+	210	2.4	3	1	1	2	3	4	6	10
GRAND TOTAL	**799**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.6	5	1	1	4	5	6	7	9
20-34	96	3.2	4	1	1	3	4	6	8	9
35-49	56	3.6	3	1	2	3	5	6	7	10
50-64	35	3.7	3	1	2	3	5	6	7	9
65+	26	4.6	7	2	2	4	6	7	10	13
B. *Operated*										
0-19 YRS	35	1.8	2	<1	1	1	2	4	5	6
20-34	49	3.0	6	<1	1	2	4	6	8	13
35-49	32	2.5	5	1	1	2	3	5	9	10
50-64	25	2.5	4	1	1	2	3	5	7	8
65+	22	2.7	6	<1	1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.0	3	1	2	4	6	6	7	8
20-34	57	4.0	6	2	2	3	5	6	8	16
35-49	55	4.9	8	1	2	4	6	10	10	12
50-64	82	4.8	7	2	2	4	6	8	10	14
65+	134	5.3	11	2	3	4	7	9	10	18
B. *Operated*										
0-19 YRS	14	2.6	3	<1	1	2	3	5	7	7
20-34	49	4.1	16	<1	1	3	5	10	15	19
35-49	38	4.1	12	1	1	3	6	10	11	12
50-64	44	4.3	14	<1	1	3	5	11	13	17
65+	90	5.5	22	1	1	4	8	12	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	3.6	4	1	1	3	5	6	7	9
B. *Operated*	163	2.5	5	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	355	4.8	8	2	2	4	6	8	10	14
B. *Operated*	235	4.6	17	1	1	3	6	10	14	19
1. SINGLE DX	415	3.2	5	1	1	3	4	6	7	10
2. MULTIPLE DX	590	4.7	12	1	1	4	6	9	11	18
A. NOT OPERATED	607	4.3	7	1	2	4	5	7	9	14
B. OPERATED	398	3.7	13	1	1	2	5	8	11	18
TOTAL 0-19 YRS	115	3.0	4	1	1	3	5	6	7	8
20-34	251	3.5	7	1	1	3	5	7	8	15
35-49	181	3.9	7	1	1	3	5	8	10	12
50-64	186	4.2	8	1	1	3	5	7	10	15
65+	272	5.1	14	1	2	4	7	9	13	19
GRAND TOTAL	**1005**	**4.1**	**9**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.0		<1	<1	<1	<1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	256	1.1		<1	<1	<1	1	1	2	2
20-34	31	1.2		<1	<1	1	1	2	2	3
35-49	21	1.2	1	<1	<1	1	1	2	3	5
50-64	10	1.0		<1	<1	1	1	1	1	1
65+	13	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	2.8	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	50	1.2		<1	<1	1	1	2	2	3
20-34	18	1.5	1	<1	<1	1	2	3	4	4
35-49	25	1.6	1	<1	<1	1	2	3	4	5
50-64	32	1.8	2	<1	<1	1	2	3	4	7
65+	37	2.3	3	<1	<1	2	3	5	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.0		<1	<1	<1	<1	1	1	1
B. *Operated*	331	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*	18	2.2	4	<1	<1	1	2	5	7	8
B. *Operated*	162	1.7	2	<1	<1	1	2	3	4	7
1. SINGLE DX	339	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX	180	1.7	2	<1	<1	1	2	3	5	8
A. NOT OPERATED	26	1.8	3	<1	<1	1	2	5	6	8
B. OPERATED	493	1.3	1	<1	<1	<1	1	2	3	5
TOTAL 0-19 YRS	325	1.1		<1	<1	<1	1	1	2	2
20-34	50	1.4	1	<1	<1	1	1	2	4	5
35-49	47	1.6	2	<1	<1	1	2	3	5	8
50-64	43	1.6	1	<1	<1	1	2	3	4	7
65+	54	2.0	3	<1	<1	1	3	4	6	8
GRAND TOTAL	**519**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.4	3	<1	<1	2	3	5	6	6
20-34	10	2.5	3	1	1	2	4	5	6	6
35-49	7	4.4	19	<1	<1	3	4	12	14	14
50-64	11	3.0	2	1	1	3	4	5	5	5
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	368	1.3	1	<1	<1	1	1	2	3	5
20-34	206	1.5	1	<1	<1	1	2	3	3	5
35-49	151	1.8	3	<1	<1	1	2	3	5	9
50-64	216	2.2	4	<1	1	2	3	4	5	7
65+	127	2.1	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	1	1	1	3	4	4	4	4
20-34	34	3.3	17	<1	<1	2	4	6	15	19
35-49	22	4.4	13	<1	1	4	6	8	12	17
50-64	33	3.4	10	<1	<1	2	5	8	10	14
65+	38	5.4	34	<1	1	4	7	11	12	35
B. *Operated*										
0-19 YRS	158	1.7	2	<1	1	1	2	3	5	9
20-34	178	3.5	31	<1	1	2	3	7	13	26
35-49	234	3.3	15	<1	1	2	4	7	9	18
50-64	442	3.3	23	1	1	3	4	5	8	15
65+	393	3.2	14	1	1	2	4	5	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.9	5	<1	1	2	4	5	6	14
B. *Operated*	1068	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	147	3.9	18	<1	<1	3	5	8	11	19
B. *Operated*	1405	3.1	18	1	1	2	3	5	8	18
1. SINGLE DX	1117	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1552	3.2	18	1	1	2	4	6	8	19
A. NOT OPERATED	196	3.7	15	<1	1	3	4	7	10	18
B. OPERATED	2473	2.5	12	<1	1	2	3	5	6	14
TOTAL 0-19 YRS	566	1.5	1	<1	<1	1	2	3	4	6
20-34	428	2.5	15	<1	<1	1	3	5	7	23
35-49	414	2.8	11	<1	1	2	3	6	8	16
50-64	702	3.0	16	1	1	2	3	5	7	14
65+	559	3.1	13	1	1	2	3	5	8	15
GRAND TOTAL	**2669**	**2.6**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	4.0	27	<1	<1	1	8	10	10	10
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	11	1.2		<1	<1	<1	1	2	3	3
20-34	161	1.7	2	<1	<1	1	2	4	4	6
35-49	472	1.8	2	<1	<1	1	2	4	5	7
50-64	297	1.5	1	<1	<1	1	2	3	3	5
65+	148	1.4	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	4	2.0	4	<1	<1	1	3	5	5	5
20-34	130	3.1	3	<1	<1	3	4	5	6	8
35-49	449	2.7	3	<1	<1	2	4	5	6	8
50-64	300	2.5	4	<1	<1	2	3	5	6	9
65+	191	2.2	3	<1	<1	2	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	16	<1	<1	<1	3	10	10	10
B. *Operated*	1089	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	11	1.3		<1	<1	1	1	2	3	3
B. *Operated*	1074	2.6	3	<1	<1	2	4	5	6	8
1. SINGLE DX	1094	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1085	2.6	3	<1	<1	2	4	5	6	8
A. NOT OPERATED	16	1.8	5	<1	<1	1	1	3	8	10
B. OPERATED	2163	2.1	3	<1	<1	1	3	4	5	7
TOTAL 0-19 YRS	15	1.4	1	<1	<1	<1	1	3	4	5
20-34	294	2.3	3	<1	<1	1	3	5	5	7
35-49	928	2.2	3	<1	<1	1	3	5	5	8
50-64	600	2.0	3	<1	<1	1	2	4	6	8
65+	342	1.9	2	<1	<1	1	2	3	5	8
GRAND TOTAL	**2179**	**2.1**	**3**	**<1**	**<1**	**1**	**3**	**4**	**5**	**8**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	6	<1	<1	2	3	8	8	8
20-34	22	2.6	1	1	1	2	3	4	5	6
35-49	11	2.5	4	<1	<1	2	4	6	7	7
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	4.0		4	4	4	4	4	[illegible]	4
B. *Operated*										
0-19 YRS	200	2.0	1	<1	1	2	3	3	4	5
20-34	420	2.2	1	<1	<1	2	3	4	4	5
35-49	259	2.3	3	<1	<1	2	3	4	5	7
50-64	189	2.2	2	<1	<1	2	3	4	5	5
65+	78	2.2	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	1	2	2	3	4	4	4	4
20-34	20	2.5	3	<1	<1	2	3	5	6	7
35-49	16	3.0	5	<1	<1	3	5	6	7	8
50-64	14	3.1	8	<1	<1	2	5	7	9	10
65+	24	3.2	11	<1	<1	2	4	7	11	15
B. *Operated*										
0-19 YRS	82	2.5	2	<1	1	2	3	4	6	8
20-34	274	2.9	4	1	1	3	4	5	6	13
35-49	351	2.8	3	<1	1	3	3	5	5	9
50-64	334	3.2	5	<1	1	3	4	6	8	13
65+	191	3.3	12	<1	1	3	4	6	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.7	2	<1	1	2	3	5	6	8
B. *Operated*	1146	2.2	2	<1	<1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	81	3.0	6	<1	<1	2	4	6	8	13
B. *Operated*	1232	3.0	5	<1	1	3	4	5	7	13
1. SINGLE DX	1189	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	1313	3.0	5	<1	1	3	4	5	7	13
A. NOT OPERATED	124	2.9	5	<1	<1	2	4	6	7	11
B. OPERATED	2378	2.6	4	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	295	2.2	1	<1	1	2	3	4	4	7
20-34	736	2.5	2	<1	1	2	3	4	5	8
35-49	637	2.6	3	<1	<1	2	3	5	5	8
50-64	540	2.8	4	<1	<1	2	4	5	7	12
65+	294	3.0	10	<1	<1	2	4	5	6	16
GRAND TOTAL	**2502**	**2.6**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	1.6	1	<1	1	1	2	3	3	5
20-34	349	1.7	1	<1	1	1	2	3	4	5
35-49	89	1.7	1	<1	1	1	2	3	4	5
50-64	7	1.6		<1	<1	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	321	3.2	3	1	1	3	4	5	6	8
20-34	1085	3.1	3	<1	<1	3	4	5	6	8
35-49	291	3.6	3	<1	1	4	5	6	6	8
50-64	48	5.0	4	1	2	5	6	7	8	12
65+	21	5.3	3	2	2	6	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	2.1	2	<1	1	2	3	4	5	7
20-34	308	2.3	3	<1	<1	2	3	4	6	10
35-49	61	2.4	5	<1	1	2	3	5	6	13
50-64	9	4.3	8	1	1	3	6	9	10	10
65+	6	2.3	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	297	3.8	21	1	1	3	5	6	6	10
20-34	2102	4.1	4	1	1	4	5	6	8	11
35-49	1094	4.9	5	2	3	5	6	7	8	12
50-64	166	5.7	10	3	3	5	6	8	10	22
65+	122	6.4	6	4	4	6	7	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	1766	3.3	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	500	2.3	3	<1	1	2	3	4	6	10
B. *Operated*	3781	4.5	7	1	2	4	5	7	8	12
1. SINGLE DX	2410	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	4281	4.2	7	1	1	4	5	7	8	12
A. NOT OPERATED	1144	2.0	2	<1	1	2	2	4	4	7
B. OPERATED	5547	4.1	6	1	1	4	5	6	8	11
TOTAL 0-19 YRS	931	2.9	9	1	1	3	4	5	6	9
20-34	3844	3.5	4	<1	1	3	5	6	7	10
35-49	1535	4.4	5	1	1	4	5	7	8	12
50-64	230	5.4	9	2	3	5	6	8	10	18
65+	151	6.1	6	2	4	6	7	9	10	14
GRAND TOTAL	**6691**	**3.7**	**6**	**1**	**1**	**4**	**5**	**6**	**7**	**11**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	512	3.3	3	1	1	3	4	5	6	9
20-34	1286	3.6	4	1	2	3	4	6	7	10
35-49	195	4.3	5	1	2	4	5	7	8	12
50-64	11	3.1	3	1	1	3	5	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	126	4.1	6	1	1	4	5	7	9	12
20-34	609	4.0	6	<1	1	4	5	6	8	14
35-49	176	4.2	9	<1	1	4	6	7	9	12
50-64	27	4.8	2	2	3	5	6	6	7	8
65+	7	3.4	9	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	362	3.9	4	1	2	3	5	6	7	12
20-34	1037	4.1	5	1	2	4	5	7	8	12
35-49	216	4.6	7	1	2	4	6	8	10	12
50-64	23	7.5	28	1	2	6	10	15	18	22
65+	11	5.6	5	3	3	5	6	10	10	10
B. *Operated*										
0-19 YRS	251	5.0	7	1	2	5	6	9	10	14
20-34	2904	4.8	7	1	2	4	6	8	10	14
35-49	1138	5.4	11	1	3	5	6	9	11	18
50-64	153	6.7	22	2	3	6	7	12	15	28
65+	51	9.5	33	3	4	7	14	19	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2005	3.6	4	1	2	3	4	6	7	10
B. *Operated*	945	4.0	6	<1	1	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	1649	4.2	6	1	2	4	5	7	8	13
B. *Operated*	4497	5.1	9	1	2	5	6	8	11	16
1. SINGLE DX	2950	3.7	4	1	1	3	5	6	7	11
2. MULTIPLE DX	6146	4.8	8	1	2	4	6	8	10	15
A. NOT OPERATED	3654	3.9	5	1	2	3	5	6	8	11
B. OPERATED	5442	4.9	9	1	2	4	6	8	10	16
TOTAL 0-19 YRS	1251	3.9	5	1	2	4	5	6	8	12
20-34	5836	4.3	6	1	2	4	5	7	9	13
35-49	1725	5.1	10	1	2	5	6	8	11	16
50-64	214	6.4	20	1	2	5	7	12	15	24
65+	70	8.2	31	1	3	6	10	17	20	26
GRAND TOTAL	**9096**	**4.5**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	28	2.0	1	<1	<1	2	3	4	4	5
35-49	9	2.6	5	1	1	1	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.1	2	<1	<1	1	3	4	4	4
20-34	482	3.6	3	<1	<1	4	5	6	6	7
35-49	324	4.4	3	1	3	5	5	6	7	9
50-64	28	4.5	3	<1	1	5	6	7	7	8
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	4	<1	<1	2	4	6	6	6
20-34	69	2.9	5	<1	<1	2	4	5	6	12
35-49	33	3.2	4	<1	<1	4	5	5	6	9
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	54	3.7	5	<1	1	4	5	6	7	10
20-34	2873	4.5	3	1	2	4	5	6	7	10
35-49	3592	5.0	3	3	3	5	6	7	8	11
50-64	395	5.4	5	3	4	5	6	7	8	12
65+	48	6.3	7	4	4	6	7	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	852	3.9	3	<1	1	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	109	3.0	4	<1	<1	3	4	5	6	11
B. *Operated*	6962	4.8	4	2	3	5	6	7	7	11
1. SINGLE DX	892	3.8	3	<1	1	4	5	6	6	8
2. MULTIPLE DX	7071	4.8	4	2	3	5	6	7	7	11
A. NOT OPERATED	149	2.8	4	<1	<1	2	4	5	6	9
B. OPERATED	7814	4.7	4	1	3	5	6	7	7	10
TOTAL 0-19 YRS	79	3.2	4	<1	<1	3	5	6	7	9
20-34	3452	4.3	4	1	1	4	5	6	7	9
35-49	3958	5.0	3	3	3	5	6	7	7	11
50-64	424	5.3	5	3	4	5	6	7	8	12
65+	50	6.3	7	4	4	6	7	8	9	18
GRAND TOTAL	**7963**	**4.7**	**4**	**1**	**3**	**5**	**6**	**7**	**7**	**10**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	19	2.6	3	<1	<1	2	4	5	6	6
35-49	12	1.8	1	<1	<1	1	2	4	4	4
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	132	4.6	10	1	2	4	5	6	7	14
35-49	185	4.3	3	<1	1	4	5	6	7	9
50-64	38	4.3	5	<1	<1	4	6	8	8	9
65+	17	4.2	6	<1	1	4	6	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*	38	2.1	2	<1	<1	1	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	9	3.4	2	2	2	3	4	6	6	6
B. *Operated*	372	4.4	6	<1	1	4	5	7	7	10
1. SINGLE DX	42	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX	381	4.4	6	<1	1	4	5	7	7	10
A. NOT OPERATED	13	3.1	2	1	2	3	4	5	6	6
B. OPERATED	410	4.2	6	<1	1	4	5	6	7	9
TOTAL 0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	158	4.3	9	1	1	4	5	6	7	10
35-49	198	4.1	4	<1	1	4	5	6	7	9
50-64	43	3.9	5	<1	<1	4	6	7	8	9
65+	21	4.0	6	<1	1	4	6	7	8	9
GRAND TOTAL	**423**	**4.1**	**6**	**<1**	**1**	**4**	**5**	**6**	**7**	**9**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	2	<1	<1	2	3	4	6	7
20-34	71	3.2	3	1	1	3	4	6	7	9
35-49	15	3.9	2	2	2	4	5	5	7	7
50-64	4	3.8	9	<1	<1	3	6	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	14	1.9	2	<1	<1	1	3	4	5	5
20-34	118	1.7	2	<1	<1	1	2	4	5	8
35-49	65	1.3	1	<1	<1	1	1	2	4	5
50-64	17	1.1		<1	<1	1	1	2	2	2
65+	7	2.1	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.5	2	1	2	3	4	6	7	7
20-34	99	3.5	4	1	2	3	4	6	8	10
35-49	32	3.9	5	1	1	3	5	7	8	9
50-64	7	7.9	55	2	2	5	8	21	24	24
65+	15	5.5	8	2	2	5	7	9	11	12
B. *Operated*										
0-19 YRS	16	4.8	7	1	2	4	7	8	9	10
20-34	161	3.9	7	<1	1	4	5	7	8	16
35-49	94	4.4	9	<1	1	4	6	8	9	17
50-64	36	5.9	49	<1	<1	4	8	16	18	35
65+	33	5.7	35	<1	1	3	6	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.2	3	<1	1	3	4	6	7	9
B. *Operated*	221	1.6	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	200	3.9	6	1	2	3	5	7	8	11
B. *Operated*	340	4.5	15	<1	1	4	6	8	11	19
1. SINGLE DX	335	2.1	3	<1	<1	1	3	4	6	8
2. MULTIPLE DX	540	4.3	12	<1	1	4	5	8	9	19
A. NOT OPERATED	314	3.6	5	1	1	3	4	7	8	10
B. OPERATED	561	3.3	12	<1	<1	2	5	7	8	18
TOTAL 0-19 YRS	100	3.3	4	<1	1	3	4	6	7	9
20-34	449	3.2	5	<1	<1	3	4	6	7	10
35-49	206	3.3	7	<1	<1	3	5	7	8	12
50-64	64	4.7	38	<1	<1	2	6	11	17	33
65+	56	5.1	24	<1	1	4	6	14	18	19
GRAND TOTAL	**875**	**3.4**	**9**	**<1**	**<1**	**3**	**5**	**7**	**8**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	5	4.6	2	3	3	4	5	7	7	7
50-64	5	4.8	2	3	3	5	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	183	4.0	3	1	2	4	5	6	7	9
35-49	370	4.6	3	2	3	4	6	7	7	10
50-64	514	4.8	3	2	3	5	6	7	8	10
65+	510	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.6	6	<1	<1	4	5	7	8	10
35-49	35	3.5	5	<1	<1	3	5	7	8	8
50-64	31	3.0	5	<1	<1	2	5	6	7	8
65+	38	2.7	8	<1	<1	1	4	5	9	14
B. *Operated*										
0-19 YRS	12	5.0	5	<1	2	5	7	8	8	8
20-34	1029	4.8	3	3	3	5	6	7	8	10
35-49	2324	5.2	5	3	3	5	6	7	8	11
50-64	1857	5.5	4	3	3	5	6	8	9	13
65+	1988	6.0	7	3	4	6	7	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.4	2	1	2	4	5	6	7	7
B. *Operated*	1580	4.7	3	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	126	3.1	6	<1	<1	2	5	6	7	12
B. *Operated*	7210	5.4	5	3	3	5	6	8	9	13
1. SINGLE DX	1593	4.7	3	2	3	5	6	7	8	10
2. MULTIPLE DX	7336	5.4	5	3	3	5	6	8	9	13
A. NOT OPERATED	139	3.2	6	<1	<1	3	5	6	7	12
B. OPERATED	8790	5.3	5	3	3	5	6	8	9	12
TOTAL 0-19 YRS	16	4.6	5	<1	1	4	6	8	8	8
20-34	1235	4.6	3	2	3	4	5	7	7	10
35-49	2734	5.1	5	3	3	5	6	7	8	11
50-64	2407	5.3	4	3	3	5	6	8	9	12
65+	2537	5.8	6	3	3	5	7	8	10	14
GRAND TOTAL	**8929**	**5.3**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**12**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	24	1.1		<1	<1	<1	1	1	2	3
35-49	35	1.4	1	<1	<1	<1	1	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.4	8	<1	<1	3	5	8	8	8
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	50	3.6	5	<1	<1	4	5	6	6	11
35-49	79	3.9	5	<1	<1	4	5	7	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	59	1.3	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	10	3.0	4	<1	<1	3	4	6	8	8
B. *Operated*	130	3.8	5	<1	<1	4	5	7	7	9
1. SINGLE DX	62	1.3	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	140	3.7	5	<1	<1	4	5	7	8	9
A. NOT OPERATED	13	2.6	4	<1	1	2	3	5	7	8
B. OPERATED	189	3.0	5	<1	<1	2	5	6	7	9
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	80	2.8	5	<1	<1	2	4	6	6	10
35-49	120	3.1	5	<1	<1	2	5	6	7	9
50-64										
65+										
GRAND TOTAL	**202**	**3.0**	**5**	**<1**	**<1**	**2**	**5**	**6**	**7**	**9**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.6	1	<1	<1	1	2	2	4	4
20-34	61	1.3	1	<1	<1	1	2	2	3	6
35-49	38	2.2	5	<1	<1	1	3	5	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	39	1.5	1	<1	<1	1	2	3	4	4
20-34	446	2.0	3	<1	<1	1	3	5	5	6
35-49	678	2.1	3	<1	<1	1	3	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	1.9	1	<1	1	2	2	3	4	6
20-34	128	2.1	3	<1	<1	1	2	4	5	10
35-49	141	2.6	4	<1	<1	2	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	63	2.0	2	<1	<1	1	3	5	6	6
20-34	1588	3.9	4	<1	1	4	5	6	7	9
35-49	3295	4.2	5	<1	1	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	1.7	2	<1	<1	1	2	3	4	9
B. *Operated*	1163	2.1	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	316	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	4946	4.1	5	<1	1	4	5	6	7	10
1. SINGLE DX	1278	2.0	3	<1	<1	1	3	5	5	7
2. MULTIPLE DX	5262	4.0	5	<1	1	4	5	6	7	10
A. NOT OPERATED	431	2.1	3	<1	<1	1	3	4	5	8
B. OPERATED	6109	3.7	5	<1	<1	4	5	6	7	10
TOTAL 0-19 YRS	165	1.8	2	<1	<1	1	2	4	5	6
20-34	2223	3.3	4	<1	<1	3	5	6	6	8
35-49	4152	3.8	6	<1	<1	4	5	6	7	11
50-64										
65+										
GRAND TOTAL	**6540**	**3.6**	**5**	**<1**	**<1**	**4**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	7	1.4	1	<1	<1	1	1	3	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	13	2.2	3	<1	<1	1	4	5	5	5
35-49	73	1.5	1	<1	<1	<1	1	3	4	6
50-64	241	1.3	1	<1	<1	<1	1	1	4	7
65+	106	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		1	1	1	1	1	1	1
35-49	10	2.1	1	<1	<1	2	3	4	4	4
50-64	16	2.7	6	<1	<1	1	4	6	9	10
65+	23	2.9	5	<1	1	2	4	6	8	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	37	3.8	3	1	1	4	5	6	6	8
35-49	192	3.5	5	<1	<1	4	5	6	7	11
50-64	452	2.7	5	<1	<1	1	4	6	7	9
65+	259	2.7	6	<1	<1	1	4	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	433	1.4	1	<1	<1	<1	1	2	4	6
2. MULTIPLE DX										
A. *Not Operated*	52	2.6	5	<1	<1	2	3	5	7	10
B. *Operated*	941	2.9	5	<1	<1	2	5	6	7	10
1. SINGLE DX	445	1.4	1	<1	<1	<1	1	2	4	6
2. MULTIPLE DX	993	2.9	5	<1	<1	2	5	6	7	10
A. NOT OPERATED	64	2.4	4	<1	<1	2	3	4	6	10
B. OPERATED	1374	2.4	4	<1	<1	1	4	6	6	9
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	55	3.2	3	<1	<1	3	5	5	6	8
35-49	277	2.9	5	<1	<1	3	5	6	6	9
50-64	716	2.2	4	<1	<1	1	4	5	6	8
65+	389	2.4	5	<1	<1	1	3	6	7	10
GRAND TOTAL	**1438**	**2.4**	**4**	**<1**	**<1**	**1**	**4**	**6**	**6**	**9**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	2	5	7	7
20-34	37	2.1	3	<1	1	2	2	5	6	9
35-49	10	2.8	7	1	1	2	4	7	9	9
50-64	3	2.7	8	1	1	1	5	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	48	1.9	1	<1	<1	1	3	4	4	5
20-34	517	2.6	3	<1	<1	2	4	5	5	8
35-49	347	2.8	4	<1	<1	2	4	5	6	10
50-64	154	2.7	4	<1	<1	2	4	5	6	9
65+	68	3.3	10	<1	<1	2	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4	1	<1	<1	1	2	3	3	3
20-34	64	2.2	3	<1	<1	2	3	4	6	8
35-49	33	2.2	4	<1	<1	1	3	5	6	9
50-64	21	2.4	2	<1	<1	2	3	4	5	6
65+	29	4.1	12	<1	<1	3	6	9	13	14
B. *Operated*										
0-19 YRS	81	3.2	7	<1	<1	3	4	6	7	16
20-34	1197	3.9	5	<1	1	4	5	6	7	11
35-49	1485	4.5	5	<1	1	5	6	7	8	12
50-64	828	4.8	10	<1	1	5	6	7	9	14
65+	401	5.9	27	<1	1	5	7	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.2	4	<1	<1	1	2	5	7	9
B. *Operated*	1134	2.7	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	163	2.5	5	<1	<1	2	3	5	7	13
B. *Operated*	3992	4.5	8	<1	1	4	6	7	8	14
1. SINGLE DX	1199	2.7	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX	4155	4.4	8	<1	1	4	6	7	8	14
A. NOT OPERATED	228	2.4	5	<1	<1	2	3	5	7	10
B. OPERATED	5126	4.1	8	<1	1	4	5	7	8	13
TOTAL 0-19 YRS	159	2.5	5	<1	<1	2	4	5	6	8
20-34	1815	3.4	5	<1	1	3	5	6	7	10
35-49	1875	4.1	5	<1	1	4	5	6	7	11
50-64	1006	4.4	9	<1	1	4	6	7	9	12
65+	499	5.4	25	<1	1	5	7	10	14	24
GRAND TOTAL	**5354**	**4.0**	**8**	**<1**	**1**	**4**	**5**	**7**	**8**	**13**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	1.5	1	<1	<1	1	2	3	3	4
20-34	153	1.9	2	<1	<1	1	2	3	4	6
35-49	31	1.9	3	<1	<1	1	2	4	6	9
50-64	7	3.7	6	<1	<1	3	6	7	7	7
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	55	2.3	3	<1	<1	1	3	5	6	7
20-34	557	2.7	4	<1	<1	2	4	5	6	8
35-49	523	3.9	4	<1	1	4	5	6	7	9
50-64	379	4.8	4	2	2	5	6	7	8	11
65+	169	5.3	5	2	3	5	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.0	2	<1	<1	2	3	4	5	7
20-34	254	2.3	6	<1	<1	2	3	4	6	7
35-49	73	2.6	22	<1	<1	1	2	5	8	32
50-64	18	2.1	3	<1	<1	1	3	5	6	7
65+	21	2.8	6	<1	<1	2	4	6	8	10
B. *Operated*										
0-19 YRS	70	2.8	3	<1	1	2	4	5	6	7
20-34	2239	4.0	4	<1	1	4	5	6	7	9
35-49	1810	4.9	4	1	3	5	6	7	8	11
50-64	698	5.7	10	3	3	5	7	8	9	15
65+	461	5.9	7	3	3	6	7	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	1683	3.8	5	<1	<1	4	5	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	429	2.3	8	<1	<1	1	3	4	6	9
B. *Operated*	5278	4.7	5	1	2	5	6	7	8	11
1. SINGLE DX	1963	3.5	5	<1	<1	3	5	6	7	9
2. MULTIPLE DX	5707	4.5	6	1	1	4	6	7	8	11
A. NOT OPERATED	709	2.1	5	<1	<1	1	3	4	5	8
B. OPERATED	6961	4.5	5	<1	1	4	6	7	8	11
TOTAL 0-19 YRS	274	2.1	2	<1	<1	1	3	5	5	7
20-34	3203	3.5	4	<1	1	4	5	6	7	9
35-49	2437	4.6	5	1	1	5	6	7	8	10
50-64	1102	5.3	8	2	3	5	6	8	9	13
65+	654	5.7	7	2	3	5	7	9	10	15
GRAND TOTAL	**7670**	**4.3**	**6**	**<1**	**1**	**4**	**6**	**7**	**8**	**11**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	28	2.2	2	<1	<1	2	3	4	5	5
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	146	3.4	1	2	2	3	4	5	5	5
20-34	1847	3.5	1	2	2	4	4	5	5	6
35-49	241	3.6	2	2	2	4	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	22	2.7	3	<1	1	3	4	5	6	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	121	3.9	3	2	2	4	5	6	7	9
20-34	2162	3.9	2	2	3	4	4	5	6	8
35-49	383	4.1	2	2	3	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*	2234	3.5	1	2	2	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	27	2.6	3	<1	1	3	3	4	5	8
B. *Operated*	2666	3.9	2	2	3	4	5	5	6	8
1. SINGLE DX	2269	3.5	1	2	2	4	4	5	5	6
2. MULTIPLE DX	2693	3.9	2	2	3	4	5	5	6	8
A. NOT OPERATED	62	2.3	2	<1	<1	2	3	4	5	8
B. OPERATED	4900	3.7	2	2	2	4	4	5	6	8
TOTAL 0-19 YRS	274	3.6	2	2	2	3	4	5	6	9
20-34	4059	3.7	2	2	2	4	4	5	6	7
35-49	629	3.9	2	2	2	4	4	5	6	8
50-64										
65+										
GRAND TOTAL	**4962**	**3.7**	**2**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.2		<1	<1	1	1	2	2	2
20-34	39	1.5	1	<1	<1	1	2	3	4	4
35-49	8	4.9	112	<1	<1	1	2	22	31	31
50-64										
65+										
B. *Operated*										
0-19 YRS	259	1.1		<1	<1	1	1	1	2	4
20-34	547	1.3	7	<1	<1	<1	1	2	2	5
35-49	52	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	3	1	1	2	2	6	6	6
20-34	36	2.1	4	<1	1	1	3	4	6	10
35-49	14	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	76	1.8	2	<1	<1	1	2	3	4	9
20-34	388	2.1	4	<1	<1	1	2	5	6	10
35-49	103	2.0	4	<1	<1	1	2	4	6	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	1.9	15	<1	<1	1	2	3	4	28
B. *Operated*	858	1.3	4	<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	56	1.9	3	<1	1	1	2	3	6	10
B. *Operated*	567	2.1	4	<1	<1	1	2	5	6	10
1. SINGLE DX	920	1.3	5	<1	<1	1	1	2	2	5
2. MULTIPLE DX	623	2.0	4	<1	<1	1	2	4	6	10
A. NOT OPERATED	118	1.9	9	<1	<1	1	2	3	4	17
B. OPERATED	1425	1.6	4	<1	<1	1	1	3	4	8
TOTAL 0-19 YRS	356	1.3	1	<1	<1	1	1	2	3	7
20-34	1010	1.7	6	<1	<1	1	1	3	5	8
35-49	177	1.8	8	<1	<1	1	2	3	5	13
50-64										
65+										
GRAND TOTAL	**1543**	**1.6**	**5**	**<1**	**<1**	**1**	**1**	**3**	**4**	**8**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	4	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	4	1.0		<1	<1	1	1	1	1	1
TOTAL 0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
GRAND TOTAL	**5**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**2**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	1.3		<1	<1	1	1	2	3	4
20-34	337	1.3	1	<1	<1	1	1	2	3	6
35-49	52	1.3	2	<1	<1	1	1	2	2	11
50-64										
65+										
B. *Operated*										
0-19 YRS	648	1.2		<1	<1	1	1	2	2	4
20-34	3645	1.1		<1	<1	1	1	1	2	4
35-49	616	1.1		<1	<1	1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.0	4	<1	<1	1	2	4	6	10
20-34	130	1.7	1	<1	<1	1	2	3	4	6
35-49	21	1.3		<1	<1	1	2	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	152	1.6	2	<1	<1	1	2	3	4	9
20-34	942	1.7	2	<1	<1	1	2	3	5	8
35-49	221	1.8	2	<1	<1	1	2	4	4	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	4909	1.1		<1	<1	1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	173	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	1315	1.7	2	<1	<1	1	2	3	4	8
1. SINGLE DX	5395	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1488	1.7	2	<1	<1	1	2	3	4	8
A. NOT OPERATED	659	1.4	1	<1	<1	1	1	2	3	6
B. OPERATED	6224	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	919	1.3	1	<1	<1	1	1	2	3	5
20-34	5054	1.3	1	<1	<1	1	1	2	3	5
35-49	910	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**6883**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.4	2	<1	<1	2	3	5	5	6
20-34	193	1.9	2	<1	<1	1	2	4	5	8
35-49	34	1.4	1	<1	<1	1	1	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	112	1.5	1	<1	<1	1	2	3	4	6
20-34	895	1.3	1	<1	<1	1	1	2	2	5
35-49	183	1.3	1	<1	<1	1	1	2	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	4	<1	1	2	5	5	7	10
20-34	91	3.1	15	<1	1	2	4	6	8	24
35-49	11	2.8	3	1	1	2	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	63	2.6	8	<1	1	2	3	6	9	16
20-34	403	2.0	3	<1	<1	1	2	4	5	8
35-49	80	1.9	2	<1	<1	1	2	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	2.0	2	<1	<1	1	2	4	5	7
B. *Operated*	1190	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	124	3.1	12	<1	1	2	4	5	7	16
B. *Operated*	546	2.0	3	<1	<1	1	2	4	6	9
1. SINGLE DX	1465	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	670	2.2	5	<1	<1	1	3	5	6	10
A. NOT OPERATED	399	2.3	5	<1	<1	2	3	5	5	10
B. OPERATED	1736	1.5	2	<1	<1	1	1	3	4	7
TOTAL 0-19 YRS	245	2.1	4	<1	<1	1	2	4	5	10
20-34	1582	1.6	3	<1	<1	1	2	3	4	7
35-49	308	1.5	1	<1	<1	1	1	3	5	6
50-64										
65+										
GRAND TOTAL	**2135**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**7**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.6	1	<1	<1	1	2	2	4	7
20-34	319	1.6	1	<1	<1	1	2	3	3	6
35-49	27	1.6	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	27	1.4		<1	<1	1	2	2	3	3
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.2	2	1	1	2	3	4	5	5
20-34	130	2.0	2	<1	<1	1	3	4	5	8
35-49	16	2.3	2	<1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.7	2	1	1	1	2	4	5	5
20-34	17	1.9	2	<1	1	1	3	4	5	5
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	1.6	1	<1	<1	1	2	3	3	6
B. *Operated*	34	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	160	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	26	2.0	2	<1	1	1	3	5	5	5
1. SINGLE DX	429	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	186	2.1	2	<1	1	2	3	4	5	7
A. NOT OPERATED	555	1.7	1	<1	<1	1	2	3	4	7
B. OPERATED	60	1.6	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	72	1.7	1	<1	<1	1	2	3	4	7
20-34	493	1.7	1	<1	<1	1	2	3	4	7
35-49	50	1.8	1	<1	<1	1	3	4	4	5
50-64										
65+										
GRAND TOTAL	**615**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	39	1.5	1	<1	<1	1	2	3	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	23	2.4	2	1	1	2	3	5	6	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	4	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	31	2.2	2	1	1	2	3	4	5	6
B. *Operated*	1	8.0		8	8	8	8	8	8	8
1. SINGLE DX	49	1.4	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	32	2.3	3	1	1	2	3	5	6	8
A. NOT OPERATED	76	1.8	1	<1	<1	1	2	3	4	6
B. OPERATED	5	2.4	10	<1	<1	1	3	8	8	8
TOTAL 0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	67	1.9	2	<1	<1	1	2	4	5	8
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
GRAND TOTAL	**81**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**7**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.4	4	<1	1	2	3	5	6	12
20-34	754	2.3	3	<1	1	2	3	4	6	9
35-49	62	2.5	4	<1	<1	2	3	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	19	1.6	1	<1	<1	1	2	4	5	5
20-34	129	2.5	5	<1	<1	2	3	5	9	12
35-49	11	2.4	2	1	1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.8	9	<1	1	2	3	5	8	20
20-34	335	2.9	7	<1	1	2	3	5	8	15
35-49	40	3.7	7	<1	1	3	5	8	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.1	12	<1	1	3	5	9	13	14
20-34	149	2.1	5	<1	<1	1	2	4	7	11
35-49	22	4.1	15	<1	<1	3	5	11	13	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	960	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	159	2.4	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	427	3.0	7	<1	1	2	4	5	8	15
B. *Operated*	185	2.5	7	<1	<1	1	3	5	9	14
1. SINGLE DX	1119	2.3	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX	612	2.8	7	<1	<1	2	3	5	9	14
A. NOT OPERATED	1387	2.5	4	<1	1	2	3	5	6	12
B. OPERATED	344	2.4	6	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	229	2.5	5	<1	1	2	3	5	6	13
20-34	1367	2.4	4	<1	<1	2	3	5	6	12
35-49	135	3.1	7	<1	<1	2	4	6	9	13
50-64										
65+										
GRAND TOTAL	**1731**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	2.7	3	1	1	2	3	5	6	9
20-34	1413	3.1	4	1	1	3	4	5	6	10
35-49	50	3.3	6	1	1	3	4	7	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	3.2	9	1	1	2	3	8	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.9	7	1	1	2	3	5	6	15
20-34	832	3.5	9	1	1	3	4	6	8	15
35-49	35	3.5	5	1	1	3	5	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.6	3	1	1	4	5	6	6	6
20-34	54	5.1	52	<1	1	3	6	13	18	44
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1660	3.1	4	1	1	3	4	5	6	10
B. *Operated*	7	3.0	8	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	999	3.4	8	1	1	3	4	6	8	14
B. *Operated*	59	5.0	48	<1	1	3	6	11	17	43
1. SINGLE DX	1667	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX	1058	3.5	11	1	1	3	4	6	8	15
A. NOT OPERATED	2659	3.2	6	1	1	3	4	5	7	11
B. OPERATED	66	4.8	44	<1	1	3	5	9	16	41
TOTAL 0-19 YRS	335	2.8	4	1	1	2	3	5	6	10
20-34	2305	3.3	7	1	1	3	4	6	7	13
35-49	85	3.4	6	1	1	3	4	7	8	11
50-64										
65+										
GRAND TOTAL	**2725**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	567	1.1		<1	<1	<1	1	1	2	3
20-34	3077	1.1		<1	<1	<1	1	1	1	3
35-49	184	1.1		<1	<1	<1	1	1	1	3
50-64										
65+										
B. *Operated*										
0-19 YRS	87	1.1	1	<1	<1	<1	1	1	2	6
20-34	447	1.1		<1	<1	<1	1	1	2	3
35-49	32	1.1		<1	<1	<1	1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	1.6	3	<1	<1	1	2	3	4	11
20-34	362	1.3	1	<1	<1	1	1	2	3	5
35-49	30	1.3		<1	<1	1	2	2	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.2		<1	<1	1	1	2	3	3
20-34	144	1.7	3	<1	<1	1	2	4	5	11
35-49	12	1.3	1	<1	<1	<1	1	2	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3828	1.1		<1	<1	<1	1	1	1	3
B. *Operated*	566	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	457	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	180	1.6	3	<1	<1	1	1	3	4	10
1. SINGLE DX	4394	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX	637	1.4	1	<1	<1	1	1	2	3	7
A. NOT OPERATED	4285	1.1		<1	<1	<1	1	1	2	4
B. OPERATED	746	1.2	1	<1	<1	<1	1	2	3	7
TOTAL 0-19 YRS	743	1.1	1	<1	<1	<1	1	1	2	4
20-34	4030	1.1	1	<1	<1	<1	1	1	2	4
35-49	258	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
GRAND TOTAL	**5031**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.0	2	<1	1	1	3	4	4	8
20-34	344	2.6	12	<1	<1	2	3	5	7	16
35-49	49	2.4	5	<1	<1	2	3	4	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	43	4.8	51	<1	<1	2	6	11	16	42
35-49	5	7.4	38	1	1	8	11	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	6	1	1	3	4	7	8	8
20-34	136	5.3	121	<1	1	3	5	10	15	75
35-49	25	4.0	20	<1	1	2	6	9	13	20
50-64										
65+										
B. *Operated*										
0-19 YRS	3	9.0	129	1	1	4	17	22	22	22
20-34	42	4.0	10	1	1	3	6	9	11	12
35-49	10	6.1	106	<1	<1	3	5	20	35	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	2.5	10	<1	<1	2	3	4	7	15
B. *Operated*	49	5.3	52	<1	<1	2	8	13	18	42
2. MULTIPLE DX										
A. *Not Operated*	168	5.0	101	<1	1	3	5	10	14	67
B. *Operated*	55	4.7	32	1	1	3	5	9	12	34
1. SINGLE DX	472	2.8	15	<1	<1	2	3	5	9	18
2. MULTIPLE DX	223	4.9	84	<1	1	3	5	9	14	50
A. NOT OPERATED	591	3.2	37	<1	<1	2	3	6	9	20
B. OPERATED	104	5.0	41	<1	1	3	6	11	17	38
TOTAL 0-19 YRS	41	3.1	18	<1	1	2	3	6	13	22
20-34	565	3.5	42	<1	<1	2	4	7	11	23
35-49	89	3.5	23	<1	<1	2	4	8	11	29
50-64										
65+										
GRAND TOTAL	**695**	**3.5**	**38**	**<1**	**<1**	**2**	**4**	**7**	**11**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	1.3	1	<1	<1	1	1	2	3	5
20-34	478	1.8	4	<1	<1	1	2	3	5	12
35-49	47	1.5	1	<1	<1	1	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.5	4	<1	<1	1	5	5	5	5
20-34	40	2.2	5	<1	<1	1	2	5	8	11
35-49	10	1.8	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.7	13	<1	<1	1	3	5	7	20
20-34	195	2.4	6	<1	<1	2	3	5	6	14
35-49	23	2.3	4	<1	<1	2	3	5	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	61	3.0	21	<1	<1	2	3	6	8	29
35-49	6	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	1.7	3	<1	<1	1	2	3	4	10
B. *Operated*	56	2.2	5	<1	<1	1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	248	2.4	6	<1	<1	2	3	5	7	14
B. *Operated*	69	2.8	19	<1	<1	2	3	5	8	28
1. SINGLE DX	661	1.8	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX	317	2.5	9	<1	<1	2	3	5	7	17
A. NOT OPERATED	853	1.9	4	<1	<1	1	2	3	5	13
B. OPERATED	125	2.5	12	<1	<1	1	3	5	7	22
TOTAL 0-19 YRS	118	1.8	4	<1	<1	1	2	3	5	11
20-34	774	2.1	6	<1	<1	1	2	4	6	14
35-49	86	1.8	2	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**978**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.7	2	<1	1	2	3	5	5	7
20-34	449	2.5	4	<1	<1	2	3	4	5	7
35-49	14	2.1	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	23	2.8	4	<1	<1	2	4	6	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	281	3.3	16	<1	1	3	4	5	6	12
20-34	709	3.1	17	<1	1	3	4	5	6	10
35-49	33	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	10	3.5	3	<1	1	3	5	6	7	7
20-34	52	3.6	8	<1	1	3	5	7	9	13
35-49	5	3.2	3	2	2	3	4	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	607	2.5	3	<1	<1	2	3	4	5	7
B. *Operated*	26	2.8	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1023	3.2	16	<1	1	3	4	5	6	10
B. *Operated*	67	3.6	7	<1	1	3	5	7	9	13
1. SINGLE DX	633	2.6	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	1090	3.2	15	<1	1	3	4	5	6	11
A. NOT OPERATED	1630	2.9	11	<1	1	3	4	5	6	9
B. OPERATED	93	3.4	6	<1	1	3	5	6	7	13
TOTAL 0-19 YRS	437	3.1	11	<1	1	3	4	5	6	9
20-34	1233	2.9	11	<1	1	2	4	5	6	9
35-49	53	2.7	2	<1	1	2	4	5	5	6
50-64										
65+										
GRAND TOTAL	**1723**	**3.0**	**11**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.1	2	<1	<1	1	3	4	4	8
20-34	262	2.8	4	<1	1	2	3	6	7	9
35-49	60	3.1	4	<1	<1	3	4	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.4	3	<1	<1	2	3	5	5	5
20-34	27	2.1	3	<1	<1	1	2	5	6	9
35-49	5	3.6	7	1	1	2	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	2.6	5	<1	<1	2	3	5	8	12
20-34	1243	3.0	11	<1	<1	2	4	6	7	15
35-49	152	3.8	11	<1	1	3	4	6	9	22
50-64										
65+										
B. *Operated*										
0-19 YRS	43	5.0	159	<1	<1	2	5	7	11	84
20-34	205	3.5	10	<1	<1	3	5	7	9	17
35-49	16	2.2	2	<1	<1	2	3	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	2.8	4	<1	1	2	3	6	7	9
B. *Operated*	37	2.3	4	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	1598	3.0	10	<1	<1	2	4	6	8	14
B. *Operated*	264	3.7	34	<1	<1	3	5	7	9	20
1. SINGLE DX	390	2.8	4	<1	<1	2	3	6	7	9
2. MULTIPLE DX	1862	3.1	13	<1	<1	2	4	6	8	14
A. NOT OPERATED	1951	3.0	9	<1	<1	2	4	6	7	13
B. OPERATED	301	3.5	30	<1	<1	2	4	7	8	17
TOTAL 0-19 YRS	282	2.9	29	<1	<1	2	3	5	8	13
20-34	1737	3.0	9	<1	<1	2	4	6	8	13
35-49	233	3.5	8	<1	1	3	4	6	7	15
50-64										
65+										
GRAND TOTAL	**2252**	**3.1**	**12**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	899	1.7	3	<1	<1	1	2	3	4	11
20-34	3984	1.8	5	<1	<1	1	2	3	5	11
35-49	269	2.1	5	<1	<1	1	2	4	5	13
50-64										
65+										
B. *Operated*										
0-19 YRS	309	1.9	5	<1	<1	1	2	4	5	11
20-34	1719	1.9	8	<1	<1	1	2	3	5	17
35-49	143	1.8	6	<1	<1	1	2	3	7	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	393	2.2	4	<1	<1	1	2	4	6	12
20-34	2010	2.6	15	<1	<1	1	3	5	7	19
35-49	135	2.7	14	<1	<1	2	3	5	7	24
50-64										
65+										
B. *Operated*										
0-19 YRS	184	3.1	27	<1	<1	2	3	6	9	34
20-34	1113	2.5	11	<1	<1	1	3	5	7	18
35-49	113	2.5	9	<1	<1	1	3	5	6	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5152	1.8	5	<1	<1	1	2	3	5	11
B. *Operated*	2171	1.9	7	<1	<1	1	2	3	5	16
2. MULTIPLE DX										
A. *Not Operated*	2538	2.5	13	<1	<1	1	3	4	7	17
B. *Operated*	1410	2.5	13	<1	<1	1	3	5	7	18
1. SINGLE DX	7323	1.8	5	<1	<1	1	2	3	5	11
2. MULTIPLE DX	3948	2.5	13	<1	<1	1	3	5	7	18
A. NOT OPERATED	7690	2.0	8	<1	<1	1	2	4	5	13
B. OPERATED	3581	2.2	10	<1	<1	1	2	4	6	17
TOTAL 0-19 YRS	1785	2.0	6	<1	<1	1	2	4	5	12
20-34	8826	2.1	9	<1	<1	1	2	4	6	14
35-49	660	2.2	8	<1	<1	1	2	4	6	17
50-64										
65+										
GRAND TOTAL	**11271**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	1.9	1	1	1	2	2	3	4	5
20-34	454	1.9	1	1	1	2	2	3	3	5
35-49	46	2.1	2	<1	1	2	2	3	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	33	2.9	3	1	1	3	4	6	6	7
20-34	361	2.9	2	1	1	3	4	5	5	7
35-49	29	2.9	1	1	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.0	1	1	1	2	2	3	4	6
20-34	733	2.1	1	1	1	2	3	3	4	6
35-49	73	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	193	3.5	12	1	1	3	4	5	7	17
20-34	2293	3.7	16	1	2	3	4	5	7	18
35-49	320	4.0	12	1	2	3	5	6	8	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	560	2.0	1	1	1	2	2	3	3	5
B. *Operated*	423	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	913	2.1	1	1	1	2	3	3	4	6
B. *Operated*	2806	3.7	15	1	2	3	4	6	7	18
1. SINGLE DX	983	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX	3719	3.3	12	1	1	3	4	5	6	14
A. NOT OPERATED	1473	2.0	1	1	1	2	2	3	4	6
B. OPERATED	3229	3.6	13	1	2	3	4	5	7	17
TOTAL 0-19 YRS	393	2.8	7	1	1	2	3	5	6	11
20-34	3841	3.1	10	1	1	3	4	5	6	12
35-49	468	3.4	9	1	1	3	4	5	6	20
50-64										
65+										
GRAND TOTAL	**4702**	**3.1**	**10**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4482	1.7	1	1	1	2	2	3	3	4
20-34	33475	1.8	1	1	1	2	2	3	3	4
35-49	2219	1.9	1	<1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1557	1.9	1	1	1	2	2	3	3	4
20-34	11283	1.9	1	1	1	2	2	3	3	4
35-49	776	2.0	1	1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	1.8	1	1	1	2	2	3	3	5
20-34	963	1.9	1	1	1	2	2	3	3	5
35-49	96	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	101	2.1	1	1	1	2	3	3	4	6
20-34	4025	2.5	1	1	1	2	3	3	4	5
35-49	641	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40176	1.8	1	1	1	2	2	3	3	4
B. *Operated*	13616	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1220	1.9	1	1	1	2	2	3	3	5
B. *Operated*	4767	2.5	1	1	1	2	3	4	4	5
1. SINGLE DX	53792	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	5987	2.4	1	1	1	2	3	3	4	5
A. NOT OPERATED	41396	1.8	1	1	1	2	2	3	3	4
B. OPERATED	18383	2.1	1	1	1	2	3	3	3	4
TOTAL 0-19 YRS	6301	1.8	1	1	1	2	2	3	3	4
20-34	49746	1.9	1	1	1	2	2	3	3	4
35-49	3732	2.0	1	1	1	2	3	3	3	4
50-64										
65+										
GRAND TOTAL	**59779**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	7	1	1	1	4	7	7	7
20-34	26	2.3	2	1	1	2	3	4	5	6
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	130	7.7	130	2	2	4	6	21	30	60
35-49	16	6.1	30	3	3	5	6	7	20	26
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	34	5.5	181	1	1	2	3	6	28	75
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	22	10.2	208	1	1	4	7	41	44	46
20-34	489	7.3	106	2	3	4	6	15	26	61
35-49	117	8.4	130	2	3	5	7	19	38	60
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.4	2	1	1	2	3	4	6	7
B. *Operated*	150	7.4	117	2	2	4	6	19	27	54
2. MULTIPLE DX										
A. *Not Operated*	37	5.2	167	1	1	2	3	6	24	75
B. *Operated*	628	7.6	114	2	3	4	6	16	28	60
1. SINGLE DX	184	6.5	99	1	2	4	5	11	26	54
2. MULTIPLE DX	665	7.5	117	1	2	4	6	15	28	61
A. NOT OPERATED	71	3.9	89	1	1	2	3	5	7	66
B. OPERATED	778	7.6	114	2	3	4	6	16	28	60
TOTAL 0-19 YRS	33	7.6	151	1	1	3	4	28	43	46
20-34	679	7.1	111	1	2	4	6	14	26	62
35-49	137	8.0	115	2	3	5	7	16	34	60
50-64										
65+										
GRAND TOTAL	**849**	**7.3**	**113**	**1**	**2**	**4**	**6**	**15**	**27**	**60**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	<1	2	2	3	3	3
20-34	153	2.0	1	<1	1	2	2	3	4	5
35-49	14	1.9	1	<1	<1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	21	2.4	1	<1	<1	2	4	4	4	4
20-34	175	2.9	2	1	1	3	4	5	5	7
35-49	15	2.8	2	<1	1	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.0	1	<1	<1	2	3	4	4	4
20-34	177	2.3	3	<1	1	2	3	4	5	11
35-49	15	2.7	9	1	1	2	3	4	11	13
50-64										
65+										
B. *Operated*										
0-19 YRS	73	3.1	2	1	1	3	4	5	6	8
20-34	814	3.7	7	1	1	3	4	6	7	14
35-49	84	5.8	115	1	2	4	5	7	14	69
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	1.9	1	<1	1	2	2	3	4	5
B. *Operated*	211	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	218	2.3	3	<1	1	2	3	4	5	12
B. *Operated*	971	3.8	17	1	1	3	4	6	7	15
1. SINGLE DX	396	2.4	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	1189	3.5	15	1	1	3	4	5	6	15
A. NOT OPERATED	403	2.1	2	<1	1	2	3	3	4	7
B. OPERATED	1182	3.6	14	1	1	3	4	5	6	15
TOTAL 0-19 YRS	138	2.6	2	<1	1	2	4	4	5	7
20-34	1319	3.2	6	1	1	3	4	5	6	12
35-49	128	4.7	79	1	1	3	4	6	8	67
50-64										
65+										
GRAND TOTAL	**1585**	**3.3**	**12**	**1**	**1**	**3**	**4**	**5**	**6**	**13**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	53	2.1	1	<1	1	2	3	3	4	5
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	49	1.8	1	1	1	2	2	3	3	4
20-34	539	2.0	1	1	1	2	2	3	3	4
35-49	46	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	22	2.0	1	<1	<1	2	2	4	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	48	2.1	1	1	1	2	3	3	4	5
20-34	487	2.5	1	1	1	2	3	4	5	6
35-49	58	2.6	1	<1	1	2	3	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.1	1	<1	1	2	3	3	4	5
B. *Operated*	634	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	31	2.0	1	<1	1	2	2	3	5	5
B. *Operated*	593	2.5	1	1	1	2	3	4	5	6
1. SINGLE DX	693	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	624	2.4	1	1	1	2	3	4	5	6
A. NOT OPERATED	90	2.0	1	<1	1	2	3	3	4	5
B. OPERATED	1227	2.2	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	106	1.9	1	1	1	2	2	3	3	5
20-34	1101	2.2	1	1	1	2	3	3	4	5
35-49	110	2.3	1	<1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**1317**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.0	3	<1	1	2	2	3	3	13
20-34	301	1.9	1	1	1	2	2	3	3	4
35-49	30	2.2	1	1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	26	1.8	1	1	1	2	2	3	3	3
20-34	199	2.1	1	1	1	2	3	3	4	7
35-49	11	2.1	1	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.4	1	1	1	2	3	4	4	5
20-34	184	2.1	1	1	1	2	3	3	4	5
35-49	17	2.1	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	57	2.6	3	1	1	2	3	3	5	13
20-34	347	2.4	1	1	1	2	3	4	4	6
35-49	30	3.1	2	<1	1	3	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	1.9	1	1	1	2	2	3	3	4
B. *Operated*	236	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	231	2.1	1	1	1	2	3	3	4	5
B. *Operated*	434	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	617	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX	665	2.4	1	1	1	2	3	4	4	6
A. NOT OPERATED	612	2.0	1	1	1	2	2	3	3	4
B. OPERATED	670	2.4	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	163	2.2	2	1	1	2	3	3	4	12
20-34	1031	2.1	1	1	1	2	3	3	4	6
35-49	88	2.5	1	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	**1282**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	83	2.5	1	1	1	2	3	4	4	6
35-49	6	2.3	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.3	3	1	1	3	5	5	5	5
20-34	72	3.4	2	1	2	3	4	5	6	7
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	124	2.8	3	1	1	3	3	4	6	10
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	62	5.2	26	2	2	4	6	8	13	32
20-34	740	5.0	32	2	2	4	5	7	9	32
35-49	86	4.4	10	2	2	4	5	7	8	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.5	1	1	1	2	3	4	4	6
B. *Operated*	82	3.3	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	131	2.8	3	1	1	2	3	4	5	10
B. *Operated*	888	4.9	30	2	2	4	5	7	9	30
1. SINGLE DX	175	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX	1019	4.7	27	2	2	4	5	7	8	27
A. NOT OPERATED	224	2.7	2	1	1	2	3	4	5	9
B. OPERATED	970	4.8	27	2	2	4	5	7	8	28
TOTAL 0-19 YRS	76	4.8	22	2	2	4	5	8	11	31
20-34	1019	4.4	25	1	2	4	5	6	8	20
35-49	99	4.1	9	1	2	4	5	6	7	19
50-64										
65+										
GRAND TOTAL	**1194**	**4.4**	**23**	**1**	**2**	**4**	**5**	**6**	**8**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	<1	<1	2	2	3	3	3
20-34	113	1.9	1	1	1	2	2	3	4	6
35-49	7	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	198	3.6	1	2	2	4	4	5	5	7
20-34	1607	3.7	1	2	2	4	4	5	5	6
35-49	138	3.9	1	2	3	4	5	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.3	1	1	1	1	1	3	4	4
20-34	71	2.1	2	1	1	2	3	4	5	6
35-49	10	2.9	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	205	4.2	6	2	2	4	5	6	7	16
20-34	2158	4.1	5	2	2	4	5	5	6	10
35-49	304	4.2	6	2	3	4	5	6	6	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	1943	3.7	1	2	2	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	90	2.1	2	1	1	2	3	4	5	6
B. *Operated*	2667	4.1	5	2	2	4	5	6	6	10
1. SINGLE DX	2072	3.6	1	1	2	4	4	5	5	6
2. MULTIPLE DX	2757	4.1	5	2	2	4	5	6	6	10
A. NOT OPERATED	219	1.9	1	1	1	2	2	4	4	6
B. OPERATED	4610	4.0	3	2	2	4	5	5	6	9
TOTAL 0-19 YRS	421	3.8	4	1	2	4	4	5	6	9
20-34	3949	3.8	3	2	2	4	4	5	6	8
35-49	459	4.1	5	2	2	4	5	5	6	8
50-64										
65+										
GRAND TOTAL	**4829**	**3.9**	**3**	**1**	**2**	**4**	**4**	**5**	**6**	**8**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	1.9	1	<1	1	2	2	3	3	5
20-34	592	1.9	1	1	1	2	2	3	3	4
35-49	42	2.0	1	<1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	112	2.5	3	1	1	2	3	4	4	10
20-34	1046	2.7	1	1	1	2	3	4	5	6
35-49	92	3.1	2	1	1	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.0	1	1	1	2	2	3	4	5
20-34	441	2.0	1	1	1	2	2	3	4	5
35-49	35	2.1	1	1	1	2	3	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	554	3.2	5	1	1	3	4	5	6	9
20-34	4852	3.3	3	1	2	3	4	5	6	8
35-49	531	3.8	5	1	2	4	5	6	6	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	680	1.9	1	1	1	2	2	3	3	4
B. *Operated*	1250	2.7	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	522	2.0	1	1	1	2	2	3	4	5
B. *Operated*	5937	3.4	3	1	2	3	4	5	6	8
1. SINGLE DX	1930	2.4	1	1	1	2	3	4	5	6
2. MULTIPLE DX	6459	3.3	3	1	1	3	4	5	6	8
A. NOT OPERATED	1202	1.9	1	1	1	2	2	3	3	5
B. OPERATED	7187	3.3	3	1	1	3	4	5	6	8
TOTAL 0-19 YRS	758	2.9	4	1	1	3	4	5	6	8
20-34	6931	3.0	3	1	1	3	4	5	5	7
35-49	700	3.5	5	1	1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**8389**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	2.8	1	1	1	3	4	4	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	233	4.0	1	3	3	4	4	5	6	8
20-34	1518	4.1	1	3	3	4	5	5	6	7
35-49	103	4.4	1	3	3	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	31	3.5	4	1	1	4	5	6	7	7
35-49	5	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	827	4.5	4	3	3	4	5	6	7	13
20-34	5886	4.4	3	3	3	4	5	6	6	9
35-49	515	4.5	2	3	3	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.9	2	1	1	3	4	4	5	6
B. *Operated*	1854	4.1	1	3	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	39	3.3	3	1	1	3	4	6	7	7
B. *Operated*	7228	4.4	3	3	3	4	5	6	6	9
1. SINGLE DX	1881	4.1	1	3	3	4	5	5	6	7
2. MULTIPLE DX	7267	4.4	3	3	3	4	5	6	6	9
A. NOT OPERATED	66	3.1	3	1	1	3	4	6	6	7
B. OPERATED	9082	4.3	2	3	3	4	5	6	6	9
TOTAL 0-19 YRS	1063	4.4	3	3	3	4	5	6	7	11
20-34	7460	4.3	2	3	3	4	5	6	6	8
35-49	625	4.4	2	3	3	4	5	6	6	9
50-64										
65+										
GRAND TOTAL	**9148**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**6**	**9**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.0	1	1	1	2	3	3	3	4
20-34	764	2.0	1	1	1	2	2	3	4	4
35-49	50	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	206	2.8	2	1	1	3	4	5	5	6
20-34	1524	3.0	2	1	1	3	4	5	5	6
35-49	115	3.2	2	1	1	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	2.1	1	1	1	2	3	3	3	5
20-34	561	2.2	1	1	1	2	3	3	4	5
35-49	43	2.0	1	<1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	580	3.2	3	1	1	3	4	5	6	9
20-34	4328	3.3	3	1	2	3	4	5	6	8
35-49	386	3.6	5	1	2	3	5	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	914	2.0	1	1	1	2	2	3	4	4
B. *Operated*	1845	3.0	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	692	2.2	1	1	1	2	3	3	4	5
B. *Operated*	5294	3.3	3	1	2	3	4	5	6	8
1. SINGLE DX	2759	2.7	2	1	1	2	3	5	5	6
2. MULTIPLE DX	5986	3.2	3	1	1	3	4	5	6	8
A. NOT OPERATED	1606	2.1	1	1	1	2	3	3	4	5
B. OPERATED	7139	3.2	3	1	1	3	4	5	6	8
TOTAL 0-19 YRS	974	2.9	3	1	1	3	4	5	6	9
20-34	7177	3.0	2	1	1	3	4	5	6	7
35-49	594	3.3	4	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**8745**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**7**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.6		1	1	2	2	2	2	2
20-34	96	1.8	1	<1	1	2	2	3	3	4
35-49	6	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.2	3	1	1	3	5	5	6	6
20-34	356	3.3	2	1	1	3	4	5	5	6
35-49	37	3.3	3	1	1	3	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	83	2.7	8	1	1	2	3	4	6	19
35-49	5	4.0	13	1	1	3	5	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	91	3.9	3	2	2	4	5	6	7	9
20-34	1032	3.9	10	1	2	4	5	6	7	14
35-49	152	4.4	13	2	2	4	5	6	6	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.8	1	<1	1	2	2	3	3	4
B. *Operated*	432	3.3	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	94	2.7	7	1	1	2	3	4	6	18
B. *Operated*	1275	4.0	10	1	2	4	5	6	7	15
1. SINGLE DX	544	3.0	2	1	1	3	4	5	5	6
2. MULTIPLE DX	1369	3.9	10	1	2	4	5	6	7	15
A. NOT OPERATED	206	2.2	4	1	1	2	3	3	4	12
B. OPERATED	1707	3.8	8	1	2	4	5	5	6	12
TOTAL 0-19 YRS	146	3.4	3	1	1	3	5	5	6	8
20-34	1567	3.6	8	1	1	3	4	5	6	11
35-49	200	4.1	11	1	2	4	5	6	6	18
50-64										
65+										
GRAND TOTAL	**1913**	**3.6**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	273	2.0	1	1	1	2	2	3	4	5
35-49	23	2.0	1	<1	1	2	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	215	3.6	1	2	3	4	4	5	5	7
20-34	5900	3.8	1	2	3	4	4	5	5	6
35-49	446	4.0	1	2	3	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	158	2.0	1	1	1	2	2	3	4	5
35-49	14	2.4	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	231	4.0	4	2	3	4	4	5	6	12
20-34	8824	4.1	2	2	3	4	5	5	6	8
35-49	1286	4.4	2	2	3	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.0	1	1	1	2	2	3	4	5
B. *Operated*	6561	3.8	1	2	3	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	176	2.0	1	1	1	2	2	3	4	5
B. *Operated*	10341	4.1	2	2	3	4	5	5	6	8
1. SINGLE DX	6864	3.7	1	2	2	4	4	5	5	6
2. MULTIPLE DX	10517	4.1	2	2	3	4	5	5	6	8
A. NOT OPERATED	479	2.0	1	1	1	2	2	3	4	5
B. OPERATED	16902	4.0	2	2	3	4	5	5	6	7
TOTAL 0-19 YRS	457	3.8	3	2	3	4	4	5	6	9
20-34	15155	3.9	2	2	3	4	5	5	6	7
35-49	1769	4.2	2	2	3	4	5	6	6	9
50-64										
65+										
GRAND TOTAL	**17381**	**3.9**	**2**	**2**	**3**	**4**	**5**	**5**	**6**	**7**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.1	1	1	1	2	3	3	4	7
20-34	910	2.0	1	1	1	2	3	3	3	4
35-49	68	2.1	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	107	2.3	1	1	1	2	3	4	4	6
20-34	932	2.3	2	1	1	2	3	3	4	6
35-49	78	2.5	1	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	2.3	1	1	1	2	3	4	5	7
20-34	757	2.5	4	1	1	2	3	4	5	11
35-49	63	2.4	2	1	1	2	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	425	3.4	9	1	1	3	4	6	7	12
20-34	3321	3.3	8	1	1	3	4	5	6	12
35-49	404	3.6	9	1	2	3	4	5	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	2.0	1	1	1	2	3	3	3	4
B. *Operated*	1117	2.3	2	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	923	2.5	4	1	1	2	3	4	5	10
B. *Operated*	4150	3.4	8	1	1	3	4	5	6	12
1. SINGLE DX	2202	2.2	2	1	1	2	3	3	4	5
2. MULTIPLE DX	5073	3.2	8	1	1	3	4	5	6	12
A. NOT OPERATED	2008	2.2	2	1	1	2	3	3	4	7
B. OPERATED	5267	3.1	7	1	1	3	4	5	6	10
TOTAL 0-19 YRS	742	2.9	6	1	1	2	3	5	6	9
20-34	5920	2.9	6	1	1	2	3	5	6	10
35-49	613	3.2	7	1	1	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**7275**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	565	1.8	1	1	1	2	2	3	3	4
20-34	4931	1.8	1	1	1	2	2	3	3	4
35-49	341	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	386	1.9	1	1	1	2	2	3	3	4
20-34	3464	2.0	1	1	1	2	2	3	3	4
35-49	214	2.2	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	1.9	1	1	1	2	2	3	3	5
20-34	1445	1.9	2	1	1	2	2	3	3	4
35-49	125	2.0	1	1	1	2	2	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	417	2.2	1	1	1	2	3	4	4	6
20-34	4491	2.4	2	1	1	2	3	4	4	6
35-49	521	3.0	8	1	1	3	3	5	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5837	1.8	1	1	1	2	2	3	3	4
B. *Operated*	4064	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1755	1.9	2	1	1	2	2	3	3	4
B. *Operated*	5429	2.4	2	1	1	2	3	4	4	6
1. SINGLE DX	9901	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	7184	2.3	2	1	1	2	3	4	4	6
A. NOT OPERATED	7592	1.8	1	1	1	2	2	3	3	4
B. OPERATED	9493	2.2	2	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1553	1.9	1	1	1	2	2	3	3	5
20-34	14331	2.0	1	1	1	2	3	3	4	5
35-49	1201	2.4	4	1	1	2	3	4	5	7
50-64										
65+										
GRAND TOTAL	**17085**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	1.7		1	1	2	2	2	3	3
20-34	1095	1.7	1	<1	1	2	2	3	3	4
35-49	97	1.8	1	<1	1	2	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1127	1.8	1	1	1	2	2	3	3	4
20-34	10513	1.8	1	1	1	2	2	3	3	4
35-49	914	1.8	1	1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	1.6		1	1	1	2	3	3	3
20-34	388	1.8	1	1	1	2	2	3	3	6
35-49	40	1.7		1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	644	2.0	2	1	1	2	2	3	4	5
20-34	7011	2.1	1	1	1	2	3	3	4	5
35-49	846	2.3	2	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1333	1.7	1	<1	1	2	2	3	3	4
B. *Operated*	12554	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	483	1.8	1	1	1	2	2	3	3	5
B. *Operated*	8501	2.1	1	1	1	2	3	3	4	5
1. SINGLE DX	13887	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	8984	2.1	1	1	1	2	3	3	4	5
A. NOT OPERATED	1816	1.7	1	<1	1	2	2	3	3	4
B. OPERATED	21055	1.9	1	1	1	2	2	3	3	4
TOTAL 0-19 YRS	1967	1.8	1	1	1	2	2	3	3	4
20-34	19007	1.9	1	1	1	2	2	3	3	4
35-49	1897	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**22871**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.8		1	1	2	2	3	3	3
20-34	288	2.1	1	1	1	2	3	3	4	5
35-49	13	2.0	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	745	2.0	1	1	1	2	2	3	3	5
20-34	4072	2.1	1	1	1	2	3	3	3	4
35-49	178	2.1	1	1	1	2	3	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	1	1	2	3	3	4	5	6
20-34	128	2.2	1	1	1	2	3	3	4	6
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	599	2.2	1	1	1	2	3	3	4	7
20-34	3471	2.3	1	1	1	2	3	3	4	6
35-49	247	2.5	2	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	2.0	1	1	1	2	3	3	3	5
B. *Operated*	4995	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	154	2.3	1	1	1	2	3	3	4	6
B. *Operated*	4317	2.3	1	1	1	2	3	3	4	6
1. SINGLE DX	5357	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	4471	2.3	1	1	1	2	3	3	4	6
A. NOT OPERATED	516	2.1	1	1	1	2	3	3	4	5
B. OPERATED	9312	2.2	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1426	2.1	1	1	1	2	2	3	4	5
20-34	7959	2.2	1	1	1	2	3	3	4	5
35-49	443	2.3	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**9828**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	1.5		<1	1	2	2	2	2	3
20-34	324	1.7		<1	1	2	2	3	3	3
35-49	16	2.1	2	<1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	297	1.9	1	1	1	2	2	3	3	4
20-34	1541	1.9	1	1	1	2	2	3	3	4
35-49	56	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.2	2	<1	1	2	3	4	5	7
20-34	145	1.9	1	1	1	2	2	3	3	4
35-49	6	1.7	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	244	2.0	1	1	1	2	3	3	4	5
20-34	1630	2.3	2	1	1	2	3	3	4	6
35-49	94	2.7	3	1	1	2	3	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	1.7	1	<1	1	2	2	3	3	4
B. *Operated*	1894	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	172	2.0	1	1	1	2	2	3	3	4
B. *Operated*	1968	2.3	2	1	1	2	3	3	4	6
1. SINGLE DX	2299	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	2140	2.3	2	1	1	2	3	3	4	6
A. NOT OPERATED	577	1.8	1	1	1	2	2	3	3	4
B. OPERATED	3862	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	627	1.9	1	1	1	2	2	3	3	5
20-34	3640	2.1	1	1	1	2	3	3	4	5
35-49	172	2.5	2	1	1	2	3	4	5	8
50-64										
65+										
GRAND TOTAL	**4439**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	963	1.9	1	<1	1	2	2	3	3	5
20-34	6481	1.9	1	1	1	2	2	3	3	5
35-49	496	1.9	1	1	1	2	2	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1795	2.3	3	1	1	2	3	4	5	7
20-34	11439	2.4	2	1	1	2	3	4	4	6
35-49	843	2.6	3	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	707	2.2	3	1	1	2	2	3	4	9
20-34	4291	2.2	2	1	1	2	3	3	4	7
35-49	427	2.5	4	1	1	2	3	4	5	12
50-64										
65+										
B. *Operated*										
0-19 YRS	3443	3.1	5	1	1	3	4	5	7	12
20-34	24241	3.2	7	1	1	3	4	5	6	12
35-49	2687	3.7	12	1	1	3	4	6	7	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7940	1.9	1	1	1	2	2	3	3	5
B. *Operated*	14077	2.4	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	5425	2.2	3	1	1	2	3	3	4	8
B. *Operated*	30371	3.2	7	1	1	3	4	5	7	12
1. SINGLE DX	22017	2.2	2	1	1	2	3	3	4	6
2. MULTIPLE DX	35796	3.1	7	1	1	3	4	5	6	12
A. NOT OPERATED	13365	2.0	2	1	1	2	2	3	4	6
B. OPERATED	44448	3.0	6	1	1	2	4	5	6	11
TOTAL 0-19 YRS	6908	2.6	4	1	1	2	3	5	6	9
20-34	46452	2.7	5	1	1	2	3	5	5	10
35-49	4453	3.2	9	1	1	3	4	5	6	13
50-64										
65+										
GRAND TOTAL	**57813**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.8	1	1	2	3	4	4	5	5
20-34	212	3.1	2	1	2	3	4	5	5	7
35-49	16	3.5	2	1	1	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	16	4.4	5	<1	<1	4	6	8	9	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.8	4	2	2	3	5	7	8	10
20-34	141	3.6	4	1	2	3	4	6	7	10
35-49	7	4.6	9	2	2	3	6	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.3	36	1	1	3	8	16	17	17
20-34	48	5.6	25	1	1	4	9	12	13	27
35-49	5	5.8	15	3	3	3	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.1	2	1	2	3	4	5	5	7
B. *Operated*	19	4.3	5	<1	<1	4	6	7	9	9
2. MULTIPLE DX										
A. *Not Operated*	179	3.7	4	1	2	3	5	6	7	10
B. *Operated*	60	5.6	24	1	1	3	9	11	14	26
1. SINGLE DX	295	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX	239	4.1	10	1	2	3	5	8	10	15
A. NOT OPERATED	455	3.3	3	1	2	3	4	5	6	9
B. OPERATED	79	5.2	20	1	1	4	7	11	13	24
TOTAL 0-19 YRS	88	3.3	5	1	2	3	4	5	7	14
20-34	417	3.6	6	1	2	3	4	6	8	12
35-49	29	4.2	6	1	2	3	5	9	10	10
50-64										
65+										
GRAND TOTAL	**534**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	44	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	33	1.3		<1	1	1	2	2	3	3
20-34	180	1.5	1	<1	<1	1	2	3	3	6
35-49	25	1.4	1	<1	<1	1	1	2	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	36	1.7	1	<1	<1	1	2	3	4	6
35-49	7	3.1	19	1	1	1	3	11	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.0	2	<1	<1	2	3	4	5	5
20-34	148	2.3	4	1	1	2	3	5	6	9
35-49	12	2.4	4	<1	<1	2	4	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	1.2		<1	<1	1	1	2	2	2
B. *Operated*	238	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	45	1.9	4	<1	1	1	2	3	5	13
B. *Operated*	173	2.3	3	1	1	2	3	5	6	9
1. SINGLE DX	287	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	218	2.2	4	<1	1	2	2	5	6	10
A. NOT OPERATED	94	1.6	2	<1	<1	1	2	2	3	10
B. OPERATED	411	1.8	2	<1	<1	1	2	3	5	7
TOTAL 0-19 YRS	51	1.5	1	<1	1	1	2	3	3	5
20-34	408	1.8	2	<1	<1	1	2	3	5	7
35-49	46	1.9	4	<1	<1	1	2	4	6	13
50-64										
65+										
GRAND TOTAL	**505**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**7**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	3	1	1	2	4	6	6	6
20-34	104	3.7	7	1	1	3	5	8	9	12
35-49	6	5.7	9	2	2	5	6	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.4	4	<1	1	1	3	6	7	8
20-34	136	2.7	8	<1	1	2	3	6	11	14
35-49	7	2.4	2	<1	<1	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.2	10	<1	2	4	5	7	12	14
20-34	90	4.8	14	1	2	3	6	10	14	19
35-49	10	7.0	24	2	2	5	12	14	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	19	4.2	16	<1	<1	2	6	11	13	15
20-34	151	4.7	35	<1	1	2	5	12	17	30
35-49	27	3.9	18	<1	1	2	4	9	11	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.7	7	1	1	3	5	8	9	12
B. *Operated*	168	2.7	7	<1	1	2	3	5	10	14
2. MULTIPLE DX										
A. *Not Operated*	116	4.9	15	1	2	4	6	11	14	18
B. *Operated*	197	4.5	31	<1	1	2	5	11	16	29
1. SINGLE DX	296	3.1	7	<1	1	2	4	7	10	13
2. MULTIPLE DX	313	4.7	25	<1	1	3	5	11	15	28
A. NOT OPERATED	244	4.2	11	1	1	3	5	9	12	16
B. OPERATED	365	3.7	21	<1	1	2	4	9	13	27
TOTAL 0-19 YRS	78	3.2	8	<1	1	2	5	6	9	15
20-34	481	4.0	18	<1	1	2	4	9	13	21
35-49	50	4.5	17	<1	1	3	6	10	13	20
50-64										
65+										
GRAND TOTAL	**609**	**3.9**	**17**	**<1**	**1**	**2**	**5**	**9**	**12**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	3.1	2	1	1	3	4	5	6	8
20-34	444	3.6	4	1	2	3	4	6	7	9
35-49	314	4.0	4	1	2	4	5	7	7	11
50-64	200	4.1	4	1	2	4	5	7	8	10
65+	149	4.4	7	2	2	3	5	8	9	17
B. *Operated*										
0-19 YRS	173	4.2	11	<1	1	3	5	9	10	17
20-34	203	4.6	14	1	1	4	6	8	10	19
35-49	138	5.1	22	1	1	4	6	11	15	24
50-64	81	4.3	9	1	1	3	6	8	11	14
65+	51	4.3	9	1	1	4	6	8	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	672	3.7	6	1	2	3	5	6	8	14
20-34	860	4.3	7	2	2	4	5	7	9	15
35-49	891	5.2	12	2	2	4	6	9	11	18
50-64	1028	6.2	19	2	2	5	8	11	14	23
65+	1894	6.7	18	2	3	6	8	12	15	22
B. *Operated*										
0-19 YRS	253	6.1	35	1	2	4	8	11	15	28
20-34	594	7.0	53	2	2	5	8	12	18	40
35-49	579	9.2	80	2	2	7	11	17	25	47
50-64	593	10.4	96	2	2	7	13	22	29	49
65+	781	11.0	98	2	3	8	14	22	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1539	3.7	4	1	2	3	5	6	7	10
B. *Operated*	646	4.5	14	1	1	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	5345	5.6	16	2	2	5	7	10	13	21
B. *Operated*	2800	9.2	82	2	2	7	11	19	26	48
1. SINGLE DX	2185	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX	8145	6.9	41	2	2	5	8	13	18	33
A. NOT OPERATED	6884	5.2	14	2	2	4	6	9	12	19
B. OPERATED	3446	8.3	73	1	2	6	10	17	24	44
TOTAL 0-19 YRS	1530	4.0	11	1	2	3	5	7	10	17
20-34	2101	4.9	22	1	2	4	6	9	11	24
35-49	1922	6.2	36	2	2	5	7	12	16	31
50-64	1902	7.2	46	2	2	5	8	14	19	37
65+	2875	7.7	44	2	3	6	9	14	19	34
GRAND TOTAL	**10330**	**6.2**	**35**	**2**	**2**	**5**	**7**	**12**	**16**	**31**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.2	4	1	1	3	4	6	7	10
20-34	101	3.1	4	1	1	3	4	6	7	11
35-49	51	3.4	4	1	1	3	4	6	8	10
50-64	24	4.2	6	1	1	4	6	8	9	10
65+	11	4.4	2	2	2	4	5	6	7	7
B. *Operated*										
0-19 YRS	90	3.3	6	<1	<1	3	5	7	8	11
20-34	86	4.0	10	1	1	3	6	9	10	16
35-49	47	3.3	9	<1	<1	3	4	5	7	19
50-64	26	5.0	19	<1	<1	3	8	10	13	16
65+	23	5.5	29	<1	<1	5	7	10	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.6	6	1	1	3	4	6	9	12
20-34	148	4.0	7	1	2	3	5	7	8	16
35-49	98	4.9	13	2	2	4	6	8	10	22
50-64	130	5.4	7	2	2	5	7	9	10	14
65+	189	6.3	24	2	3	5	7	11	15	28
B. *Operated*										
0-19 YRS	113	5.2	16	<1	1	4	7	9	11	23
20-34	151	6.1	42	1	1	4	7	14	18	34
35-49	133	7.6	81	1	2	5	8	14	18	49
50-64	144	8.8	70	2	2	6	10	18	28	41
65+	161	8.3	41	1	2	7	11	17	22	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	3.3	4	1	1	3	4	6	7	10
B. *Operated*	272	3.9	11	<1	<1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	774	4.8	13	1	2	4	6	8	11	18
B. *Operated*	702	7.3	52	1	2	5	9	14	21	37
1. SINGLE DX	582	3.6	7	<1	1	3	5	7	9	12
2. MULTIPLE DX	1476	6.0	33	1	2	4	7	11	16	29
A. NOT OPERATED	1084	4.4	10	1	2	4	5	8	10	16
B. OPERATED	974	6.3	43	1	1	5	8	13	18	35
TOTAL 0-19 YRS	535	3.8	8	<1	1	3	5	7	9	13
20-34	486	4.5	19	1	1	3	5	8	11	23
35-49	329	5.5	41	1	2	4	6	10	15	37
50-64	324	6.8	39	1	2	5	8	12	17	37
65+	384	7.0	32	2	2	5	8	13	20	28
GRAND TOTAL	**2058**	**5.3**	**27**	**1**	**1**	**4**	**6**	**10**	**14**	**28**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	3.7	7	1	1	3	6	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	221	1.8	2	<1	1	1	2	3	4	7
20-34	472	1.9	2	<1	1	1	2	3	4	7
35-49	83	1.9	1	1	1	2	2	3	4	6
50-64	17	1.8	1	<1	1	1	2	3	4	4
65+	6	3.0	4	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	2.6	5	<1	<1	1	4	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	46	2.5	21	<1	1	2	2	4	5	32
20-34	105	2.9	6	<1	1	2	4	6	8	12
35-49	25	3.3	6	1	1	3	4	7	9	10
50-64	17	4.6	17	<1	<1	3	6	12	14	15
65+	3	3.3	4	1	1	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	7	<1	<1	2	5	8	8	8
B. *Operated*	799	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	9	2.2	4	<1	<1	1	3	6	6	6
B. *Operated*	196	3.0	10	<1	1	2	4	6	8	15
1. SINGLE DX	806	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	205	3.0	10	<1	1	2	4	6	8	14
A. NOT OPERATED	16	2.7	5	<1	<1	2	4	6	7	8
B. OPERATED	995	2.1	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	270	1.9	5	<1	1	1	2	3	4	8
20-34	590	2.1	3	<1	1	2	3	4	5	9
35-49	108	2.3	3	1	1	2	3	4.	5	9
50-64	34	3.2	11	<1	1	2	4	6	12	15
65+	9	3.1	3	1	1	3	4	6	6	6
GRAND TOTAL	**1011**	**2.1**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	69	1.1		<1	<1	<1	1	1	2	3
20-34	57	1.2		<1	<1	<1	1	2	3	4
35-49	39	1.1		<1	<1	<1	1	2	2	2
50-64	29	1.3		<1	<1	<1	1	2	2	3
65+	13	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	16	1.1		<1	<1	<1	1	1	2	2
20-34	25	2.6	6	<1	<1	2	4	6	8	11
35-49	15	1.9	2	<1	<1	1	3	4	5	5
50-64	19	1.6	3	<1	<1	1	2	2	5	8
65+	19	3.2	7	<1	<1	2	4	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	1	<1	<1	2	3	3	3	3
B. *Operated*	207	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	8	1.6	1	<1	<1	<1	2	3	3	3
B. *Operated*	94	2.1	4	<1	<1	1	2	5	8	10
1. SINGLE DX	211	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	102	2.1	4	<1	<1	1	2	5	7	10
A. NOT OPERATED	12	1.8	1	<1	<1	1	3	3	3	3
B. OPERATED	301	1.5	2	<1	<1	<1	1	2	4	8
TOTAL 0-19 YRS	88	1.1		<1	<1	<1	1	1	2	3
20-34	84	1.7	2	<1	<1	1	2	3	5	10
35-49	57	1.4	1	<1	<1	<1	1	2	3	5
50-64	50	1.4	1	<1	<1	1	2	2	3	8
65+	34	2.4	5	<1	<1	1	3	7	8	8
GRAND TOTAL	**313**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**8**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.8	5	<1	1	2	3	6	8	11
20-34	81	3.2	11	<1	1	2	3	7	10	19
35-49	51	2.5	3	1	1	2	3	4	5	9
50-64	37	4.4	9	1	1	4	5	10	11	12
65+	34	7.0	125	1	2	5	7	10	14	68
B. *Operated*										
0-19 YRS	160	2.4	21	<1	<1	1	2	5	7	15
20-34	202	2.5	12	<1	<1	1	3	6	8	15
35-49	207	2.8	13	<1	<1	1	3	7	9	21
50-64	169	2.9	10	<1	<1	2	4	7	8	16
65+	129	6.1	79	<1	<1	2	7	16	21	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.5	10	1	1	3	4	6	10	21
20-34	187	5.3	38	1	1	3	6	10	17	37
35-49	232	6.1	35	1	1	4	8	12	17	39
50-64	327	6.7	49	1	1	5	9	14	18	36
65+	780	8.2	62	2	2	6	10	15	20	44
B. *Operated*										
0-19 YRS	250	5.4	95	<1	<1	2	5	16	27	99
20-34	476	12.2	207	<1	1	7	17	31	45	93
35-49	597	11.1	179	1	1	5	17	29	41	81
50-64	589	12.6	234	1	1	7	17	33	54	84
65+	1318	14.3	171	1	3	11	18	31	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	3.5	21	1	1	2	4	7	10	13
B. *Operated*	867	3.2	25	<1	<1	1	3	7	11	23
2. MULTIPLE DX										
A. *Not Operated*	1729	6.8	50	1	2	5	8	13	18	38
B. *Operated*	3230	12.4	189	1	1	8	17	30	43	81
1. SINGLE DX	1186	3.2	24	<1	<1	2	3	7	11	22
2. MULTIPLE DX	4959	10.5	148	1	1	6	13	25	37	68
A. NOT OPERATED	2048	6.3	47	1	1	4	8	12	17	37
B. OPERATED	4097	10.5	168	<1	1	6	14	27	39	73
TOTAL 0-19 YRS	729	3.8	42	<1	<1	2	4	8	12	49
20-34	946	8.0	134	<1	1	3	9	23	34	73
35-49	1087	8.1	121	<1	1	4	9	23	32	57
50-64	1122	9.2	154	<1	1	5	11	23	36	65
65+	2261	11.6	138	1	2	8	15	25	36	62
GRAND TOTAL	**6145**	**9.1**	**132**	**<1**	**1**	**5**	**11**	**23**	**33**	**62**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	13	<1	<1	2	4	9	13	13
20-34	38	3.6	7	1	1	3	5	7	10	12
35-49	18	4.4	6	1	1	4	6	8	9	9
50-64	14	3.4	7	1	1	3	3	8	10	10
65+	3	2.0	3	<1	<1	<1	3	4	4	4
B. *Operated*										
0-19 YRS	9	3.8	17	1	1	2	4	11	12	12
20-34	33	3.4	18	1	1	2	4	7	10	23
35-49	18	3.4	8	<1	<1	3	4	7	10	12
50-64	8	2.0	1	<1	<1	2	3	4	4	4
65+	6	5.2	15	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	6.4	26	2	2	5	8	12	18	27
20-34	139	6.5	91	1	2	4	7	11	16	45
35-49	123	5.9	31	1	2	4	7	11	15	33
50-64	150	6.3	23	1	2	5	8	12	16	25
65+	123	7.7	43	1	2	6	10	14	24	34
B. *Operated*										
0-19 YRS	19	8.7	95	1	2	7	9	24	33	38
20-34	85	10.2	140	1	2	7	12	24	38	94
35-49	96	9.0	72	1	2	7	12	21	27	77
50-64	82	10.6	109	1	2	8	12	17	39	51
65+	53	16.9	262	3	4	11	19	36	57	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.7	7	<1	1	3	5	8	9	13
B. *Operated*	74	3.4	13	<1	1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	580	6.6	46	1	2	5	8	12	17	33
B. *Operated*	335	10.9	135	1	2	8	14	24	36	76
1. SINGLE DX	158	3.6	10	<1	1	3	5	8	10	13
2. MULTIPLE DX	915	8.2	83	1	2	6	10	17	25	50
A. NOT OPERATED	664	6.2	42	1	2	5	7	12	16	32
B. OPERATED	409	9.6	121	1	1	7	12	20	34	73
TOTAL 0-19 YRS	84	6.3	41	1	1	4	8	12	19	35
20-34	295	6.8	92	1	1	4	8	14	21	65
35-49	255	6.8	46	1	2	5	9	15	21	35
50-64	254	7.4	55	1	2	5	10	15	18	46
65+	185	10.2	122	1	2	7	12	23	30	67
GRAND TOTAL	**1073**	**7.5**	**75**	**1**	**2**	**5**	**9**	**15**	**23**	**46**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.8	7	1	1	3	5	7	9	10
20-34	19	4.3	6	1	2	4	6	7	9	10
35-49	47	4.9	30	1	2	3	5	10	18	30
50-64	48	4.1	6	1	2	4	6	7	8	13
65+	43	4.4	6	<1	1	4	6	8	9	10
B. *Operated*										
0-19 YRS	13	3.2	10	<1	<1	2	5	8	10	10
20-34	44	5.7	27	1	1	4	7	12	18	24
35-49	132	4.9	18	1	1	3	8	10	12	20
50-64	262	5.9	29	1	1	4	9	13	16	27
65+	180	6.2	21	1	2	4	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	6.2	38	1	2	4	7	16	20	27
20-34	41	4.3	7	1	1	4	6	8	10	11
35-49	92	5.4	31	1	1	4	7	10	12	33
50-64	183	5.8	15	1	2	5	7	11	15	19
65+	335	6.6	25	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	18	6.0	29	<1	1	5	7	13	18	21
20-34	66	8.4	66	1	1	7	12	15	23	46
35-49	187	6.3	32	1	2	5	9	12	15	28
50-64	508	7.4	41	1	2	6	10	14	17	30
65+	494	8.7	49	1	2	7	12	17	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	4.3	11	1	1	4	6	7	10	19
B. *Operated*	631	5.7	24	1	1	4	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	695	6.1	23	1	2	5	7	11	15	26
B. *Operated*	1273	7.8	45	1	2	6	11	15	18	31
1. SINGLE DX	831	5.4	22	1	1	4	8	11	14	22
2. MULTIPLE DX	1968	7.2	38	1	2	6	10	14	17	30
A. NOT OPERATED	895	5.7	21	1	2	5	7	11	14	26
B. OPERATED	1904	7.1	39	1	1	5	10	14	17	30
TOTAL 0-19 YRS	118	5.0	23	<1	1	4	6	12	16	24
20-34	170	6.2	38	1	1	4	9	12	15	32
35-49	458	5.6	28	1	1	4	8	11	15	25
50-64	1001	6.6	33	1	2	5	9	13	16	25
65+	1052	7.4	36	1	2	6	10	15	18	29
GRAND TOTAL	**2799**	**6.7**	**34**	**1**	**2**	**5**	**9**	**13**	**17**	**28**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	8	3.4	8	<1	<1	2	5	8	9	9
50-64	15	5.3	19	<1	<1	4	8	10	14	16
65+	46	4.6	12	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	10	5.8	23	<1	<1	4	8	13	16	16
20-34	147	3.2	8	<1	1	2	4	7	9	15
35-49	334	4.5	14	<1	1	3	7	10	11	16
50-64	1311	7.2	17	1	1	8	10	12	14	17
65+	2245	9.6	13	3	5	10	12	14	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	7	3	3	7	8	8	8	8
20-34	5	3.6	13	<1	<1	<1	7	8	8	8
35-49	22	2.9	9	<1	<1	1	4	8	10	12
50-64	111	4.2	25	<1	<1	2	5	10	14	26
65+	561	5.2	24	<1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	17	4.4	17	<1	<1	2	7	11	13	14
20-34	171	4.0	16	<1	1	2	5	9	13	17
35-49	433	5.6	22	<1	1	4	8	12	14	21
50-64	1823	8.6	35	1	2	8	11	14	17	26
65+	4975	11.0	28	2	5	11	13	16	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.5	12	1	1	3	6	9	11	17
B. *Operated*	4047	8.1	18	1	2	8	11	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	702	5.0	24	<1	1	4	7	11	14	22
B. *Operated*	7419	9.9	32	1	2	10	13	16	19	27
1. SINGLE DX	4122	8.1	18	1	2	8	11	13	15	18
2. MULTIPLE DX	8121	9.5	34	1	2	9	12	16	18	27
A. NOT OPERATED	777	4.9	23	<1	1	4	7	10	14	21
B. OPERATED	11466	9.3	28	1	2	9	12	15	17	24
TOTAL 0-19 YRS	32	5.0	17	<1	1	4	8	11	14	16
20-34	327	3.6	12	<1	1	2	4	8	11	16
35-49	797	5.1	19	<1	1	4	8	11	13	19
50-64	3260	7.9	28	1	1	8	11	13	15	23
65+	7827	10.1	26	2	4	10	13	16	18	25
GRAND TOTAL	**12243**	**9.0**	**29**	**1**	**2**	**9**	**12**	**15**	**17**	**24**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	5.4	24	1	1	4	7	11	17	23
20-34	40	5.0	12	2	2	4	6	10	14	16
35-49	31	4.0	12	1	1	3	5	9	10	17
50-64	20	3.9	3	1	2	4	5	6	7	8
65+	29	4.3	6	1	2	3	6	8	9	10
B. *Operated*										
0-19 YRS	78	7.1	28	1	1	5	10	14	19	22
20-34	177	4.0	19	<1	1	3	5	8	11	18
35-49	186	3.8	8	<1	1	3	5	8	9	14
50-64	174	4.8	21	1	1	3	7	9	12	20
65+	78	6.8	18	1	1	6	10	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	7.2	27	1	2	6	10	15	18	22
20-34	73	6.2	38	1	2	4	7	14	18	37
35-49	68	5.9	49	1	1	4	7	12	14	47
50-64	91	6.0	27	1	1	5	7	11	15	30
65+	222	7.1	43	2	2	5	9	16	18	31
B. *Operated*										
0-19 YRS	113	10.5	67	1	2	9	14	21	27	39
20-34	274	7.2	65	1	1	5	8	16	23	42
35-49	263	7.2	82	1	1	5	8	16	23	44
50-64	289	9.1	96	1	1	7	11	19	30	48
65+	332	13.4	149	2	3	10	16	26	37	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	4.8	15	1	1	4	6	9	12	22
B. *Operated*	693	4.8	19	1	1	4	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	552	6.7	38	1	2	5	9	14	17	31
B. *Operated*	1271	9.5	104	1	1	7	12	21	29	56
1. SINGLE DX	884	4.8	18	1	1	4	7	10	12	20
2. MULTIPLE DX	1823	8.7	86	1	2	6	11	18	24	48
A. NOT OPERATED	743	6.2	32	1	2	4	8	13	16	25
B. OPERATED	1964	7.9	79	1	1	5	10	17	23	45
TOTAL 0-19 YRS	360	7.9	42	1	1	6	11	17	21	29
20-34	564	5.9	45	1	1	4	7	13	18	40
35-49	548	5.7	51	1	1	4	7	11	16	42
50-64	574	7.1	63	1	1	5	9	15	21	42
65+	661	10.1	103	2	2	8	13	19	29	60
GRAND TOTAL	**2707**	**7.4**	**67**	**1**	**1**	**5**	**9**	**16**	**21**	**42**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	1.5		1	1	1	2	2	2	2
35-49	4	3.8	13	1	1	2	6	9	9	9
50-64	6	1.7	1	<1	<1	1	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	339	1.9	2	<1	<1	1	3	4	5	6
20-34	1042	2.2	2	<1	<1	2	3	4	5	7
35-49	480	1.9	2	<1	<1	1	2	4	5	7
50-64	216	1.8	2	<1	<1	1	2	3	4	7
65+	75	2.2	4	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	1	3	3	3	3
20-34	14	1.1		<1	<1	1	1	2	3	3
35-49	12	1.1		<1	<1	<1	1	2	2	2
50-64	16	1.8	1	<1	<1	1	3	3	4	4
65+	14	4.3	17	1	1	3	6	10	14	15
B. *Operated*										
0-19 YRS	370	2.2	2	<1	<1	1	3	4	5	7
20-34	1214	2.5	4	<1	<1	2	3	5	6	9
35-49	820	2.3	3	<1	<1	2	3	5	6	9
50-64	621	2.2	5	<1	<1	1	2	4	6	12
65+	349	2.4	5	<1	1	2	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.0	4	<1	<1	1	2	3	7	9
B. *Operated*	2152	2.1	2	<1	<1	1	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	62	2.1	6	<1	<1	1	2	4	7	14
B. *Operated*	3374	2.4	4	<1	<1	2	3	5	6	9
1. SINGLE DX	2170	2.1	2	<1	<1	1	3	4	5	7
2. MULTIPLE DX	3436	2.4	4	<1	<1	2	3	5	6	9
A. NOT OPERATED	80	2.1	5	<1	<1	1	2	4	7	13
B. OPERATED	5526	2.2	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	717	2.1	2	<1	<1	1	3	4	5	7
20-34	2276	2.4	3	<1	<1	2	3	5	5	8
35-49	1316	2.2	3	<1	<1	1	3	4	6	8
50-64	859	2.1	4	<1	<1	1	2	4	5	11
65+	438	2.4	5	<1	1	2	3	5	7	11
GRAND TOTAL	**5606**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.0	8	<1	1	2	3	5	10	16
20-34	40	2.9	7	<1	1	2	4	8	8	11
35-49	29	2.8	2	1	1	2	4	5	5	7
50-64	27	3.8	17	<1	1	2	5	12	13	15
65+	33	3.4	71	<1	<1	2	2	4	6	50
B. *Operated*										
0-19 YRS	859	2.3	2	1	1	2	3	4	5	7
20-34	1691	2.4	2	<1	1	2	3	4	5	8
35-49	540	2.6	3	<1	1	2	3	5	6	9
50-64	178	2.8	5	<1	<1	2	4	5	7	14
65+	84	3.6	11	1	1	3	5	7	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.8	70	<1	1	2	3	7	11	58
20-34	114	5.3	60	<1	<1	2	5	14	22	39
35-49	98	5.0	28	<1	1	3	6	12	18	26
50-64	116	5.1	39	1	1	3	5	11	17	36
65+	375	8.3	59	1	2	5	11	19	24	36
B. *Operated*										
0-19 YRS	569	3.1	10	<1	1	2	4	5	7	20
20-34	1066	3.2	9	1	1	2	4	6	8	13
35-49	592	3.5	21	1	1	2	4	7	9	24
50-64	332	4.3	22	1	1	3	5	9	14	25
65+	284	7.1	51	1	1	5	10	15	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.1	19	<1	1	2	3	6	10	16
B. *Operated*	3352	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	770	6.5	56	1	1	4	7	16	22	35
B. *Operated*	2843	3.8	19	1	1	3	4	7	10	24
1. SINGLE DX	3532	2.5	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	3613	4.4	28	1	1	3	5	9	14	29
A. NOT OPERATED	950	5.9	51	1	1	3	7	15	20	35
B OPERATED	6195	3.1	11	1	1	2	4	6	8	16
TOTAL 0-19 YRS	1546	2.7	8	<1	1	2	3	5	6	11
20-34	2911	2.8	7	<1	1	2	3	5	7	12
35-49	1259	3.2	14	<1	1	2	4	6	8	19
50-64	653	4.0	21	<1	1	3	4	8	13	23
65+	776	7.1	54	1	1	4	9	16	23	37
GRAND TOTAL	**7145**	**3.4**	**17**	**1**	**1**	**2**	**4**	**6**	**10**	**22**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.5	3	1	1	4	5	5	5	5
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	5.8	21	1	1	6	10	11	11	11
35-49	14	5.6	19	2	2	5	6	12	17	18
50-64	11	6.7	50	<1	1	4	8	19	23	23
65+	19	9.7	85	1	2	8	10	21	33	41
B. *Operated*										
0-19 YRS										
20-34	8	8.5	23	1	2	8	12	15	16	16
35-49	13	11.0	77	3	3	9	12	24	32	34
50-64	11	7.6	23	4	4	6	9	15	19	19
65+	8	12.6	166	3	4	8	13	35	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	3	1	1	3	5	5	5	5
B. *Operated*	7	4.9	10	1	1	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	51	7.4	51	1	2	5	9	17	23	41
B. *Operated*	40	9.9	67	3	3	8	12	18	28	43
1. SINGLE DX	20	3.8	6	1	1	3	5	7	8	9
2. MULTIPLE DX	91	8.5	59	1	2	6	10	17	23	42
A. NOT OPERATED	64	6.5	44	1	1	5	8	12	19	38
B. OPERATED	47	9.1	62	1	3	8	11	17	24	43
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	6.0	18	1	1	5	9	12	14	16
35-49	33	7.3	48	1	2	5	9	17	21	34
50-64	25	7.1	31	1	2	5	8	17	20	23
65+	29	10.0	102	2	2	7	11	21	41	43
GRAND TOTAL	**111**	**7.6**	**53**	**1**	**2**	**6**	**9**	**16**	**22**	**42**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	3.3	4	<1	1	3	4	6	6	6
35-49	40	4.2	11	1	1	3	6	9	12	13
50-64	65	5.1	16	<1	1	4	7	10	13	19
65+	73	4.3	7	1	2	4	6	8	8	13
B. *Operated*										
0-19 YRS	4	3.5	6	1	1	3	5	6	6	6
20-34	63	3.2	8	1	1	2	5	8	10	11
35-49	370	4.0	10	1	1	3	6	8	10	14
50-64	509	4.0	14	1	1	3	6	8	10	15
65+	261	5.0	19	1	1	4	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	25	4.4	12	1	1	4	6	7	10	18
35-49	88	5.8	19	1	2	5	8	12	14	21
50-64	237	6.0	24	1	2	5	8	11	15	21
65+	699	6.2	18	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	7	7.0	59	2	2	5	6	20	24	24
20-34	38	4.7	17	1	1	3	7	10	12	22
35-49	406	5.5	22	1	1	5	8	11	14	22
50-64	739	5.6	27	1	1	5	8	11	14	25
65+	759	8.4	64	1	1	7	11	17	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	4.5	10	1	1	4	6	8	11	16
B. *Operated*	1207	4.2	13	1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1051	6.1	19	1	2	5	8	11	14	21
B. *Operated*	1999	6.6	41	1	1	5	9	13	18	34
1. SINGLE DX	1400	4.2	13	1	1	3	6	9	11	16
2. MULTIPLE DX	3050	6.4	34	1	1	5	8	13	16	29
A. NOT OPERATED	1244	5.8	18	1	2	5	7	11	14	21
B. OPERATED	3206	5.7	32	1	1	4	8	12	15	27
TOTAL 0-19 YRS	14	5.1	33	1	1	4	6	8	20	24
20-34	190	4.0	13	1	1	3	6	9	11	18
35-49	904	4.8	16	1	1	4	7	10	13	19
50-64	1550	5.1	22	1	1	4	7	10	13	21
65+	1792	6.9	39	1	1	6	9	14	18	32
GRAND TOTAL	**4450**	**5.7**	**28**	**1**	**1**	**5**	**8**	**11**	**15**	**25**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.0	13	1	1	4	6	9	13	17
20-34	626	5.2	11	1	1	5	7	9	11	15
35-49	857	5.6	13	1	1	5	7	10	12	18
50-64	457	5.6	11	1	2	5	7	10	11	16
65+	153	6.0	17	1	2	5	7	10	12	25
B. *Operated*										
0-19 YRS	167	3.9	9	1	1	4	5	7	8	17
20-34	4078	4.7	14	1	1	4	6	9	11	17
35-49	5495	4.8	15	1	1	4	7	9	12	18
50-64	2255	4.9	15	1	1	4	7	10	12	18
65+	578	5.8	22	1	1	5	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.9	25	1	2	4	7	14	18	18
20-34	366	5.8	16	1	1	5	8	11	13	18
35-49	752	6.1	23	1	1	5	8	11	14	25
50-64	619	6.3	19	1	2	6	8	12	14	20
65+	665	6.8	17	2	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	39	6.7	39	1	1	5	8	16	19	32
20-34	1475	6.5	26	1	1	6	9	12	16	24
35-49	2662	6.9	33	1	1	6	9	13	17	25
50-64	1920	7.4	36	1	1	6	10	14	18	30
65+	1235	8.5	42	1	2	8	11	16	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2119	5.5	12	1	1	5	7	10	11	17
B. *Operated*	12573	4.8	15	1	1	4	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	2412	6.3	19	1	2	6	8	12	14	22
B. *Operated*	7331	7.2	34	1	1	6	9	14	18	29
1. SINGLE DX	14692	4.9	15	1	1	4	7	9	12	18
2. MULTIPLE DX	9743	7.0	31	1	1	6	9	13	17	27
A. NOT OPERATED	4531	5.9	16	1	2	5	8	11	13	19
B. OPERATED	19904	5.7	23	1	1	5	8	11	14	23
TOTAL 0-19 YRS	242	4.5	16	1	1	4	6	8	11	19
20-34	6545	5.2	17	1	1	5	7	10	13	19
35-49	9766	5.6	21	1	1	5	7	11	14	21
50-64	5251	6.0	24	1	1	5	8	12	15	23
65+	2631	7.3	31	1	1	6	10	14	18	28
GRAND TOTAL	**24435**	**5.8**	**22**	**1**	**1**	**5**	**8**	**11**	**14**	**22**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	36	3.5	6	1	1	3	5	7	8	11
35-49	103	4.8	9	1	1	5	7	9	10	14
50-64	49	4.2	7	1	1	4	6	8	10	12
65+	16	5.6	4	3	3	6	7	8	9	9
B. *Operated*										
0-19 YRS	5	4.0	11	1	1	2	7	8	8	8
20-34	366	3.8	10	1	1	3	5	8	10	17
35-49	1056	4.0	9	1	1	4	5	8	9	14
50-64	505	4.0	10	1	1	4	6	8	10	15
65+	72	3.6	11	1	1	2	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.0	42	1	1	9	13	16	16	16
20-34	38	3.8	11	<1	1	3	5	7	11	17
35-49	105	4.9	11	<1	1	5	7	8	10	19
50-64	107	5.7	16	1	1	5	7	11	14	20
65+	125	5.5	20	1	2	4	7	10	12	22
B. *Operated*										
0-19 YRS	6	4.3	17	1	1	3	7	11	11	11
20-34	174	4.7	15	1	1	4	6	8	13	20
35-49	641	4.9	19	1	1	4	7	10	13	22
50-64	571	5.3	17	1	1	4	7	11	14	20
65+	145	7.2	61	1	1	5	9	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	4.5	8	1	1	4	6	8	10	13
B. *Operated*	2004	4.0	10	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	380	5.3	16	1	1	4	7	10	12	18
B. *Operated*	1537	5.2	22	1	1	4	7	11	14	22
1. SINGLE DX	2209	4.0	10	1	1	4	6	8	10	15
2. MULTIPLE DX	1917	5.2	21	1	1	4	7	10	14	22
A. NOT OPERATED	585	5.0	13	1	1	4	7	9	11	16
B. OPERATED	3541	4.5	16	1	1	4	6	9	12	19
TOTAL 0-19 YRS	17	5.2	22	1	1	3	8	12	15	16
20-34	614	4.0	12	1	1	3	5	8	10	17
35-49	1905	4.4	13	1	1	4	6	9	11	18
50-64	1232	4.7	14	1	1	4	6	9	12	18
65+	358	5.8	36	1	1	4	7	11	16	30
GRAND TOTAL	**4126**	**4.6**	**15**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	48	5.6	14	2	2	4	7	10	13	18
35-49	64	6.0	25	1	2	5	7	9	15	32
50-64	23	5.4	10	1	2	5	7	10	12	13
65+	6	4.7	12	2	2	3	6	10	11	11
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	98	3.9	22	1	1	2	6	10	12	26
35-49	94	4.7	26	1	1	2	7	12	17	20
50-64	23	3.9	11	1	1	3	6	10	11	11
65+	4	5.5	11	<1	<1	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	5	4	4	8	8	8	8	8
20-34	48	6.4	24	1	2	5	8	12	19	26
35-49	82	6.6	25	1	2	5	8	13	16	28
50-64	65	6.5	16	2	2	6	8	12	15	19
65+	40	7.2	40	2	2	5	9	16	22	30
B. *Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	67	6.3	46	1	1	4	9	11	21	35
35-49	97	6.3	22	1	1	6	9	12	13	23
50-64	27	6.7	26	1	1	6	11	15	16	17
65+	10	8.0	34	1	1	8	13	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	5.6	18	1	2	5	7	10	14	19
B. *Operated*	221	4.3	22	1	1	2	6	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	238	6.6	24	2	2	5	8	12	18	26
B. *Operated*	203	6.4	31	1	1	6	9	12	16	30
1. SINGLE DX	366	4.8	21	1	1	3	7	11	13	20
2. MULTIPLE DX	441	6.5	27	1	1	5	9	12	17	27
A. NOT OPERATED	383	6.3	22	2	2	5	8	12	15	25
B. OPERATED	424	5.3	27	1	1	3	8	12	15	25
TOTAL 0-19 YRS	11	5.4	9	1	1	5	8	9	10	10
20-34	261	5.3	28	1	1	4	7	10	15	27
35-49	337	5.9	25	1	1	5	8	12	15	21
50-64	138	5.9	17	1	1	5	8	12	15	17
65+	60	6.9	34	1	2	5	9	14	20	29
GRAND TOTAL	**807**	**5.8**	**25**	**1**	**1**	**5**	**8**	**12**	**15**	**25**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	51	4.9	7	1	2	4	7	9	10	12
35-49	67	4.0	9	1	1	4	5	7	8	17
50-64	42	4.0	7	<1	1	4	6	8	9	10
65+	23	6.0	19	1	2	6	9	12	14	17
B. *Operated*										
0-19 YRS										
20-34	45	2.3	4	1	1	1	3	5	7	9
35-49	71	3.3	18	1	1	1	4	10	12	21
50-64	37	3.4	17	1	1	1	4	11	12	18
65+	15	3.0	10	1	1	1	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	47	5.7	22	1	1	5	7	13	15	24
35-49	71	6.0	14	1	2	6	8	10	14	17
50-64	93	6.4	15	2	3	6	8	12	14	20
65+	120	5.8	12	1	2	5	7	11	12	18
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	42	4.2	21	1	1	3	5	9	16	21
35-49	59	6.0	38	1	1	4	9	13	19	31
50-64	39	6.3	40	<1	1	4	7	12	21	32
65+	36	7.4	51	1	1	6	11	16	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	4.5	10	1	1	4	6	9	10	16
B. *Operated*	168	3.0	13	1	1	1	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	334	6.0	14	1	2	5	8	11	13	18
B. *Operated*	178	5.9	37	1	1	4	8	13	20	32
1. SINGLE DX	353	3.8	12	1	1	3	5	8	11	17
2. MULTIPLE DX	512	5.9	22	1	1	5	8	12	15	24
A. NOT OPERATED	519	5.4	13	1	1	5	7	10	13	18
B. OPERATED	346	4.5	28	1	1	2	6	11	15	25
TOTAL 0-19 YRS	7	3.3	6	1	1	2	4	7	8	8
20-34	185	4.3	15	1	1	4	6	9	12	20
35-49	268	4.8	20	1	1	4	6	10	13	23
50-64	211	5.4	20	1	1	4	7	10	13	22
65+	194	5.9	20	1	1	5	8	12	13	22
GRAND TOTAL	**865**	**5.1**	**19**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.4	47	<1	1	2	5	7	10	38
20-34	525	4.6	10	1	1	4	6	9	11	16
35-49	652	4.8	11	1	1	4	6	9	11	16
50-64	366	4.8	12	1	1	4	7	10	12	17
65+	151	4.3	9	<1	1	4	6	8	10	15
B. *Operated*										
0-19 YRS	52	1.8	2	<1	1	1	2	4	5	8
20-34	849	2.7	10	<1	1	1	3	7	9	16
35-49	1149	3.0	10	1	1	1	4	7	9	14
50-64	861	3.8	12	1	1	2	6	9	10	15
65+	524	5.4	19	1	1	5	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.8	26	<1	1	2	5	9	11	33
20-34	677	6.3	43	1	1	4	7	14	19	32
35-49	1139	6.5	36	1	1	5	8	15	19	32
50-64	829	6.2	29	1	1	5	8	12	17	32
65+	1221	5.9	23	1	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	36	4.4	24	<1	1	3	6	9	10	28
20-34	745	4.8	31	1	1	3	7	11	14	24
35-49	1252	4.9	28	1	1	3	7	11	16	24
50-64	1358	6.2	34	1	1	5	9	13	16	30
65+	1516	8.1	43	1	1	7	11	16	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1748	4.7	12	1	1	4	6	9	11	16
B. *Operated*	3435	3.5	12	1	1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	3924	6.2	32	1	1	5	8	12	18	29
B. *Operated*	4907	6.2	36	1	1	5	9	13	17	28
1. SINGLE DX	5183	3.9	13	1	1	3	6	8	10	16
2. MULTIPLE DX	8831	6.2	34	1	1	5	8	13	18	29
A. NOT OPERATED	5672	5.7	26	1	1	4	7	11	16	26
B. OPERATED	8342	5.1	28	1	1	3	7	11	15	24
TOTAL 0-19 YRS	200	3.6	26	<1	1	2	5	7	9	35
20-34	2796	4.5	25	1	1	3	6	10	13	24
35-49	4192	4.8	24	1	1	3	7	10	15	23
50-64	3414	5.4	26	1	1	4	7	11	14	25
65+	3412	6.7	33	1	1	6	9	13	17	26
GRAND TOTAL	**14014**	**5.3**	**28**	**1**	**1**	**4**	**7**	**11**	**15**	**25**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.5	2	1	1	2	3	5	6	8
20-34	54	3.1	3	1	1	3	4	6	7	8
35-49	57	3.8	8	<1	1	3	5	8	10	14
50-64	43	2.9	4	<1	1	2	4	5	8	10
65+	31	3.4	3	1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	176	1.9	4	<1	<1	1	2	3	6	11
20-34	554	2.1	3	<1	<1	1	3	4	6	8
35-49	762	2.1	4	<1	<1	2	3	4	5	7
50-64	585	2.1	3	<1	<1	2	3	4	5	8
65+	139	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.8	14	1	1	3	5	7	8	26
20-34	76	4.1	8	<1	1	3	5	7	10	15
35-49	105	4.1	14	<1	<1	3	5	9	11	20
50-64	133	4.8	11	1	1	4	6	10	12	16
65+	215	4.7	9	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	80	2.6	6	<1	<1	2	3	6	8	12
20-34	436	3.1	10	<1	1	2	4	6	8	16
35-49	759	2.8	8	<1	1	2	3	5	7	12
50-64	725	3.0	6	1	1	2	4	6	8	13
65+	441	4.2	17	<1	1	3	5	8	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.1	4	1	1	3	4	6	7	11
B. *Operated*	2216	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	589	4.4	11	1	1	4	6	8	10	17
B. *Operated*	2441	3.2	10	<1	1	2	4	6	8	15
1. SINGLE DX	2482	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	3030	3.4	10	<1	1	3	4	7	9	16
A. NOT OPERATED	855	4.0	9	1	1	3	5	7	10	16
B. OPERATED	4657	2.7	7	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	397	2.4	6	<1	<1	2	3	5	7	11
20-34	1120	2.7	6	<1	<1	2	3	5	7	14
35-49	1683	2.6	7	<1	1	2	3	5	7	12
50-64	1486	2.8	6	<1	1	2	3	5	7	13
65+	826	4.0	13	<1	1	3	5	8	11	17
GRAND TOTAL	**5512**	**2.9**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	5	3.6	1	2	2	4	4	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	138	1.9	1	<1	1	2	2	3	4	5
20-34	269	2.3	4	<1	1	2	3	4	5	8
35-49	377	2.2	1	<1	1	2	3	4	5	6
50-64	425	2.4	2	<1	1	2	3	4	5	7
65+	194	2.2	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	<1	1	2	2	2
20-34	7	1.3	1	<1	<1	<1	1	3	3	3
35-49	8	1.6	3	<1	<1	1	1	5	6	6
50-64	13	2.2	4	<1	<1	1	2	6	7	7
65+	14	2.8	9	<1	<1	1	3	7	11	12
B. *Operated*										
0-19 YRS	234	2.3	2	1	1	2	3	4	5	6
20-34	474	2.3	2	1	1	2	3	4	5	7
35-49	774	2.6	2	1	1	2	3	4	5	9
50-64	1276	2.7	3	1	1	2	3	5	5	8
65+	1027	2.9	4	1	1	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.0	2	1	1	3	4	5	5	5
B. *Operated*	1403	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	46	2.1	5	<1	<1	1	2	5	6	12
B. *Operated*	3785	2.7	3	1	1	2	3	5	6	8
1. SINGLE DX	1416	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	3831	2.6	3	1	1	2	3	5	6	8
A. NOT OPERATED	59	2.3	4	<1	<1	1	3	5	6	12
B. OPERATED	5188	2.5	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	377	2.2	2	<1	1	2	3	4	5	6
20-34	751	2.3	3	<1	1	2	3	4	5	7
35-49	1164	2.4	2	1	1	2	3	4	5	8
50-64	1719	2.6	3	1	1	2	3	5	5	7
65+	1236	2.8	4	<1	1	2	4	5	6	10
GRAND TOTAL	**5247**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.8	3	<1	<1	1	2	5	5	5
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	137	1.1		<1	<1	<1	1	1	2	3
20-34	209	1.3	1	<1	<1	<1	1	2	3	5
35-49	148	1.5	1	<1	<1	1	2	3	3	6
50-64	100	1.5	1	<1	<1	1	2	3	4	6
65+	35	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	1.0		<1	<1	<1	<1	<1	<1	<1
65+	9	5.4	9	2	2	4	7	10	12	12
B. *Operated*										
0-19 YRS	23	1.5	2	<1	<1	1	1	3	5	7
20-34	59	2.0	1	<1	<1	2	3	4	4	5
35-49	81	2.1	3	<1	<1	1	2	4	6	9
50-64	86	3.1	11	<1	<1	2	4	6	8	21
65+	81	2.9	4	<1	1	2	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.5	2	<1	<1	1	1	3	5	5
B. *Operated*	629	1.4	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	16	3.8	9	<1	<1	3	5	7	11	12
B. *Operated*	330	2.5	5	<1	<1	2	3	5	6	11
1. SINGLE DX	639	1.4	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX	346	2.5	5	<1	<1	2	3	5	6	12
A. NOT OPERATED	26	2.9	7	<1	<1	2	4	7	8	12
B. OPERATED	959	1.7	3	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	161	1.2		<1	<1	<1	1	2	2	3
20-34	271	1.5	1	<1	<1	<1	2	3	4	5
35-49	231	1.7	2	<1	<1	1	2	3	4	7
50-64	195	2.2	6	<1	<1	1	3	4	6	14
65+	127	2.7	4	<1	<1	2	4	5	6	12
GRAND TOTAL	**985**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	9.3	50	1	2	7	12	21	24	32
20-34	20	6.9	25	<1	1	6	10	13	17	21
35-49	12	5.7	16	1	2	5	7	11	15	16
50-64	17	6.8	30	1	1	5	11	14	18	20
65+	13	10.8	41	5	6	9	13	17	28	30
B. *Operated*										
0-19 YRS	73	10.8	166	1	1	7	15	23	34	76
20-34	79	7.4	72	<1	1	5	8	18	21	48
35-49	69	7.9	45	1	1	7	10	20	21	26
50-64	60	9.0	104	1	1	5	12	22	31	47
65+	43	10.1	61	1	1	8	14	22	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	12.0	66	3	3	11	15	24	27	39
20-34	52	8.9	97	1	2	6	10	20	37	46
35-49	56	11.3	203	1	2	8	13	19	38	93
50-64	91	10.0	102	1	2	7	14	21	32	48
65+	126	12.1	138	2	4	10	14	25	34	67
B. *Operated*										
0-19 YRS	158	13.3	141	2	3	10	17	29	40	98
20-34	222	13.1	143	2	3	10	18	29	42	65
35-49	247	15.2	150	2	3	11	21	32	43	52
50-64	355	14.6	128	3	4	12	19	31	41	67
65+	423	14.0	142	2	3	11	18	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	8.6	43	1	2	7	11	18	23	31
B. *Operated*	324	8.9	93	1	1	6	11	20	26	46
2. MULTIPLE DX										
A. *Not Operated*	425	11.1	117	1	2	8	14	23	30	51
B. *Operated*	1405	14.1	140	2	3	11	18	30	41	64
1. SINGLE DX	482	8.8	76	1	1	6	11	20	24	40
2. MULTIPLE DX	1830	13.4	136	2	3	10	17	28	40	64
A. NOT OPERATED	583	10.4	98	1	2	8	13	21	28	46
B. OPERATED	1729	13.2	135	1	3	10	17	28	38	61
TOTAL 0-19 YRS	427	11.6	109	1	3	9	15	24	33	64
20-34	373	11.0	122	1	2	7	14	22	38	56
35-49	384	13.0	144	1	2	9	17	27	41	51
50-64	523	12.9	124	2	3	10	17	29	37	59
65+	605	13.2	134	2	3	10	17	27	35	61
GRAND TOTAL	**2312**	**12.5**	**127**	**1**	**3**	**9**	**16**	**27**	**36**	**58**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.7	19	<1	<1	2	4	8	10	28
20-34	47	2.6	4	<1	1	2	3	5	7	9
35-49	69	2.2	4	<1	<1	2	2	5	8	9
50-64	56	4.7	111	<1	1	2	4	9	11	74
65+	114	5.4	12	1	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	603	2.9	9	<1	1	2	3	6	8	15
20-34	786	3.2	8	<1	1	2	4	6	8	15
35-49	541	4.0	12	1	1	3	5	8	12	17
50-64	327	4.5	15	1	1	3	6	10	12	17
65+	187	6.9	29	1	1	6	10	14	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	6.3	56	<1	1	4	7	17	21	35
20-34	90	3.0	8	<1	1	2	4	6	8	16
35-49	230	4.3	21	1	1	3	5	9	12	25
50-64	457	5.7	31	1	1	4	7	11	18	30
65+	2589	7.1	28	2	2	6	9	13	16	28
B. *Operated*										
0-19 YRS	294	4.3	36	<1	1	2	5	10	13	33
20-34	663	5.0	46	1	1	3	6	10	15	38
35-49	619	6.2	46	1	1	4	8	13	17	40
50-64	712	7.8	38	1	2	7	10	15	19	31
65+	1274	11.4	72	2	3	10	14	20	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	3.9	28	<1	1	2	5	8	10	19
B. *Operated*	2444	3.8	13	<1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	3414	6.6	29	1	2	5	9	13	16	28
B. *Operated*	3562	8.0	60	1	1	6	11	16	21	38
1. SINGLE DX	2787	3.8	15	<1	1	3	5	8	11	17
2. MULTIPLE DX	6976	7.3	45	1	1	6	10	15	19	35
A. NOT OPERATED	3757	6.4	29	1	2	5	8	12	16	27
B. OPERATED	6006	6.3	45	1	1	4	9	14	18	34
TOTAL 0-19 YRS	1002	3.5	20	<1	1	2	4	7	10	25
20-34	1586	3.9	25	1	1	3	5	8	11	23
35-49	1459	4.9	29	1	1	3	6	10	14	24
50-64	1552	6.4	36	1	1	5	9	13	18	29
65+	4164	8.4	45	2	2	7	11	15	20	36
GRAND TOTAL	**9763**	**6.3**	**39**	**1**	**1**	**4**	**8**	**13**	**17**	**31**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	-									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	2	14.5	265	3	3	14	26	26	26	26
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	170	3.3	26	<1	1	2	4	5	7	35
20-34	83	2.6	4	<1	<1	2	4	5	7	9
35-49	55	2.7	5	<1	<1	1	4	7	8	10
50-64	29	3.0	9	<1	<1	2	3	6	8	15
65+	15	5.5	12	<1	1	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	3	<1	<1	1	2	5	6	6
20-34	8	8.3	317	<1	<1	1	4	38	52	52
35-49	11	7.5	87	<1	<1	4	12	21	30	31
50-64	10	10.4	103	<1	<1	6	16	27	28	28
65+	29	13.7	68	1	2	14	18	25	29	30
B. *Operated*										
0-19 YRS	296	3.3	14	<1	1	3	4	5	7	20
20-34	210	4.2	18	<1	1	3	6	8	11	19
35-49	139	3.6	6	1	1	3	5	6	8	15
50-64	130	5.2	55	1	1	3	6	9	11	48
65+	110	7.3	65	1	1	5	8	15	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	11.8	115	3	3	9	20	26	26	26
B. *Operated*	352	3.1	16	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	66	10.1	107	<1	<1	6	16	26	29	49
B. *Operated*	885	4.3	28	1	1	3	5	8	11	33
1. SINGLE DX	356	3.2	17	<1	<1	2	4	6	8	25
2. MULTIPLE DX	951	4.7	35	1	1	3	5	9	14	34
A. NOT OPERATED	70	10.2	106	<1	<1	6	16	26	29	48
B. OPERATED	1237	4.0	25	<1	1	3	5	7	10	31
TOTAL 0-19 YRS	474	3.3	18	<1	1	3	4	5	7	27
20-34	302	3.9	22	<1	<1	3	5	8	10	19
35-49	207	3.6	13	<1	<1	3	5	7	9	20
50-64	170	5.1	51	1	1	3	5	9	13	41
65+	154	8.3	67	1	1	5	11	18	28	38
GRAND TOTAL	**1307**	**4.3**	**31**	**<1**	**1**	**3**	**5**	**8**	**12**	**32**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	5	3.8	4	1	1	4	5	6	6	6
35-49	11	3.8	12	<1	<1	2	6	9	11	11
50-64	4	4.0	7	1	1	4	6	7	7	7
65+	4	6.0	13	2	2	6	9	10	10	10
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	11	2.1	3	1	1	1	3	5	6	6
35-49	20	3.8	19	<1	<1	2	6	10	13	16
50-64	13	4.2	15	1	1	4	7	10	12	13
65+	9	4.0	13	1	1	2	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	128	2	2	10	18	18	18	18
20-34	8	4.9	16	1	1	4	6	11	13	13
35-49	19	4.7	12	<1	1	4	7	10	12	13
50-64	21	5.2	8	1	1	5	7	9	10	11
65+	32	6.5	20	1	2	6	9	11	16	21
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	10	4.6	27	<1	<1	2	5	14	16	16
35-49	11	3.4	7	1	1	2	5	7	9	9
50-64	14	3.6	11	1	1	2	5	9	10	10
65+	20	4.8	14	<1	1	4	7	9	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.6	13	<1	1	4	6	10	12	15
B. *Operated*	56	3.5	13	1	1	2	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	82	5.7	16	1	1	5	8	11	13	20
B. *Operated*	57	4.2	13	1	1	2	6	9	11	16
1. SINGLE DX	81	3.8	13	1	1	2	6	9	11	16
2. MULTIPLE DX	139	5.1	15	1	1	4	7	10	13	18
A. NOT OPERATED	107	5.4	16	1	1	5	8	11	13	19
B. OPERATED	113	3.8	13	1	1	2	6	9	11	16
TOTAL 0-19 YRS	8	6.1	44	1	1	3	10	17	18	18
20-34	34	3.7	13	1	1	3	5	8	13	16
35-49	61	4.0	13	<1	1	2	6	10	11	16
50-64	52	4.4	10	1	1	4	7	9	10	13
65+	65	5.6	17	1	1	5	8	10	12	20
GRAND TOTAL	**220**	**4.6**	**15**	**1**	**1**	**4**	**7**	**10**	**12**	**17**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.0	7	1	1	2	3	6	8	15
20-34	97	3.2	8	<1	1	2	4	7	10	14
35-49	118	2.8	8	<1	1	2	3	6	7	18
50-64	90	2.9	6	<1	1	2	3	5	7	15
65+	54	4.2	12	<1	1	3	6	10	11	18
B. *Operated*										
0-19 YRS	352	4.4	18	<1	<1	2	8	10	11	21
20-34	480	3.3	12	<1	<1	2	4	9	10	16
35-49	414	3.5	17	<1	<1	2	4	9	11	18
50-64	397	2.2	5	<1	<1	1	2	5	7	10
65+	241	2.3	4	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	4.3	32	<1	1	3	5	8	13	35
20-34	230	4.7	34	<1	1	3	5	9	15	33
35-49	306	4.6	26	1	1	3	5	10	15	29
50-64	295	4.6	18	1	1	3	6	9	13	22
65+	499	5.3	24	1	1	4	6	10	13	28
B. *Operated*										
0-19 YRS	428	4.3	32	<1	<1	2	5	10	13	31
20-34	684	4.3	32	<1	1	2	5	10	12	29
35-49	623	4.4	38	1	1	2	5	10	13	27
50-64	652	5.0	52	1	1	3	6	11	17	39
65+	537	5.7	52	1	1	3	7	12	16	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	3.1	8	<1	1	2	4	7	9	16
B. *Operated*	1884	3.2	12	<1	<1	2	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	1408	4.8	25	1	1	3	6	10	14	28
B. *Operated*	2924	4.7	44	<1	1	3	6	10	14	32
1. SINGLE DX	2281	3.2	11	<1	<1	2	4	8	10	16
2. MULTIPLE DX	4332	4.8	38	1	1	3	6	10	14	30
A. NOT OPERATED	1805	4.5	22	1	1	3	5	9	12	25
B. OPERATED	4808	4.1	32	<1	1	2	5	9	12	26
TOTAL 0-19 YRS	896	4.3	25	<1	<1	2	7	10	12	23
20-34	1491	4.0	25	<1	1	2	5	9	12	25
35-49	1461	4.1	28	<1	1	2	5	9	12	25
50-64	1434	4.0	31	<1	1	2	5	9	12	25
65+	1331	4.9	36	1	1	3	6	10	13	30
GRAND TOTAL	**6613**	**4.2**	**29**	**<1**	**1**	**2**	**5**	**9**	**12**	**25**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
B. *Operated*										
0-19 YRS										
20-34	5	1.0		1	1	1	1	1	1	1
35-49	5	4.8	47	1	1	2	6	17	17	17
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.8	3	2	2	3	5	6	7	7
35-49	11	4.7	7	2	2	4	7	9	9	9
50-64	7	4.9	14	1	1	4	6	11	12	12
65+	7	4.0	5	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34	7	3.3	16	1	1	2	3	10	12	12
35-49	12	2.5	3	1	1	2	3	5	6	6
50-64	3	4.3	17	1	1	3	7	9	9	9
65+	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.7	3	3	3	4	5	8	8	8
B. *Operated*	11	2.7	23	1	1	1	2	8	16	17
2. MULTIPLE DX										
A. *Not Operated*	33	4.4	6	1	2	4	6	8	9	12
B. *Operated*	24	2.9	7	1	1	2	3	6	10	12
1. SINGLE DX	17	3.4	16	1	1	2	4	7	14	17
2. MULTIPLE DX	57	3.7	7	1	1	3	5	8	9	12
A. NOT OPERATED	39	4.4	6	1	2	4	6	8	9	12
B. OPERATED	35	2.8	12	1	1	2	3	6	11	17
TOTAL 0-19 YRS										
20-34	23	3.2	7	1	1	3	4	7	9	12
35-49	29	3.8	11	1	1	3	5	8	9	17
50-64	13	4.4	11	1	1	4	6	10	12	12
65+	9	3.4	5	1	1	3	5	7	7	7
GRAND TOTAL	**74**	**3.7**	**9**	**1**	**1**	**3**	**5**	**8**	**9**	**16**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	8	<1	<1	1	2	8	10	10
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	59	5.0	11	1	1	4	7	10	11	16
20-34	9	4.6	4	2	2	5	6	7	7	7
35-49	4	6.3	17	1	1	6	9	11	11	11
50-64	6	8.2	27	3	3	8	10	16	17	17
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.8	18	<1	1	2	5	7	15	21
20-34	10	3.2	5	<1	<1	3	5	7	8	8
35-49	5	4.4	14	<1	<1	4	7	10	10	10
50-64	2	16.5	313	4	4	16	29	29	29	29
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	108	8.0	39	1	2	7	10	15	22	30
20-34	17	7.2	24	1	1	8	11	14	14	14
35-49	18	7.6	39	1	1	7	9	12	23	29
50-64	10	11.5	47	4	5	9	15	22	27	27
65+	6	12.3	74	1	2	12	17	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.2	5	<1	<1	1	2	5	8	10
B. *Operated*	80	5.2	12	1	1	4	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	86	4.0	22	<1	1	2	5	8	15	26
B. *Operated*	159	8.3	40	1	2	7	11	16	23	29
1. SINGLE DX	102	4.5	12	<1	1	4	6	9	11	16
2. MULTIPLE DX	245	6.8	37	1	1	6	9	14	20	29
A. NOT OPERATED	108	3.7	19	<1	<1	2	4	7	11	25
B. OPERATED	239	7.2	32	1	2	6	9	14	19	28
TOTAL 0-19 YRS	245	5.9	29	1	1	5	8	12	16	27
20-34	42	4.9	16	1	1	4	7	11	13	14
35-49	30	6.3	30	<1	1	6	8	11	13	29
50-64	18	10.9	58	3	3	9	15	24	28	29
65+	12	7.3	62	<1	1	3	12	19	24	25
GRAND TOTAL	**347**	**6.1**	**31**	**1**	**1**	**5**	**8**	**12**	**17**	**28**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	1.3	1	<1	<1	<1	1	1	5	6
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	324	1.5	4	<1	<1	1	2	3	3	6
20-34	77	1.6	1	<1	<1	1	2	3	4	5
35-49	36	1.3		<1	<1	1	1	2	3	4
50-64	18	1.4		<1	<1	1	2	2	3	3
65+	6	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	1.7	2	<1	<1	<1	2	4	6	7
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	165	1.7	2	<1	<1	1	2	3	4	8
20-34	29	2.3	3	<1	1	2	3	4	7	7
35-49	19	1.9	1	1	1	2	2	3	4	4
50-64	21	2.3	3	<1	<1	2	3	5	6	7
65+	17	1.4	1	<1	<1	1	2	3	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	1.4	2	<1	<1	<1	1	2	5	8
B. *Operated*	461	1.5	3	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	26	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*	251	1.8	2	<1	<1	1	2	4	4	7
1. SINGLE DX	529	1.5	3	<1	<1	1	2	3	3	6
2. MULTIPLE DX	277	1.8	2	<1	<1	1	2	4	5	7
A. NOT OPERATED	94	1.5	2	<1	<1	<1	1	3	5	8
B. OPERATED	712	1.6	3	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	577	1.6	3	<1	<1	1	2	3	4	7
20-34	109	1.8	2	<1	<1	1	2	3	4	8
35-49	57	1.5	1	<1	<1	1	2	3	3	4
50-64	39	1.9	2	<1	<1	1	2	4	5	7
65+	24	1.3	1	<1	<1	1	1	2	3	4
GRAND TOTAL	**806**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	11	<1	<1	2	3	3	9	17
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	3.5	13	<1	<1	3	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	556	4.0	10	<1	<1	4	7	8	9	12
20-34	81	3.9	16	<1	1	2	6	8	9	23
35-49	46	4.5	14	1	1	3	7	9	11	16
50-64	25	3.2	9	<1	<1	2	5	7	9	13
65+	8	4.9	18	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	4.3	28	<1	<1	2	5	10	16	27
20-34	24	3.5	10	<1	1	3	4	8	10	15
35-49	11	3.7	9	<1	1	3	5	8	11	11
50-64	23	3.0	4	<1	1	2	5	6	7	8
65+	29	4.8	21	1	1	4	6	9	12	24
B. *Operated*										
0-19 YRS	1077	6.0	61	<1	1	4	8	12	17	42
20-34	122	6.5	40	1	1	6	9	13	18	32
35-49	120	6.6	67	1	1	4	9	14	17	44
50-64	78	7.4	45	1	1	6	11	15	18	35
65+	88	7.2	40	1	1	6	10	16	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.1	15	<1	<1	2	3	6	15	17
B. *Operated*	716	4.0	11	<1	1	3	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	256	4.2	23	<1	1	3	5	9	14	24
B. *Operated*	1485	6.2	58	1	1	5	8	13	17	41
1. SINGLE DX	743	4.0	11	<1	<1	3	7	8	9	13
2. MULTIPLE DX	1741	5.9	53	<1	1	4	8	13	17	38
A. NOT OPERATED	283	4.1	22	<1	1	2	5	8	15	24
B. OPERATED	2201	5.5	44	<1	1	4	8	11	15	34
TOTAL 0-19 YRS	1825	5.2	43	<1	1	3	7	10	14	34
20-34	227	5.3	30	1	1	3	8	10	15	28
35-49	178	5.9	51	1	1	4	8	12	16	32
50-64	128	5.7	34	<1	1	3	9	14	15	25
65+	126	6.5	35	1	1	5	9	14	18	27
GRAND TOTAL	**2484**	**5.4**	**41**	**<1**	**1**	**3**	**7**	**11**	**15**	**31**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	<1	<1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	345	2.8	2	1	1	3	3	5	5	7
20-34	10	3.0	1	<1	1	3	3	4	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	1.6	2	<1	<1	1	2	3	5	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	320	3.1	5	1	1	3	4	5	6	14
20-34	9	1.8	1	1	1	1	3	3	3	3
35-49	5	3.2	11	1	1	2	4	9	9	9
50-64	3	1.7		1	1	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*	359	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	26	1.6	2	<1	<1	1	2	3	5	6
B. *Operated*	337	3.1	5	1	1	3	4	5	6	14
1. SINGLE DX	365	2.8	2	1	1	3	3	5	5	7
2. MULTIPLE DX	363	3.0	5	1	1	3	4	5	6	14
A. NOT OPERATED	32	1.7	2	<1	<1	1	2	3	5	6
B. OPERATED	696	3.0	3	1	1	3	4	5	6	11
TOTAL 0-19 YRS	696	2.9	3	1	1	3	4	5	6	11
20-34	20	2.4	1	<1	1	3	3	4	4	5
35-49	7	3.4	9	1	1	2	5	8	9	9
50-64	4	1.5		1	1	1	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**728**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	342	3.1	2	1	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.6	21	<1	<1	1	4	11	15	16
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	131	3.9	4	2	2	4	5	6	8	32
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*	342	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	12	3.6	21	<1	<1	1	4	11	15	16
B. *Operated*	131	3.9	4	2	2	4	5	6	8	32
1. SINGLE DX	345	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX	143	3.9	5	1	2	4	5	6	8	22
A. NOT OPERATED	15	3.3	18	<1	<1	1	4	9	14	16
B. OPERATED	473	3.3	3	1	2	3	4	5	6	10
TOTAL 0-19 YRS	488	3.3	3	1	2	3	4	5	6	10
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**488**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.1	4	<1	<1	1	2	4	6	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	200	3.9	11	<1	<1	3	6	9	10	16
20-34	26	3.6	6	<1	<1	4	5	6	8	10
35-49	17	4.4	6	1	1	5	6	8	8	8
50-64	10	3.4	6	<1	<1	3	6	7	7	7
65+	5	5.8	8	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	7.2	112	<1	1	4	8	17	27	55
20-34	13	4.2	8	1	2	3	6	8	10	10
35-49	7	3.9	4	<1	<1	4	5	7	7	7
50-64	7	2.6	6	<1	<1	1	4	7	7	7
65+	13	4.5	6	1	2	4	6	8	8	8
B. *Operated*										
0-19 YRS	304	7.5	83	1	1	5	9	15	24	50
20-34	57	5.3	10	1	2	5	8	9	10	17
35-49	43	6.7	35	1	1	5	8	14	21	27
50-64	37	8.4	38	1	1	8	10	18	21	28
65+	47	9.3	60	1	1	8	12	16	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.3	6	<1	<1	1	2	4	7	14
B. *Operated*	258	3.9	10	<1	<1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	129	6.2	81	<1	1	3	7	11	24	51
B. *Operated*	488	7.4	65	1	1	6	9	15	21	43
1. SINGLE DX	317	3.6	10	<1	<1	3	5	8	10	13
2. MULTIPLE DX	617	7.1	69	1	1	5	9	14	21	47
A. NOT OPERATED	188	5.0	60	<1	<1	3	5	10	15	48
B. OPERATED	746	6.2	49	<1	1	5	8	12	17	38
TOTAL 0-19 YRS	650	5.9	62	<1	<1	4	7	11	17	47
20-34	97	4.7	9	<1	1	4	7	9	10	14
35-49	68	5.9	25	1	1	5	8	11	17	26
50-64	54	6.7	34	<1	1	6	9	13	20	28
65+	65	8.0	49	1	1	7	10	15	19	39
GRAND TOTAL	**934**	**5.9**	**52**	**<1**	**1**	**4**	**8**	**11**	**17**	**40**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	303	1.3		<1	<1	1	1	2	3	4
20-34	29	1.3	1	<1	<1	1	1	3	3	4
35-49	11	1.7	2	<1	<1	1	2	4	5	5
50-64	4	1.0		<1	<1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	294	1.5	4	<1	<1	1	2	2	3	7
20-34	31	1.6	1	<1	1	1	2	3	3	4
35-49	14	1.6	1	1	1	1	2	3	3	3
50-64	7	3.7	10	1	1	2	7	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	348	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	7	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	346	1.6	3	<1	<1	1	2	3	3	8
1. SINGLE DX	351	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX	353	1.6	3	<1	<1	1	2	3	3	8
A. NOT OPERATED	10	1.1		<1	<1	<1	1	2	2	2
B. OPERATED	694	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	606	1.4	2	<1	<1	1	1	2	3	5
20-34	61	1.5	1	<1	<1	1	2	3	3	4
35-49	25	1.7	1	<1	1	1	2	3	4	5
50-64	11	2.7	8	<1	<1	1	5	7	8	8
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**704**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	1	<1	<1	1	2	4	4	4
20-34	10	2.8	6	<1	<1	2	3	7	7	7
35-49	12	2.7	7	<1	1	2	2	5	10	11
50-64	4	2.0		2	2	2	2	2	2	2
65+	5	1.6		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	440	3.1	8	<1	<1	2	4	7	8	15
20-34	102	3.2	6	<1	<1	3	4	6	7	12
35-49	32	4.0	6	<1	1	4	5	7	8	12
50-64	16	4.9	50	<1	<1	3	6	7	23	30
65+	3	4.7	10	1	1	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	6	<1	<1	2	4	6	8	11
20-34	19	3.5	8	1	1	2	5	8	10	11
35-49	20	4.2	8	1	2	4	5	7	10	13
50-64	9	2.9	6	1	1	2	4	7	8	8
65+	12	3.5	5	1	1	3	4	8	8	8
B. *Operated*										
0-19 YRS	297	4.3	16	<1	<1	3	6	9	12	19
20-34	164	4.4	7	<1	1	4	6	8	10	12
35-49	89	5.4	11	1	1	5	7	10	13	16
50-64	49	5.5	17	1	1	5	7	11	13	18
65+	40	5.7	15	1	1	5	8	11	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.2	4	<1	<1	2	2	4	7	11
B. *Operated*	593	3.2	9	<1	<1	2	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	83	3.5	7	<1	1	3	4	7	9	12
B. *Operated*	639	4.6	13	<1	1	4	6	9	12	18
1. SINGLE DX	635	3.1	8	<1	<1	2	4	7	8	15
2. MULTIPLE DX	722	4.5	13	<1	1	4	6	9	11	17
A. NOT OPERATED	125	3.0	6	<1	1	2	4	7	8	12
B. OPERATED	1232	3.9	11	<1	<1	3	5	8	10	15
TOTAL 0-19 YRS	771	3.5	11	<1	<1	2	5	8	10	15
20-34	295	3.9	7	<1	1	4	5	7	9	12
35-49	153	4.7	10	1	1	4	6	8	13	15
50-64	78	4.9	22	1	1	4	6	10	13	27
65+	60	4.9	13	1	1	4	7	10	11	17
GRAND TOTAL	**1357**	**3.9**	**11**	**<1**	**<1**	**3**	**5**	**8**	**10**	**15**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	285	2.3	2	1	1	2	3	4	5	6
20-34	14	3.3	2	1	2	3	4	5	5	5
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64	6	2.3	1	1	1	2	3	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.7	2	<1	<1	1	2	4	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	198	2.7	2	1	1	2	3	5	6	8
20-34	48	3.1	3	1	1	3	4	6	7	8
35-49	39	2.9	4	<1	1	3	4	6	6	8
50-64	43	2.7	2	<1	1	2	4	5	5	6
65+	30	3.2	3	1	1	3	5	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	313	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	14	1.7	2	<1	<1	1	2	4	5	5
B. *Operated*	358	2.8	3	1	1	2	4	5	6	8
1. SINGLE DX	315	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	372	2.8	3	<1	1	2	4	5	6	8
A. NOT OPERATED	16	1.7	2	<1	<1	1	2	4	5	5
B. OPERATED	671	2.6	2	1	1	2	3	5	5	7
TOTAL 0-19 YRS	499	2.4	2	1	1	2	3	4	5	7
20-34	62	3.1	3	1	1	3	4	5	7	8
35-49	46	2.8	3	<1	1	2	4	6	6	8
50-64	49	2.7	2	<1	1	2	4	5	5	6
65+	31	3.2	3	1	1	3	5	5	6	7
GRAND TOTAL	**687**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**7**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.5	12	<1	<1	1	2	7	13	15
20-34	14	2.7	3	<1	1	2	4	5	6	6
35-49	14	5.1	10	1	1	4	8	10	10	10
50-64	6	2.3	2	1	1	2	3	5	5	5
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	1106	3.4	12	<1	<1	2	5	7	9	16
20-34	268	3.3	10	<1	1	2	5	8	9	13
35-49	158	3.6	11	<1	<1	2	6	9	10	15
50-64	89	2.9	7	1	1	2	4	7	8	13
65+	22	4.1	17	1	1	2	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	3.8	24	<1	<1	2	5	8	10	29
20-34	34	7.8	103	1	1	5	8	12	28	55
35-49	35	5.0	25	1	1	4	6	9	18	22
50-64	32	4.5	15	1	1	4	6	8	10	21
65+	25	4.6	5	1	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	573	4.8	34	<1	1	3	5	10	14	39
20-34	210	5.6	25	1	1	4	8	11	14	24
35-49	176	6.2	23	1	1	6	9	12	14	25
50-64	141	5.9	24	1	1	5	8	13	14	22
65+	67	6.8	28	1	1	5	10	15	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	3.0	10	<1	<1	2	4	8	10	15
B. *Operated*	1643	3.4	11	<1	<1	2	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	256	4.6	33	<1	1	3	6	8	13	32
B. *Operated*	1167	5.4	29	1	1	4	7	11	14	28
1. SINGLE DX	1738	3.4	11	<1	<1	2	5	7	9	15
2. MULTIPLE DX	1423	5.3	30	1	1	4	7	11	14	28
A. NOT OPERATED	351	4.2	27	<1	<1	2	5	8	12	28
B. OPERATED	2810	4.2	20	<1	1	3	6	9	12	21
TOTAL 0-19 YRS	1868	3.8	20	<1	<1	3	5	7	11	23
20-34	526	4.5	24	<1	1	3	7	10	12	22
35-49	383	5.0	19	<1	1	4	8	10	13	21
50-64	268	4.6	18	1	1	3	7	10	13	20
65+	116	5.8	22	1	1	5	8	12	16	22
GRAND TOTAL	**3161**	**4.2**	**21**	**<1**	**1**	**3**	**6**	**9**	**12**	**22**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3433	2.3	4	1	1	2	3	3	4	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	50	2.8	4	<1	1	2	3	5	7	11
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1592	6.3	89	1	1	3	6	16	25	56
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	154	15.5	394	1	2	7	23	51	73	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3433	2.3	4	1	1	2	3	3	4	11
B. *Operated*	50	2.8	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	1592	6.3	89	1	1	3	6	16	25	56
B. *Operated*	154	15.5	394	1	2	7	23	51	73	99+
1. SINGLE DX	3483	2.3	4	1	1	2	3	3	4	11
2. MULTIPLE DX	1746	7.1	122	1	1	3	7	18	29	70
A. NOT OPERATED	5025	3.6	35	1	1	2	3	6	12	31
B. OPERATED	204	12.4	328	1	1	5	13	42	67	99+
TOTAL 0-19 YRS	5229	3.9	49	1	1	2	3	7	13	41
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**5229**	**3.9**	**49**	**1**	**1**	**2**	**3**	**7**	**13**	**41**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	727	1.9	6	<1	1	1	2	3	4	7
20-34	303	1.9	2	<1	1	1	2	3	4	7
35-49	161	2.0	2	1	1	2	2	3	5	9
50-64	92	2.6	7	<1	<1	2	3	5	6	17
65+	113	2.5	4	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	5	4.6	28	<1	<1	3	6	14	14	14
20-34	5	1.8		1	1	2	2	2	2	2
35-49	10	2.3	2	1	1	2	3	4	5	5
50-64	3	2.7	8	1	1	1	5	6	6	6
65+	4	4.0	5	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1404	2.4	5	1	1	2	3	4	6	12
20-34	546	2.9	12	1	1	2	3	5	8	14
35-49	492	3.5	11	1	1	2	4	7	9	18
50-64	653	3.9	14	1	1	3	5	7	10	21
65+	1212	4.4	14	1	1	3	6	9	11	18
B. *Operated*										
0-19 YRS	26	4.6	38	<1	1	2	5	13	18	29
20-34	40	5.7	53	1	1	3	7	11	19	40
35-49	38	5.4	19	1	1	4	7	11	14	22
50-64	69	7.1	38	2	2	5	9	16	24	27
65+	93	9.9	70	2	2	7	14	20	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1396	2.0	5	<1	1	1	2	3	5	8
B. *Operated*	27	2.9	7	<1	1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	4307	3.3	11	1	1	2	4	7	9	16
B. *Operated*	266	7.4	52	1	2	5	10	17	23	34
1. SINGLE DX	1423	2.0	5	<1	1	2	2	3	5	8
2. MULTIPLE DX	4573	3.6	14	1	1	2	4	7	10	20
A. NOT OPERATED	5703	3.0	10	1	1	2	3	6	8	15
B. OPERATED	293	7.0	50	1	1	5	9	16	22	33
TOTAL 0-19 YRS	2162	2.2	6	1	1	2	2	4	6	11
20-34	894	2.7	11	<1	1	2	3	5	7	13
35-49	701	3.2	10	1	1	2	4	7	9	16
50-64	817	4.0	16	1	1	3	5	8	11	22
65+	1422	4.6	19	1	1	3	6	9	12	22
GRAND TOTAL	**5996**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	2.5	1	1	1	2	3	4	5	7
20-34	59	3.0	3	1	1	3	4	6	6	8
35-49	35	4.5	42	1	1	3	4	7	9	40
50-64	31	4.1	5	1	1	4	5	8	9	10
65+	31	4.5	21	2	2	3	5	8	11	26
B. *Operated*										
0-19 YRS	4	4.3	7	2	2	3	6	8	8	8
20-34	7	5.9	21	2	2	3	8	14	15	15
35-49	1	10.0		10	10	10	10	10	10	10
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	2	13.5	85	7	7	13	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	715	3.5	11	1	1	3	4	6	9	19
20-34	275	4.1	10	1	1	3	5	8	10	15
35-49	252	4.4	12	1	2	3	5	7	11	19
50-64	340	4.9	13	1	2	4	6	9	12	21
65+	746	5.2	11	2	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	35	5.7	24	1	2	4	7	12	15	24
20-34	58	8.6	69	2	2	7	11	15	29	41
35-49	50	9.4	102	2	3	7	9	13	35	56
50-64	86	11.0	53	3	4	9	14	22	25	38
65+	151	11.7	101	3	3	9	14	24	37	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	3.0	7	1	1	3	3	5	6	9
B. *Operated*	18	6.1	24	2	2	4	8	13	18	20
2. MULTIPLE DX										
A. *Not Operated*	2328	4.4	12	1	1	3	6	8	11	18
B. *Operated*	380	10.2	81	2	3	8	12	22	30	43
1. SINGLE DX	448	3.1	8	1	1	3	4	5	7	11
2. MULTIPLE DX	2708	5.2	25	1	2	4	6	10	13	27
A. NOT OPERATED	2758	4.2	11	1	1	3	5	8	10	17
B. OPERATED	398	10.0	79	2	3	8	12	21	29	43
TOTAL 0-19 YRS	1028	3.3	9	1	1	3	4	6	8	16
20-34	399	4.6	20	1	1	3	6	9	12	26
35-49	338	5.1	31	1	2	4	6	9	12	36
50-64	461	6.0	26	1	2	4	7	12	16	26
65+	930	6.2	32	2	2	5	7	11	15	35
GRAND TOTAL	**3156**	**4.9**	**23**	**1**	**1**	**4**	**6**	**9**	**13**	**26**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.8	2	1	1	2	2	3	3	10
20-34	130	2.7	6	<1	1	2	3	5	8	12
35-49	101	2.6	3	1	1	2	3	5	6	10
50-64	32	2.8	5	1	1	2	3	7	8	8
65+	10	2.3	4	1	1	2	3	5	7	7
B. *Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	19	1.8	3	<1	1	1	2	5	6	6
35-49	13	1.6	1	<1	<1	1	2	3	4	4
50-64	9	3.4	11	1	1	2	5	9	10	10
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	1.8	1	1	1	2	2	3	4	7
20-34	280	3.4	11	1	1	3	4	7	9	18
35-49	272	3.8	16	1	1	3	4	7	10	22
50-64	205	3.3	8	1	1	3	4	6	8	19
65+	185	3.9	13	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	6	5.2	22	1	1	4	8	12	13	13
20-34	46	4.5	20	1	1	3	6	8	13	26
35-49	41	5.5	47	1	1	3	6	13	23	32
50-64	39	4.7	14	1	1	3	6	11	13	14
65+	29	4.3	15	1	1	3	5	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	2.5	5	1	1	2	3	5	7	10
B. *Operated*	48	2.1	4	<1	1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	1038	3.4	12	1	1	2	4	6	9	19
B. *Operated*	161	4.8	24	1	1	3	6	10	14	29
1. SINGLE DX	371	2.5	4	1	1	2	3	5	7	10
2. MULTIPLE DX	1199	3.6	13	1	1	3	4	7	10	20
A. NOT OPERATED	1361	3.2	10	1	1	2	4	6	9	19
B. OPERATED	209	4.2	21	1	1	3	5	9	13	27
TOTAL 0-19 YRS	156	2.0	3	1	1	2	2	3	4	10
20-34	475	3.3	10	1	1	2	4	7	9	19
35-49	427	3.6	16	1	1	2	4	6	10	24
50-64	285	3.5	9	1	1	3	4	7	9	17
65+	227	3.9	13	1	1	3	5	8	10	18
GRAND TOTAL	**1570**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	2	5	6	6
20-34	36	2.2	2	<1	1	2	3	4	5	5
35-49	47	2.9	3	<1	1	2	4	6	6	8
50-64	51	3.1	5	1	1	3	4	6	9	10
65+	66	2.7	3	<1	1	2	4	5	6	7
B. *Operated*										
0-19 YRS	19	1.7	3	<1	<1	<1	1	5	7	7
20-34	40	3.7	5	<1	1	3	5	7	8	9
35-49	46	3.9	5	1	1	4	5	6	7	11
50-64	82	4.0	5	1	2	4	5	7	8	11
65+	90	3.7	6	1	1	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.2	3	<1	<1	2	2	5	6	7
20-34	39	2.7	3	<1	1	2	4	5	6	7
35-49	60	3.9	18	1	1	3	5	6	8	30
50-64	158	3.5	8	1	1	3	4	7	9	14
65+	307	3.3	6	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	10	4.1	8	1	1	3	7	8	9	9
20-34	34	4.6	8	1	2	4	6	7	11	15
35-49	62	4.1	5	1	1	4	6	7	9	10
50-64	139	4.4	12	1	1	4	5	7	10	22
65+	310	4.6	12	1	1	4	6	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	2.7	3	<1	1	2	4	5	6	9
B. *Operated*	277	3.7	5	<1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	602	3.3	7	1	1	3	4	6	8	14
B. *Operated*	555	4.5	11	1	1	4	6	8	10	17
1. SINGLE DX	491	3.3	5	<1	1	3	4	6	8	10
2. MULTIPLE DX	1157	3.9	10	1	1	3	5	7	9	16
A. NOT OPERATED	816	3.1	6	1	1	2	4	6	7	13
B. OPERATED	832	4.2	9	1	1	4	5	7	9	16
TOTAL 0-19 YRS	81	2.3	4	<1	<1	1	3	6	7	9
20-34	149	3.3	5	1	1	3	4	6	7	12
35-49	215	3.7	8	1	1	4	5	6	8	11
50-64	430	3.8	8	1	1	3	5	7	9	15
65+	773	3.8	9	1	1	3	5	7	9	15
GRAND TOTAL	**1648**	**3.7**	**8**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	(4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	3	<1	<1	2	4	5	6	6
20-34	12	2.0	3	<1	<1	1	2	5	6	6
35-49	8	2.4	3	1	1	2	3	5	6	6
50-64	17	2.0	1	<1	1	2	3	4	4	4
65+	6	2.7	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	60	1.2		<1	<1	<1	1	2	2	4
20-34	72	1.4	1	<1	<1	1	2	2	3	4
35-49	56	1.3	1	<1	<1	1	1	2	3	5
50-64	39	1.4	1	<1	<1	1	1	3	4	4
65+	13	2.1	5	<1	<1	1	2	4	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.0	6	<1	1	2	3	6	10	11
20-34	46	4.1	38	<1	1	2	4	8	14	38
35-49	55	3.1	6	1	1	2	4	7	9	10
50-64	109	4.8	20	1	1	3	6	11	13	22
65+	259	5.8	41	1	1	4	7	13	17	29
B. *Operated*										
0-19 YRS	26	6.0	111	<1	<1	2	5	14	26	52
20-34	54	5.6	91	<1	<1	3	7	9	14	58
35-49	57	5.8	56	1	1	3	7	11	19	44
50-64	77	6.5	121	<1	1	3	8	14	19	70
65+	99	8.1	118	<1	1	5	11	17	26	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.2	2	<1	1	2	3	4	6	6
B. *Operated*	240	1.4	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	506	4.9	31	1	1	3	6	11	15	28
B. *Operated*	313	6.7	102	<1	1	3	8	15	21	55
1. SINGLE DX	293	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	819	5.6	59	<1	1	3	7	12	17	39
A. NOT OPERATED	559	4.7	29	1	1	3	6	10	15	27
B. OPERATED	553	4.4	65	<1	<1	1	4	11	15	41
TOTAL 0-19 YRS	133	2.7	26	<1	<1	1	3	5	10	25
20-34	184	3.3	40	<1	<1	1	3	7	9	40
35-49	176	3.4	24	<1	<1	2	4	8	11	27
50-64	242	4.6	51	<1	<1	2	5	11	14	31
65+	377	6.2	61	<1	1	4	8	15	18	36
GRAND TOTAL	**1112**	**4.5**	**47**	**<1**	**<1**	**2**	**5**	**10**	**15**	**34**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	8	<1	<1	2	5	7	7	7
20-34	15	2.7	6	<1	<1	2	3	8	9	9
35-49	13	5.8	95	<1	<1	2	6	15	33	37
50-64	7	6.7	108	<1	<1	3	5	25	30	30
65+	20	7.8	34	1	2	6	11	16	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	6.2	24	3	3	4	6	15	16	16
35-49	5	4.4	20	<1	<1	2	8	11	11	11
50-64	19	6.6	21	2	2	5	7	13	18	21
65+	87	7.5	45	1	2	6	9	13	16	42
B. *Operated*										
0-19 YRS	9	10.1	142	<1	<1	3	21	28	30	30
20-34	52	11.4	165	1	2	8	14	27	32	66
35-49	78	13.4	178	1	2	10	18	33	40	66
50-64	240	15.5	199	2	4	11	19	31	44	79
65+	707	13.6	133	2	4	11	17	25	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.7	20	1	1	6	9	10	10	10
B. *Operated*	59	5.6	49	<1	<1	3	7	13	19	36
2. MULTIPLE DX										
A. *Not Operated*	118	7.1	39	1	2	6	9	13	16	40
B. *Operated*	1086	13.9	153	2	3	11	17	28	39	66
1. SINGLE DX	62	5.6	47	<1	<1	3	7	12	19	36
2. MULTIPLE DX	1204	13.2	145	2	3	10	16	26	38	64
A. NOT OPERATED	121	7.1	39	1	2	6	9	13	16	40
B. OPERATED	1145	13.4	151	1	3	10	17	28	38	65
TOTAL 0-19 YRS	16	7.2	93	<1	<1	2	9	25	29	30
20-34	74	9.1	132	1	1	5	10	21	32	63
35-49	96	11.9	167	<1	1	7	16	31	40	61
50-64	266	14.7	190	2	3	11	18	30	40	76
65+	814	12.8	125	2	3	10	16	24	36	61
GRAND TOTAL	**1266**	**12.8**	**143**	**1**	**2**	**10**	**16**	**26**	**37**	**63**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.0	3	<1	<1	1	3	4	5	8
20-34	337	1.7	1	<1	1	1	2	3	3	5
35-49	1403	1.9	2	<1	1	2	2	3	4	7
50-64	1208	2.0	1	1	1	2	2	3	4	6
65+	453	2.1	2	1	1	2	2	3	4	6
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	46	1.9	2	<1	1	1	2	4	5	6
35-49	364	1.8	2	<1	<1	1	2	3	5	8
50-64	414	1.6	2	<1	<1	1	2	3	3	6
65+	152	1.7	2	<1	1	1	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.1	2	<1	<1	2	2	4	5	6
20-34	703	2.3	5	<1	1	2	3	4	5	12
35-49	3383	2.3	4	1	1	2	3	4	5	9
50-64	4987	2.6	3	1	1	2	3	5	6	9
65+	4670	2.9	5	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	7	3.3	4	1	1	4	5	6	6	6
20-34	88	3.1	7	<1	1	2	4	6	7	16
35-49	733	2.8	8	1	1	2	3	6	8	13
50-64	1339	2.8	10	1	1	2	3	6	7	13
65+	918	3.4	13	1	1	2	4	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3430	1.9	2	1	1	2	2	3	4	6
B. *Operated*	978	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	13809	2.6	4	1	1	2	3	5	6	10
B. *Operated*	3085	3.0	10	1	1	2	4	6	8	15
1. SINGLE DX	4408	1.9	2	<1	1	2	2	3	4	6
2. MULTIPLE DX	16894	2.7	5	1	1	2	3	5	6	11
A. NOT OPERATED	17239	2.5	4	1	1	2	3	4	6	9
B. OPERATED	4063	2.7	8	<1	1	2	3	6	7	13
TOTAL 0-19 YRS	104	2.2	2	<1	1	2	3	4	5	7
20-34	1174	2.2	4	<1	1	2	3	4	5	11
35-49	5883	2.3	4	1	1	2	3	4	5	9
50-64	7948	2.5	4	1	1	2	3	5	6	10
65+	6193	2.9	6	1	1	2	3	5	7	12
GRAND TOTAL	**21302**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	2.2	3	<1	1	2	3	4	5	9
20-34	16	1.6	1	<1	<1	1	2	3	4	4
35-49	25	1.9	2	<1	<1	1	3	4	4	5
50-64	26	2.3	3	<1	1	2	3	5	6	6
65+	24	2.9	6	<1	1	2	3	7	9	11
B. *Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	3	5	5	5
20-34	15	2.7	7	<1	<1	1	4	6	9	10
35-49	37	1.9	3	<1	<1	1	2	4	5	10
50-64	58	2.2	4	<1	1	2	3	4	5	14
65+	22	2.0	2	<1	<1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	452	3.2	9	1	1	2	4	6	8	18
20-34	106	4.2	38	<1	1	2	4	7	13	39
35-49	152	3.0	5	<1	1	2	4	6	7	10
50-64	451	4.6	19	1	1	3	6	9	12	21
65+	960	4.8	16	1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	41	4.0	32	<1	<1	1	4	11	17	24
20-34	41	4.5	23	1	1	3	5	12	16	21
35-49	87	5.2	54	1	1	3	6	11	16	45
50-64	191	4.1	16	1	1	3	5	9	11	20
65+	260	6.1	42	1	1	4	7	15	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	2.2	3	<1	1	2	3	4	5	9
B. *Operated*	146	2.1	4	<1	<1	1	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2121	4.2	16	1	1	3	5	8	11	21
B. *Operated*	620	5.1	34	1	1	3	6	12	17	29
1. SINGLE DX	487	2.2	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	2741	4.4	20	1	1	3	5	9	12	22
A. NOT OPERATED	2462	4.0	15	1	1	3	5	8	10	20
B. OPERATED	766	4.5	30	<1	1	3	5	10	16	26
TOTAL 0-19 YRS	757	2.9	9	<1	1	2	3	5	7	18
20-34	178	3.9	29	<1	1	2	4	7	12	32
35-49	301	3.4	20	<1	1	2	4	6	10	18
50-64	726	4.2	17	1	1	3	5	8	11	21
65+	1266	5.0	21	1	1	4	6	10	14	23
GRAND TOTAL	**3228**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**12**	**22**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.5		<1	1	1	2	2	3	3
20-34	101	1.6	1	<1	<1	1	2	3	4	5
35-49	115	1.6	1	1	1	1	2	3	4	6
50-64	61	1.5		<1	<1	1	2	2	3	3
65+	34	2.3	2	<1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	16	1.1		<1	<1	<1	<1	2	2	2
20-34	27	2.6	3	<1	<1	2	4	5	6	8
35-49	18	3.0	5	<1	<1	2	5	7	8	8
50-64	14	3.8	8	<1	1	3	6	8	10	10
65+	15	4.4	23	<1	<1	3	5	7	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	<1	1	2	4	4	5	6
20-34	123	2.1	2	<1	1	2	3	4	6	7
35-49	144	2.7	5	<1	1	2	3	5	7	12
50-64	182	3.4	15	1	1	3	4	6	8	27
65+	388	4.3	12	1	1	3	6	8	10	14
B. *Operated*										
0-19 YRS	44	2.2	5	<1	<1	<1	3	7	8	8
20-34	40	4.8	20	<1	1	4	6	12	14	21
35-49	64	3.9	9	1	1	3	5	8	10	13
50-64	109	4.7	11	1	1	3	7	9	12	16
65+	424	6.3	29	1	2	5	8	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	1.6	1	<1	1	1	2	3	4	5
B. *Operated*	90	2.9	8	<1	<1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	860	3.5	11	1	1	3	4	7	9	14
B. *Operated*	681	5.4	24	1	1	4	7	11	14	27
1. SINGLE DX	422	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	1541	4.4	17	1	1	3	6	9	12	22
A. NOT OPERATED	1192	3.0	9	1	1	2	4	6	8	14
B. OPERATED	771	5.1	23	<1	1	4	7	11	13	26
TOTAL 0-19 YRS	104	1.9	3	<1	<1	1	2	4	6	8
20-34	291	2.3	5	<1	1	2	3	5	6	13
35-49	341	2.6	5	<1	1	2	3	5	7	12
50-64	366	3.5	12	1	1	3	4	7	9	19
65+	861	5.2	. 22	1	1	4	7	10	13	26
GRAND TOTAL	**1963**	**3.8**	**15**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	952	1.6	1	<1	1	1	2	3	4	5
20-34	1358	2.0	2	<1	1	2	3	4	5	7
35-49	710	2.2	3	<1	1	2	3	4	5	9
50-64	365	2.3	3	<1	1	2	3	4	6	7
65+	264	2.3	4	<1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	204	3.0	2	1	2	3	4	5	5	8
20-34	311	3.2	4	1	1	3	4	5	7	11
35-49	97	3.2	6	<1	1	3	4	6	8	14
50-64	63	3.5	7	<1	1	3	5	7	8	12
65+	21	3.9	8	<1	1	4	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	853	2.0	2	<1	1	2	2	4	5	9
20-34	1622	2.6	5	<1	1	2	3	5	6	11
35-49	1221	3.3	7	1	1	3	4	6	8	13
50-64	1073	3.3	6	1	1	3	4	6	8	14
65+	1767	3.9	9	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	165	3.5	4	1	1	3	4	6	7	9
20-34	410	4.6	17	1	1	4	6	9	11	19
35-49	255	5.3	21	1	1	4	7	10	12	23
50-64	197	6.1	26	1	1	5	9	12	13	19
65+	280	6.4	31	1	1	5	8	13	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3649	2.0	2	<1	1	2	2	4	5	7
B. *Operated*	696	3.2	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	6536	3.1	7	1	1	2	4	6	8	13
B. *Operated*	1307	5.2	21	1	1	4	7	10	13	22
1. SINGLE DX	4345	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	7843	3.5	10	1	1	3	4	7	9	15
A. NOT OPERATED	10185	2.7	5	<1	1	2	3	5	7	12
B. OPERATED	2003	4.5	16	1	1	3	5	9	11	18
TOTAL 0-19 YRS	2174	2.0	2	<1	1	2	3	4	5	8
20-34	3701	2.7	6	<1	1	2	3	5	7	12
35-49	2283	3.2	8	1	1	2	4	6	8	15
50-64	1698	3.4	9	1	1	3	4	7	9	14
65+	2332	4.0	12	1	1	3	5	8	11	16
GRAND TOTAL	**12186**	**3.0**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	1.8	2	<1	<1	1	2	4	6	7
20-34	63	2.3	4	<1	<1	2	3	4	7	10
35-49	29	2.5	4	<1	1	2	4	5	6	8
50-64	37	3.4	7	<1	<1	3	5	7	8	14
65+	32	3.3	3	<1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	9	2.0	2	<1	<1	2	2	4	5	5
20-34	26	3.8	6	<1	1	4	5	7	8	10
35-49	22	4.2	10	<1	<1	4	6	8	11	13
50-64	26	3.7	11	<1	1	3	6	9	10	13
65+	16	3.6	12	<1	<1	2	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	2.7	7	1	1	2	3	5	7	14
20-34	294	2.7	4	1	1	2	3	5	7	11
35-49	328	3.8	11	1	1	3	5	8	10	16
50-64	518	4.6	21	1	1	3	6	9	13	23
65+	1096	4.5	13	1	1	3	6	9	11	18
B. *Operated*										
0-19 YRS	47	2.9	5	1	1	2	4	7	7	8
20-34	137	4.6	41	1	1	3	6	10	11	32
35-49	136	5.1	29	1	1	4	6	9	13	28
50-64	148	6.9	64	1	1	5	8	15	22	46
65+	270	7.2	63	1	1	5	9	17	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.4	4	<1	1	2	3	5	7	10
B. *Operated*	99	3.7	9	<1	<1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	2578	4.0	13	1	1	3	5	8	11	18
B. *Operated*	738	6.0	51	1	1	4	7	12	19	35
1. SINGLE DX	350	2.8	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX	3316	4.4	22	1	1	3	5	9	12	24
A. NOT OPERATED	2829	3.8	12	1	1	3	5	8	10	17
B. OPERATED	837	5.7	46	1	1	4	7	12	18	33
TOTAL 0-19 YRS	488	2.5	6	1	1	2	3	5	7	12
20-34	520	3.2	15	1	1	2	4	6	8	15
35-49	515	4.1	16	1	1	3	5	8	10	21
50-64	729	5.0	29	1	1	3	6	10	15	25
65+	1414	4.9	23	1	1	4	6	10	13	25
GRAND TOTAL	**3666**	**4.3**	**21**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	557	2.8	7	<1	1	2	3	5	8	14
20-34	227	2.0	3	<1	<1	1	2	4	5	8
35-49	224	2.1	3	<1	1	1	2	4	6	11
50-64	291	2.2	5	<1	1	2	3	4	6	11
65+	499	2.5	4	1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	49	2.4	15	<1	<1	1	2	4	6	24
20-34	92	1.9	7	<1	<1	1	2	4	6	16
35-49	129	1.7	2	<1	<1	1	2	3	4	8
50-64	134	1.8	3	<1	<1	1	2	3	6	11
65+	88	3.5	11	<1	<1	2	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1114	4.4	29	1	1	3	5	9	13	25
20-34	743	3.2	16	<1	1	2	4	6	8	27
35-49	1181	3.8	25	1	1	2	4	7	11	22
50-64	2885	4.5	23	1	1	3	6	10	13	23
65+	8965	5.1	23	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	136	7.2	107	<1	1	4	9	17	37	62
20-34	191	4.1	41	1	1	2	4	9	17	51
35-49	322	5.7	118	<1	1	2	5	12	16	70
50-64	618	7.6	95	1	1	4	10	18	29	52
65+	1233	9.2	104	1	1	6	12	21	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1798	2.4	5	<1	1	2	3	5	6	11
B. *Operated*	492	2.2	7	<1	<1	1	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	14888	4.7	24	1	1	3	6	10	13	23
B. *Operated*	2500	7.9	101	1	1	4	10	18	29	55
1. SINGLE DX	2290	2.4	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	17388	5.2	36	1	1	3	6	11	15	32
A. NOT OPERATED	16686	4.5	22	1	1	3	6	9	13	23
B. OPERATED	2992	6.9	90	<1	1	3	8	17	26	51
TOTAL 0-19 YRS	1856	4.1	29	<1	1	3	5	8	12	26
20-34	1253	3.0	17	<1	1	2	3	6	8	24
35-49	1856	3.8	38	<1	1	2	4	7	12	25
50-64	3928	4.7	35	1	1	3	6	10	15	31
65+	10785	5.4	33	1	1	4	7	11	15	31
GRAND TOTAL	**19678**	**4.9**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**30**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	1.7	2	<1	1	1	2	3	5	9
20-34	21	3.2	3	<1	1	3	4	6	7	7
35-49	7	2.4	3	<1	<1	2	4	5	5	5
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	70	3.3	3	1	1	3	4	5	6	10
20-34	29	5.6	12	1	2	5	8	11	13	14
35-49	5	6.8	25	1	1	5	11	13	13	13
50-64	3	6.3	1	5	5	7	7	7	7	7
65+	3	5.7	40	2	2	2	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267	4.2	66	1	1	2	4	8	14	55
20-34	80	5.4	32	1	1	4	6	12	15	34
35-49	36	5.1	31	1	1	3	6	13	19	25
50-64	30	5.3	15	1	1	5	7	10	11	20
65+	25	7.5	36	1	2	5	11	14	22	24
B. *Operated*										
0-19 YRS	159	12.7	306	1	1	6	14	38	56	94
20-34	162	13.7	264	1	1	8	17	40	62	99+
35-49	58	13.2	193	1	2	9	14	33	39	71
50-64	21	16.7	317	1	2	10	25	30	55	81
65+	24	18.0	253	2	2	16	26	39	50	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	1.9	2	<1	1	1	2	4	5	8
B. *Operated*	110	4.2	8	1	1	3	5	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	438	4.8	52	1	1	3	5	11	15	41
B. *Operated*	424	13.6	272	1	1	8	17	37	55	99+
1. SINGLE DX	416	2.5	5	1	1	2	3	5	7	12
2. MULTIPLE DX	862	9.1	180	1	1	4	11	24	40	80
A. NOT OPERATED	744	3.6	34	1	1	2	4	7	12	24
B. OPERATED	534	11.7	232	1	1	6	14	33	51	96
TOTAL 0-19 YRS	770	5.0	103	1	1	2	4	10	18	62
20-34	292	9.8	175	1	1	5	12	26	43	99+
35-49	106	9.4	134	1	1	5	12	25	33	61
50-64	56	9.6	154	1	2	6	10	24	28	78
65+	54	11.9	160	2	2	7	16	30	38	62
GRAND TOTAL	**1278**	**7.0**	**133**	**1**	**1**	**3**	**7**	**17**	**31**	**73**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	2.3	5	1	1	1	3	5	7	11
20-34	50	3.6	13	1	1	2	4	8	12	18
35-49	17	3.9	13	<1	1	3	3	10	12	13
50-64	7	2.4	3	1	1	1	4	5	5	5
65+	6	5.3	13	1	1	5	6	11	12	12
B. *Operated*										
0-19 YRS	32	4.8	32	1	1	4	5	8	10	33
20-34	16	5.6	15	2	2	4	7	12	14	15
35-49	5	3.8	17	1	1	2	5	11	11	11
50-64	3	5.0	1	4	4	5	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	3.7	14	<1	1	2	5	9	11	18
20-34	211	4.8	26	1	1	3	6	10	13	27
35-49	72	4.6	14	1	1	3	6	11	12	15
50-64	58	6.1	26	1	2	5	8	11	13	30
65+	47	7.9	198	1	2	4	8	13	22	96
B. *Operated*										
0-19 YRS	139	12.6	270	1	2	6	15	32	61	99+
20-34	202	13.5	248	1	2	8	17	37	49	93
35-49	98	15.2	358	1	2	9	17	44	73	96
50-64	46	15.3	348	2	2	7	19	52	67	99+
65+	22	13.5	141	2	3	10	22	37	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	2.8	8	1	1	2	3	7	8	13
B. *Operated*	56	4.9	24	1	1	4	6	10	12	32
2. MULTIPLE DX										
A. *Not Operated*	652	4.7	33	1	1	3	6	10	13	24
B. *Operated*	507	13.7	279	1	2	8	16	37	59	99+
1. SINGLE DX	320	3.1	11	1	1	2	4	7	9	16
2. MULTIPLE DX	1159	8.6	161	1	1	4	10	20	34	86
A. NOT OPERATED	916	4.1	26	1	1	3	5	9	12	23
B. OPERATED	563	12.9	260	1	2	7	16	35	54	99+
TOTAL 0-19 YRS	619	5.3	85	1	1	3	6	11	17	71
20-34	479	8.4	137	1	1	4	9	20	33	72
35-49	192	9.9	217	1	1	5	11	20	46	87
50-64	114	9.6	175	1	2	6	10	22	44	90
65+	75	9.3	172	1	2	5	10	23	34	99
GRAND TOTAL	**1479**	**7.4**	**133**	**1**	**1**	**4**	**8**	**17**	**31**	**80**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.4	1	<1	<1	1	2	2	3	4
20-34	28	1.4	1	<1	<1	1	2	2	3	4
35-49	14	1.7	1	<1	<1	1	3	3	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	5	2.8	5	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	395	1.6	3	<1	<1	1	2	3	3	9
20-34	678	2.1	9	<1	<1	1	2	4	5	10
35-49	222	2.0	3	<1	1	1	2	4	6	9
50-64	67	1.6	1	<1	<1	1	2	3	4	5
65+	21	1.9	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	2.3	9	<1	1	1	3	4	5	20
20-34	143	2.1	2	<1	<1	2	3	4	5	6
35-49	59	2.8	7	<1	<1	2	3	5	8	15
50-64	41	3.3	15	<1	1	2	4	6	10	23
65+	63	4.0	10	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	569	3.0	13	1	1	2	4	6	8	16
20-34	1176	3.6	17	1	1	2	4	8	11	21
35-49	424	4.1	35	1	1	2	5	9	11	26
50-64	157	4.8	32	1	1	3	6	9	13	32
65+	142	6.3	70	1	1	4	7	13	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	1383	1.9	6	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	362	2.7	7	<1	<1	2	3	5	8	15
B. *Operated*	2468	3.8	24	1	1	2	4	8	11	22
1. SINGLE DX	1453	1.9	5	<1	<1	1	2	3	5	10
2. MULTIPLE DX	2830	3.7	22	1	1	2	4	8	11	22
A. NOT OPERATED	432	2.5	6	<1	<1	2	3	5	7	12
B. OPERATED	3851	3.1	18	<1	1	2	3	6	9	20
TOTAL 0-19 YRS	1040	2.4	9	<1	<1	1	3	5	6	14
20-34	2025	3.0	14	<1	1	2	3	6	9	18
35-49	719	3.3	23	<1	1	2	4	7	10	21
50-64	268	3.8	23	<1	1	2	4	8	10	25
65+	231	5.2	48	1	1	3	6	10	15	29
GRAND TOTAL	**4283**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**6**	**9**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.5	20	1	1	2	4	6	9	27
20-34	326	3.9	17	1	1	3	5	7	9	17
35-49	213	4.1	7	1	1	4	5	8	9	14
50-64	161	4.6	8	1	1	4	6	9	10	12
65+	215	5.9	16	2	2	5	8	11	13	17
B. *Operated*										
0-19 YRS	32	7.7	21	1	3	6	10	14	16	21
20-34	84	7.4	23	1	2	6	10	14	18	21
35-49	30	10.1	84	1	2	9	11	20	28	45
50-64	10	8.6	40	1	1	7	12	18	19	19
65+	11	9.3	55	1	2	6	15	20	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	4.2	21	1	1	3	5	7	11	17
20-34	478	4.8	18	1	1	4	6	9	12	20
35-49	300	5.4	32	1	1	4	7	9	12	26
50-64	388	6.4	23	1	2	5	8	13	16	27
65+	1876	7.1	25	2	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	80	10.8	76	2	3	8	13	24	29	43
20-34	300	10.2	94	1	2	8	13	19	24	55
35-49	140	10.3	100	1	2	9	14	17	22	52
50-64	98	12.1	123	1	2	9	15	22	34	66
65+	184	13.8	129	3	4	10	17	25	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	4.4	14	1	1	4	6	8	10	15
B. *Operated*	167	8.1	37	1	2	7	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	3214	6.4	25	1	2	5	8	12	14	23
B. *Operated*	802	11.4	106	1	2	9	14	21	29	59
1. SINGLE DX	1225	4.9	19	1	1	4	6	9	12	20
2. MULTIPLE DX	4016	7.4	45	1	2	6	9	14	18	35
A. NOT OPERATED	4272	5.9	23	1	2	5	8	11	14	22
B. OPERATED	969	10.8	96	1	2	9	14	21	26	53
TOTAL 0-19 YRS	427	5.5	38	1	1	4	7	11	16	32
20-34	1188	6.1	43	1	1	4	7	12	16	39
35-49	683	6.2	46	1	1	5	8	12	16	30
50-64	657	6.9	40	1	2	5	9	13	17	30
65+	2286	7.6	36	2	3	6	9	13	17	31
GRAND TOTAL	**5241**	**6.8**	**40**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	52	2	2	3	12	15	15	15
20-34	11	4.5	8	<1	1	5	7	8	9	9
35-49	8	5.4	108	<1	<1	2	3	23	31	31
50-64	4	8.8	28	3	3	8	13	15	15	15
65+	2	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	7	11.0	15	8	8	10	16	76	99+	99+
20-34	22	14.0	93	4	5	11	17	30	35	40
35-49	6	16.2	117	2	2	19	20	30	31	31
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	15.8	214	1	1	11	33	35	35	35
20-34	31	9.3	187	1	1	4	10	50	95	99+
35-49	13	8.7	46	1	1	8	13	19	21	22
50-64	13	11.5	243	2	3	7	11	24	55	62
65+	37	8.8	35	2	3	8	11	15	21	32
B. *Operated*										
0-19 YRS	41	18.4	186	4	7	15	22	31	52	68
20-34	96	21.0	232	3	6	18	28	45	57	99+
35-49	49	22.2	334	2	4	17	28	50	52	96
50-64	26	21.6	229	5	7	17	27	43	54	64
65+	22	17.7	230	5	8	11	21	41	57	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.0	41	<1	1	3	8	14	17	31
B. *Operated*	36	13.6	78	3	5	11	19	31	37	99+
2. MULTIPLE DX										
A. *Not Operated*	100	9.7	119	1	2	8	11	20	39	99+
B. *Operated*	234	20.6	243	3	7	17	25	45	54	97
1. SINGLE DX	64	10.3	76	1	2	9	13	25	31	91
2. MULTIPLE DX	334	17.3	230	2	3	13	22	39	54	99+
A. NOT OPERATED	128	8.9	104	1	2	7	11	19	33	99+
B. OPERATED	270	19.6	226	2	6	16	24	42	54	99
TOTAL 0-19 YRS	57	16.6	167	2	5	14	21	33	54	97
20-34	160	16.6	220	2	2	13	23	41	56	99+
35-49	76	17.7	283	1	2	14	22	33	51	89
50-64	43	17.3	237	3	4	13	19	40	55	64
65+	62	12.0	118	3	4	9	12	22	34	61
GRAND TOTAL	**398**	**16.2**	**212**	**2**	**2**	**12**	**20**	**36**	**52**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.7	1	<1	1	1	2	3	4	4
20-34	62	2.5	14	<1	1	2	2	5	5	26
35-49	71	2.1	2	<1	1	2	3	4	4	8
50-64	42	2.7	4	<1	1	2	3	6	8	9
65+	65	3.1	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	11	3.0	5	1	1	3	4	6	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.0	11	<1	<1	2	4	7	8	20
20-34	314	3.0	5	1	1	2	4	6	8	11
35-49	325	3.5	7	1	1	3	5	7	8	12
50-64	445	4.6	23	1	1	4	6	8	11	20
65+	937	5.4	18	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	31	6.3	23	1	2	5	9	12	15	24
20-34	129	5.4	17	1	1	5	7	11	13	20
35-49	141	7.9	95	1	2	6	9	16	24	82
50-64	112	10.5	106	2	2	7	12	26	37	46
65+	148	11.3	161	2	3	8	13	23	34	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	2.5	6	1	1	2	3	5	6	9
B. *Operated*	16	3.6	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	2091	4.5	16	1	1	4	6	9	11	18
B. *Operated*	561	8.7	97	1	2	6	10	17	27	64
1. SINGLE DX	276	2.6	6	1	1	2	3	5	7	9
2. MULTIPLE DX	2652	5.4	36	1	1	4	7	10	14	31
A. NOT OPERATED	2351	4.3	15	1	1	3	6	8	11	18
B. OPERATED	577	8.5	96	1	2	6	10	17	27	64
TOTAL 0-19 YRS	123	3.7	15	<1	1	2	4	8	10	23
20-34	516	3.5	10	1	1	2	5	8	9	16
35-49	538	4.5	33	1	1	3	5	9	12	28
50-64	600	5.6	43	1	1	4	6	11	14	39
65+	1151	6.0	40	1	2	5	7	11	15	33
GRAND TOTAL	**2928**	**5.1**	**34**	**1**	**1**	**4**	**6**	**10**	**13**	**29**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.1	16	1	1	3	5	8	10	26
20-34	82	4.6	10	1	2	4	7	9	11	15
35-49	45	5.5	9	1	2	5	7	10	11	13
50-64	67	6.7	47	2	2	5	8	12	15	43
65+	226	6.4	38	2	2	5	8	12	14	32
B. *Operated*										
0-19 YRS	8	12.5	46	2	3	13	16	22	23	23
20-34	16	15.7	176	3	7	11	16	43	46	47
35-49	4	18.3	520	3	3	9	32	52	52	52
50-64	5	21.2	160	8	8	18	30	40	40	40
65+	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	6.2	35	1	2	5	8	10	13	39
20-34	249	7.9	81	1	2	6	9	15	21	46
35-49	147	8.7	74	2	2	7	10	15	23	54
50-64	170	9.1	60	2	3	7	11	17	24	41
65+	1261	8.5	38	2	3	7	11	15	18	35
B. *Operated*										
0-19 YRS	77	12.4	186	1	2	8	18	30	33	79
20-34	182	17.8	209	3	4	13	23	41	50	58
35-49	79	16.4	198	3	5	14	22	30	42	84
50-64	72	18.2	205	3	3	14	24	43	51	91
65+	143	15.3	123	3	4	14	20	28	38	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	5.7	30	1	2	4	7	10	13	26
B. *Operated*	35	15.6	162	2	5	12	19	40	46	52
2. MULTIPLE DX										
A. *Not Operated*	1949	8.3	48	2	3	7	10	15	19	41
B. *Operated*	553	16.2	184	2	4	12	22	34	47	59
1. SINGLE DX	524	6.4	44	1	2	5	8	12	14	44
2. MULTIPLE DX	2502	10.1	89	2	3	7	12	20	28	51
A. NOT OPERATED	2438	7.8	45	2	2	6	10	14	18	41
B. OPERATED	588	16.2	182	2	4	12	22	34	47	58
TOTAL 0-19 YRS	276	7.6	83	1	1	5	9	17	25	43
20-34	529	11.0	143	1	2	7	13	26	41	56
35-49	275	10.5	119	2	2	7	12	23	30	53
50-64	314	10.9	110	2	3	7	13	23	36	57
65+	1632	8.8	50	2	3	7	11	16	21	41
GRAND TOTAL	**3026**	**9.4**	**83**	**2**	**3**	**7**	**11**	**18**	**27**	**50**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.3	10	<1	1	1	2	6	11	17
20-34	32	1.9	1	1	1	2	3	4	4	5
35-49	15	2.5	3	1	1	2	4	5	6	6
50-64	32	2.3	2	<1	1	2	3	4	5	7
65+	108	3.3	7	1	1	3	4	6	7	17
B. *Operated*										
0-19 YRS	1095	2.4	9	<1	1	1	2	4	9	17
20-34	124	3.0	8	1	1	2	4	6	8	16
35-49	105	3.2	5	1	1	3	4	5	8	12
50-64	117	3.2	6	1	1	3	4	6	8	13
65+	164	4.0	8	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.0	2	1	1	2	3	5	5	99+
20-34	53	3.5	16	<1	1	2	4	7	15	18
35-49	33	4.3	31	<1	1	2	5	10	20	24
50-64	90	4.6	13	1	1	3	7	9	11	19
65+	567	5.3	17	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	324	4.0	27	1	1	2	4	10	15	27
20-34	173	6.2	41	1	1	4	7	13	20	37
35-49	132	6.6	67	1	1	4	8	13	20	45
50-64	192	6.4	51	1	1	4	7	14	20	31
65+	535	7.3	53	1	2	6	9	14	18	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	2.7	7	<1	1	2	3	5	7	17
B. *Operated*	1605	2.7	9	1	1	2	3	5	9	16
2. MULTIPLE DX										
A. *Not Operated*	784	4.8	17	1	1	4	6	10	12	21
B. *Operated*	1356	6.2	48	1	1	4	7	13	18	37
1. SINGLE DX	1878	2.7	9	1	1	2	3	5	8	16
2. MULTIPLE DX	2140	5.7	37	1	1	4	7	12	15	30
A. NOT OPERATED	1057	4.3	15	1	1	3	5	9	12	19
B. OPERATED	2961	4.3	30	1	1	3	5	10	14	27
TOTAL 0-19 YRS	1546	2.7	13	1	1	2	3	5	11	18
20-34	382	4.4	26	1	1	3	5	10	14	24
35-49	285	4.8	39	1	1	3	5	10	13	36
50-64	431	4.8	29	1	1	3	6	9	15	29
65+	1374	5.8	31	1	2	4	7	11	15	27
GRAND TOTAL	**4018**	**4.3**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	1.3	1	<1	<1	1	1	2	3	4
20-34	21	1.8	1	<1	<1	2	2	3	4	5
35-49	11	2.5	6	<1	<1	1	4	6	8	8
50-64	12	1.9	1	<1	<1	2	2	3	4	4
65+	17	1.9	4	1	1	1	2	3	7	9
B. *Operated*										
0-19 YRS	1409	1.5	1	<1	<1	1	2	3	3	5
20-34	604	2.3	3	1	1	2	3	4	5	9
35-49	398	2.2	3	1	1	2	3	4	6	10
50-64	315	1.9	2	<1	1	1	2	4	5	7
65+	361	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.0	3	<1	<1	1	2	4	6	11
20-34	64	2.6	5	<1	1	2	3	7	8	10
35-49	28	3.3	14	<1	1	2	3	10	13	15
50-64	39	3.9	9	<1	1	3	5	9	10	12
65+	106	4.5	8	1	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	432	3.1	21	1	1	2	3	6	9	24
20-34	542	4.6	27	1	1	3	5	10	14	29
35-49	337	5.2	53	1	1	3	5	10	16	44
50-64	336	4.8	41	1	1	3	5	10	15	37
65+	578	4.6	21	1	1	3	6	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	1.8	2	<1	<1	1	2	3	5	9
B. *Operated*	3087	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	294	3.4	8	<1	1	2	4	7	10	13
B. *Operated*	2225	4.4	31	1	1	3	5	9	14	31
1. SINGLE DX	3178	1.9	2	<1	1	1	2	3	4	8
2. MULTIPLE DX	2519	4.3	28	1	1	3	5	9	13	30
A. NOT OPERATED	385	3.0	7	<1	1	2	4	7	9	13
B. OPERATED	5312	2.9	16	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	1928	1.8	6	<1	1	1	2	3	4	10
20-34	1231	3.3	15	1	1	2	4	6	10	20
35-49	774	3.5	27	1	1	2	4	7	11	31
50-64	702	3.4	23	1	1	2	4	6	10	25
65+	1062	3.8	14	1	1	3	5	8	11	19
GRAND TOTAL	**5697**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	34	1	1	2	7	13	13	13
20-34	25	2.5	2	<1	<1	2	4	4	5	5
35-49	7	2.0	1	1	1	2	2	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	317	1.4	1	<1	<1	1	1	2	3	5
20-34	542	1.5	1	<1	<1	1	2	3	4	6
35-49	229	1.6	2	<1	<1	1	2	3	4	7
50-64	96	1.8	3	<1	1	1	2	3	4	12
65+	38	1.8	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	46	<1	1	2	3	5	20	31
20-34	56	2.6	4	<1	<1	2	3	5	6	12
35-49	22	2.7	4	<1	<1	2	3	6	7	8
50-64	18	1.9	1	<1	1	2	2	3	4	5
65+	24	4.5	11	1	1	3	6	9	12	14
B. *Operated*										
0-19 YRS	214	3.1	30	<1	1	2	3	5	9	35
20-34	481	2.8	20	<1	1	2	3	5	7	12
35-49	214	2.6	6	<1	1	2	3	5	7	13
50-64	121	2.8	10	<1	1	2	4	6	7	18
65+	97	2.7	5	<1	1	2	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.5	4	<1	1	2	3	4	5	13
B. *Operated*	1222	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	139	3.0	11	<1	<1	2	3	6	8	16
B. *Operated*	1127	2.8	17	<1	1	2	3	5	7	17
1. SINGLE DX	1264	1.5	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1266	2.8	16	<1	1	2	3	5	7	17
A. NOT OPERATED	181	2.9	9	<1	<1	2	3	6	7	14
B. OPERATED	2349	2.1	9	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	554	2.1	14	<1	<1	1	2	3	5	19
20-34	1104	2.2	10	<1	<1	1	2	4	6	10
35-49	472	2.1	4	<1	<1	1	2	4	5	10
50-64	238	2.4	7	<1	1	2	3	4	6	13
65+	162	2.8	5	<1	1	2	4	6	8	12
GRAND TOTAL	**2530**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	13.3	126	1	1	13	20	33	34	43
20-34	8	4.9	26	1	1	3	8	13	13	13
35-49	9	9.4	263	1	1	5	7	35	52	52
50-64	26	4.7	30	<1	1	3	5	8	18	26
65+	115	5.7	15	<1	1	5	8	11	13	17
B. *Operated*										
0-19 YRS	92	9.6	107	2	2	6	10	23	31	54
20-34	62	7.8	21	2	3	7	10	15	18	23
35-49	92	6.9	17	3	3	6	8	12	14	24
50-64	327	7.9	11	4	4	7	10	12	14	17
65+	1656	10.1	20	5	6	9	12	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	16.6	220	2	2	9	28	37	49	51
20-34	10	9.6	95	<1	1	4	14	26	27	27
35-49	18	9.4	206	<1	1	5	9	17	46	64
50-64	52	6.6	24	1	2	5	8	12	16	26
65+	637	8.4	39	1	2	7	11	17	20	39
B. *Operated*										
0-19 YRS	75	11.9	86	2	5	9	14	22	31	53
20-34	136	13.0	162	4	5	10	14	25	35	98
35-49	185	12.0	89	4	5	10	13	21	27	46
50-64	785	12.1	73	5	6	10	14	19	25	69
65+	8856	12.4	44	6	7	11	14	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	7.1	57	1	1	5	10	15	22	39
B. *Operated*	2229	9.5	23	4	5	9	11	15	17	25
2. MULTIPLE DX										
A. *Not Operated*	742	8.6	51	1	2	7	11	17	21	45
B. *Operated*	10037	12.4	49	6	7	11	14	19	24	42
1. SINGLE DX	2422	9.3	27	3	4	9	11	15	17	27
2. MULTIPLE DX	10779	12.1	50	5	6	11	14	19	24	42
A. NOT OPERATED	935	8.3	52	1	2	6	11	17	21	43
B. OPERATED	12266	11.9	46	5	6	11	14	18	23	39
TOTAL 0-19 YRS	227	11.7	119	1	2	8	15	28	33	52
20-34	216	11.0	119	3	3	8	13	21	28	88
35-49	304	10.2	83	3	4	8	11	18	24	49
50-64	1190	10.6	58	4	5	9	13	17	23	46
65+	11264	11.8	42	5	6	11	14	18	22	36
GRAND TOTAL	**13201**	**11.6**	**47**	**4**	**6**	**10**	**14**	**18**	**23**	**39**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	14.7	111	1	1	15	21	29	33	45
20-34	11	19.7	350	1	1	10	41	47	48	48
35-49	8	2.4	3	1	1	2	3	5	6	6
50-64	9	9.2	72	1	1	7	11	24	26	26
65+	42	10.8	181	1	2	6	11	36	42	56
B. *Operated*										
0-19 YRS	386	9.7	101	1	1	6	14	24	30	46
20-34	153	9.6	68	1	3	8	12	16	25	50
35-49	52	8.3	21	2	3	8	11	15	18	19
50-64	49	9.6	77	2	3	8	11	15	25	57
65+	77	10.4	22	3	5	10	12	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	14.2	112	1	2	14	21	28	30	50
20-34	31	9.5	98	1	1	7	14	20	31	45
35-49	16	20.4	537	2	2	6	41	58	61	63
50-64	47	11.9	253	2	2	5	12	36	57	66
65+	230	12.6	202	1	2	7	15	36	46	60
B. *Operated*										
0-19 YRS	450	15.1	150	2	3	12	20	30	38	56
20-34	439	15.8	162	3	5	12	19	30	44	67
35-49	157	14.8	188	1	2	11	19	33	48	77
50-64	144	18.6	217	5	6	14	25	40	47	87
65+	511	15.5	131	5	6	13	18	27	36	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	14.0	127	1	1	13	21	29	35	48
B. *Operated*	717	9.6	78	1	1	8	13	21	26	44
2. MULTIPLE DX										
A. *Not Operated*	477	13.1	184	1	2	8	19	29	45	60
B. *Operated*	1701	15.7	157	3	4	13	19	30	41	69
1. SINGLE DX	1096	11.1	99	1	1	9	16	25	31	47
2. MULTIPLE DX	2178	15.1	164	2	3	12	19	30	42	67
A. NOT OPERATED	856	13.5	158	1	2	10	20	29	40	58
B. OPERATED	2418	13.9	141	1	3	11	18	28	37	64
TOTAL 0-19 YRS	1298	13.3	127	1	1	11	19	28	33	50
20-34	634	14.0	147	1	3	11	17	29	41	65
35-49	233	13.3	180	1	2	10	16	30	48	66
50-64	249	15.2	206	2	3	11	19	33	47	81
65+	860	14.0	146	2	4	11	17	28	40	62
GRAND TOTAL	**3274**	**13.8**	**146**	**1**	**2**	**11**	**18**	**28**	**38**	**61**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	1.9	2	1	1	1	2	4	4	9
20-34	125	2.5	8	<1	1	2	3	4	5	15
35-49	83	3.5	14	<1	1	3	4	7	10	24
50-64	55	3.5	5	1	1	3	5	6	7	12
65+	75	4.4	9	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	689	2.8	7	1	1	2	4	6	8	14
20-34	591	4.6	15	1	1	4	5	9	12	19
35-49	419	5.0	23	1	1	4	6	9	12	19
50-64	205	4.9	9	1	2	4	6	9	10	16
65+	114	6.0	11	1	2	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.6	7	1	1	2	3	5	7	16
20-34	104	3.2	9	<1	1	2	4	6	7	18
35-49	79	3.8	8	1	1	3	5	8	10	13
50-64	96	5.4	25	1	1	4	7	11	14	30
65+	233	7.4	43	2	3	6	9	13	17	43
B. *Operated*										
0-19 YRS	423	6.4	56	1	1	4	7	13	20	40
20-34	682	9.3	104	1	2	6	11	19	29	60
35-49	396	9.5	96	2	2	7	11	21	27	63
50-64	304	9.6	77	2	3	7	11	20	28	45
65+	291	11.6	119	3	3	9	14	21	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	531	2.8	7	1	1	2	3	5	7	13
B. *Operated*	2018	4.2	14	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	590	5.2	29	1	1	4	7	10	14	31
B. *Operated*	2096	9.1	93	1	2	6	11	19	27	57
1. SINGLE DX	2549	3.9	13	1	1	3	5	8	10	17
2. MULTIPLE DX	2686	8.3	82	1	2	6	10	17	25	53
A. NOT OPERATED	1121	4.1	20	1	1	3	5	8	12	21
B. OPERATED	4114	6.7	60	1	1	5	8	14	20	42
TOTAL 0-19 YRS	1383	3.8	24	1	1	2	4	8	11	30
20-34	1502	6.5	61	1	1	4	7	13	19	43
35-49	977	6.6	57	1	1	5	8	13	19	41
50-64	660	7.0	48	1	2	5	8	13	20	35
65+	713	8.6	72	2	2	7	10	15	21	49
GRAND TOTAL	**5235**	**6.1**	**53**	**1**	**1**	**4**	**7**	**12**	**18**	**39**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	1.8	2	<1	<1	1	2	3	4	8
20-34	108	2.7	15	1	1	2	3	5	6	22
35-49	80	2.5	3	<1	1	2	3	4	5	10
50-64	72	3.3	8	<1	<1	3	4	6	7	17
65+	74	4.1	13	1	1	3	5	7	9	22
B. *Operated*										
0-19 YRS	956	2.4	3	1	1	2	3	4	5	10
20-34	1504	3.2	6	1	1	3	4	6	7	13
35-49	1194	3.3	4	1	1	3	4	6	7	11
50-64	844	3.9	5	1	2	3	5	6	8	11
65+	465	4.5	6	2	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.6	8	1	1	2	3	5	10	15
20-34	129	3.1	6	<1	1	2	4	6	8	12
35-49	100	3.9	9	<1	1	3	5	8	10	13
50-64	110	4.6	13	1	1	4	6	9	12	19
65+	298	5.2	13	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	535	4.7	41	1	1	3	5	8	13	34
20-34	1248	5.3	26	1	1	4	6	10	15	30
35-49	823	5.3	30	1	2	4	6	9	12	30
50-64	778	5.9	27	2	2	5	7	10	13	29
65+	828	7.1	28	2	3	6	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	2.9	9	<1	1	2	4	5	7	14
B. *Operated*	4963	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	695	4.3	12	1	1	3	6	9	11	16
B. *Operated*	4212	5.7	30	1	2	4	7	10	14	30
1. SINGLE DX	5364	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	4907	5.5	27	1	2	4	7	10	14	28
A. NOT OPERATED	1096	3.8	11	1	1	3	5	8	10	16
B. OPERATED	9175	4.4	18	1	1	3	5	8	11	22
TOTAL 0-19 YRS	1616	3.1	17	1	1	2	4	6	8	17
20-34	2989	4.1	16	1	1	3	5	8	10	21
35-49	2197	4.1	15	1	1	3	5	7	9	16
50-64	1804	4.8	16	1	2	4	6	8	10	21
65+	1665	5.9	20	2	2	5	7	10	14	24
GRAND TOTAL	**10271**	**4.3**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	3	3
20-34	14	1.9	2	<1	<1	1	3	4	4	4
35-49	9	4.7	46	1	1	2	4	16	22	22
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	8	2.3	4	<1	<1	1	3	6	6	6
B. *Operated*										
0-19 YRS	34	1.4	1	<1	1	1	2	3	3	4
20-34	43	2.3	8	1	1	2	3	4	6	18
35-49	15	1.8	1	1	1	2	2	3	4	5
50-64	4	2.5	1	1	1	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	2.2	2	<1	1	2	3	4	5	8
20-34	138	2.8	7	<1	1	2	4	5	8	12
35-49	82	3.6	8	1	1	3	5	7	8	17
50-64	54	4.1	13	1	1	4	4	8	12	20
65+	93	5.2	12	1	2	4	7	9	12	19
B. *Operated*										
0-19 YRS	38	4.2	41	1	1	2	4	8	18	35
20-34	77	4.4	16	1	1	3	6	9	12	22
35-49	50	6.2	129	1	1	3	5	12	19	71
50-64	26	5.3	14	1	2	4	6	11	12	17
65+	22	5.0	19	1	1	3	7	10	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.4	12	<1	<1	1	3	4	6	22
B. *Operated*	96	1.9	4	1	1	1	2	3	4	13
2. MULTIPLE DX										
A. *Not Operated*	454	3.5	9	1	1	3	4	7	9	17
B. *Operated*	213	5.0	47	1	1	3	6	10	15	37
1. SINGLE DX	139	2.1	6	<1	1	1	2	3	5	18
2. MULTIPLE DX	667	4.0	22	1	1	3	5	8	10	20
A. NOT OPERATED	497	3.4	9	1	1	3	4	7	9	18
B. OPERATED	309	4.0	35	1	1	2	4	8	12	29
TOTAL 0-19 YRS	168	2.5	11	<1	1	2	3	4	5	19
20-34	272	3.2	10	1	1	2	4	7	9	17
35-49	156	4.3	50	1	1	3	5	7	13	39
50-64	87	4.3	13	1	1	3	5	9	12	19
65+	123	5.0	13	1	1	4	7	9	11	19
GRAND TOTAL	**806**	**3.6**	**19**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	11	1	1	2	4	9	10	10
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8	6	<1	<1	2	4	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	6	<1	<1	4	5	7	8	8
20-34	9	7.8	79	1	1	4	14	64	99+	99+
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	16	17.9	214	1	2	17	22	44	49	51
20-34	20	23.5	430	3	4	13	43	61	81	99+
35-49	10	9.1	58	2	2	6	11	22	24	24
50-64	4	16.5	158	6	6	13	25	34	34	34
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.9	10	1	1	2	4	8	10	10
B. *Operated*	7	3.6	7	<1	<1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	20	5.4	41	<1	1	4	6	20	60	99+
B. *Operated*	50	18.3	281	2	3	11	24	48	59	99+
1. SINGLE DX	15	3.2	8	<1	1	2	5	8	9	10
2. MULTIPLE DX	70	14.6	245	1	2	9	21	45	59	99+
A. NOT OPERATED	28	4.7	33	1	1	4	5	13	32	99+
B. OPERATED	57	16.5	270	1	2	10	23	45	59	97
TOTAL 0-19 YRS	36	9.8	149	<1	1	5	13	24	41	51
20-34	30	18.1	365	1	2	11	36	61	96	99+
35-49	12	7.9	55	1	2	5	10	22	24	24
50-64	5	13.6	160	2	2	9	21	34	34	34
65+	2	5.5	13	3	3	5	8	8	8	8
GRAND TOTAL	**85**	**12.6**	**222**	**1**	**1**	**7**	**18**	**41**	**58**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	10	1.4	1	<1	<1	1	1	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	86	1.7	1	<1	1	1	2	3	4	5
20-34	430	1.8	1	1	1	2	2	3	4	5
35-49	177	1.7	1	<1	1	2	2	3	4	4
50-64	53	1.9	2	<1	<1	2	2	4	5	6
65+	20	1.8	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.9	7	1	1	4	6	7	8	8
20-34	24	3.1	8	<1	<1	2	4	7	11	11
35-49	22	3.0	21	<1	<1	2	3	4	12	23
50-64	8	2.8	4	1	1	2	3	6	7	7
65+	12	3.3	6	<1	1	3	4	8	9	9
B. *Operated*										
0-19 YRS	27	2.7	2	<1	1	3	3	4	5	8
20-34	125	2.5	5	<1	1	2	3	4	5	14
35-49	65	2.9	4	1	1	3	4	5	8	9
50-64	37	2.6	4	1	1	2	3	4	6	12
65+	81	3.7	12	1	1	2	5	8	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	766	1.8	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	74	3.2	11	<1	<1	2	4	7	9	20
B. *Operated*	335	2.9	6	1	1	2	4	5	8	13
1. SINGLE DX	787	1.8	1	<1	1	2	2	3	4	5
2. MULTIPLE DX	409	3.0	7	<1	1	2	4	5	8	14
A. NOT OPERATED	95	2.8	9	<1	<1	2	3	5	8	18
B. OPERATED	1101	2.1	3	1	1	2	3	4	5	9
TOTAL 0-19 YRS	125	2.0	2	<1	1	2	3	4	5	8
20-34	589	2.0	2	<1	1	2	2	3	4	7
35-49	266	2.1	4	<1	1	2	3	4	4	9
50-64	99	2.3	3	<1	1	2	3	4	5	10
65+	117	3.2	9	<1	1	2	4	7	9	17
GRAND TOTAL	**1196**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	8	2.4	3	<1	<1	2	4	5	5	5
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	3	5.3	16	3	3	3	8	10	10	10
65+	5	2.8	4	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	387	1.7	1	<1	<1	1	2	3	4	6
20-34	798	1.7	2	<1	<1	1	2	3	4	7
35-49	428	1.6	2	<1	<1	1	2	3	4	7
50-64	193	1.5	1	<1	<1	1	2	2	3	6
65+	56	2.1	5	<1	<1	1	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	13	3.0	9	<1	<1	<1	5	6	10	11
35-49	13	2.5	5	<1	<1	1	4	6	8	8
50-64	8	2.9	7	<1	<1	2	3	7	9	9
65+	15	2.8	3	<1	<1	3	4	5	6	7
B. *Operated*										
0-19 YRS	369	2.5	8	<1	<1	2	3	4	6	12
20-34	898	2.6	6	<1	<1	2	3	5	6	12
35-49	595	2.3	6	<1	<1	1	3	5	6	11
50-64	385	2.3	9	<1	<1	1	2	4	6	16
65+	235	2.9	11	<1	<1	2	3	6	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.4	4	<1	<1	2	3	5	6	10
B. *Operated*	1862	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	54	2.7	5	<1	<1	1	4	5	8	11
B. *Operated*	2482	2.5	7	<1	<1	2	3	5	6	13
1. SINGLE DX	1890	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2536	2.5	7	<1	<1	2	3	5	6	12
A. NOT OPERATED	82	2.6	5	<1	<1	1	4	5	7	11
B. OPERATED	4344	2.1	5	<1	<1	1	3	4	5	10
TOTAL 0-19 YRS	770	2.1	5	<1	<1	1	3	4	5	9
20-34	1717	2.2	4	<1	<1	1	3	4	5	10
35-49	1039	2.0	4	<1	<1	1	2	4	6	10
50-64	589	2.1	7	<1	<1	1	2	4	6	12
65+	311	2.8	9	<1	<1	2	3	6	9	15
GRAND TOTAL	**4426**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	<1	2	2	3	4	5
20-34	32	4.3	12	1	1	3	6	11	12	13
35-49	17	3.4	7	<1	1	2	5	8	9	9
50-64	10	3.9	9	<1	<1	3	7	8	8	8
65+	3	3.3	16	<1	<1	1	6	8	8	8
B. *Operated*										
0-19 YRS	160	2.5	8	<1	1	1	3	6	7	18
20-34	239	2.7	7	<1	1	2	3	6	7	17
35-49	133	3.7	12	<1	1	2	5	8	11	17
50-64	64	4.0	17	<1	1	3	5	9	14	19
65+	36	4.7	34	<1	<1	2	5	11	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.2	12	<1	<1	2	3	8	11	15
20-34	33	4.7	16	1	1	4	7	10	13	18
35-49	35	5.3	21	1	1	3	7	14	15	16
50-64	22	4.6	8	1	1	4	7	9	9	10
65+	33	6.2	34	1	2	4	8	16	18	25
B. *Operated*										
0-19 YRS	125	4.5	19	<1	1	3	5	10	14	21
20-34	213	5.2	30	1	1	3	7	11	15	30
35-49	137	4.5	14	<1	1	3	6	11	13	19
50-64	115	6.0	62	1	1	3	7	14	16	46
65+	99	8.0	72	1	1	5	10	17	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.5	9	<1	1	2	5	8	9	13
B. *Operated*	632	3.1	11	<1	1	2	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	145	4.9	20	1	1	3	7	12	15	19
B. *Operated*	689	5.5	37	1	1	4	7	12	16	32
1. SINGLE DX	712	3.1	11	<1	1	2	4	7	9	19
2. MULTIPLE DX	834	5.4	34	1	1	3	7	12	16	28
A. NOT OPERATED	225	4.4	17	<1	1	3	6	10	13	18
B. OPERATED	1321	4.3	26	1	1	3	5	10	14	25
TOTAL 0-19 YRS	325	3.3	13	<1	1	2	4	7	10	20
20-34	517	3.9	19	1	1	2	5	9	12	22
35-49	322	4.2	14	<1	1	3	5	9	13	17
50-64	211	5.1	41	1	1	3	6	12	15	29
65+	171	6.9	57	1	1	4	9	16	23	40
GRAND TOTAL	**1546**	**4.3**	**25**	**1**	**1**	**3**	**5**	**10**	**14**	**23**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	<1	<1	2	3	3	3	3
20-34	24	1.6	1	<1	<1	1	2	3	4	4
35-49	14	2.2	4	<1	<1	1	3	5	7	7
50-64	13	2.6	6	<1	<1	2	3	5	9	10
65+	14	3.4	5	2	2	3	4	5	10	11
B. *Operated*										
0-19 YRS	393	2.7	2	<1	1	3	4	4	5	7
20-34	814	2.8	3	<1	1	3	4	5	6	8
35-49	216	2.8	2	<1	1	3	4	5	6	8
50-64	40	3.7	4	1	2	3	5	6	8	10
65+	24	4.9	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.3	2	<1	<1	2	3	4	5	6
20-34	35	2.5	4	<1	<1	2	4	5	7	9
35-49	32	3.3	7	<1	1	3	4	7	9	12
50-64	22	3.5	4	<1	1	4	5	6	7	8
65+	99	4.4	9	1	2	4	5	9	11	14
B. *Operated*										
0-19 YRS	503	3.2	4	<1	1	3	4	5	6	10
20-34	1157	3.5	5	1	1	3	4	6	7	12
35-49	467	3.8	19	<1	1	3	4	6	8	15
50-64	96	4.4	15	1	1	4	5	8	9	25
65+	60	5.1	10	2	2	4	6	8	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.2	3	<1	<1	2	3	4	5	11
B. *Operated*	1487	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	205	3.6	7	<1	1	3	4	7	10	13
B. *Operated*	2283	3.6	8	1	1	3	4	6	7	13
1. SINGLE DX	1562	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	2488	3.6	8	1	1	3	4	6	7	13
A. NOT OPERATED	280	3.3	6	<1	1	3	4	6	9	12
B. OPERATED	3770	3.3	6	<1	1	3	4	5	7	11
TOTAL 0-19 YRS	923	3.0	3	<1	1	3	4	5	6	8
20-34	2030	3.2	4	<1	1	3	4	5	6	10
35-49	729	3.5	13	<1	1	3	4	6	7	12
50-64	171	4.0	11	1	1	3	5	7	9	16
65+	197	4.6	9	2	2	4	6	8	11	15
GRAND TOTAL	**4050**	**3.3**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	3	1	1	3	4	5	6	7
20-34	409	4.6	9	1	2	4	6	8	10	16
35-49	454	4.6	7	1	2	4	6	8	9	14
50-64	158	4.9	6	2	2	5	6	8	10	13
65+	76	4.2	8	1	1	4	6	8	9	15
B. *Operated*										
0-19 YRS	5	3.4	23	1	1	1	4	12	12	12
20-34	86	4.3	21	1	1	2	8	10	12	22
35-49	58	3.4	13	1	1	2	5	9	11	17
50-64	7	2.4	1	1	1	2	3	4	4	4
65+	2	7.5	85	1	1	7	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.1	17	<1	1	3	5	9	14	18
20-34	373	5.0	13	1	1	4	6	9	11	19
35-49	520	5.8	33	1	2	5	7	10	14	19
50-64	371	5.8	18	2	2	5	7	10	13	22
65+	518	5.5	12	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	3	23.0	988	1	1	9	46	59	59	59
20-34	76	6.2	30	1	1	5	9	12	16	30
35-49	97	9.0	61	1	1	7	12	17	26	39
50-64	35	10.5	158	1	2	8	11	17	34	70
65+	28	12.6	177	3	4	9	15	22	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1133	4.6	8	1	2	4	6	8	9	14
B. *Operated*	158	3.9	17	1	1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1816	5.6	20	1	2	5	7	10	13	19
B. *Operated*	239	8.9	92	1	1	7	11	17	25	60
1. SINGLE DX	1291	4.5	9	1	1	4	6	8	10	15
2. MULTIPLE DX	2055	5.9	29	1	2	5	7	11	14	23
A. NOT OPERATED	2949	5.2	15	1	2	4	6	9	11	18
B. OPERATED	397	6.9	68	1	1	5	9	14	18	42
TOTAL 0-19 YRS	78	4.3	50	1	1	3	5	8	12	47
20-34	944	4.9	14	1	1	4	6	9	11	18
35-49	1129	5.5	26	1	2	5	7	10	13	21
50-64	571	5.8	24	2	2	5	7	10	13	23
65+	624	5.7	21	1	2	5	7	10	13	19
GRAND TOTAL	**3346**	**5.4**	**22**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	1.8	2	<1	1	1	2	4	5	7
20-34	386	4.0	9	1	1	3	5	8	10	13
35-49	357	4.2	7	1	1	4	6	8	10	13
50-64	111	4.2	6	1	1	4	5	8	9	12
65+	41	3.2	3	1	1	3	5	6	6	7
B. *Operated*										
0-19 YRS	10	4.0	16	1	1	3	5	10	14	14
20-34	150	2.5	9	1	1	1	2	6	9	16
35-49	120	3.0	9	1	1	2	4	8	9	13
50-64	18	2.8	6	<1	1	2	4	7	8	9
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	2.8	6	<1	1	2	4	6	8	12
20-34	724	4.5	11	1	1	4	6	9	10	16
35-49	606	5.3	19	1	1	4	7	10	12	20
50-64	372	5.3	12	1	2	5	7	9	11	18
65+	477	4.9	10	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	11	3.2	8	1	1	2	3	8	10	10
20-34	173	4.5	20	1	1	3	7	11	13	21
35-49	144	5.1	26	1	1	3	8	13	16	22
50-64	50	8.5	168	1	1	5	11	16	22	84
65+	30	9.5	117	1	2	7	12	15	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	3.9	7	1	1	3	5	8	9	12
B. *Operated*	299	2.8	9	1	1	1	3	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	2306	4.8	13	1	1	4	6	9	11	18
B. *Operated*	408	5.5	49	1	1	3	8	13	15	29
1. SINGLE DX	1279	3.6	8	1	1	3	5	7	9	13
2. MULTIPLE DX	2714	4.9	19	1	1	4	7	9	12	19
A. NOT OPERATED	3286	4.5	12	1	1	4	6	9	11	15
B. OPERATED	707	4.4	34	1	1	2	6	11	14	22
TOTAL 0-19 YRS	233	2.5	5	<1	1	2	3	6	8	12
20-34	1433	4.1	12	1	1	3	6	9	11	16
35-49	1227	4.7	16	1	1	4	6	9	12	19
50-64	551	5.3	26	1	1	4	7	10	12	21
65+	549	5.0	17	1	2	4	6	9	12	16
GRAND TOTAL	**3993**	**4.5**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.0	2	<1	<1	1	3	4	4	6
20-34	42	2.5	4	<1	<1	2	3	5	8	10
35-49	39	2.2	5	1	1	2	3	4	5	13
50-64	25	3.3	7	<1	1	2	4	8	9	11
65+	25	2.7	4	<1	1	2	3	5	7	10
B. *Operated*										
0-19 YRS	113	1.8	1	<1	<1	1	2	3	4	6
20-34	506	1.9	2	<1	<1	2	2	3	4	6
35-49	519	2.2	3	<1	1	2	3	4	5	6
50-64	544	2.8	2	1	1	3	4	5	6	8
65+	220	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.3	5	<1	<1	2	3	4	9	10
20-34	76	2.6	6	<1	1	2	3	5	6	16
35-49	67	3.1	10	<1	1	2	4	6	8	18
50-64	64	3.4	6	<1	<1	3	5	7	9	10
65+	191	4.8	16	1	2	4	6	10	13	20
B. *Operated*										
0-19 YRS	61	1.9	2	<1	<1	1	2	4	5	6
20-34	146	2.2	2	<1	1	2	3	4	5	8
35-49	224	3.1	3	1	1	3	4	5	6	10
50-64	400	3.5	6	1	1	3	4	6	8	13
65+	283	4.5	8	2	2	4	5	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	2.5	4	<1	1	2	3	5	7	11
B. *Operated*	1902	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	430	3.8	12	<1	1	3	5	8	10	18
B. *Operated*	1114	3.4	6	1	1	3	4	6	8	12
1. SINGLE DX	2063	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1544	3.5	8	1	1	3	4	6	8	16
A. NOT OPERATED	591	3.4	10	<1	1	2	4	7	9	17
B. OPERATED	3016	2.8	4	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	236	1.9	2	<1	<1	1	2	3	4	7
20-34	770	2.1	2	<1	<1	2	3	4	4	8
35-49	849	2.5	4	<1	1	2	3	5	5	9
50-64	1033	3.1	4	1	1	3	4	5	7	10
65+	719	4.1	9	1	2	3	5	8	10	17
GRAND TOTAL	**3607**	**2.9**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**	**11**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1068	1.1		<1	<1	1	1	2	2	3
20-34	299	1.5	1	<1	<1	1	2	2	3	6
35-49	92	1.8	3	<1	<1	1	2	3	6	10
50-64	36	1.7	2	<1	<1	1	2	4	5	7
65+	30	1.6	1	1	1	1	2	3	3	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3		3	3	3	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1469	1.6	2	<1	1	1	2	3	4	7
20-34	1162	2.1	5	<1	<1	1	2	4	6	11
35-49	461	2.5	7	<1	1	2	3	5	7	18
50-64	285	2.7	7	1	1	2	3	6	8	14
65+	445	3.9	16	1	1	2	5	8	12	17
B. *Operated*										
0-19 YRS	392	2.6	18	<1	1	1	3	5	8	15
20-34	472	3.4	31	<1	1	2	3	7	10	23
35-49	196	4.7	87	<1	1	2	4	8	18	58
50-64	82	2.9	10	<1	1	2	3	7	8	18
65+	165	4.0	23	1	1	2	5	8	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1525	1.3	1	<1	<1	1	1	2	2	5
B. *Operated*	7	2.3	2	1	1	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	3822	2.2	6	<1	1	1	2	4	6	13
B. *Operated*	1307	3.4	34	<1	1	2	3	7	10	28
1. SINGLE DX	1532	1.3	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX	5129	2.5	13	<1	1	1	3	5	7	16
A. NOT OPERATED	5347	1.9	5	<1	1	1	2	4	5	11
B. OPERATED	1314	3.4	33	<1	1	2	3	7	10	27
TOTAL 0-19 YRS	2930	1.5	3	<1	1	1	2	2	4	8
20-34	1936	2.3	11	<1	<1	1	2	5	6	13
35-49	750	3.0	28	<1	1	2	3	5	8	24
50-64	404	2.7	7	1	1	2	3	6	8	14
65+	641	3.8	17	1	1	2	5	8	12	22
GRAND TOTAL	**6661**	**2.2**	**11**	**<1**	**1**	**1**	**2**	**4**	**6**	**14**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	401	1.6	2	<1	<1	1	1	3	4	9
20-34	106	3.7	77	<1	1	2	3	6	9	58
35-49	45	2.2	5	<1	<1	1	2	4	7	12
50-64	15	2.3	3	<1	<1	1	3	5	6	7
65+	27	2.7	5	<1	<1	2	3	6	9	9
B. *Operated*										
0-19 YRS	30	6.3	51	1	1	5	6	10	14	41
20-34	24	10.0	204	2	2	6	9	20	46	68
35-49	14	6.1	32	1	2	5	8	24	81	99+
50-64	15	9.2	113	3	4	6	8	15	38	46
65+	32	6.9	14	3	3	6	9	11	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	698	2.8	28	<1	1	1	2	6	10	27
20-34	458	4.4	49	<1	1	2	4	10	17	46
35-49	211	4.6	35	1	1	2	5	11	21	28
50-64	142	4.6	24	1	1	3	6	11	15	23
65+	309	6.5	42	1	1	4	8	14	18	31
B. *Operated*										
0-19 YRS	264	12.5	286	1	1	6	18	34	53	96
20-34	378	14.7	304	1	1	8	23	44	67	99+
35-49	142	15.4	333	1	1	10	19	50	63	99+
50-64	111	14.3	270	1	2	9	19	36	52	97
65+	264	13.8	164	1	2	10	18	28	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	2.1	16	<1	<1	1	2	4	5	12
B. *Operated*	115	7.6	78	1	2	6	8	13	22	79
2. MULTIPLE DX										
A. *Not Operated*	1818	4.2	38	<1	1	2	4	10	15	29
B. *Operated*	1159	14.0	268	1	1	9	20	36	57	99+
1. SINGLE DX	709	3.0	30	<1	1	1	3	6	8	29
2. MULTIPLE DX	2977	8.0	151	1	1	3	9	22	34	80
A. NOT OPERATED	2412	3.6	33	<1	1	2	4	8	13	28
B. OPERATED	1274	13.5	254	1	1	8	19	35	56	99+
TOTAL 0-19 YRS	1393	4.3	86	<1	1	1	3	10	20	57
20-34	966	8.5	181	<1	1	3	9	26	42	99+
35-49	412	8.1	162	1	1	3	10	23	33	95
50-64	283	8.5	146	1	1	4	11	20	34	76
65+	632	9.4	105	1	1	6	12	21	27	52
GRAND TOTAL	**3686**	**7.0**	**132**	**<1**	**1**	**3**	**8**	**19**	**30**	**72**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.6	6	1	1	2	3	6	9	10
20-34	48	2.4	2	<1	1	2	3	4	5	6
35-49	20	2.5	3	<1	1	2	3	5	6	7
50-64	6	1.8	1	1	1	2	3	3	3	3
65+	8	2.1	2	<1	<1	2	3	5	5	5
B. *Operated*										
0-19 YRS	32	3.9	2	2	2	4	5	6	7	8
20-34	115	3.9	4	2	2	3	5	7	8	10
35-49	49	3.8	6	2	2	3	4	7	9	14
50-64	16	4.1	3	2	2	4	5	8	8	8
65+	6	5.5	28	2	2	4	5	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	2.9	8	1	1	2	3	6	7	17
20-34	197	3.1	5	1	1	3	4	6	8	11
35-49	112	3.2	8	1	1	2	4	6	8	17
50-64	95	4.4	12	1	2	4	5	8	10	20
65+	142	6.1	18	1	2	5	8	11	13	23
B. *Operated*										
0-19 YRS	136	6.7	33	2	2	5	8	13	15	34
20-34	407	7.1	49	2	3	5	9	13	18	29
35-49	190	8.0	78	2	2	5	9	15	26	51
50-64	128	9.1	111	2	3	6	10	21	31	58
65+	168	11.3	148	3	3	7	13	21	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	218	3.9	4	2	2	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	639	3.9	11	1	1	3	5	8	10	19
B. *Operated*	1029	8.2	78	2	3	6	9	16	21	51
1. SINGLE DX	330	3.4	4	1	1	3	4	6	8	11
2. MULTIPLE DX	1668	6.5	57	1	1	5	8	13	18	41
A. NOT OPERATED	751	3.7	10	1	1	3	5	7	10	18
B. OPERATED	1247	7.4	68	2	2	5	8	14	20	48
TOTAL 0-19 YRS	291	4.7	22	1	1	4	6	9	13	21
20-34	767	5.3	32	1	1	4	6	10	14	22
35-49	371	5.7	49	1	1	4	6	11	16	43
50-64	245	6.8	69	1	2	5	7	13	21	46
65+	324	8.7	93	2	2	6	10	18	26	56
GRAND TOTAL	**1998**	**6.0**	**50**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.0	7	1	1	2	4	7	8	14
20-34	88	2.5	4	1	1	2	3	5	6	11
35-49	21	2.2	2	<1	1	2	3	4	6	6
50-64	9	2.8	2	1	1	3	4	5	5	5
65+	5	2.2	5	1	1	1	3	6	6	6
B. *Operated*										
0-19 YRS	106	5.4	7	2	3	5	7	8	9	17
20-34	132	5.2	5	2	2	5	6	8	9	11
35-49	35	6.0	6	1	3	6	7	9	10	12
50-64	10	6.2	13	1	2	6	8	11	14	14
65+	6	6.7	13	2	2	6	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	270	3.4	8	1	1	2	5	7	9	13
20-34	225	3.1	7	1	1	2	4	6	8	13
35-49	99	3.7	11	1	1	3	5	8	12	16
50-64	54	4.4	13	1	1	3	5	10	13	19
65+	66	4.8	16	1	1	3	7	10	12	20
B. *Operated*										
0-19 YRS	451	10.2	95	2	4	7	11	19	30	62
20-34	798	10.6	101	3	4	8	11	22	32	63
35-49	263	11.2	163	2	4	8	11	21	35	88
50-64	135	13.5	223	3	5	9	16	22	44	81
65+	112	13.3	149	2	3	10	17	23	32	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	2.8	6	1	1	2	3	6	7	11
B. *Operated*	289	5.4	6	2	3	5	7	9	9	14
2. MULTIPLE DX										
A. *Not Operated*	714	3.6	9	1	1	3	5	7	10	15
B. *Operated*	1759	11.0	122	2	4	8	11	22	33	67
1. SINGLE DX	562	4.1	8	1	1	4	6	7	9	13
2. MULTIPLE DX	2473	8.8	101	1	2	6	10	17	27	62
A. NOT OPERATED	987	3.4	9	1	1	2	4	7	9	14
B. OPERATED	2048	10.2	109	2	4	7	11	19	30	67
TOTAL 0-19 YRS	977	6.7	59	1	1	5	8	13	18	45
20-34	1243	8.1	79	1	2	6	9	15	26	52
35-49	418	8.6	118	1	1	6	9	15	26	75
50-64	208	10.3	167	1	2	7	11	20	27	77
65+	189	9.8	112	1	2	7	12	20	25	62
GRAND TOTAL	**3035**	**8.0**	**87**	**1**	**1**	**6**	**9**	**15**	**24**	**54**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	2	2	3	4	4
20-34	7	2.1	1	<1	<1	2	3	3	3	3
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	11.0	98	4	4	11	18	18	18	18
B. *Operated*										
0-19 YRS	171	1.9	3	<1	<1	1	3	4	5	8
20-34	107	2.4	2	<1	1	2	3	5	5	6
35-49	37	2.3	2	1	1	2	3	5	6	6
50-64	21	2.0	2	<1	<1	1	2	5	6	6
65+	21	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	2	<1	<1	3	4	5	5	5
20-34	16	2.6	3	<1	<1	2	3	6	7	7
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	5.3	17	2	2	4	8	10	10	10
65+	5	2.4	2	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	179	2.8	5	1	1	2	4	6	7	10
20-34	184	3.5	8	1	1	3	5	7	9	15
35-49	96	3.2	4	1	1	3	4	6	7	11
50-64	37	3.1	7	1	1	2	4	7	9	11
65+	64	3.9	20	1	1	2	5	9	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.7	13	<1	<1	2	3	4	10	18
B. *Operated*	357	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	37	2.8	4	<1	<1	2	4	5	7	10
B. *Operated*	560	3.2	8	1	1	2	4	6	8	14
1. SINGLE DX	379	2.1	3	<1	<1	1	3	4	5	7
2. MULTIPLE DX	597	3.2	8	1	1	2	4	6	8	14
A. NOT OPERATED	59	2.8	7	<1	<1	2	3	4	7	17
B. OPERATED	917	2.8	6	<1	1	2	4	6	7	13
TOTAL 0-19 YRS	372	2.4	4	<1	1	1	3	5	6	9
20-34	314	3.0	6	<1	1	3	4	6	7	13
35-49	136	2.9	4	1	1	2	4	6	6	9
50-64	62	2.8	6	<1	1	2	4	6	8	11
65+	92	3.5	18	1	1	2	4	7	14	23
GRAND TOTAL	**976**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**13**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.9	1	<1	<1	2	3	4	4	5
20-34	28	1.5	1	<1	<1	1	2	3	3	4
35-49	8	2.5	6	<1	<1	2	3	7	8	8
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	7	5.0	65	1	1	2	4	19	23	23
B. *Operated*										
0-19 YRS	162	1.5	2	<1	<1	1	1	3	4	8
20-34	114	1.8	4	<1	<1	1	2	3	4	12
35-49	57	1.8	2	<1	<1	1	2	4	5	6
50-64	20	2.0	2	<1	1	1	3	4	5	5
65+	12	1.5	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	2.1	2	<1	<1	2	3	4	5	9
20-34	166	2.2	7	<1	<1	1	2	4	6	12
35-49	73	2.2	2	<1	1	2	3	4	5	8
50-64	56	3.1	9	<1	1	2	4	8	10	14
65+	83	3.9	26	1	1	2	5	9	12	31
B. *Operated*										
0-19 YRS	454	2.5	7	<1	1	2	3	5	7	12
20-34	626	3.0	18	<1	1	2	3	6	9	18
35-49	267	3.0	14	<1	1	2	4	6	7	19
50-64	124	3.9	18	<1	1	3	5	8	14	23
65+	240	3.7	11	1	1	3	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.0	6	<1	<1	1	2	4	4	16
B. *Operated*	365	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	500	2.6	9	<1	1	2	3	5	7	13
B. *Operated*	1711	3.0	14	<1	1	2	4	6	8	18
1. SINGLE DX	461	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2211	2.9	13	<1	1	2	3	6	8	17
A. NOT OPERATED	596	2.5	8	<1	<1	2	3	5	7	13
B. OPERATED	2076	2.8	12	<1	1	2	3	6	8	18
TOTAL 0-19 YRS	788	2.2	5	<1	<1	1	3	4	6	11
20-34	934	2.7	14	<1	<1	2	3	5	8	18
35-49	405	2.7	10	<1	1	2	3	5	7	15
50-64	203	3.5	14	<1	1	2	4	7	11	19
65+	342	3.7	15	1	1	2	5	7	10	20
GRAND TOTAL	**2672**	**2.7**	**11**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.5	1	<1	<1	1	2	3	3	5
20-34	141	1.4	1	<1	<1	1	2	2	3	5
35-49	52	1.6	2	<1	<1	1	1	3	6	8
50-64	8	2.0	1	<1	<1	2	3	4	4	4
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	105	1.9	2	<1	<1	1	2	4	5	7
20-34	128	2.8	5	<1	1	2	4	5	6	12
35-49	30	3.0	6	<1	1	2	4	7	9	10
50-64	13	3.5	9	1	1	2	5	8	10	10
65+	5	1.4	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.1	4	<1	<1	1	2	5	7	8
20-34	126	2.3	8	<1	<1	1	2	4	7	19
35-49	57	3.0	23	<1	1	1	3	6	11	31
50-64	25	2.0	1	<1	<1	2	3	4	4	5
65+	11	3.1	8	<1	<1	2	4	7	11	11
B. *Operated*										
0-19 YRS	131	4.6	38	<1	1	3	5	9	14	37
20-34	322	5.0	47	<1	1	4	6	9	12	39
35-49	100	6.2	98	<1	1	4	6	12	22	62
50-64	36	9.8	208	1	2	4	9	27	47	69
65+	14	10.3	221	2	2	7	9	16	51	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	1.5	1	<1	<1	1	2	3	4	7
B. *Operated*	281	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	268	2.4	10	<1	<1	1	3	4	7	18
B. *Operated*	603	5.5	68	<1	1	4	6	9	14	55
1. SINGLE DX	545	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	871	4.6	52	<1	1	3	5	9	12	41
A. NOT OPERATED	532	2.0	6	<1	<1	1	2	4	5	11
B. OPERATED	884	4.6	50	<1	1	3	5	8	12	41
TOTAL 0-19 YRS	346	2.9	17	<1	1	1	3	6	8	19
20-34	717	3.4	26	<1	<1	2	4	7	9	19
35-49	239	4.0	51	<1	1	2	4	8	12	43
50-64	82	5.7	105	<1	1	3	5	9	20	64
65+	32	5.9	111	<1	1	3	7	10	11	61
GRAND TOTAL	**1416**	**3.6**	**35**	**<1**	**1**	**2**	**4**	**7**	**10**	**30**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.4	3	<1	1	2	3	4	6	9
20-34	112	2.3	2	<1	<1	2	3	4	6	8
35-49	34	3.3	4	<1	1	3	4	7	7	9
50-64	14	3.7	4	<1	1	3	5	7	7	7
65+	14	2.3	1	<1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	501	1.8	2	<1	<1	1	2	4	5	8
20-34	894	2.1	4	<1	<1	1	2	5	6	9
35-49	371	2.0	4	<1	<1	1	2	4	6	12
50-64	169	2.0	5	<1	<1	1	2	4	5	9
65+	71	1.7	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	3.7	52	<1	1	2	3	6	7	50
20-34	183	3.1	7	<1	1	3	4	5	7	17
35-49	77	3.5	6	<1	1	3	5	7	9	10
50-64	40	3.7	23	<1	1	3	3	6	7	31
65+	40	4.7	12	<1	1	4	6	8	12	16
B. *Operated*										
0-19 YRS	485	2.5	9	<1	1	1	3	5	8	14
20-34	1214	3.1	22	<1	1	2	3	6	9	21
35-49	430	3.0	10	<1	1	2	4	6	9	17
50-64	191	3.4	19	1	1	2	4	7	11	24
65+	137	3.6	17	1	1	2	4	8	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	2.5	3	<1	1	2	3	5	7	9
B. *Operated*	2006	2.0	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	420	3.5	17	<1	1	3	4	6	8	19
B. *Operated*	2457	3.0	17	<1	1	2	3	6	9	18
1. SINGLE DX	2243	2.0	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX	2877	3.1	17	<1	1	2	4	6	9	18
A. NOT OPERATED	657	3.1	12	<1	1	2	4	6	7	15
B. OPERATED	4463	2.6	11	<1	<1	1	3	5	8	15
TOTAL 0-19 YRS	1129	2.3	9	<1	<1	1	3	5	7	12
20-34	2403	2.7	13	<1	<1	2	3	5	8	15
35-49	912	2.7	7	<1	<1	2	3	6	8	15
50-64	414	2.9	14	<1	1	2	3	6	8	22
65+	262	3.2	12	<1	1	2	4	7	10	18
GRAND TOTAL	**5120**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**8**	**15**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.6	4	<1	1	2	3	6	7	11
20-34	94	2.3	2	<1	<1	2	3	4	5	9
35-49	23	3.0	5	<1	1	2	3	6	8	11
50-64	10	3.1	2	1	1	3	4	5	5	5
65+	8	3.3	3	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	359	3.0	13	<1	1	2	3	6	8	17
20-34	394	2.9	7	<1	1	2	4	6	8	14
35-49	114	3.1	10	<1	1	2	4	6	10	17
50-64	64	3.5	23	<1	1	2	4	6	12	29
65+	37	3.8	9	1	1	3	5	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.0	6	1	1	2	3	5	10	12
20-34	76	3.8	39	1	1	3	4	6	8	43
35-49	27	3.8	8	<1	1	4	5	9	10	11
50-64	16	4.2	8	<1	<1	4	6	9	10	10
65+	41	5.3	14	1	1	4	7	11	12	16
B. *Operated*										
0-19 YRS	244	4.9	40	1	1	3	5	11	18	30
20-34	394	6.2	64	1	1	4	7	13	22	39
35-49	148	7.1	115	1	1	4	8	14	20	69
50-64	90	9.5	110	1	1	5	13	23	35	45
65+	96	9.3	88	1	1	7	12	19	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	2.5	3	<1	1	2	3	5	6	10
B. *Operated*	968	3.0	11	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	210	3.9	20	1	1	3	5	8	10	15
B. *Operated*	972	6.7	75	1	1	4	8	15	23	45
1. SINGLE DX	1153	3.0	10	<1	1	2	4	6	8	15
2. MULTIPLE DX	1182	6.2	66	1	1	4	7	13	21	44
A. NOT OPERATED	395	3.3	13	<1	1	2	4	6	9	12
B. OPERATED	1940	4.9	46	<1	1	3	5	11	16	36
TOTAL 0-19 YRS	703	3.6	22	<1	1	2	4	7	12	26
20-34	958	4.3	35	<1	1	3	5	9	13	30
35-49	312	5.1	63	1	1	3	5	11	15	48
50-64	180	6.5	73	1	1	3	7	16	26	43
65+	182	7.0	58	1	1	5	9	14	19	45
GRAND TOTAL	**2335**	**4.6**	**41**	**<1**	**1**	**3**	**5**	**10**	**15**	**32**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	16	2.8	4	<1	1	3	4	6	7	7
20-34	29	3.0	6	<1	1	2	5	6	7	11
35-49	13	2.7	7	1	1	1	4	7	9	9
50-64	4	7.5	73	1	1	5	14	19	19	19
65+	3	3.0	3	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	6	5.8	74	<1	<1	2	5	21	23	23
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	3	3.3	6	1	1	3	5	6	6	6
65+	9	4.6	8	2	2	4	4	9	12	12
B. *Operated*										
0-19 YRS	53	7.8	148	1	1	4	8	16	23	76
20-34	161	7.5	136	1	1	4	8	14	26	66
35-49	45	6.8	39	1	1	5	10	16	18	30
50-64	34	8.9	177	1	2	5	10	17	31	74
65+	23	7.1	49	1	1	4	12	21	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.8	10	1	1	2	6	9	10	10
B. *Operated*	65	3.2	10	<1	1	2	4	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	26	4.2	22	<1	1	3	4	10	14	23
B. *Operated*	316	7.6	121	1	1	4	9	16	24	75
1. SINGLE DX	74	3.2	9	1	1	2	5	7	9	17
2. MULTIPLE DX	342	7.3	114	1	1	4	9	16	23	74
A. NOT OPERATED	35	4.1	19	<1	1	3	4	10	12	23
B. OPERATED	381	6.8	105	1	1	4	8	14	22	71
TOTAL 0-19 YRS	77	6.3	108	1	1	3	7	13	20	68
20-34	198	6.8	116	1	1	4	8	13	23	65
35-49	62	5.9	33	1	1	4	9	12	17	29
50-64	43	8.2	148	1	1	5	9	17	26	74
65+	36	5.9	36	1	1	4	7	18	23	99+
GRAND TOTAL	**416**	**6.6**	**98**	**1**	**1**	**4**	**8**	**13**	**21**	**69**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	8	2.9	2	1	1	3	4	5	5	5
35-49	3	1.7		1	1	2	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	6.3	21	1	1	9	9	9	9	9
B. *Operated*										
0-19 YRS	44	3.3	11	<1	1	2	4	8	10	16
20-34	93	3.3	13	<1	<1	2	4	7	11	19
35-49	52	3.1	12	<1	1	2	4	6	7	23
50-64	33	2.1	3	<1	<1	2	2	4	7	8
65+	8	2.9	3	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	12.8	820	1	1	3	5	56	89	89
20-34	22	4.1	28	<1	1	3	4	9	19	23
35-49	26	9.1	140	1	1	4	7	35	37	38
50-64	20	10.3	183	<1	1	5	8	35	42	46
65+	22	14.0	220	1	1	8	29	34	42	53
B. *Operated*										
0-19 YRS	42	3.8	19	<1	1	2	4	8	12	24
20-34	106	5.7	86	<1	1	3	6	16	23	77
35-49	76	5.4	43	1	1	3	7	13	22	30
50-64	51	5.6	28	1	1	3	8	15	18	19
65+	30	8.2	60	1	1	6	11	23	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.0	6	<1	1	2	4	7	9	9
B. *Operated*	230	3.1	10	<1	<1	2	4	7	8	17
2. MULTIPLE DX										
A. *Not Operated*	99	9.7	203	1	1	4	8	32	38	71
B. *Operated*	305	5.6	54	1	1	3	7	14	21	57
1. SINGLE DX	250	3.1	10	<1	1	2	4	7	9	16
2. MULTIPLE DX	404	6.6	93	1	1	3	7	18	28	57
A. NOT OPERATED	119	8.5	176	1	1	4	7	30	37	64
B. OPERATED	535	4.5	37	<1	1	2	5	10	17	33
TOTAL 0-19 YRS	100	4.3	86	<1	1	2	4	8	11	56
20-34	229	4.5	49	<1	1	2	5	9	19	56
35-49	157	5.2	51	<1	1	3	5	11	23	37
50-64	105	5.4	56	<1	1	2	7	14	18	42
65+	63	9.5	118	1	1	6	11	30	34	93
GRAND TOTAL	**654**	**5.2**	**64**	**<1**	**1**	**3**	**6**	**12**	**22**	**46**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	4.1	5	1	1	4	5	6	7	11
20-34	67	2.9	3	1	1	2	4	5	6	7
35-49	16	3.2	3	<1	1	3	5	5	6	6
50-64	5	3.4	4	1	1	3	5	6	6	6
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	7	4.6	6	1	1	5	7	8	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.2	5	<1	1	3	5	6	7	11
20-34	64	3.3	5	<1	1	3	5	6	7	11
35-49	20	3.4	7	1	1	3	4	5	9	13
50-64	14	3.6	4	1	2	3	5	6	8	8
65+	20	4.2	6	1	1	4	6	8	8	9
B. *Operated*										
0-19 YRS	20	4.5	6	1	1	4	6	8	9	9
20-34	23	3.7	11	<1	1	3	5	7	11	16
35-49	7	2.7	4	<1	<1	2	4	6	6	6
50-64	6	3.8	31	<1	<1	2	3	14	15	15
65+	11	3.9	12	1	1	3	5	9	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	3.6	4	1	1	3	5	6	7	10
B. *Operated*	10	3.7	6	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	196	3.4	5	1	1	3	5	6	7	12
B. *Operated*	67	3.9	10	<1	1	3	5	8	10	16
1. SINGLE DX	233	3.6	4	1	1	3	5	6	7	10
2. MULTIPLE DX	263	3.5	6	<1	1	3	5	6	8	13
A. NOT OPERATED	419	3.5	5	1	1	3	5	6	7	11
B. OPERATED	77	3.9	10	<1	1	3	5	8	9	16
TOTAL 0-19 YRS	238	3.8	5	1	1	4	5	6	8	10
20-34	156	3.2	5	1	1	3	4	6	6	12
35-49	44	3.2	5	<1	1	3	4	5	6	13
50-64	25	3.6	9	<1	1	3	5	6	10	15
65+	33	3.9	8	1	1	3	5	7	9	13
GRAND TOTAL	**496**	**3.6**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	1.4	1	<1	<1	1	1	2	3	4
20-34	301	2.0	5	<1	<1	1	2	4	5	13
35-49	138	2.3	3	<1	<1	2	3	5	6	9
50-64	72	1.8	1	<1	1	1	2	3	4	5
65+	100	2.8	5	1	1	2	3	6	8	10
B. *Operated*										
0-19 YRS	66	1.7	2	<1	<1	1	2	3	4	10
20-34	88	2.4	3	<1	<1	2	4	5	6	9
35-49	41	3.1	9	<1	<1	2	4	7	10	13
50-64	24	2.4	3	<1	<1	2	3	4	6	9
65+	14	1.9	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	634	1.7	2	<1	1	1	2	3	4	7
20-34	921	2.2	3	<1	1	2	3	5	6	10
35-49	464	2.6	5	<1	1	2	3	5	7	12
50-64	389	3.6	9	1	1	3	5	7	10	15
65+	1253	4.4	18	1	1	3	6	8	11	17
B. *Operated*										
0-19 YRS	97	3.6	18	<1	1	2	4	10	12	23
20-34	172	3.3	10	<1	1	2	4	7	9	15
35-49	108	4.0	15	1	1	2	6	9	12	17
50-64	69	4.9	18	1	1	4	6	8	15	22
65+	121	7.4	40	1	1	6	9	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*	233	2.3	4	<1	<1	1	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	3661	3.1	10	<1	1	2	4	6	8	14
B. *Operated*	567	4.6	22	1	1	3	6	10	14	22
1. SINGLE DX	1130	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	4228	3.3	12	<1	1	2	4	7	9	16
A. NOT OPERATED	4558	2.9	9	<1	1	2	4	6	8	14
B. OPERATED	800	3.9	18	<1	1	2	5	9	12	21
TOTAL 0-19 YRS	1083	1.8	3	<1	<1	1	2	3	4	10
20-34	1482	2.3	5	<1	1	2	3	5	7	11
35-49	751	2.8	7	<1	1	2	3	6	8	13
50-64	554	3.5	10	1	1	3	4	7	10	17
65+	1488	4.5	20	1	1	3	6	9	11	19
GRAND TOTAL	**5358**	**3.0**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.8	1	<1	1	2	2	3	4	4
20-34	41	2.0	3	1	1	1	2	4	6	9
35-49	18	2.7	2	1	1	2	3	5	6	7
50-64	7	1.3		1	1	1	2	2	2	2
65+	5	4.2	6	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	27	5.3	32	1	1	3	7	14	18	24
20-34	37	2.5	3	<1	1	2	3	5	7	8
35-49	21	6.2	126	1	1	2	6	16	33	50
50-64	6	5.5	49	<1	<1	3	6	18	19	19
65+	8	2.1	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	7	<1	1	2	3	8	9	10
20-34	30	2.9	3	1	1	3	4	5	6	9
35-49	22	3.5	12	1	1	2	4	8	13	14
50-64	9	3.6	6	1	1	3	4	8	9	9
65+	12	4.8	17	1	1	3	7	11	14	14
B. *Operated*										
0-19 YRS	62	5.8	58	1	1	3	6	14	23	37
20-34	116	6.2	78	1	1	3	7	14	17	49
35-49	55	6.4	51	1	1	4	9	14	16	46
50-64	27	6.4	30	1	1	5	9	14	18	24
65+	13	16.4	242	1	3	11	23	41	52	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.1	3	1	1	2	3	4	6	8
B. *Operated*	99	4.2	41	1	1	2	4	9	16	37
2. MULTIPLE DX										
A. *Not Operated*	93	3.3	8	1	1	2	4	8	10	14
B. *Operated*	273	6.6	75	1	1	4	8	14	23	46
1. SINGLE DX	192	3.2	23	1	1	2	3	6	9	22
2. MULTIPLE DX	366	5.8	60	1	1	3	7	13	18	44
A. NOT OPERATED	186	2.7	6	1	1	2	3	6	8	13
B. OPERATED	372	6.0	67	1	1	3	7	14	20	46
TOTAL 0-19 YRS	131	4.5	38	1	1	2	5	10	18	34
20-34	224	4.4	45	1	1	2	4	9	14	43
35-49	116	5.2	51	1	1	3	6	12	15	48
50-64	49	5.0	26	1	1	3	6	12	17	24
65+	38	8.1	122	1	1	4	9	20	33	55
GRAND TOTAL	**558**	**4.9**	**49**	**1**	**1**	**3**	**6**	**11**	**15**	**42**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	9	1.6	3	<1	<1	<1	1	4	6	6
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	4	3.0	2	1	1	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	13	1.7	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	9	3.4	2	1	1	4	4	5	5	5
1. SINGLE DX	17	1.6	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	13	3.1	2	<1	1	3	4	5	5	5
A. NOT OPERATED	8	1.9	1	<1	<1	1	3	4	4	4
B. OPERATED	22	2.4	3	<1	<1	2	4	5	6	6
TOTAL 0-19 YRS	13	2.2	3	<1	<1	1	4	5	6	6
20-34	12	2.2	2	<1	<1	2	3	4	5	5
35-49	5	2.8	2	1	1	3	4	4	4	4
50-64										
65+										
GRAND TOTAL	**30**	**2.3**	**2**	**<1**	**<1**	**2**	**4**	**5**	**5**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	445	1.2		<1	<1	1	1	2	2	4
20-34	79	1.2		<1	<1	1	1	2	3	5
35-49	68	1.1		<1	<1	1	1	1	2	2
50-64	58	1.3	1	<1	<1	1	1	2	2	6
65+	48	1.2		<1	<1	1	1	2	2	3
B. *Operated*										
0-19 YRS	150	1.4	1	<1	<1	1	1	3	3	4
20-34	13	2.5	3	<1	<1	2	4	5	5	5
35-49	21	2.5	4	<1	<1	2	4	6	7	7
50-64	14	2.7	5	<1	<1	2	4	6	8	9
65+	18	1.9	4	<1	<1	1	2	4	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	2.1	4	<1	<1	1	2	4	6	11
20-34	50	1.9	2	<1	<1	1	2	4	4	9
35-49	68	2.4	5	<1	<1	1	3	5	7	12
50-64	75	2.6	8	<1	<1	2	3	6	7	15
65+	179	3.4	11	1	1	2	4	8	11	17
B. *Operated*										
0-19 YRS	73	3.6	27	<1	<1	2	3	9	12	31
20-34	34	5.0	16	<1	1	4	7	11	15	16
35-49	28	7.3	95	<1	1	3	11	17	22	47
50-64	43	5.9	61	<1	1	2	8	16	22	39
65+	123	5.2	23	1	1	4	8	11	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	698	1.2		<1	<1	1	1	2	2	4
B. *Operated*	216	1.7	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	517	2.6	7	<1	<1	2	3	6	8	14
B. *Operated*	301	5.1	36	<1	1	3	7	11	16	31
1. SINGLE DX	914	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	818	3.5	19	<1	1	2	4	8	11	20
A. NOT OPERATED	1215	1.8	4	<1	<1	1	2	4	5	11
B. OPERATED	517	3.7	24	<1	1	2	4	9	12	24
TOTAL 0-19 YRS	813	1.6	4	<1	<1	1	1	3	4	9
20-34	176	2.2	6	<1	<1	1	3	5	7	15
35-49	185	2.7	21	<1	<1	1	2	6	9	19
50-64	190	3.0	20	<1	<1	1	3	7	10	23
65+	368	3.6	15	1	1	2	5	9	11	18
GRAND TOTAL	**1732**	**2.4**	**11**	**<1**	**<1**	**1**	**2**	**5**	**8**	**16**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	16	<1	<1	1	4	10	12	12
20-34	6	3.5	19	<1	<1	1	4	11	12	12
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	5	5.6	26	1	1	4	10	12	12	12
B. *Operated*										
0-19 YRS	54	8.1	78	1	1	5	11	21	31	35
20-34	48	4.8	27	<1	1	2	6	13	17	22
35-49	18	6.9	25	<1	<1	6	11	14	16	17
50-64	15	9.1	41	2	4	5	14	19	20	21
65+	10	8.4	27	1	1	9	10	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	6.9	65	1	1	3	10	18	24	37
20-34	49	4.0	19	1	1	2	5	10	16	18
35-49	27	6.6	47	<1	1	4	10	14	23	29
50-64	20	7.9	24	1	1	7	11	14	17	19
65+	18	6.6	16	2	2	5	8	14	15	15
B. *Operated*										
0-19 YRS	186	11.5	151	<1	1	8	16	29	42	99+
20-34	153	13.6	206	1	2	9	20	35	49	99
35-49	93	18.5	305	2	2	13	26	43	47	83
50-64	68	17.2	222	1	2	13	26	35	47	69
65+	75	19.6	240	2	3	14	28	40	57	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.8	15	<1	<1	2	5	12	12	12
B. *Operated*	145	7.0	49	<1	1	5	9	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	162	6.1	39	1	1	4	9	14	18	31
B. *Operated*	575	14.9	219	1	2	10	21	36	46	84
1. SINGLE DX	170	6.5	45	<1	1	4	9	16	21	32
2. MULTIPLE DX	737	13.0	193	1	1	8	18	33	42	80
A. NOT OPERATED	187	5.8	36	1	1	3	8	13	18	30
B. OPERATED	720	13.3	195	1	1	9	19	33	43	81
TOTAL 0-19 YRS	297	9.9	124	<1	1	6	14	27	34	91
20-34	256	9.9	152	1	1	5	13	25	36	77
35-49	140	14.5	246	1	1	9	20	38	45	80
50-64	106	13.9	172	1	2	9	19	32	38	64
65+	108	15.7	206	1	2	12	21	37	43	62
GRAND TOTAL	**907**	**11.8**	**171**	**1**	**1**	**7**	**16**	**30**	**40**	**76**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	3.4	15	<1	1	2	4	8	13	18
20-34	56	3.2	10	<1	1	2	4	8	10	15
35-49	33	3.6	16	<1	<1	2	4	9	13	18
50-64	10	3.1	14	<1	<1	2	4	9	13	13
65+	4	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	36	3.9	20	<1	<1	2	5	12	14	18
20-34	32	6.5	60	<1	<1	3	10	16	21	34
35-49	13	7.0	56	<1	<1	5	10	18	24	25
50-64	4	9.3	128	1	1	6	17	25	25	25
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	352	3.7	13	1	1	2	5	9	11	17
20-34	269	3.9	17	<1	1	2	5	10	13	20
35-49	119	4.7	23	1	1	3	7	12	15	22
50-64	73	5.3	38	1	1	3	6	11	16	32
65+	83	8.3	85	1	1	5	10	21	28	42
B. *Operated*										
0-19 YRS	111	5.8	52	1	1	4	7	12	16	40
20-34	87	9.6	107	1	1	6	13	21	34	50
35-49	70	6.8	38	1	1	5	9	16	17	30
50-64	37	17.1	355	1	1	13	22	37	64	87
65+	28	13.8	126	2	4	9	20	34	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	3.3	13	<1	1	2	4	8	13	17
B. *Operated*	86	5.7	46	<1	<1	2	8	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	896	4.5	26	1	1	3	6	10	14	27
B. *Operated*	333	8.9	116	1	1	6	11	20	29	55
1. SINGLE DX	291	4.0	24	<1	<1	2	5	11	15	23
2. MULTIPLE DX	1229	5.7	54	1	1	3	7	13	19	38
A. NOT OPERATED	1101	4.2	24	1	1	2	5	10	14	24
B. OPERATED	419	8.3	103	1	1	5	11	19	25	47
TOTAL 0-19 YRS	601	4.0	22	<1	1	2	5	10	13	20
20-34	444	5.1	42	<1	1	3	7	13	16	34
35-49	235	5.3	29	<1	1	3	8	13	17	23
50-64	124	8.8	161	1	1	4	11	22	31	80
65+	116	9.4	98	1	1	6	12	25	34	41
GRAND TOTAL	**1520**	**5.4**	**49**	**1**	**1**	**3**	**7**	**13**	**17**	**34**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	3	<1	1	2	4	6	6	6
20-34	24	2.8	5	<1	1	2	3	5	9	10
35-49	23	3.7	11	1	1	3	4	7	12	15
50-64	8	3.0	2	1	1	3	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	39	1.7	4	<1	<1	1	2	3	4	13
20-34	97	1.8	3	<1	<1	1	2	4	6	9
35-49	48	2.4	13	<1	<1	1	2	6	9	23
50-64	13	1.3		<1	<1	1	2	2	2	2
65+	3	2.3	5	<1	<1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.0	98	<1	1	2	3	5	9	55
20-34	56	5.3	60	1	1	3	5	12	17	44
35-49	38	4.5	13	<1	1	4	6	10	13	14
50-64	21	8.6	184	1	2	5	8	15	39	65
65+	38	5.9	18	1	2	5	8	10	13	23
B. *Operated*										
0-19 YRS	87	4.2	104	<1	<1	1	3	6	15	65
20-34	191	3.8	54	<1	<1	1	3	7	15	47
35-49	92	5.9	132	<1	1	2	5	13	28	60
50-64	36	4.9	86	<1	<1	2	4	8	33	40
65+	32	11.9	207	1	2	7	14	33	52	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.1	6	1	1	2	4	5	9	14
B. *Operated*	200	1.9	6	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	182	5.4	62	1	1	3	6	10	14	52
B. *Operated*	438	5.0	97	<1	1	2	4	11	20	54
1. SINGLE DX	272	2.2	6	<1	<1	1	2	4	7	13
2. MULTIPLE DX	620	5.1	87	<1	1	2	5	11	18	54
A. NOT OPERATED	254	4.7	47	1	1	3	5	9	13	45
B. OPERATED	638	4.0	70	<1	<1	1	3	8	16	53
TOTAL 0-19 YRS	172	3.4	71	<1	<1	1	3	5	12	55
20-34	368	3.5	39	<1	<1	1	3	6	12	43
35-49	201	4.6	69	<1	1	2	4	10	15	55
50-64	78	5.1	93	<1	1	2	5	9	18	58
65+	73	8.4	109	1	1	5	9	16	30	58
GRAND TOTAL	**892**	**4.2**	**64**	**<1**	**<1**	**2**	**4**	**9**	**14**	**52**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.7	2	<1	1	1	2	3	4	8
20-34	137	2.1	3	<1	1	1	2	4	6	11
35-49	51	2.2	2	1	1	2	3	4	6	6
50-64	32	2.6	6	1	1	2	3	6	7	12
65+	29	2.2	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	48	3.0	7	<1	1	2	4	7	8	13
20-34	96	3.2	11	<1	<1	2	4	7	10	18
35-49	37	4.1	23	<1	1	3	5	7	14	26
50-64	17	2.8	5	1	1	2	3	7	8	8
65+	6	5.0	10	1	1	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	2.5	7	1	1	2	3	5	7	14
20-34	318	2.8	7	<1	1	2	3	6	8	15
35-49	135	3.4	10	<1	1	2	4	7	10	15
50-64	93	4.1	11	1	1	3	6	9	10	17
65+	213	4.9	11	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	69	6.2	65	1	1	3	7	15	18	50
20-34	189	6.4	61	1	1	4	8	15	19	43
35-49	86	7.4	79	1	2	5	9	14	25	51
50-64	64	7.9	57	1	2	6	11	15	20	40
65+	61	8.2	82	1	1	7	10	16	19	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	2.0	3	1	1	1	2	4	5	9
B. *Operated*	204	3.3	12	<1	1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	949	3.4	10	1	1	2	4	7	9	16
B. *Operated*	469	7.0	67	1	1	5	9	15	19	45
1. SINGLE DX	598	2.5	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	1418	4.6	31	1	1	3	6	10	14	27
A. NOT OPERATED	1343	3.0	8	1	1	2	4	7	9	15
B. OPERATED	673	5.9	53	1	1	4	7	13	18	40
TOTAL 0-19 YRS	452	2.9	16	<1	1	2	3	6	9	18
20-34	740	3.7	24	<1	1	2	4	8	11	22
35-49	309	4.4	33	1	1	3	5	10	13	31
50-64	206	4.9	28	1	1	3	6	11	14	31
65+	309	5.3	26	1	1	4	7	10	14	22
GRAND TOTAL	**2016**	**4.0**	**25**	**1**	**1**	**2**	**5**	**9**	**12**	**23**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1132	1.4	2	<1	<1	1	1	2	3	6
20-34	464	1.5	1	<1	<1	1	2	3	3	6
35-49	206	1.8	4	<1	<1	1	2	4	5	13
50-64	65	2.0	4	<1	<1	1	2	4	7	12
65+	53	2.0	2	<1	1	2	3	4	4	6
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	5.0	13	2	2	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1821	2.7	24	<1	<1	1	2	4	7	28
20-34	2809	2.7	16	<1	<1	2	3	5	8	18
35-49	1516	3.0	15	<1	1	2	3	6	9	22
50-64	795	3.6	15	<1	1	2	4	8	11	21
65+	1126	4.6	19	1	1	3	6	9	12	21
B. *Operated*										
0-19 YRS	26	5.4	38	1	1	3	5	15	18	27
20-34	81	7.5	126	1	1	4	8	16	32	62
35-49	57	8.0	93	1	1	5	9	19	28	55
50-64	42	10.5	137	2	3	8	13	23	50	99+
65+	73	11.4	66	1	2	9	16	23	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1920	1.5	2	<1	<1	1	2	3	3	7
B. *Operated*	10	4.5	25	<1	<1	2	9	12	15	15
2. MULTIPLE DX										
A. *Not Operated*	8067	3.1	18	<1	1	2	3	6	9	22
B. *Operated*	279	8.9	100	1	1	6	12	20	27	61
1. SINGLE DX	1930	1.5	2	<1	<1	1	2	3	3	8
2. MULTIPLE DX	8346	3.3	22	<1	1	2	4	7	10	24
A. NOT OPERATED	9987	2.8	15	<1	<1	2	3	6	9	20
B. OPERATED	289	8.7	98	1	1	6	11	20	27	61
TOTAL 0-19 YRS	2982	2.2	16	<1	<1	1	2	4	5	20
20-34	3355	2.6	17	<1	<1	1	3	5	8	19
35-49	1781	3.1	17	<1	1	2	3	6	10	22
50-64	903	3.8	22	<1	1	2	4	8	12	24
65+	1255	4.9	24	1	1	3	6	10	13	25
GRAND TOTAL	**10276**	**3.0**	**19**	**<1**	**<1**	**2**	**3**	**6**	**9**	**22**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	440	1.3	1	<1	<1	1	1	2	3	4
20-34	272	1.5	1	<1	<1	1	2	3	3	6
35-49	139	1.4	1	<1	<1	1	2	2	3	6
50-64	60	1.7	7	<1	<1	1	2	3	4	18
65+	29	1.7	3	<1	1	1	2	3	7	9
B. Operated										
0-19 YRS	6	2.3	2	1	1	2	4	4	4	4
20-34	9	3.3	3	1	1	3	5	6	6	6
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	327	2.3	34	<1	<1	1	2	3	5	23
20-34	364	2.4	16	<1	<1	1	2	4	8	24
35-49	254	2.6	6	<1	1	2	3	6	8	13
50-64	148	3.1	22	1	1	2	3	6	9	25
65+	161	3.5	15	1	1	2	4	7	9	22
B. Operated										
0-19 YRS	10	12.4	185	2	2	9	16	33	47	47
20-34	27	8.7	172	<1	1	5	8	22	46	56
35-49	16	9.6	222	<1	1	6	9	16	49	63
50-64	16	12.4	227	<1	1	8	16	25	50	61
65+	15	11.1	256	2	2	5	11	23	54	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	940	1.4	1	<1	<1	1	1	2	3	6
B. Operated	19	2.9	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	1254	2.6	19	<1	1	1	3	5	8	22
B. Operated	84	10.4	201	1	1	6	11	23	50	64
1. SINGLE DX	959	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	1338	3.1	34	<1	1	1	3	6	10	29
A. NOT OPERATED	2194	2.1	12	<1	<1	1	2	4	6	16
B. OPERATED	103	9.1	172	1	1	5	10	20	45	64
TOTAL 0-19 YRS	783	1.9	18	<1	<1	1	2	3	4	16
20-34	672	2.3	18	<1	<1	1	2	4	7	23
35-49	411	2.5	15	<1	<1	1	3	5	7	14
50-64	225	3.4	38	<1	1	1	3	6	15	28
65+	206	3.8	34	1	1	2	4	8	11	27
GRAND TOTAL	**2297**	**2.4**	**21**	**<1**	**<1**	**1**	**2**	**4**	**7**	**21**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	177	1.8	33	<1	1	1	2	2	3	7
20-34	128	1.6	3	<1	1	1	2	2	3	13
35-49	93	1.5	1	<1	<1	1	2	3	3	6
50-64	66	1.7	2	<1	1	1	2	3	4	10
65+	59	2.0	3	1	1	1	2	4	6	9
B. Operated										
0-19 YRS	2	15.5	145	7	7	15	24	24	24	24
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	2.8	9	1	1	2	4	8	8	8
50-64	3	6.0	7	4	4	5	8	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	272	2.3	6	1	1	1	2	5	8	11
20-34	312	2.5	5	1	1	2	3	5	7	13
35-49	286	2.7	7	<1	1	2	3	5	7	14
50-64	288	3.3	12	1	1	2	4	7	10	19
65+	872	4.3	16	1	1	3	6	8	10	19
B. Operated										
0-19 YRS	35	12.8	340	<1	1	7	20	33	82	99+
20-34	36	6.1	85	1	1	4	6	9	33	42
35-49	40	5.6	47	1	1	3	8	13	19	36
50-64	55	10.2	123	1	1	7	14	23	31	61
65+	101	8.4	71	1	1	6	12	19	27	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	523	1.7	13	<1	1	1	2	3	4	10
B. Operated	13	5.2	40	1	1	3	7	12	22	24
2. MULTIPLE DX										
A. Not Operated	2030	3.4	12	1	1	2	4	7	9	17
B. Operated	267	8.6	118	1	1	5	11	21	33	87
1. SINGLE DX	536	1.8	14	<1	1	1	2	3	4	11
2. MULTIPLE DX	2297	4.0	27	1	1	2	5	8	12	26
A. NOT OPERATED	2553	3.1	13	1	1	2	4	6	9	17
B. OPERATED	280	8.5	115	1	1	5	11	21	31	83
TOTAL 0-19 YRS	486	2.9	48	1	1	1	2	5	10	32
20-34	478	2.5	12	<1	1	1	3	5	7	15
35-49	424	2.7	10	<1	1	2	3	5	8	17
50-64	412	4.0	31	1	1	2	4	10	13	28
65+	1033	4.6	23	1	1	3	6	9	14	26
GRAND TOTAL	**2833**	**3.6**	**25**	**1**	**1**	**2**	**4**	**8**	**11**	**25**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.5	4	<1	<1	2	3	6	7	8
20-34	51	4.0	9	<1	1	4	5	8	10	17
35-49	37	4.0	10	<1	1	3	5	8	10	15
50-64	39	4.3	28	<1	<1	3	5	8	11	32
65+	70	5.0	31	1	1	3	7	9	15	36
B. *Operated*										
0-19 YRS	212	3.1	9	<1	<1	2	4	6	9	19
20-34	421	4.0	20	<1	<1	3	5	9	12	16
35-49	403	4.5	20	<1	1	3	6	11	14	18
50-64	550	5.9	36	1	1	4	9	13	15	29
65+	881	6.0	32	1	1	4	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	4.8	25	<1	1	3	6	10	15	26
20-34	219	5.0	21	1	1	4	6	10	15	24
35-49	201	5.2	29	1	1	4	6	11	13	36
50-64	249	5.4	24	1	1	4	7	12	16	24
65+	530	5.9	31	1	1	4	7	11	15	32
B. *Operated*										
0-19 YRS	678	6.9	77	1	1	4	8	16	23	46
20-34	1160	6.6	69	1	1	4	8	14	21	43
35-49	1443	6.8	62	1	1	4	9	14	19	44
50-64	2578	7.7	72	1	1	5	10	17	22	44
65+	4407	8.6	86	1	1	6	11	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	4.1	19	<1	1	3	5	8	10	20
B. *Operated*	2467	5.2	28	<1	1	3	8	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	1375	5.4	28	1	1	4	7	11	15	28
B. *Operated*	10266	7.8	77	1	1	5	10	17	23	46
1. SINGLE DX	2697	5.1	27	<1	1	3	8	11	14	23
2. MULTIPLE DX	11641	7.5	72	1	1	5	10	16	22	44
A. NOT OPERATED	1605	5.2	26	1	1	4	7	10	14	28
B. OPERATED	12733	7.3	69	1	1	5	10	16	21	43
TOTAL 0-19 YRS	1099	5.7	56	<1	1	3	6	13	20	38
20-34	1851	5.7	52	<1	1	4	7	12	17	40
35-49	2084	6.1	51	1	1	4	8	13	17	37
50-64	3416	7.2	63	1	1	5	10	15	21	41
65+	5888	7.9	73	1	1	5	11	17	22	44
GRAND TOTAL	**14338**	**7.0**	**64**	**1**	**1**	**4**	**9**	**15**	**21**	**41**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	1.4	1	<1	<1	1	1	2	4	7
20-34	153	1.9	2	<1	1	1	2	4	5	7
35-49	74	2.4	4	1	1	2	3	5	5	12
50-64	121	2.6	2	1	1	2	3	5	6	7
65+	165	2.6	2	1	1	2	4	5	5	7
B. *Operated*										
0-19 YRS	169	1.4	1	<1	<1	1	1	2	3	5
20-34	188	1.9	2	<1	<1	1	2	4	4	7
35-49	127	2.0	3	<1	1	1	3	4	5	9
50-64	68	2.8	5	1	1	2	4	6	8	10
65+	80	2.8	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	1.8	2	<1	<1	1	2	4	5	7
20-34	104	2.9	6	1	1	2	4	6	8	14
35-49	98	2.7	6	1	1	2	3	5	9	14
50-64	155	2.8	4	1	1	2	4	5	7	9
65+	366	3.5	10	1	1	3	4	7	8	12
B. *Operated*										
0-19 YRS	68	2.4	15	<1	1	1	2	5	7	26
20-34	176	3.1	7	1	1	2	4	7	9	13
35-49	168	4.2	23	1	1	3	5	10	14	24
50-64	176	4.1	22	1	1	3	5	9	13	26
65+	389	4.3	26	1	1	3	5	9	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	632	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	780	3.1	8	1	1	2	4	6	8	12
B. *Operated*	977	3.9	21	1	1	2	5	8	12	25
1. SINGLE DX	1267	2.1	3	<1	1	1	3	4	5	8
2. MULTIPLE DX	1757	3.5	15	1	1	2	4	7	10	21
A. NOT OPERATED	1415	2.7	5	1	1	2	3	5	7	10
B. OPERATED	1609	3.2	15	<1	1	2	4	7	9	21
TOTAL 0-19 YRS	416	1.6	3	<1	<1	1	2	3	4	8
20-34	621	2.4	4	<1	1	2	3	5	7	11
35-49	467	3.0	12	1	1	2	3	6	9	18
50-64	520	3.2	10	1	1	2	4	6	8	17
65+	1000	3.6	15	1	1	3	4	7	9	22
GRAND TOTAL	**3024**	**2.9**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	4.8	7	1	2	4	6	9	10	14
20-34	148	4.3	5	2	2	4	6	7	9	10
35-49	92	4.1	5	1	2	4	5	7	9	11
50-64	67	5.1	8	2	2	4	7	10	11	12
65+	45	6.6	60	1	2	5	7	10	20	49
B. *Operated*										
0-19 YRS	62	6.6	24	1	2	5	9	14	16	23
20-34	96	7.3	38	1	2	6	10	15	20	33
35-49	87	6.0	22	1	1	5	8	13	17	20
50-64	60	6.6	30	1	1	5	9	14	19	25
65+	53	8.0	81	<1	1	5	10	19	25	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	5.2	17	1	2	4	6	12	14	19
20-34	218	5.5	25	1	2	4	6	11	14	27
35-49	210	6.0	18	2	2	5	7	11	14	24
50-64	275	7.0	40	2	2	6	8	13	18	29
65+	384	7.9	49	2	3	6	9	15	19	45
B. *Operated*										
0-19 YRS	121	8.6	38	1	2	7	11	16	20	31
20-34	264	10.1	94	2	2	8	13	21	28	56
35-49	319	11.4	112	2	3	8	14	25	35	58
50-64	342	12.7	152	2	3	9	16	29	42	99+
65+	487	13.8	146	2	3	10	18	28	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	412	4.7	12	1	2	4	6	8	10	13
B. *Operated*	358	6.9	37	1	1	5	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	1163	6.7	36	2	2	5	8	12	17	29
B. *Operated*	1533	12.0	126	2	3	9	15	26	36	62
1. SINGLE DX	770	5.7	25	1	2	4	7	11	15	24
2. MULTIPLE DX	2696	9.7	94	2	2	7	12	20	29	54
A. NOT OPERATED	1575	6.2	30	2	2	5	7	11	15	28
B. OPERATED	1891	11.0	113	2	2	8	14	23	33	57
TOTAL 0-19 YRS	319	6.7	27	1	2	5	9	14	16	24
20-34	726	7.2	53	2	2	5	9	15	20	37
35-49	708	8.2	68	1	2	6	10	17	25	48
50-64	744	9.4	97	2	2	7	11	20	29	58
65+	969	10.8	109	2	3	8	13	23	32	53
GRAND TOTAL	**3466**	**8.8**	**81**	**2**	**2**	**6**	**10**	**18**	**26**	**51**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.8	9	1	1	2	3	5	7	18
20-34	142	3.2	6	1	1	2	4	7	8	11
35-49	129	4.4	14	1	1	3	6	9	11	19
50-64	88	3.8	9	<1	1	3	6	8	9	13
65+	77	4.2	11	1	1	3	6	9	10	15
B. *Operated*										
0-19 YRS	75	2.5	6	<1	<1	1	3	6	8	12
20-34	148	3.2	8	<1	<1	2	4	7	9	13
35-49	151	4.5	16	1	1	3	6	9	11	17
50-64	132	4.9	21	<1	1	4	7	10	15	23
65+	133	4.1	15	1	1	3	5	9	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	3.4	12	1	1	2	4	7	11	17
20-34	349	3.6	13	1	1	2	5	7	9	19
35-49	340	3.9	11	1	1	3	6	8	10	14
50-64	412	4.9	18	1	1	4	7	10	13	21
65+	682	5.3	28	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	207	4.3	56	<1	1	1	4	11	18	35
20-34	572	5.0	58	1	1	2	6	11	17	35
35-49	625	6.9	86	1	1	4	9	16	21	57
50-64	823	8.0	111	1	1	5	10	20	27	74
65+	1531	6.5	67	1	1	3	8	16	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	3.7	10	1	1	3	5	8	10	16
B. *Operated*	639	4.0	14	<1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	1926	4.5	19	1	1	3	6	10	12	21
B. *Operated*	3758	6.6	79	1	1	3	8	16	23	46
1. SINGLE DX	1118	3.9	12	<1	1	3	5	8	10	18
2. MULTIPLE DX	5684	5.9	60	1	1	3	7	13	20	39
A. NOT OPERATED	2405	4.4	18	1	1	3	6	9	12	20
B. OPERATED	4397	6.2	71	1	1	3	8	15	22	42
TOTAL 0-19 YRS	468	3.6	31	<1	1	2	4	8	13	29
20-34	1211	4.2	34	1	1	2	5	9	12	28
35-49	1245	5.5	51	1	1	3	7	12	17	31
50-64	1455	6.6	73	1	1	4	8	14	22	50
65+	2423	6.0	52	1	1	3	8	14	20	37
GRAND TOTAL	**6802**	**5.5**	**53**	**1**	**1**	**3**	**7**	**12**	**18**	**36**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	3	3
20-34	11	1.7	1	<1	<1	1	3	4	4	4
35-49	7	4.0	9	1	1	5	7	8	8	8
50-64	9	2.1	2	1	1	1	3	5	5	5
65+	9	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	7.0	12	3	3	9	9	9	9	9
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.3	2	<1	<1	2	3	4	5	7
20-34	31	3.8	6	1	1	3	6	7	8	11
35-49	35	3.8	10	1	1	3	4	8	12	14
50-64	35	4.9	20	1	1	3	8	11	15	17
65+	60	3.0	6	1	1	2	5	7	8	10
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	15	11.2	265	<1	2	6	14	21	55	66
35-49	21	9.9	135	1	1	6	11	23	40	50
50-64	15	6.9	50	2	2	4	9	13	25	29
65+	24	9.9	177	1	1	5	13	21	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.1	3	<1	1	1	3	5	5	8
B. *Operated*	6	4.7	12	<1	<1	3	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	188	3.5	9	1	1	3	5	8	9	15
B. *Operated*	78	9.2	150	1	1	5	11	21	31	65
1. SINGLE DX	55	2.4	4	<1	1	1	3	5	8	9
2. MULTIPLE DX	266	5.2	57	1	1	3	6	11	15	47
A. NOT OPERATED	237	3.2	8	1	1	2	4	7	9	14
B. OPERATED	84	8.9	141	1	1	5	11	20	30	65
TOTAL 0-19 YRS	43	2.0	2	<1	<1	2	3	3	4	7
20-34	58	5.3	82	<1	1	3	6	10	15	62
35-49	66	5.9	56	1	1	4	7	12	15	47
50-64	61	4.9	26	1	1	3	7	11	15	28
65+	93	4.7	58	1	1	2	5	9	17	45
GRAND TOTAL	**321**	**4.7**	**49**	**1**	**1**	**3**	**6**	**10**	**14**	**37**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	1058	1.2		<1	<1	<1	1	2	2	3
35-49	584	1.1		<1	<1	<1	1	1	2	3
50-64	5	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	17	1.5	2	<1	<1	<1	1	3	5	6
35-49	9	1.0		<1	<1	<1	<1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.4	5	<1	<1	1	4	6	7	8
20-34	497	1.7	2	<1	<1	1	2	3	4	7
35-49	341	1.5	1	<1	<1	1	1	3	4	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.3	1	1	1	1	1	3	3	3
B. *Operated*	1655	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	28	1.4	1	<1	<1	<1	1	3	4	6
B. *Operated*	853	1.6	1	<1	<1	1	2	3	4	6
1. SINGLE DX	1661	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	881	1.6	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	34	1.4	1	<1	<1	<1	1	3	4	6
B. OPERATED	2508	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	23	2.0	4	<1	<1	1	2	5	6	8
20-34	1577	1.3	1	<1	<1	1	1	2	3	5
35-49	935	1.3	1	<1	<1	1	1	2	3	5
50-64	6	1.0		<1	<1	<1	<1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**2542**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	77.0		77	77	77	77	77	77	77
1500-1749	1	8.0		8	8	8	8	8	8	8
1750-2499	1443	2.1	2	1	1	2	3	4	4	6
2500+	117630	2.0	1	1	1	2	3	4	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	33	2.5	3	<1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	7	79.7	315	49	59	92	99+	99+	99+	99+
1000-1499	154	35.0	227	15	17	32	45	55	66	93
1500-1749	245	22.9	104	9	13	21	27	35	38	64
1750-2499	5167	5.6	32	1	1	4	7	13	17	28
2500+	77982	2.8	3	1	1	2	4	5	5	9
B. *Operated*										
1-999 G	98	72.9	235	50	57	87	99+	99+	99+	99+
1000-1499	282	49.0	353	22	28	47	64	86	99+	99+
1500-1749	221	31.7	207	14	17	29	40	51	66	99+
1750-2499	774	15.4	142	<1	2	13	21	31	38	69
2500+	2016	7.3	83	1	1	5	8	14	20	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119075	2.0	1	1	1	2	3	4	4	5
B. *Operated*	33	2.5	3	<1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	83555	3.1	10	1	1	2	4	5	6	15
B. *Operated*	3391	16.1	377	1	2	8	22	51	75	99+
1. SINGLE DX	119108	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX	86946	3.6	30	1	1	3	4	5	8	30
A. NOT OPERATED	202630	2.5	5	1	1	2	3	4	5	9
B. OPERATED	3424	16.0	375	1	2	8	21	50	75	99+
TOTAL 1-999 G	105	73.4	240	50	57	88	99+	99+	99+	99+
1000-1499	437	44.1	355	17	23	43	58	76	92	99+
1500-1749	467	27.0	173	12	14	24	33	44	54	84
1750-2499	7384	6.0	50	1	1	3	7	14	20	34
2500+	197661	2.4	3	1	1	2	3	4	5	8
GRAND TOTAL	**206054**	**2.7**	**14**	**1**	**1**	**2**	**3**	**4**	**5**	**15**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	240	3.7	5	1	2	3	5	6	7	14
2500+	1044	3.3	2	1	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	49.7	376	37	37	40	64	72	72	72
1000-1499	28	33.8	289	12	15	32	45	50	75	78
1500-1749	85	20.0	90	8	11	19	23	29	34	67
1750-2499	1005	7.2	29	2	3	5	9	14	17	31
2500+	1110	4.2	5	2	2	4	5	6	7	14
B. *Operated*										
1-999 G	22	78.0	229	54	60	88	99+	99+	99+	99+
1000-1499	74	52.0	382	25	31	53	73	99+	99+	99+
1500-1749	62	32.6	137	17	21	29	41	54	63	99+
1750-2499	131	19.1	193	4	5	15	26	33	50	67
2500+	44	7.4	26	2	3	5	11	15	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1284	3.4	3	1	2	3	4	5	6	8
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	2231	6.6	45	2	3	5	7	14	18	35
B. *Operated*	333	31.3	578	4	5	28	51	84	99+	99+
1. SINGLE DX	1286	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	2564	9.8	182	2	3	5	10	24	41	93
A. NOT OPERATED	3515	5.4	32	2	2	4	5	10	15	31
B. OPERATED	335	31.1	579	3	5	28	51	84	99+	99+
TOTAL 1-999 G	25	74.6	320	41	53	86	99+	99+	99+	99+
1000-1499	102	47.0	421	16	23	48	66	95	99+	99+
1500-1749	147	25.3	148	10	13	23	30	46	54	99+
1750-2499	1376	7.7	56	2	2	5	9	16	22	38
2500+	2200	3.9	5	1	2	4	5	6	7	13
GRAND TOTAL	**3850**	**7.7**	**132**	**2**	**2**	**4**	**6**	**16**	**30**	**80**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	12	1.9	2	<1	<1	1	2	4	6	6
2500+	261	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	69.0		69	69	69	69	69	69	69
1000-1499	5	20.4	81	11	11	18	28	33	33	33
1500-1749	2	18.0	98	11	11	18	25	25	25	25
1750-2499	49	5.3	29	1	1	3	7	13	19	23
2500+	181	2.4	3	<1	1	2	3	5	6	8
B. *Operated*										
1-999 G	1	71.0		71	71	71	71	71	71	71
1000-1499	4	52.8	428	30	30	53	70	74	74	74
1500-1749	3	14.3	85	9	9	9	21	25	25	25
1750-2499	3	11.0	4	9	9	11	12	13	13	13
2500+	9	6.1	15	1	1	6	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	1.6	1	<1	<1	1	2	3	3	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	238	3.8	38	<1	1	2	4	8	13	27
B. *Operated*	20	20.7	555	1	3	10	27	68	72	74
1. SINGLE DX	273	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	258	5.1	96	<1	1	2	5	11	19	69
A. NOT OPERATED	511	2.6	19	<1	1	2	2	5	8	21
B. OPERATED	20	20.7	555	1	3	10	27	68	72	74
TOTAL 1-999· G	2	70.0	2	69	69	70	71	71	71	71
1000-1499	9	34.8	492	11	12	30	47	71	74	74
1500-1749	5	15.8	71	9	9	11	25	25	25	25
1750-2499	64	4.9	26	<1	1	3	7	12	16	23
2500+	451	2.0	3	<1	<1	2	2	3	5	9
GRAND TOTAL	**531**	**3.3**	**50**	**<1**	**1**	**2**	**3**	**6**	**10**	**35**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	<1	<1	<1	2	3	3	3
20-34	9	2.1	2	1	1	1	3	4	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	4	1.5	1	1	1	1	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	436	1.5	1	<1	<1	1	2	3	3	5
20-34	730	1.7	2	<1	<1	1	2	3	4	7
35-49	353	1.7	1	<1	<1	1	2	3	4	6
50-64	225	1.6	1	<1	<1	1	2	3	4	5
65+	125	2.3	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	6	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	4	3.8	8	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	161	2.3	9	<1	<1	1	2	4	5	21
20-34	209	2.2	5	<1	1	1	2	5	6	9
35-49	147	2.8	7	<1	<1	2	4	6	8	13
50-64	122	3.2	9	<1	1	2	4	6	9	15
65+	123	3.1	8	<1	1	2	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	1869	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	20	1.6	2	<1	<1	<1	1	3	6	7
B. *Operated*	762	2.6	7	<1	<1	2	3	5	7	13
1. SINGLE DX	1893	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	782	2.6	7	<1	<1	2	3	5	7	13
A. NOT OPERATED	44	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	2631	2.0	4	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	608	1.7	3	<1	<1	1	2	3	4	8
20-34	954	1.8	3	<1	<1	1	2	4	5	7
35-49	507	2.0	3	<1	<1	1	2	4	5	9
50-64	354	2.2	4	<1	<1	2	3	4	6	12
65+	252	2.7	7	<1	<1	2	3	5	7	13
GRAND TOTAL	**2675**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	5	6.8	30	3	3	3	11	15	15	15
20-34	33	3.5	38	<1	<1	2	3	7	8	36
35-49	30	2.2	2	<1	<1	2	3	4	6	7
50-64	71	2.2	7	<1	<1	<1	2	5	9	14
65+	63	2.5	10	<1	<1	<1	3	5	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	7	1.9	1	<1	<1	1	3	3	3	3
B. *Operated*	202	2.6	13	<1	<1	1	3	6	9	15
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	209	2.6	13	<1	<1	1	3	6	8	15
A. NOT OPERATED	7	1.9	1	<1	<1	1	3	3	3	3
B. OPERATED	203	2.6	13	<1	<1	1	3	6	9	15
TOTAL 0-19 YRS	7	5.4	26	1	1	3	8	14	15	15
20-34	35	3.4	36	<1	<1	2	3	6	8	36
35-49	32	2.2	2	<1	<1	2	3	4	6	7
50-64	72	2.2	7	<1	<1	<1	2	5	9	14
65+	64	2.5	10	<1	<1	<1	3	5	9	15
GRAND TOTAL	**210**	**2.6**	**13**	**<1**	**<1**	**1**	**3**	**6**	**8**	**15**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	487	1.6	2	<1	<1	1	2	3	4	7
20-34	950	2.0	17	<1	<1	1	2	3	4	21
35-49	400	2.1	6	<1	<1	1	2	4	6	12
50-64	352	2.1	3	<1	1	1	3	4	6	9
65+	288	3.1	35	<1	1	2	3	6	11	21
B. *Operated*										
0-19 YRS	260	2.6	6	<1	<1	1	3	7	8	10
20-34	688	2.9	7	<1	<1	2	4	7	8	12
35-49	506	3.5	11	<1	<1	2	5	8	9	11
50-64	343	4.0	18	<1	<1	3	6	9	10	14
65+	220	4.6	14	<1	1	3	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2120	5.5	136	<1	1	2	4	9	33	84
20-34	2404	6.8	131	<1	1	2	5	23	30	71
35-49	3251	4.6	59	1	1	2	4	11	23	37
50-64	6790	3.9	44	1	1	2	4	7	15	36
65+	8329	6.0	79	1	1	3	6	16	25	46
B. *Operated*										
0-19 YRS	619	4.8	72	<1	<1	2	5	9	21	63
20-34	1382	4.7	67	<1	1	2	5	9	14	54
35-49	1598	4.5	46	1	1	3	5	9	12	38
50-64	2034	5.4	42	1	1	4	7	11	16	35
65+	2199	6.7	70	1	1	4	9	15	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2477	2.1	13	<1	<1	1	2	4	5	15
B. *Operated*	2017	3.4	11	<1	<1	2	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	22894	5.2	78	1	1	2	5	13	23	46
B. *Operated*	7832	5.4	58	1	1	3	6	11	18	44
1. SINGLE DX	4494	2.7	12	<1	<1	1	3	6	8	14
2. MULTIPLE DX	30726	5.3	73	1	1	2	5	12	22	46
A. NOT OPERATED	25371	4.9	72	1	1	2	5	12	22	45
B. OPERATED	9849	5.0	49	<1	1	3	6	10	15	39
TOTAL 0-19 YRS	3486	4.6	98	<1	<1	2	4	8	22	61
20-34	5424	5.0	83	<1	<1	2	5	10	24	53
35-49	5755	4.3	48	<1	1	2	4	9	19	35
50-64	9519	4.2	42	1	1	2	5	8	14	34
65+	11036	6.0	75	1	1	3	6	16	23	46
GRAND TOTAL	**35220**	**4.9**	**66**	**1**	**1**	**2**	**5**	**11**	**21**	**44**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Cronn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever